



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2023 – 02:05 AM EDT

PDB ID : 6U0P
Title : Crystal structure of PieE, the flavin-dependent monooxygenase involved in the biosynthesis of piericidin A1
Authors : Shi, R.; Manenda, M.; Picard, M.-E.
Deposited on : 2019-08-14
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 29588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2,4-dichlorophenol 6-monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	581	4434	2770	830	824	10	0	0	0
1	B	579	4423	2764	828	821	10	0	0	0
1	C	585	4470	2791	840	829	10	0	0	0
1	D	578	4416	2759	827	820	10	0	0	0
1	E	579	4431	2768	831	822	10	0	1	0
1	F	579	4426	2765	828	823	10	0	0	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP W0C4C9
A	-1	SER	-	expression tag	UNP W0C4C9
A	0	HIS	-	expression tag	UNP W0C4C9
B	-2	GLY	-	expression tag	UNP W0C4C9
B	-1	SER	-	expression tag	UNP W0C4C9
B	0	HIS	-	expression tag	UNP W0C4C9
C	-2	GLY	-	expression tag	UNP W0C4C9
C	-1	SER	-	expression tag	UNP W0C4C9
C	0	HIS	-	expression tag	UNP W0C4C9
D	-2	GLY	-	expression tag	UNP W0C4C9
D	-1	SER	-	expression tag	UNP W0C4C9
D	0	HIS	-	expression tag	UNP W0C4C9
E	-2	GLY	-	expression tag	UNP W0C4C9
E	-1	SER	-	expression tag	UNP W0C4C9
E	0	HIS	-	expression tag	UNP W0C4C9
F	-2	GLY	-	expression tag	UNP W0C4C9
F	-1	SER	-	expression tag	UNP W0C4C9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	0	HIS	-	expression tag	UNP W0C4C9

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	53	27	9	15	2	0	0
2	B	1	53	27	9	15	2	0	0
2	C	1	53	27	9	15	2	0	0
2	D	1	53	27	9	15	2	0	0
2	E	1	53	27	9	15	2	0	0
2	F	1	53	27	9	15	2	0	0

- Molecule 3 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 10 6 4	0	0
3	A	1	Total C O 10 6 4	0	0
3	B	1	Total C O 10 6 4	0	0
3	B	1	Total C O 10 6 4	0	0
3	C	1	Total C O 10 6 4	0	0
3	C	1	Total C O 10 6 4	0	0
3	D	1	Total C O 10 6 4	0	0
3	D	1	Total C O 10 6 4	0	0
3	E	1	Total C O 10 6 4	0	0
3	E	1	Total C O 10 6 4	0	0
3	F	1	Total C O 10 6 4	0	0
3	F	1	Total C O 10 6 4	0	0

- Molecule 4 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			16	10 6		
4	B	1	Total	C O	0	0
			16	10 6		
4	C	1	Total	C O	0	0
			16	10 6		
4	D	1	Total	C O	0	0
			16	10 6		
4	E	1	Total	C O	0	0
			16	10 6		
4	F	1	Total	C O	0	0
			16	10 6		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Cl	0	0
			2	2		
5	B	1	Total	Cl	0	0
			1	1		
5	C	2	Total	Cl	0	0
			2	2		
5	D	2	Total	Cl	0	0
			2	2		
5	E	2	Total	Cl	0	0
			2	2		
5	F	1	Total	Cl	0	0
			1	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 6 3 3	0	0
6	A	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	B	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	C	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	D	1	Total C O 6 3 3	0	0
6	E	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	E	1	Total	C	O	0	0
			6	3	3		
6	E	1	Total	C	O	0	0
			6	3	3		
6	F	1	Total	C	O	0	0
			6	3	3		
6	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	325	Total	O	0	0
			325	325		
7	B	362	Total	O	0	0
			362	362		
7	C	466	Total	O	0	0
			466	466		
7	D	411	Total	O	0	0
			411	411		
7	E	449	Total	O	0	0
			449	449		
7	F	329	Total	O	0	0
			329	329		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.57Å 187.41Å 241.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.34 – 2.02	Depositor
% Data completeness (in resolution range)	99.8 (49.34-2.02)	Depositor
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.01Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.170 , 0.204	Depositor
Wilson B-factor (Å ²)	29.6	Xtrriage
Anisotropy	0.441	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	29588	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 10 are monoatomic - leaving 41 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	D	610	-	5,5,5	0.27	0	5,5,5	0.99	0
2	FAD	D	601	-	53,58,58	1.66	10 (18%)	68,89,89	1.65	14 (20%)
4	1PE	D	604	-	15,15,15	0.77	0	14,14,14	0.74	0
3	PGE	C	603	-	9,9,9	0.45	0	8,8,8	0.37	0
3	PGE	F	604	-	9,9,9	0.47	0	8,8,8	0.29	0
6	GOL	E	607	-	5,5,5	0.34	0	5,5,5	0.89	0
3	PGE	D	602	-	9,9,9	0.27	0	8,8,8	0.18	0
4	1PE	C	604	-	15,15,15	0.91	0	14,14,14	1.07	1 (7%)
6	GOL	F	601	-	5,5,5	0.21	0	5,5,5	0.46	0
6	GOL	A	607	-	5,5,5	0.30	0	5,5,5	0.54	0
3	PGE	A	602	-	9,9,9	0.55	0	8,8,8	0.40	0
6	GOL	A	608	-	5,5,5	0.13	0	5,5,5	0.43	0
3	PGE	E	603	-	9,9,9	0.52	0	8,8,8	0.43	0
3	PGE	A	603	-	9,9,9	0.37	0	8,8,8	0.16	0
4	1PE	F	605	-	15,15,15	0.83	0	14,14,14	0.81	0
6	GOL	E	609	-	5,5,5	0.19	0	5,5,5	0.50	0
4	1PE	A	604	-	15,15,15	0.70	0	14,14,14	0.48	0
6	GOL	C	607	-	5,5,5	0.39	0	5,5,5	0.96	0
6	GOL	E	608	-	5,5,5	0.23	0	5,5,5	0.58	0
3	PGE	B	603	-	9,9,9	0.27	0	8,8,8	0.15	0
6	GOL	B	606	-	5,5,5	0.22	0	5,5,5	0.51	0
6	GOL	F	607	-	5,5,5	0.23	0	5,5,5	0.52	0
6	GOL	D	609	-	5,5,5	0.27	0	5,5,5	0.57	0
2	FAD	A	601	-	53,58,58	1.61	8 (15%)	68,89,89	1.70	15 (22%)
3	PGE	F	603	-	9,9,9	0.28	0	8,8,8	0.29	0
6	GOL	D	608	-	5,5,5	0.15	0	5,5,5	0.46	0
6	GOL	B	607	-	5,5,5	0.38	0	5,5,5	0.94	0
6	GOL	D	607	-	5,5,5	0.22	0	5,5,5	0.49	0
6	GOL	B	609	-	5,5,5	0.18	0	5,5,5	0.48	0
4	1PE	E	604	-	15,15,15	0.89	0	14,14,14	1.03	2 (14%)
3	PGE	E	602	-	9,9,9	0.60	0	8,8,8	0.48	0
2	FAD	C	601	-	53,58,58	1.92	10 (18%)	68,89,89	1.60	18 (26%)
2	FAD	F	602	-	53,58,58	1.69	9 (16%)	68,89,89	1.47	12 (17%)
3	PGE	B	602	-	9,9,9	0.35	0	8,8,8	0.31	0
6	GOL	B	608	-	5,5,5	0.15	0	5,5,5	0.44	0
2	FAD	E	601	-	53,58,58	1.66	10 (18%)	68,89,89	1.55	12 (17%)
6	GOL	C	608	-	5,5,5	0.18	0	5,5,5	0.45	0
3	PGE	D	603	-	9,9,9	0.38	0	8,8,8	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	B	601	-	53,58,58	1.78	11 (20%)	68,89,89	1.74	12 (17%)
4	1PE	B	604	-	15,15,15	0.76	0	14,14,14	0.67	0
3	PGE	C	602	-	9,9,9	0.15	0	8,8,8	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	D	610	-	-	0/4/4/4	-
2	FAD	D	601	-	-	3/30/50/50	0/6/6/6
4	1PE	D	604	-	-	6/13/13/13	-
3	PGE	C	603	-	-	3/7/7/7	-
3	PGE	F	604	-	-	5/7/7/7	-
6	GOL	E	607	-	-	1/4/4/4	-
3	PGE	D	602	-	-	5/7/7/7	-
4	1PE	C	604	-	-	7/13/13/13	-
6	GOL	F	601	-	-	2/4/4/4	-
6	GOL	A	607	-	-	2/4/4/4	-
3	PGE	A	602	-	-	3/7/7/7	-
6	GOL	A	608	-	-	4/4/4/4	-
3	PGE	E	603	-	-	4/7/7/7	-
3	PGE	A	603	-	-	2/7/7/7	-
4	1PE	F	605	-	-	5/13/13/13	-
6	GOL	E	609	-	-	4/4/4/4	-
4	1PE	A	604	-	-	5/13/13/13	-
6	GOL	C	607	-	-	4/4/4/4	-
6	GOL	E	608	-	-	3/4/4/4	-
3	PGE	B	603	-	-	4/7/7/7	-
6	GOL	B	606	-	-	4/4/4/4	-
6	GOL	F	607	-	-	2/4/4/4	-
6	GOL	D	609	-	-	3/4/4/4	-
2	FAD	A	601	-	-	3/30/50/50	0/6/6/6
3	PGE	F	603	-	-	1/7/7/7	-
6	GOL	D	608	-	-	2/4/4/4	-
6	GOL	B	607	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	D	607	-	-	2/4/4/4	-
6	GOL	B	609	-	-	0/4/4/4	-
4	1PE	E	604	-	-	9/13/13/13	-
3	PGE	E	602	-	-	6/7/7/7	-
2	FAD	C	601	-	-	1/30/50/50	0/6/6/6
2	FAD	F	602	-	-	3/30/50/50	0/6/6/6
3	PGE	B	602	-	-	6/7/7/7	-
6	GOL	B	608	-	-	4/4/4/4	-
2	FAD	E	601	-	-	3/30/50/50	0/6/6/6
6	GOL	C	608	-	-	4/4/4/4	-
3	PGE	D	603	-	-	5/7/7/7	-
2	FAD	B	601	-	-	2/30/50/50	0/6/6/6
4	1PE	B	604	-	-	7/13/13/13	-
3	PGE	C	602	-	-	2/7/7/7	-

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	FAD	C9A-C5X	6.23	1.51	1.41
2	F	602	FAD	C9A-C5X	6.22	1.51	1.41
2	B	601	FAD	C9A-C5X	6.03	1.51	1.41
2	A	601	FAD	C9A-C5X	5.94	1.51	1.41
2	D	601	FAD	C9A-C5X	5.42	1.50	1.41
2	E	601	FAD	C9A-C5X	4.83	1.49	1.41
2	C	601	FAD	C8-C7	4.50	1.52	1.40
2	F	602	FAD	C8-C7	4.41	1.51	1.40
2	C	601	FAD	C4A-N3A	-4.38	1.29	1.35
2	D	601	FAD	C8-C7	4.34	1.51	1.40
2	B	601	FAD	C8-C7	4.23	1.51	1.40
2	C	601	FAD	C4X-N5	4.19	1.38	1.30
2	C	601	FAD	C2A-N3A	4.13	1.38	1.32
2	F	602	FAD	C4X-N5	4.05	1.38	1.30
2	E	601	FAD	C8-C7	3.99	1.50	1.40
2	B	601	FAD	C2A-N3A	3.99	1.38	1.32
2	D	601	FAD	C4X-N5	3.66	1.37	1.30
2	B	601	FAD	C4X-N5	3.66	1.37	1.30
2	E	601	FAD	C5'-C4'	3.63	1.56	1.51
2	E	601	FAD	C5A-C4A	3.61	1.50	1.40
2	A	601	FAD	C8-C7	3.53	1.49	1.40
2	A	601	FAD	C4X-N5	3.52	1.37	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	FAD	C5A-C4A	3.39	1.49	1.40
2	E	601	FAD	C4-N3	-3.24	1.32	1.38
2	D	601	FAD	C5A-C4A	3.22	1.49	1.40
2	A	601	FAD	C2A-N3A	3.21	1.37	1.32
2	E	601	FAD	C4X-N5	3.19	1.37	1.30
2	C	601	FAD	C8A-N7A	3.02	1.40	1.34
2	F	602	FAD	C2A-N3A	2.96	1.36	1.32
2	E	601	FAD	C2B-C1B	-2.83	1.49	1.53
2	D	601	FAD	C4-N3	-2.83	1.33	1.38
2	C	601	FAD	C10-N10	2.79	1.43	1.37
2	B	601	FAD	O4B-C1B	2.74	1.44	1.41
2	C	601	FAD	C5A-C4A	2.70	1.48	1.40
2	B	601	FAD	C4A-N3A	-2.68	1.31	1.35
2	A	601	FAD	C5A-C4A	2.66	1.48	1.40
2	B	601	FAD	C10-N10	2.65	1.43	1.37
2	D	601	FAD	C4A-N3A	-2.59	1.32	1.35
2	D	601	FAD	C2A-N3A	2.43	1.36	1.32
2	A	601	FAD	C2B-C1B	-2.41	1.50	1.53
2	F	602	FAD	O2-C2	2.35	1.28	1.24
2	B	601	FAD	C4X-C10	2.35	1.51	1.44
2	C	601	FAD	C4X-C10	2.33	1.51	1.44
2	F	602	FAD	C4-N3	-2.32	1.34	1.38
2	C	601	FAD	C2A-N1A	2.30	1.38	1.33
2	D	601	FAD	C10-N10	2.28	1.42	1.37
2	D	601	FAD	C2B-C1B	-2.26	1.50	1.53
2	E	601	FAD	C4A-N3A	-2.25	1.32	1.35
2	D	601	FAD	C4X-C10	2.24	1.50	1.44
2	B	601	FAD	C2B-C1B	-2.21	1.50	1.53
2	F	602	FAD	C4A-N3A	-2.18	1.32	1.35
2	B	601	FAD	C10-N1	2.15	1.37	1.33
2	E	601	FAD	C4X-C10	2.11	1.50	1.44
2	F	602	FAD	C4X-C10	2.09	1.50	1.44
2	F	602	FAD	C10-N1	2.07	1.37	1.33
2	A	601	FAD	C2A-N1A	2.05	1.37	1.33
2	E	601	FAD	C10-N1	2.04	1.37	1.33
2	A	601	FAD	C8A-N7A	2.03	1.38	1.34

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	FAD	C1B-N9A-C4A	-6.00	116.10	126.64
2	B	601	FAD	N3A-C2A-N1A	-5.11	120.70	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	601	FAD	N3A-C2A-N1A	-4.97	120.91	128.68
2	B	601	FAD	C4A-C5A-N7A	-4.82	104.37	109.40
2	F	602	FAD	C4-C4X-N5	4.50	124.64	118.23
2	A	601	FAD	C4-C4X-N5	4.25	124.28	118.23
2	D	601	FAD	N3A-C2A-N1A	-4.17	122.15	128.68
2	B	601	FAD	C4-C4X-N5	4.13	124.11	118.23
2	D	601	FAD	C1B-N9A-C4A	-3.99	119.63	126.64
2	D	601	FAD	O5'-P-O1P	3.95	124.50	109.07
2	E	601	FAD	C4-C4X-N5	3.82	123.67	118.23
2	F	602	FAD	C1B-N9A-C4A	-3.70	120.14	126.64
2	B	601	FAD	O5'-P-O1P	3.66	123.35	109.07
2	C	601	FAD	N3A-C2A-N1A	-3.57	123.10	128.68
2	F	602	FAD	N3A-C2A-N1A	-3.40	123.36	128.68
2	A	601	FAD	O5'-P-O1P	3.40	122.34	109.07
2	A	601	FAD	C4A-C5A-N7A	-3.37	105.88	109.40
2	D	601	FAD	C4-C4X-N5	3.37	123.03	118.23
2	C	601	FAD	C4-C4X-N5	3.20	122.79	118.23
2	C	601	FAD	C4X-C4-N3	3.20	121.30	113.19
2	B	601	FAD	C4X-C4-N3	3.18	121.26	113.19
2	E	601	FAD	C4A-C5A-N7A	-3.18	106.09	109.40
2	E	601	FAD	C4X-C4-N3	3.15	121.18	113.19
2	D	601	FAD	C2A-N1A-C6A	3.12	124.09	118.75
2	A	601	FAD	N3A-C2A-N1A	-3.11	123.81	128.68
2	E	601	FAD	C1B-N9A-C4A	-3.11	121.18	126.64
2	B	601	FAD	C10-N1-C2	3.07	123.04	116.90
2	C	601	FAD	N6A-C6A-N1A	3.01	124.83	118.57
2	A	601	FAD	C4X-C4-N3	2.97	120.73	113.19
2	D	601	FAD	N6A-C6A-N1A	2.95	124.69	118.57
2	F	602	FAD	C4X-C4-N3	2.87	120.48	113.19
2	B	601	FAD	O4-C4-C4X	-2.82	119.11	126.60
2	A	601	FAD	C10-N1-C2	2.81	122.52	116.90
2	A	601	FAD	C2B-C3B-C4B	2.81	108.09	102.64
2	C	601	FAD	C4X-C10-N1	-2.77	118.29	124.73
2	C	601	FAD	C5X-C9A-N10	2.76	120.80	117.95
2	B	601	FAD	C4X-C10-N1	-2.72	118.41	124.73
2	C	601	FAD	C8M-C8-C7	2.63	126.12	120.74
2	B	601	FAD	C4-N3-C2	-2.61	120.83	125.64
2	C	601	FAD	O4-C4-C4X	-2.60	119.69	126.60
2	D	601	FAD	O3'-C3'-C2'	-2.60	102.52	108.81
2	D	601	FAD	C4X-C4-N3	2.60	119.80	113.19
4	E	604	1PE	OH5-C25-C15	2.60	122.12	110.39
2	A	601	FAD	C4X-C10-N10	2.59	120.27	116.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	FAD	C1'-N10-C9A	2.58	124.82	120.51
2	A	601	FAD	C4'-C3'-C2'	-2.54	108.09	113.36
2	E	601	FAD	C1'-N10-C9A	2.53	124.72	120.51
2	E	601	FAD	O4-C4-C4X	-2.52	119.91	126.60
2	C	601	FAD	C10-N1-C2	2.49	121.89	116.90
2	C	601	FAD	C4A-C5A-N7A	-2.49	106.81	109.40
2	F	602	FAD	C4A-C5A-N7A	-2.47	106.82	109.40
2	F	602	FAD	O5'-P-O1P	2.46	118.68	109.07
2	F	602	FAD	C4-C4X-C10	-2.43	112.70	116.79
2	D	601	FAD	C8M-C8-C7	2.40	125.66	120.74
2	C	601	FAD	C1B-N9A-C4A	-2.39	122.45	126.64
2	D	601	FAD	C10-N1-C2	2.39	121.67	116.90
4	C	604	1PE	C25-OH5-C14	2.38	123.58	113.29
2	E	601	FAD	C2A-N1A-C6A	2.38	122.82	118.75
2	D	601	FAD	C4X-C10-N1	-2.37	119.22	124.73
2	C	601	FAD	C4-N3-C2	-2.36	121.29	125.64
2	B	601	FAD	C1B-N9A-C4A	-2.34	122.52	126.64
2	B	601	FAD	O2B-C2B-C1B	-2.34	102.22	110.85
2	C	601	FAD	C9-C9A-N10	-2.34	118.68	121.84
2	D	601	FAD	O4-C4-C4X	-2.33	120.42	126.60
2	F	602	FAD	N6A-C6A-N1A	2.33	123.40	118.57
2	E	601	FAD	C4X-C10-N1	-2.32	119.34	124.73
2	C	601	FAD	C8M-C8-C9	-2.29	115.26	119.49
2	C	601	FAD	C5A-C6A-N6A	-2.27	116.90	120.35
2	E	601	FAD	C10-N1-C2	2.27	121.44	116.90
2	F	602	FAD	C1'-N10-C9A	2.25	124.26	120.51
2	C	601	FAD	C9A-C5X-N5	-2.24	120.00	122.43
2	F	602	FAD	C8M-C8-C7	2.23	125.30	120.74
2	D	601	FAD	O3'-C3'-C4'	2.22	114.18	108.81
2	F	602	FAD	C10-N1-C2	2.21	121.32	116.90
2	A	601	FAD	C4X-C10-N1	-2.21	119.61	124.73
4	E	604	1PE	OH6-C26-C16	2.20	119.73	110.07
2	D	601	FAD	C8M-C8-C9	-2.14	115.53	119.49
2	B	601	FAD	C2B-C3B-C4B	2.12	106.76	102.64
2	F	602	FAD	O4-C4-C4X	-2.10	121.03	126.60
2	E	601	FAD	O5'-P-O1P	2.08	117.21	109.07
2	A	601	FAD	C4-N3-C2	-2.08	121.80	125.64
2	A	601	FAD	O4-C4-C4X	-2.08	121.08	126.60
2	C	601	FAD	O5'-P-O1P	2.08	117.19	109.07
2	E	601	FAD	O3B-C3B-C4B	-2.08	105.04	111.05
2	C	601	FAD	O2'-C2'-C3'	2.03	114.03	109.10
2	A	601	FAD	C9A-N10-C10	-2.00	117.64	120.77

There are no chirality outliers.

All (141) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FAD	C5'-O5'-P-O2P
2	A	601	FAD	C5'-O5'-P-O3P
2	D	601	FAD	C5'-O5'-P-O2P
2	E	601	FAD	C5'-O5'-P-O2P
2	E	601	FAD	C5'-O5'-P-O3P
6	A	607	GOL	C1-C2-C3-O3
6	B	606	GOL	C1-C2-C3-O3
6	B	608	GOL	O1-C1-C2-C3
6	C	607	GOL	O1-C1-C2-C3
6	C	607	GOL	C1-C2-C3-O3
6	C	608	GOL	O1-C1-C2-O2
6	C	608	GOL	O1-C1-C2-C3
6	D	609	GOL	C1-C2-C3-O3
6	E	608	GOL	O1-C1-C2-O2
6	E	608	GOL	O1-C1-C2-C3
6	E	609	GOL	O1-C1-C2-C3
6	F	601	GOL	O1-C1-C2-O2
6	F	601	GOL	O1-C1-C2-C3
6	F	607	GOL	O1-C1-C2-C3
4	D	604	1PE	C23-C13-OH4-C24
3	F	604	PGE	O2-C3-C4-O3
3	C	603	PGE	O2-C3-C4-O3
4	B	604	1PE	OH5-C14-C24-OH4
4	E	604	1PE	OH6-C15-C25-OH5
4	E	604	1PE	OH5-C14-C24-OH4
4	D	604	1PE	OH4-C13-C23-OH3
4	D	604	1PE	OH6-C15-C25-OH5
3	A	602	PGE	O2-C3-C4-O3
3	B	603	PGE	O2-C3-C4-O3
6	B	606	GOL	O1-C1-C2-O2
6	C	607	GOL	O1-C1-C2-O2
3	C	602	PGE	O3-C5-C6-O4
3	D	602	PGE	O1-C1-C2-O2
3	D	602	PGE	O3-C5-C6-O4
3	D	603	PGE	O3-C5-C6-O4
3	E	602	PGE	O1-C1-C2-O2
3	E	602	PGE	O3-C5-C6-O4
3	E	603	PGE	O1-C1-C2-O2
4	C	604	1PE	OH7-C16-C26-OH6
4	E	604	1PE	OH7-C16-C26-OH6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	F	605	1PE	OH4-C13-C23-OH3
4	C	604	1PE	OH5-C14-C24-OH4
3	A	602	PGE	O1-C1-C2-O2
3	B	602	PGE	O3-C5-C6-O4
4	B	604	1PE	OH2-C12-C22-OH3
4	D	604	1PE	OH2-C12-C22-OH3
4	E	604	1PE	OH4-C13-C23-OH3
3	A	602	PGE	C4-C3-O2-C2
6	A	608	GOL	O1-C1-C2-C3
6	A	608	GOL	C1-C2-C3-O3
6	B	606	GOL	O1-C1-C2-C3
6	B	608	GOL	C1-C2-C3-O3
6	C	608	GOL	C1-C2-C3-O3
6	D	607	GOL	O1-C1-C2-C3
6	D	608	GOL	O1-C1-C2-C3
4	B	604	1PE	OH6-C15-C25-OH5
6	A	607	GOL	O2-C2-C3-O3
6	A	608	GOL	O1-C1-C2-O2
6	B	606	GOL	O2-C2-C3-O3
6	B	608	GOL	O1-C1-C2-O2
6	E	609	GOL	O1-C1-C2-O2
6	F	607	GOL	O1-C1-C2-O2
3	D	603	PGE	O1-C1-C2-O2
3	F	604	PGE	O1-C1-C2-O2
4	C	604	1PE	C25-C15-OH6-C26
3	B	603	PGE	O1-C1-C2-O2
3	F	604	PGE	O3-C5-C6-O4
4	B	604	1PE	OH4-C13-C23-OH3
4	C	604	1PE	C23-C13-OH4-C24
3	E	603	PGE	O3-C5-C6-O4
4	A	604	1PE	OH7-C16-C26-OH6
4	E	604	1PE	OH2-C12-C22-OH3
6	A	608	GOL	O2-C2-C3-O3
6	C	608	GOL	O2-C2-C3-O3
6	D	609	GOL	O2-C2-C3-O3
4	A	604	1PE	C15-C25-OH5-C14
3	B	602	PGE	O1-C1-C2-O2
4	F	605	1PE	OH7-C16-C26-OH6
4	A	604	1PE	OH4-C13-C23-OH3
4	F	605	1PE	C23-C13-OH4-C24
6	B	608	GOL	O2-C2-C3-O3
6	D	607	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	E	604	1PE	C23-C13-OH4-C24
4	C	604	1PE	OH4-C13-C23-OH3
3	E	602	PGE	C3-C4-O3-C5
3	B	602	PGE	C1-C2-O2-C3
3	F	604	PGE	C3-C4-O3-C5
4	E	604	1PE	C25-C15-OH6-C26
3	C	602	PGE	C3-C4-O3-C5
3	D	602	PGE	O2-C3-C4-O3
4	E	604	1PE	C15-C25-OH5-C14
3	D	603	PGE	C6-C5-O3-C4
6	E	609	GOL	C1-C2-C3-O3
2	B	601	FAD	C5'-O5'-P-O2P
3	D	602	PGE	C6-C5-O3-C4
4	A	604	1PE	C25-C15-OH6-C26
4	D	604	1PE	OH5-C14-C24-OH4
3	D	603	PGE	C4-C3-O2-C2
3	E	603	PGE	C1-C2-O2-C3
3	F	603	PGE	C3-C4-O3-C5
2	F	602	FAD	O4'-C4'-C5'-O5'
3	D	603	PGE	O2-C3-C4-O3
4	F	605	1PE	C12-C22-OH3-C23
3	E	603	PGE	C6-C5-O3-C4
4	B	604	1PE	C16-C26-OH6-C15
4	D	604	1PE	C13-C23-OH3-C22
4	E	604	1PE	C12-C22-OH3-C23
3	E	602	PGE	O2-C3-C4-O3
4	B	604	1PE	C14-C24-OH4-C13
3	C	603	PGE	C4-C3-O2-C2
4	C	604	1PE	OH2-C12-C22-OH3
3	A	603	PGE	O1-C1-C2-O2
2	F	602	FAD	C3'-C4'-C5'-O5'
3	D	602	PGE	C4-C3-O2-C2
4	C	604	1PE	C12-C22-OH3-C23
6	D	609	GOL	O1-C1-C2-C3
3	E	602	PGE	C1-C2-O2-C3
3	B	603	PGE	C3-C4-O3-C5
6	C	607	GOL	O2-C2-C3-O3
6	E	609	GOL	O2-C2-C3-O3
2	A	601	FAD	O4B-C4B-C5B-O5B
2	C	601	FAD	O4B-C4B-C5B-O5B
4	F	605	1PE	OH5-C14-C24-OH4
2	E	601	FAD	O4B-C4B-C5B-O5B

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	602	PGE	C6-C5-O3-C4
2	D	601	FAD	C5'-O5'-P-O3P
6	D	608	GOL	O1-C1-C2-O2
3	A	603	PGE	C3-C4-O3-C5
3	E	602	PGE	C4-C3-O2-C2
2	F	602	FAD	O4B-C4B-C5B-O5B
3	C	603	PGE	C1-C2-O2-C3
6	E	607	GOL	C1-C2-C3-O3
6	E	608	GOL	C1-C2-C3-O3
3	F	604	PGE	C6-C5-O3-C4
4	B	604	1PE	C15-C25-OH5-C14
3	B	603	PGE	C6-C5-O3-C4
2	B	601	FAD	O4B-C4B-C5B-O5B
2	D	601	FAD	O4B-C4B-C5B-O5B
4	A	604	1PE	C14-C24-OH4-C13
3	B	602	PGE	O2-C3-C4-O3
3	B	602	PGE	C4-C3-O2-C2


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates [i](#)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands [i](#)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers [i](#)

EDS failed to run properly - this section is therefore empty.