



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 10:14 AM EDT

PDB ID : 8U32  
Title : Crystal structure of PD-1 in complex with a Fab  
Authors : Sun, D.; Masureel, M.  
Deposited on : 2023-09-07  
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	140	
1	D	140	
2	B	218	
2	E	218	
3	C	229	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	229	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a small red segment on the left labeled '3%', a large green segment in the middle labeled '83%', and a small yellow segment on the right labeled '14%'. A small grey dot is visible at the far right end of the bar.</p>

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 8539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Programmed cell death protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	106	835	525	150	156	4	0	0	0
1	D	113	893	556	163	170	4	0	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	HIS	-	expression tag	UNP Q15116
A	11	HIS	-	expression tag	UNP Q15116
A	12	HIS	-	expression tag	UNP Q15116
A	13	HIS	-	expression tag	UNP Q15116
A	14	HIS	-	expression tag	UNP Q15116
A	15	HIS	-	expression tag	UNP Q15116
A	16	GLY	-	expression tag	UNP Q15116
A	17	GLU	-	expression tag	UNP Q15116
A	18	ASN	-	expression tag	UNP Q15116
A	19	LEU	-	expression tag	UNP Q15116
A	20	TYR	-	expression tag	UNP Q15116
A	21	PHE	-	expression tag	UNP Q15116
A	22	GLN	-	expression tag	UNP Q15116
A	23	GLY	-	expression tag	UNP Q15116
A	24	SER	-	expression tag	UNP Q15116
A	93	SER	CYS	engineered mutation	UNP Q15116
A	147	GLY	-	expression tag	UNP Q15116
A	148	ASN	-	expression tag	UNP Q15116
A	149	SER	-	expression tag	UNP Q15116
D	10	HIS	-	expression tag	UNP Q15116
D	11	HIS	-	expression tag	UNP Q15116
D	12	HIS	-	expression tag	UNP Q15116
D	13	HIS	-	expression tag	UNP Q15116
D	14	HIS	-	expression tag	UNP Q15116
D	15	HIS	-	expression tag	UNP Q15116

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	16	GLY	-	expression tag	UNP Q15116
D	17	GLU	-	expression tag	UNP Q15116
D	18	ASN	-	expression tag	UNP Q15116
D	19	LEU	-	expression tag	UNP Q15116
D	20	TYR	-	expression tag	UNP Q15116
D	21	PHE	-	expression tag	UNP Q15116
D	22	GLN	-	expression tag	UNP Q15116
D	23	GLY	-	expression tag	UNP Q15116
D	24	SER	-	expression tag	UNP Q15116
D	93	SER	CYS	engineered mutation	UNP Q15116
D	147	GLY	-	expression tag	UNP Q15116
D	148	ASN	-	expression tag	UNP Q15116
D	149	SER	-	expression tag	UNP Q15116

- Molecule 2 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	218	Total 1652	C 1027	N 274	O 346	S 5	0	0	0
2	E	217	Total 1646	C 1024	N 273	O 345	S 4	0	0	0

- Molecule 3 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	229	Total 1691	C 1069	N 286	O 331	S 5	0	0	0
3	F	222	Total 1649	C 1046	N 278	O 320	S 5	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	N	O	0	0
			14	8	1	5		
4	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			1	1		
5	B	53	Total	O	0	0
			53	53		
5	C	49	Total	O	0	0
			49	49		
5	D	4	Total	O	0	0
			4	4		
5	E	17	Total	O	0	0
			17	17		
5	F	21	Total	O	0	0
			21	21		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Programmed cell death protein 1




- Molecule 1: Programmed cell death protein 1





- Molecule 2: Fab light chain






- Molecule 2: Fab light chain



- Molecule 3: Fab heavy chain



- Molecule 3: Fab heavy chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.48Å 88.88Å 235.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.96 – 2.51 34.96 – 2.51	Depositor EDS
% Data completeness (in resolution range)	93.0 (34.96-2.51) 93.0 (34.96-2.51)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.29 (at 2.51Å)	Xtrriage
Refinement program	PHENIX 1.18.2-3874_final	Depositor
R, $R_{free}$	0.195 , 0.230 0.195 , 0.230	Depositor DCC
$R_{free}$ test set	2663 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.3	Xtrriage
Anisotropy	0.594	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 36.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8539	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/855	0.72	1/1160 (0.1%)
1	D	0.46	0/913	0.70	0/1238
2	B	0.49	0/1687	0.72	4/2294 (0.2%)
2	E	0.48	0/1681	0.69	1/2286 (0.0%)
3	C	0.57	2/1732 (0.1%)	0.74	3/2360 (0.1%)
3	F	0.49	1/1689 (0.1%)	0.66	0/2302
All	All	0.49	3/8557 (0.0%)	0.70	9/11640 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	98	CYS	CB-SG	-8.00	1.68	1.82
3	C	179	THR	C-N	-6.04	1.20	1.34
3	F	1	GLU	CB-CG	5.12	1.61	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	158	LEU	CA-CB-CG	8.76	135.46	115.30
1	A	42	LEU	CA-CB-CG	7.81	133.25	115.30
3	C	215	LYS	CD-CE-NZ	-5.94	98.04	111.70
2	B	158	LEU	CB-CG-CD1	-5.74	101.25	111.00

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	146	ARG	CA-CB-CG	-5.62	101.02	113.40
2	B	49	LEU	CA-CB-CG	5.52	127.99	115.30
3	C	192	LEU	CA-CB-CG	5.50	127.96	115.30
2	B	146	ARG	CA-CB-CG	5.20	124.83	113.40
3	C	75	ASP	CB-CG-OD1	5.08	122.87	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	ASN	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	835	0	814	23	0
1	D	893	0	861	13	0
2	B	1652	0	1584	17	0
2	E	1646	0	1579	18	0
3	C	1691	0	1662	17	0
3	F	1649	0	1621	21	0
4	D	28	0	26	0	0
5	A	1	0	0	0	0
5	B	53	0	0	2	0
5	C	49	0	0	1	0
5	D	4	0	0	0	0
5	E	17	0	0	1	0
5	F	21	0	0	0	0
All	All	8539	0	8147	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ASN:HD22	1:A:104:ARG:HG2	1.07	1.10
1:A:102:ASN:ND2	1:A:104:ARG:HG2	1.74	1.03
2:B:146:ARG:NH2	5:B:301:HOH:O	2.07	0.88
1:A:38:SER:HB2	1:A:53:THR:HG23	1.57	0.85
2:B:149:LYS:HZ3	2:B:151:GLN:HB2	1.43	0.84
3:F:149:THR:N	3:F:200:SER:HG	1.81	0.78
2:E:109:GLU:OE1	2:E:177:TYR:OH	2.03	0.77
1:A:94:ARG:NH1	1:A:117:ASP:OD2	2.22	0.73
1:D:111:VAL:HG12	1:D:112:ARG:HD2	1.71	0.71
2:E:54:SER:HB2	3:F:108:VAL:HG12	1.74	0.68
1:A:133:GLN:HE21	2:B:30:TYR:HE2	1.44	0.66
2:E:146:ARG:NH1	2:E:167:VAL:HG21	2.10	0.65
1:D:94:ARG:CZ	1:D:114:ARG:HH11	2.12	0.63
1:A:32:TRP:HE3	1:A:135:LYS:HD3	1.66	0.60
1:A:44:VAL:O	1:A:144:VAL:HA	2.02	0.60
1:A:70:MET:HB2	1:A:120:THR:HG23	1.82	0.60
3:F:185:GLN:HG2	3:F:189:LEU:O	2.01	0.59
1:D:43:VAL:HG22	1:D:143:ARG:HB3	1.85	0.58
3:F:165:THR:HB	3:F:213:ASN:HB2	1.87	0.56
2:E:54:SER:HB2	3:F:108:VAL:CG1	2.36	0.56
3:C:57:SER:OG	3:C:59:ASN:OD1	2.18	0.55
3:F:174:THR:O	3:F:177:VAL:HG22	2.07	0.54
2:B:19:VAL:HG22	2:B:77:ILE:HB	1.88	0.54
1:A:114:ARG:O	1:A:144:VAL:HG11	2.08	0.54
2:E:35:LEU:HD22	2:E:73:PHE:CG	2.43	0.54
3:F:93:THR:HG23	3:F:124:THR:HA	1.89	0.54
2:B:151:GLN:NE2	5:B:302:HOH:O	2.35	0.53
3:C:177:VAL:HG22	3:C:196:VAL:HG12	1.91	0.53
2:B:39:GLN:HB2	2:B:49:LEU:HD21	1.91	0.52
2:E:58:SER:HB2	2:E:60:VAL:HG23	1.92	0.52
2:B:192:LYS:HE3	2:B:193:HIS:NE2	2.25	0.52
1:A:117:ASP:O	1:A:121:TYR:OH	2.29	0.51
1:A:36:THR:O	1:A:54:CYS:HA	2.10	0.51
3:F:199:PRO:HG2	3:F:202:SER:HB2	1.91	0.51
3:C:202:SER:O	3:C:205:THR:HG22	2.11	0.51
2:E:149:LYS:HB3	2:E:201:THR:HB	1.94	0.50
3:C:71:THR:HB	3:C:84:GLN:HB3	1.94	0.50
2:B:122:PHE:HB2	2:B:137:VAL:HG22	1.93	0.49
2:B:58:SER:OG	2:B:59:GLY:N	2.45	0.49
2:E:124:PRO:HD3	2:E:136:VAL:HG22	1.93	0.49
1:A:126:ILE:HD11	3:C:32:THR:HG22	1.94	0.49
1:D:31:PRO:HD2	1:D:32:TRP:CD1	2.48	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ASN:HD21	1:A:104:ARG:CZ	2.25	0.49
1:D:94:ARG:NH1	1:D:114:ARG:NH1	2.60	0.49
3:C:89:ARG:HG3	3:C:91:GLU:HG2	1.94	0.49
2:E:7:SER:HB2	2:E:22:THR:HG22	1.95	0.49
3:F:149:THR:N	3:F:200:SER:OG	2.46	0.48
3:C:141:SER:O	3:C:145:THR:HG23	2.13	0.48
1:D:94:ARG:CZ	1:D:114:ARG:NH1	2.77	0.48
2:B:71:THR:HG23	2:B:72:ASP:OD1	2.14	0.48
2:B:49:LEU:O	2:B:60:VAL:HG11	2.14	0.47
2:B:128:GLN:HG2	2:B:133:THR:O	2.14	0.47
2:B:136:VAL:HG13	2:B:183:LEU:HB3	1.97	0.47
3:C:131:LYS:NZ	5:C:303:HOH:O	2.30	0.47
1:D:94:ARG:NH1	1:D:114:ARG:HH11	2.12	0.47
3:F:32:THR:O	3:F:102:GLY:HA3	2.15	0.47
2:E:7:SER:HB2	2:E:22:THR:CG2	2.44	0.46
2:B:140:LEU:HB2	2:B:179:LEU:HB3	1.97	0.46
3:C:39:ARG:HB3	3:C:49:ILE:HD11	1.99	0.45
3:F:182:ALA:HA	3:F:192:LEU:HB3	1.98	0.45
2:E:113:THR:HG22	2:E:114:VAL:O	2.17	0.45
2:E:186:SER:HB2	2:E:189:ASP:H	1.82	0.45
2:E:110:ILE:HG22	2:E:170:GLN:OE1	2.18	0.44
1:A:94:ARG:HH22	1:A:112:ARG:HB2	1.80	0.44
2:B:163:SER:HA	2:B:182:THR:O	2.17	0.44
3:C:145:THR:HG22	3:C:150:ALA:CB	2.48	0.44
2:E:46:PRO:HD2	3:F:117:TRP:CE3	2.53	0.44
3:C:36:SER:O	3:C:98:CYS:HA	2.18	0.43
2:E:184:THR:HG22	5:E:315:HOH:O	2.18	0.43
3:F:179:THR:HG22	3:F:194:SER:HB2	2.00	0.43
1:D:36:THR:O	1:D:54:CYS:HA	2.19	0.43
2:E:153:LYS:HA	2:E:157:ALA:O	2.19	0.43
3:C:177:VAL:HG22	3:C:196:VAL:CG1	2.49	0.42
3:F:88:LEU:HD23	3:F:88:LEU:HA	1.86	0.42
1:A:100:LEU:HD12	1:A:105:ASP:HB3	2.01	0.42
1:A:48:ASP:H	1:A:113:ALA:HB3	1.84	0.42
3:C:70:PHE:CD2	3:C:85:MET:HG2	2.54	0.42
2:E:146:ARG:O	2:E:146:ARG:HG2	2.18	0.42
1:D:64:VAL:HG22	1:D:83:PRO:HG2	2.01	0.42
3:F:161:PRO:HD2	3:F:216:PRO:CB	2.50	0.42
3:F:161:PRO:HD2	3:F:216:PRO:HB2	2.01	0.42
1:A:41:LEU:HD13	1:A:141:GLU:HG2	2.01	0.42
1:A:82:PHE:HB3	1:A:83:PRO:HD3	2.00	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:ARG:HB2	1:A:121:TYR:CE2	2.55	0.42
1:A:111:VAL:HG13	1:A:112:ARG:N	2.35	0.41
3:C:202:SER:HA	3:C:205:THR:HG22	2.01	0.41
1:D:126:ILE:HD11	3:F:32:THR:HG22	2.01	0.41
3:F:33:TYR:O	3:F:54:VAL:HG22	2.21	0.41
1:A:134:ILE:HB	3:C:109:TYR:HB2	2.01	0.41
3:C:101:ALA:HB2	3:C:114:LEU:HD23	2.03	0.41
1:A:94:ARG:CZ	1:A:94:ARG:HB3	2.51	0.41
2:B:39:GLN:HB2	2:B:49:LEU:CD2	2.50	0.41
2:B:91:LEU:HD12	2:B:101:ALA:O	2.21	0.41
3:C:55:GLY:O	3:C:74:LYS:HE2	2.20	0.41
1:D:50:ALA:O	1:D:109:SER:HA	2.21	0.41
1:D:127:SER:HB2	1:D:133:GLN:HG2	2.03	0.41
2:E:144:TYR:CG	2:E:145:PRO:HA	2.56	0.41
3:F:11:VAL:HG21	3:F:161:PRO:HG3	2.03	0.41
3:F:39:ARG:HB3	3:F:49:ILE:HD11	2.03	0.41
1:D:102:ASN:OD1	1:D:104:ARG:N	2.53	0.40
1:A:102:ASN:ND2	1:A:104:ARG:CG	2.65	0.40
3:F:24:ALA:HB1	3:F:27:PHE:CE1	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	102/140 (73%)	97 (95%)	5 (5%)	0	100	100
1	D	109/140 (78%)	105 (96%)	4 (4%)	0	100	100
2	B	216/218 (99%)	207 (96%)	9 (4%)	0	100	100
2	E	215/218 (99%)	208 (97%)	7 (3%)	0	100	100
3	C	227/229 (99%)	222 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	F	218/229 (95%)	214 (98%)	4 (2%)	0	100	100
All	All	1087/1174 (93%)	1053 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	93/123 (76%)	93 (100%)	0	100	100
1	D	99/123 (80%)	99 (100%)	0	100	100
2	B	190/190 (100%)	189 (100%)	1 (0%)	88	96
2	E	189/190 (100%)	189 (100%)	0	100	100
3	C	186/186 (100%)	186 (100%)	0	100	100
3	F	181/186 (97%)	181 (100%)	0	100	100
All	All	938/998 (94%)	937 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	146	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	133	GLN
2	B	141	ASN
2	B	151	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	D	202	1	14,14,15	0.32	0	17,19,21	0.49	0
4	NAG	D	201	1	14,14,15	0.55	0	17,19,21	0.96	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	202	1	-	1/6/23/26	0/1/1/1
4	NAG	D	201	1	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
4	D	201	NAG	C1-O5-C5	2.66	115.80	112.19

There are no chirality outliers.



All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	202	NAG	O5-C5-C6-O6
4	D	201	NAG	O5-C5-C6-O6
4	D	201	NAG	C3-C2-N2-C7
4	D	201	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	179:THR	C	180:PHE	N	1.20

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	106/140 (75%)	1.17	29 (27%) 0 0	53, 95, 142, 157	0
1	D	113/140 (80%)	0.36	7 (6%) 20 21	46, 67, 103, 121	0
2	B	218/218 (100%)	-0.03	6 (2%) 53 56	40, 46, 74, 124	0
2	E	217/218 (99%)	-0.16	4 (1%) 68 71	41, 54, 86, 128	0
3	C	229/229 (100%)	-0.05	6 (2%) 56 59	38, 47, 64, 103	0
3	F	222/229 (96%)	0.09	8 (3%) 42 46	39, 63, 107, 117	0
All	All	1105/1174 (94%)	0.12	60 (5%) 25 27	38, 53, 107, 157	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	1	ALA	6.4
2	B	57	THR	5.8
1	A	43	VAL	5.8
2	B	218	CYS	4.8
3	F	142	SER	4.6
1	A	111	VAL	4.5
1	A	42	LEU	4.2
1	A	58	ASN	4.1
2	E	58	SER	4.1
2	B	58	SER	4.0
1	A	72	PRO	3.6
1	A	47	GLY	3.6
2	E	57	THR	3.5
1	A	48	ASP	3.5
1	A	110	VAL	3.4
1	A	93	SER	3.4
1	D	72	PRO	3.4
1	A	115	ARG	3.3
1	A	116	ASN	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	59	THR	3.1
3	F	172	ALA	3.1
1	D	73	SER	3.1
1	D	30	ARG	3.0
3	C	205	THR	3.0
3	F	203	LEU	2.8
1	A	41	LEU	2.7
1	D	132	ALA	2.6
1	A	143	ARG	2.6
1	A	50	ALA	2.5
1	D	82	PHE	2.5
1	A	112	ARG	2.5
3	C	204	GLY	2.5
1	A	140	ALA	2.5
1	A	119	GLY	2.4
1	A	46	GLU	2.4
1	A	77	ASP	2.4
3	F	215	LYS	2.4
3	F	222	ASP	2.4
1	D	71	SER	2.4
3	F	199	PRO	2.3
1	A	113	ALA	2.3
1	A	76	THR	2.3
3	C	1	GLU	2.3
1	A	73	SER	2.2
2	E	216	GLY	2.2
3	C	228	LYS	2.2
2	B	3	GLN	2.2
1	A	117	ASP	2.2
1	D	86	ARG	2.1
3	F	171	GLY	2.1
3	C	112	THR	2.1
2	B	139	LEU	2.1
3	C	30	SER	2.1
1	A	45	THR	2.1
1	A	121	TYR	2.1
1	A	75	GLN	2.1
1	A	69	ARG	2.1
2	B	59	GLY	2.0
1	A	44	VAL	2.0
3	F	170	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	D	202	14/15	0.82	0.39	90,95,97,98	0
4	NAG	D	201	14/15	0.83	0.22	88,91,96,96	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NAG D 202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAG D 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.