



Full wwPDB EM Validation Report ⓘ

Feb 8, 2024 – 12:31 PM EST

PDB ID : 8U8Y
EMDB ID : EMD-42029
Title : Human retinal variant phosphomimetic IMPDH1(546)-S477D filament bound by ATP, IMP, and NAD⁺, interface-centered
Authors : Calise, S.J.; Kollman, J.M.
Deposited on : 2023-09-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	548	
1	B	548	
1	C	548	
1	D	548	
1	E	548	
1	F	548	
1	G	548	
1	H	548	

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 22616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	367	2760	1745	469	526	20	0	0
1	B	367	2760	1745	469	526	20	0	0
1	C	367	2760	1745	469	526	20	0	0
1	D	367	2760	1745	469	526	20	0	0
1	E	367	2760	1745	469	526	20	0	0
1	F	367	2760	1745	469	526	20	0	0
1	G	367	2760	1745	469	526	20	0	0
1	H	367	2760	1745	469	526	20	0	0

There are 320 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P20839
A	0	SER	-	expression tag	UNP P20839
A	477	ASP	SER	engineered mutation	UNP P20839
A	510	THR	-	variant	UNP P20839
A	511	PHE	-	variant	UNP P20839
A	512	LEU	-	variant	UNP P20839
A	513	PRO	-	variant	UNP P20839
A	514	PHE	-	variant	UNP P20839
A	515	THR	-	variant	UNP P20839
A	516	LYS	-	variant	UNP P20839
A	517	SER	-	variant	UNP P20839
A	518	GLY	-	variant	UNP P20839
A	519	CYS	-	variant	UNP P20839
A	520	THR	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	521	GLU	-	variant	UNP P20839
A	522	ASP	-	variant	UNP P20839
A	523	SER	-	variant	UNP P20839
A	524	GLY	-	variant	UNP P20839
A	525	GLY	-	variant	UNP P20839
A	526	GLY	-	variant	UNP P20839
A	527	ARG	-	variant	UNP P20839
A	528	GLY	-	variant	UNP P20839
A	529	GLY	-	variant	UNP P20839
A	530	GLY	-	variant	UNP P20839
A	531	GLY	-	variant	UNP P20839
A	532	ASP	-	variant	UNP P20839
A	533	ALA	-	variant	UNP P20839
A	534	PRO	-	variant	UNP P20839
A	535	GLN	-	variant	UNP P20839
A	536	CYS	-	variant	UNP P20839
A	537	PRO	-	variant	UNP P20839
A	538	LEU	-	variant	UNP P20839
A	539	LEU	-	variant	UNP P20839
A	540	GLY	-	variant	UNP P20839
A	541	THR	-	variant	UNP P20839
A	542	ALA	-	variant	UNP P20839
A	543	SER	-	variant	UNP P20839
A	544	LEU	-	variant	UNP P20839
A	545	HIS	-	variant	UNP P20839
A	546	ASN	-	variant	UNP P20839
B	-1	GLY	-	expression tag	UNP P20839
B	0	SER	-	expression tag	UNP P20839
B	477	ASP	SER	engineered mutation	UNP P20839
B	510	THR	-	variant	UNP P20839
B	511	PHE	-	variant	UNP P20839
B	512	LEU	-	variant	UNP P20839
B	513	PRO	-	variant	UNP P20839
B	514	PHE	-	variant	UNP P20839
B	515	THR	-	variant	UNP P20839
B	516	LYS	-	variant	UNP P20839
B	517	SER	-	variant	UNP P20839
B	518	GLY	-	variant	UNP P20839
B	519	CYS	-	variant	UNP P20839
B	520	THR	-	variant	UNP P20839
B	521	GLU	-	variant	UNP P20839
B	522	ASP	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	523	SER	-	variant	UNP P20839
B	524	GLY	-	variant	UNP P20839
B	525	GLY	-	variant	UNP P20839
B	526	GLY	-	variant	UNP P20839
B	527	ARG	-	variant	UNP P20839
B	528	GLY	-	variant	UNP P20839
B	529	GLY	-	variant	UNP P20839
B	530	GLY	-	variant	UNP P20839
B	531	GLY	-	variant	UNP P20839
B	532	ASP	-	variant	UNP P20839
B	533	ALA	-	variant	UNP P20839
B	534	PRO	-	variant	UNP P20839
B	535	GLN	-	variant	UNP P20839
B	536	CYS	-	variant	UNP P20839
B	537	PRO	-	variant	UNP P20839
B	538	LEU	-	variant	UNP P20839
B	539	LEU	-	variant	UNP P20839
B	540	GLY	-	variant	UNP P20839
B	541	THR	-	variant	UNP P20839
B	542	ALA	-	variant	UNP P20839
B	543	SER	-	variant	UNP P20839
B	544	LEU	-	variant	UNP P20839
B	545	HIS	-	variant	UNP P20839
B	546	ASN	-	variant	UNP P20839
C	-1	GLY	-	expression tag	UNP P20839
C	0	SER	-	expression tag	UNP P20839
C	477	ASP	SER	engineered mutation	UNP P20839
C	510	THR	-	variant	UNP P20839
C	511	PHE	-	variant	UNP P20839
C	512	LEU	-	variant	UNP P20839
C	513	PRO	-	variant	UNP P20839
C	514	PHE	-	variant	UNP P20839
C	515	THR	-	variant	UNP P20839
C	516	LYS	-	variant	UNP P20839
C	517	SER	-	variant	UNP P20839
C	518	GLY	-	variant	UNP P20839
C	519	CYS	-	variant	UNP P20839
C	520	THR	-	variant	UNP P20839
C	521	GLU	-	variant	UNP P20839
C	522	ASP	-	variant	UNP P20839
C	523	SER	-	variant	UNP P20839
C	524	GLY	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	525	GLY	-	variant	UNP P20839
C	526	GLY	-	variant	UNP P20839
C	527	ARG	-	variant	UNP P20839
C	528	GLY	-	variant	UNP P20839
C	529	GLY	-	variant	UNP P20839
C	530	GLY	-	variant	UNP P20839
C	531	GLY	-	variant	UNP P20839
C	532	ASP	-	variant	UNP P20839
C	533	ALA	-	variant	UNP P20839
C	534	PRO	-	variant	UNP P20839
C	535	GLN	-	variant	UNP P20839
C	536	CYS	-	variant	UNP P20839
C	537	PRO	-	variant	UNP P20839
C	538	LEU	-	variant	UNP P20839
C	539	LEU	-	variant	UNP P20839
C	540	GLY	-	variant	UNP P20839
C	541	THR	-	variant	UNP P20839
C	542	ALA	-	variant	UNP P20839
C	543	SER	-	variant	UNP P20839
C	544	LEU	-	variant	UNP P20839
C	545	HIS	-	variant	UNP P20839
C	546	ASN	-	variant	UNP P20839
D	-1	GLY	-	expression tag	UNP P20839
D	0	SER	-	expression tag	UNP P20839
D	477	ASP	SER	engineered mutation	UNP P20839
D	510	THR	-	variant	UNP P20839
D	511	PHE	-	variant	UNP P20839
D	512	LEU	-	variant	UNP P20839
D	513	PRO	-	variant	UNP P20839
D	514	PHE	-	variant	UNP P20839
D	515	THR	-	variant	UNP P20839
D	516	LYS	-	variant	UNP P20839
D	517	SER	-	variant	UNP P20839
D	518	GLY	-	variant	UNP P20839
D	519	CYS	-	variant	UNP P20839
D	520	THR	-	variant	UNP P20839
D	521	GLU	-	variant	UNP P20839
D	522	ASP	-	variant	UNP P20839
D	523	SER	-	variant	UNP P20839
D	524	GLY	-	variant	UNP P20839
D	525	GLY	-	variant	UNP P20839
D	526	GLY	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	527	ARG	-	variant	UNP P20839
D	528	GLY	-	variant	UNP P20839
D	529	GLY	-	variant	UNP P20839
D	530	GLY	-	variant	UNP P20839
D	531	GLY	-	variant	UNP P20839
D	532	ASP	-	variant	UNP P20839
D	533	ALA	-	variant	UNP P20839
D	534	PRO	-	variant	UNP P20839
D	535	GLN	-	variant	UNP P20839
D	536	CYS	-	variant	UNP P20839
D	537	PRO	-	variant	UNP P20839
D	538	LEU	-	variant	UNP P20839
D	539	LEU	-	variant	UNP P20839
D	540	GLY	-	variant	UNP P20839
D	541	THR	-	variant	UNP P20839
D	542	ALA	-	variant	UNP P20839
D	543	SER	-	variant	UNP P20839
D	544	LEU	-	variant	UNP P20839
D	545	HIS	-	variant	UNP P20839
D	546	ASN	-	variant	UNP P20839
E	-1	GLY	-	expression tag	UNP P20839
E	0	SER	-	expression tag	UNP P20839
E	477	ASP	SER	engineered mutation	UNP P20839
E	510	THR	-	variant	UNP P20839
E	511	PHE	-	variant	UNP P20839
E	512	LEU	-	variant	UNP P20839
E	513	PRO	-	variant	UNP P20839
E	514	PHE	-	variant	UNP P20839
E	515	THR	-	variant	UNP P20839
E	516	LYS	-	variant	UNP P20839
E	517	SER	-	variant	UNP P20839
E	518	GLY	-	variant	UNP P20839
E	519	CYS	-	variant	UNP P20839
E	520	THR	-	variant	UNP P20839
E	521	GLU	-	variant	UNP P20839
E	522	ASP	-	variant	UNP P20839
E	523	SER	-	variant	UNP P20839
E	524	GLY	-	variant	UNP P20839
E	525	GLY	-	variant	UNP P20839
E	526	GLY	-	variant	UNP P20839
E	527	ARG	-	variant	UNP P20839
E	528	GLY	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	529	GLY	-	variant	UNP P20839
E	530	GLY	-	variant	UNP P20839
E	531	GLY	-	variant	UNP P20839
E	532	ASP	-	variant	UNP P20839
E	533	ALA	-	variant	UNP P20839
E	534	PRO	-	variant	UNP P20839
E	535	GLN	-	variant	UNP P20839
E	536	CYS	-	variant	UNP P20839
E	537	PRO	-	variant	UNP P20839
E	538	LEU	-	variant	UNP P20839
E	539	LEU	-	variant	UNP P20839
E	540	GLY	-	variant	UNP P20839
E	541	THR	-	variant	UNP P20839
E	542	ALA	-	variant	UNP P20839
E	543	SER	-	variant	UNP P20839
E	544	LEU	-	variant	UNP P20839
E	545	HIS	-	variant	UNP P20839
E	546	ASN	-	variant	UNP P20839
F	-1	GLY	-	expression tag	UNP P20839
F	0	SER	-	expression tag	UNP P20839
F	477	ASP	SER	engineered mutation	UNP P20839
F	510	THR	-	variant	UNP P20839
F	511	PHE	-	variant	UNP P20839
F	512	LEU	-	variant	UNP P20839
F	513	PRO	-	variant	UNP P20839
F	514	PHE	-	variant	UNP P20839
F	515	THR	-	variant	UNP P20839
F	516	LYS	-	variant	UNP P20839
F	517	SER	-	variant	UNP P20839
F	518	GLY	-	variant	UNP P20839
F	519	CYS	-	variant	UNP P20839
F	520	THR	-	variant	UNP P20839
F	521	GLU	-	variant	UNP P20839
F	522	ASP	-	variant	UNP P20839
F	523	SER	-	variant	UNP P20839
F	524	GLY	-	variant	UNP P20839
F	525	GLY	-	variant	UNP P20839
F	526	GLY	-	variant	UNP P20839
F	527	ARG	-	variant	UNP P20839
F	528	GLY	-	variant	UNP P20839
F	529	GLY	-	variant	UNP P20839
F	530	GLY	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	531	GLY	-	variant	UNP P20839
F	532	ASP	-	variant	UNP P20839
F	533	ALA	-	variant	UNP P20839
F	534	PRO	-	variant	UNP P20839
F	535	GLN	-	variant	UNP P20839
F	536	CYS	-	variant	UNP P20839
F	537	PRO	-	variant	UNP P20839
F	538	LEU	-	variant	UNP P20839
F	539	LEU	-	variant	UNP P20839
F	540	GLY	-	variant	UNP P20839
F	541	THR	-	variant	UNP P20839
F	542	ALA	-	variant	UNP P20839
F	543	SER	-	variant	UNP P20839
F	544	LEU	-	variant	UNP P20839
F	545	HIS	-	variant	UNP P20839
F	546	ASN	-	variant	UNP P20839
G	-1	GLY	-	expression tag	UNP P20839
G	0	SER	-	expression tag	UNP P20839
G	477	ASP	SER	engineered mutation	UNP P20839
G	510	THR	-	variant	UNP P20839
G	511	PHE	-	variant	UNP P20839
G	512	LEU	-	variant	UNP P20839
G	513	PRO	-	variant	UNP P20839
G	514	PHE	-	variant	UNP P20839
G	515	THR	-	variant	UNP P20839
G	516	LYS	-	variant	UNP P20839
G	517	SER	-	variant	UNP P20839
G	518	GLY	-	variant	UNP P20839
G	519	CYS	-	variant	UNP P20839
G	520	THR	-	variant	UNP P20839
G	521	GLU	-	variant	UNP P20839
G	522	ASP	-	variant	UNP P20839
G	523	SER	-	variant	UNP P20839
G	524	GLY	-	variant	UNP P20839
G	525	GLY	-	variant	UNP P20839
G	526	GLY	-	variant	UNP P20839
G	527	ARG	-	variant	UNP P20839
G	528	GLY	-	variant	UNP P20839
G	529	GLY	-	variant	UNP P20839
G	530	GLY	-	variant	UNP P20839
G	531	GLY	-	variant	UNP P20839
G	532	ASP	-	variant	UNP P20839

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	533	ALA	-	variant	UNP P20839
G	534	PRO	-	variant	UNP P20839
G	535	GLN	-	variant	UNP P20839
G	536	CYS	-	variant	UNP P20839
G	537	PRO	-	variant	UNP P20839
G	538	LEU	-	variant	UNP P20839
G	539	LEU	-	variant	UNP P20839
G	540	GLY	-	variant	UNP P20839
G	541	THR	-	variant	UNP P20839
G	542	ALA	-	variant	UNP P20839
G	543	SER	-	variant	UNP P20839
G	544	LEU	-	variant	UNP P20839
G	545	HIS	-	variant	UNP P20839
G	546	ASN	-	variant	UNP P20839
H	-1	GLY	-	expression tag	UNP P20839
H	0	SER	-	expression tag	UNP P20839
H	477	ASP	SER	engineered mutation	UNP P20839
H	510	THR	-	variant	UNP P20839
H	511	PHE	-	variant	UNP P20839
H	512	LEU	-	variant	UNP P20839
H	513	PRO	-	variant	UNP P20839
H	514	PHE	-	variant	UNP P20839
H	515	THR	-	variant	UNP P20839
H	516	LYS	-	variant	UNP P20839
H	517	SER	-	variant	UNP P20839
H	518	GLY	-	variant	UNP P20839
H	519	CYS	-	variant	UNP P20839
H	520	THR	-	variant	UNP P20839
H	521	GLU	-	variant	UNP P20839
H	522	ASP	-	variant	UNP P20839
H	523	SER	-	variant	UNP P20839
H	524	GLY	-	variant	UNP P20839
H	525	GLY	-	variant	UNP P20839
H	526	GLY	-	variant	UNP P20839
H	527	ARG	-	variant	UNP P20839
H	528	GLY	-	variant	UNP P20839
H	529	GLY	-	variant	UNP P20839
H	530	GLY	-	variant	UNP P20839
H	531	GLY	-	variant	UNP P20839
H	532	ASP	-	variant	UNP P20839
H	533	ALA	-	variant	UNP P20839
H	534	PRO	-	variant	UNP P20839

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	535	GLN	-	variant	UNP P20839
H	536	CYS	-	variant	UNP P20839
H	537	PRO	-	variant	UNP P20839
H	538	LEU	-	variant	UNP P20839
H	539	LEU	-	variant	UNP P20839
H	540	GLY	-	variant	UNP P20839
H	541	THR	-	variant	UNP P20839
H	542	ALA	-	variant	UNP P20839
H	543	SER	-	variant	UNP P20839
H	544	LEU	-	variant	UNP P20839
H	545	HIS	-	variant	UNP P20839
H	546	ASN	-	variant	UNP P20839

- Molecule 2 is INOSINIC ACID (three-letter code: IMP) (formula: C₁₀H₁₃N₄O₈P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
2	A	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	B	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	C	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	D	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	E	1	Total	C	N	O	P	0
			23	10	4	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	
2	F	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	G	1	Total	C	N	O	P	0
			23	10	4	8	1	
2	H	1	Total	C	N	O	P	0
			23	10	4	8	1	

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf	
3	A	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	B	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	C	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	D	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	E	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	F	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	G	1	Total	C	N	O	P	0
			44	21	7	14	2	
3	H	1	Total	C	N	O	P	0
			44	21	7	14	2	


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



THR
ALA
SER
LEU
HIS
ASN

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



GLY SER MET ALA ASP TYR LEU ILE SER GLY THR GLY VAL THR GLY Y12 D16 S26 A27 D28 T63 P64 L65 D71 E111 Q112 G113 F114 ILE THR ASP PRO VAL MET VAL PRO VAL LEU LEU SER PRO HIS THR VAL GLY VAL ASP VAL LEU ALA LYS MET ARG HIS GLY PHE SER LEU ILE PRO

ILE THR THR GLU THR GLY THR MET GLY SER LYS LEU VAL VAL ILE VAL THR SER ARG ASP ILE ASP PHE LEU ALA GLU LYS ASP HIS THR THR LEU LEU SER GLU VAL THR MET THR PRO ARG ILE LEU LEU VAL VAL VAL ALA PRO GLY VAL VAL THR LEU LYS MET ARG HIS GLY PHE SER LEU ILE ARG

SER LYS LYS GLY LYS LEU PRO VAL ASP CYS ASP GLU LEU VAL VAL ILE ILE ILE ALA ARG THR ASP LEU LYS LYS ASN D232 S240 Q241 R242 R259 L260 D261 Q277 Q283 Q292 H296 G302 N303 R322 G326 C331 T362 T383 A391

F402 S403 D404 G405 V406 R412 E421 LYS SER SER SER SER GLN ARG ARG THR PHE SER ASP LEU LYS LYS ASN V437 K450 A497 H507 T510 PHE LEU PRO PHE THR LYS SER CYS THR ASP SER GLY GLY ARG ARG GLY GLY ASP ASP PRO GLN CYS

PRO
LEU
GLY
THR
ALA
SER
HIS
ASN

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



GLY SER MET ALA ASP TYR LEU ILE SER GLY THR GLY VAL THR GLY Y12 D16 S26 A27 D28 T31 T63 P64 L65 D71 E111 Q112 G113 F114 ILE THR ASP PRO VAL MET VAL PRO VAL LEU LEU SER PRO HIS THR VAL GLY VAL ASP VAL LEU ALA LYS MET ARG HIS GLY PHE SER LEU ILE GLY

ILE PRO THR GLU THR GLY THR MET THR LYS LEU VAL VAL ILE ILE VAL THR SER ARG ASP ILE ILE ALA THR PHE LEU ALA GLU LYS LYS ASN D232 S240 Q241 R242 R259 L260 D261 Q277 Q283 Q292 H296 G302 N303 R322 G326 C331 T362 T383 A391

GLN ARG SER LYS GLY LYS LEU PRO VAL ASP CYS ASP GLU VAL VAL ILE ILE ALA ILE ILE ARG THR PHE SER ASP LEU LYS LYS ASN D232 S240 Q241 R242 R259 L260 D261 Q277 Q283 Q292 H296 G302 N303 R322 G326 C331 T362 T383 A391

F402 S403 D404 G405 V406 R412 E421 LYS SER SER SER SER GLN ARG ARG THR PHE SER ASP LEU LYS LYS ASN V437 K450 A497 H507 T510 PHE LEU PRO PHE THR LYS SER CYS THR ASP SER GLY GLY ARG ARG GLY GLY ASP ASP PRO GLN CYS LEU

LEU
GLY
THR
SER
LEU
HIS
ASN

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



GLY SER MET ALA ASP TYR LEU ILE SER GLY THR GLY VAL THR GLY Y12 D16 S26 A27 D28 T63 P64 L65 D71 K109 F110 E111 Q112 G113 F114 ILE THR ASP PRO VAL MET VAL PRO VAL LEU LEU SER PRO HIS THR VAL GLY VAL ASP VAL LEU ALA LYS MET ARG HIS GLY PHE SER LEU ILE GLY

PRO
GLN
CYS
PRO
LEU
LEU
GLY
THR
ALA
SER
LEU
HIS
ASN

• Molecule 1: Inosine-5'-monophosphate dehydrogenase 1



GLY
SER
MET
ALA
ASP
TYR
LEU
ILE
SER
GLY
THR
GLY
Y12
D16
T63
P64
L65
D71
K109
F110
E111
G112
G113
F114
ILE
THR
ASP
PRO
VAL
VAL
LEU
SER
PRO
SER
HIS
THR
VAL
GLY
ASP
VAL
LEU
GLU
ALA
LYS
MET
ARG
HIS
GLY
PHE
SER
GLY
ILE
PRO
THR

GLU
THR
GLY
THR
MET
GLY
SER
LYS
VAL
GLY
ILE
VAL
THR
SER
ARG
ASP
ILE
ASP
PHE
LEU
ALA
GLU
LYS
ASP
HIS
THR
THR
LEU
LEU
SER
GLU
VAL
VAL
MET
THR
PRO
ARG
ILE
GLU
LEU
VAL
ALA
LYS
GLY
ALA
ASN
GLU
ILE
LEU
GLN
ARG
SER
LYS

LYS
GLY
LYS
LEU
PRO
ILE
VAL
ASN
ASP
CYS
ASP
GLU
LEU
VAL
ALA
ILE
ILE
ALA
ARG
THR
THR
ASP
LEU
LYS
LYS
ASN
ARG
D292
S240
Q241
K242
Y258
R259
L260
D261
Q277
Q283
I290
K291
Q292
H296
G302
N303
R322
C331
I362
T383
A391

F402
S403
D404
G405
V406
R412
E421
LYS
SER
SER
SER
SER
GLN
LYS
ARG
TYR
PHE
SER
GLU
GLY
ASP
LYS
V437
K450
H507
T510
PHE
LEU
PRO
PHE
THR
LYS
SER
GLY
CYS
THR
GLU
ASP
SER
GLY
GLY
ARG
GLY
GLY
GLY
GLY
ASP
ALA
PRO
GLN
CYS
PRO
LEU
LEU

GLY
THR
ALA
SER
LEU
HIS
ASN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D4	Depositor
Number of particles used	1951413	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.470	Depositor
Minimum map value	-1.617	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.074	Depositor
Recommended contour level	0.45	Depositor
Map size (Å)	337.2, 337.2, 337.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84300005, 0.84300005, 0.84300005	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IMP, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/2803	0.52	0/3781
1	B	0.28	0/2803	0.52	0/3781
1	C	0.28	0/2803	0.52	0/3781
1	D	0.28	0/2803	0.52	0/3781
1	E	0.28	0/2803	0.52	0/3781
1	F	0.28	0/2803	0.52	0/3781
1	G	0.28	0/2803	0.52	0/3781
1	H	0.28	0/2803	0.52	0/3781
All	All	0.28	0/22424	0.52	0/30248

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2760	0	2775	12	0
1	B	2760	0	2775	10	0
1	C	2760	0	2775	11	0
1	D	2760	0	2775	10	0
1	E	2760	0	2775	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2760	0	2775	12	0
1	G	2760	0	2775	13	0
1	H	2760	0	2775	11	0
2	A	23	0	11	1	0
2	B	23	0	11	1	0
2	C	23	0	11	1	0
2	D	23	0	11	1	0
2	E	23	0	11	1	0
2	F	23	0	11	1	0
2	G	23	0	11	1	0
2	H	23	0	11	1	0
3	A	44	0	26	0	0
3	B	44	0	26	0	0
3	C	44	0	26	0	0
3	D	44	0	26	0	0
3	E	44	0	26	0	0
3	F	44	0	26	0	0
3	G	44	0	26	0	0
3	H	44	0	26	0	0
All	All	22616	0	22496	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:260:LEU:HD11	1:H:290:ILE:HG12	1.75	0.69
1:G:260:LEU:HD11	1:G:290:ILE:HG12	1.75	0.68
1:A:260:LEU:HD11	1:A:290:ILE:HG12	1.76	0.66
1:C:331:CYS:SG	2:C:601:IMP:H2	2.38	0.64
1:B:331:CYS:SG	2:B:601:IMP:H2	2.39	0.63
1:F:331:CYS:SG	2:F:601:IMP:H2	2.39	0.63
1:G:331:CYS:SG	2:G:601:IMP:H2	2.39	0.63
1:H:331:CYS:SG	2:H:601:IMP:H2	2.39	0.63
1:A:331:CYS:SG	2:A:601:IMP:H2	2.39	0.62
1:D:331:CYS:SG	2:D:601:IMP:H2	2.39	0.62
1:E:331:CYS:SG	2:E:601:IMP:H2	2.39	0.62
1:A:283:GLN:OE1	1:A:302:GLY:N	2.33	0.56
1:G:283:GLN:OE1	1:G:302:GLY:N	2.33	0.54
1:C:283:GLN:OE1	1:C:302:GLY:N	2.33	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:283:GLN:OE1	1:H:302:GLY:N	2.33	0.53
1:B:71:ASP:OD2	1:B:412:ARG:NH2	2.42	0.53
1:F:283:GLN:OE1	1:F:302:GLY:N	2.33	0.53
1:B:283:GLN:OE1	1:B:302:GLY:N	2.33	0.53
1:F:71:ASP:OD2	1:F:412:ARG:NH2	2.42	0.53
1:C:71:ASP:OD2	1:C:412:ARG:NH2	2.41	0.53
1:D:283:GLN:OE1	1:D:302:GLY:N	2.33	0.53
1:G:71:ASP:OD2	1:G:412:ARG:NH2	2.42	0.52
1:E:71:ASP:OD2	1:E:412:ARG:NH2	2.42	0.51
1:A:71:ASP:OD2	1:A:412:ARG:NH2	2.42	0.51
1:H:71:ASP:OD2	1:H:412:ARG:NH2	2.42	0.50
1:D:71:ASP:OD2	1:D:412:ARG:NH2	2.42	0.50
1:E:283:GLN:OE1	1:E:302:GLY:N	2.33	0.48
1:A:391:ALA:O	1:A:450:LYS:NZ	2.47	0.47
1:E:391:ALA:O	1:E:450:LYS:NZ	2.48	0.47
1:A:63:THR:HG22	1:A:65:LEU:H	1.81	0.46
1:E:63:THR:HG22	1:E:65:LEU:H	1.81	0.46
1:G:63:THR:HG22	1:G:65:LEU:H	1.81	0.46
1:B:391:ALA:O	1:B:450:LYS:NZ	2.47	0.46
1:C:63:THR:HG22	1:C:65:LEU:H	1.81	0.46
1:H:63:THR:HG22	1:H:65:LEU:H	1.81	0.46
1:D:63:THR:HG22	1:D:65:LEU:H	1.81	0.46
1:H:391:ALA:O	1:H:450:LYS:NZ	2.47	0.46
1:C:403:SER:O	1:C:406:VAL:HG12	2.15	0.46
1:D:391:ALA:O	1:D:450:LYS:NZ	2.48	0.46
1:F:63:THR:HG22	1:F:65:LEU:H	1.81	0.46
1:F:391:ALA:O	1:F:450:LYS:NZ	2.48	0.46
1:B:63:THR:HG22	1:B:65:LEU:H	1.81	0.46
1:G:403:SER:O	1:G:406:VAL:HG12	2.16	0.46
1:H:258:TYR:HA	1:H:261:ASP:OD1	2.16	0.46
1:F:403:SER:O	1:F:406:VAL:HG12	2.16	0.45
1:A:403:SER:O	1:A:406:VAL:HG12	2.16	0.45
1:B:26:SER:OG	1:B:28:ASP:OD2	2.35	0.45
1:E:403:SER:O	1:E:406:VAL:HG12	2.16	0.45
1:B:403:SER:O	1:B:406:VAL:HG12	2.16	0.45
1:D:403:SER:O	1:D:406:VAL:HG12	2.16	0.45
1:H:403:SER:O	1:H:406:VAL:HG12	2.16	0.45
1:G:258:TYR:HA	1:G:261:ASP:OD1	2.17	0.45
1:A:258:TYR:HA	1:A:261:ASP:OD1	2.18	0.44
1:E:26:SER:OG	1:E:28:ASP:OD1	2.35	0.44
1:C:26:SER:OG	1:C:28:ASP:OD1	2.35	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:26:SER:OG	1:F:28:ASP:OD1	2.36	0.43
1:C:391:ALA:O	1:C:450:LYS:NZ	2.47	0.43
1:D:26:SER:OG	1:D:28:ASP:OD2	2.36	0.43
1:G:391:ALA:O	1:G:450:LYS:NZ	2.47	0.43
1:A:109:LYS:HE3	1:A:109:LYS:HB2	1.89	0.43
1:C:497:ALA:HA	1:D:31:THR:HG21	2.01	0.43
1:E:109:LYS:HE3	1:E:109:LYS:HB2	1.90	0.42
1:D:362:ILE:HG12	1:D:383:THR:OG1	2.20	0.42
1:H:362:ILE:HG12	1:H:383:THR:OG1	2.20	0.42
1:C:362:ILE:HG12	1:C:383:THR:OG1	2.20	0.42
1:G:362:ILE:HG12	1:G:383:THR:OG1	2.20	0.42
1:G:26:SER:OG	1:G:28:ASP:OD1	2.37	0.42
1:E:497:ALA:HA	1:F:31:THR:HG21	2.01	0.42
1:A:362:ILE:HG12	1:A:383:THR:OG1	2.19	0.41
1:F:326:GLY:HA2	1:F:331:CYS:SG	2.61	0.41
1:F:497:ALA:HA	1:G:31:THR:HG21	2.01	0.41
1:G:303:ASN:HA	1:G:322:ARG:O	2.21	0.41
1:C:303:ASN:HA	1:C:322:ARG:O	2.21	0.41
1:E:326:GLY:HA2	1:E:331:CYS:SG	2.61	0.41
1:E:362:ILE:HG12	1:E:383:THR:OG1	2.20	0.41
1:F:303:ASN:HA	1:F:322:ARG:O	2.21	0.41
1:B:326:GLY:HA2	1:B:331:CYS:SG	2.61	0.41
1:G:326:GLY:HA2	1:G:331:CYS:SG	2.61	0.41
1:B:303:ASN:HA	1:B:322:ARG:O	2.21	0.41
1:H:109:LYS:HE3	1:H:109:LYS:HB2	1.89	0.41
1:A:326:GLY:HA2	1:A:331:CYS:SG	2.61	0.41
1:B:362:ILE:HG12	1:B:383:THR:OG1	2.19	0.41
1:H:303:ASN:HA	1:H:322:ARG:O	2.21	0.41
1:F:362:ILE:HG12	1:F:383:THR:OG1	2.20	0.41
1:D:303:ASN:HA	1:D:322:ARG:O	2.21	0.40
1:A:303:ASN:HA	1:A:322:ARG:O	2.21	0.40
1:C:326:GLY:HA2	1:C:331:CYS:SG	2.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/548 (66%)	351 (97%)	10 (3%)	0	100	100
1	B	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	C	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	D	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	E	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	F	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	G	361/548 (66%)	352 (98%)	9 (2%)	0	100	100
1	H	361/548 (66%)	351 (97%)	10 (3%)	0	100	100
All	All	2888/4384 (66%)	2814 (97%)	74 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/441 (66%)	288 (99%)	4 (1%)	67	73
1	B	292/441 (66%)	288 (99%)	4 (1%)	67	73
1	C	292/441 (66%)	287 (98%)	5 (2%)	60	67
1	D	292/441 (66%)	287 (98%)	5 (2%)	60	67
1	E	292/441 (66%)	287 (98%)	5 (2%)	60	67
1	F	292/441 (66%)	287 (98%)	5 (2%)	60	67
1	G	292/441 (66%)	288 (99%)	4 (1%)	67	73
1	H	292/441 (66%)	287 (98%)	5 (2%)	60	67
All	All	2336/3528 (66%)	2299 (98%)	37 (2%)	64	69

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ASP
1	A	259	ARG
1	A	277	GLN
1	A	292	GLN
1	B	16	ASP
1	B	259	ARG
1	B	277	GLN
1	B	292	GLN
1	C	16	ASP
1	C	259	ARG
1	C	261	ASP
1	C	277	GLN
1	C	292	GLN
1	D	16	ASP
1	D	259	ARG
1	D	261	ASP
1	D	277	GLN
1	D	292	GLN
1	E	16	ASP
1	E	259	ARG
1	E	261	ASP
1	E	277	GLN
1	E	292	GLN
1	F	16	ASP
1	F	259	ARG
1	F	261	ASP
1	F	277	GLN
1	F	292	GLN
1	G	16	ASP
1	G	259	ARG
1	G	277	GLN
1	G	292	GLN
1	H	16	ASP
1	H	259	ARG
1	H	260	LEU
1	H	277	GLN
1	H	292	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IMP	C	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.30	3 (12%)
2	IMP	E	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.31	3 (12%)
2	IMP	B	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.30	3 (12%)
2	IMP	D	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.31	3 (12%)
3	NAD	C	602	-	42,48,48	0.73	2 (4%)	50,73,73	0.78	2 (4%)
2	IMP	F	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.31	3 (12%)
3	NAD	F	602	-	42,48,48	0.74	2 (4%)	50,73,73	0.77	2 (4%)
2	IMP	H	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.31	3 (12%)
2	IMP	A	601	-	21,25,25	2.63	7 (33%)	24,38,38	1.31	3 (12%)
3	NAD	H	602	-	42,48,48	0.73	2 (4%)	50,73,73	0.77	2 (4%)
2	IMP	G	601	-	21,25,25	2.62	7 (33%)	24,38,38	1.31	3 (12%)
3	NAD	G	602	-	42,48,48	0.72	2 (4%)	50,73,73	0.77	2 (4%)
3	NAD	A	602	-	42,48,48	0.72	1 (2%)	50,73,73	0.77	2 (4%)
3	NAD	B	602	-	42,48,48	0.73	2 (4%)	50,73,73	0.77	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAD	D	602	-	42,48,48	0.73	2 (4%)	50,73,73	0.78	2 (4%)
3	NAD	E	602	-	42,48,48	0.73	2 (4%)	50,73,73	0.77	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IMP	C	601	-	-	2/6/26/26	0/3/3/3
2	IMP	E	601	-	-	0/6/26/26	0/3/3/3
2	IMP	B	601	-	-	2/6/26/26	0/3/3/3
2	IMP	D	601	-	-	2/6/26/26	0/3/3/3
3	NAD	C	602	-	-	3/26/62/62	0/5/5/5
2	IMP	F	601	-	-	0/6/26/26	0/3/3/3
3	NAD	F	602	-	-	3/26/62/62	0/5/5/5
2	IMP	H	601	-	-	0/6/26/26	0/3/3/3
2	IMP	A	601	-	-	2/6/26/26	0/3/3/3
3	NAD	H	602	-	-	3/26/62/62	0/5/5/5
2	IMP	G	601	-	-	0/6/26/26	0/3/3/3
3	NAD	G	602	-	-	3/26/62/62	0/5/5/5
3	NAD	A	602	-	-	3/26/62/62	0/5/5/5
3	NAD	B	602	-	-	3/26/62/62	0/5/5/5
3	NAD	D	602	-	-	3/26/62/62	0/5/5/5
3	NAD	E	602	-	-	3/26/62/62	0/5/5/5

All (71) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	IMP	C2-N3	8.87	1.45	1.29
2	C	601	IMP	C2-N3	8.87	1.45	1.29
2	E	601	IMP	C2-N3	8.87	1.45	1.29
2	F	601	IMP	C2-N3	8.87	1.45	1.29
2	H	601	IMP	C2-N3	8.87	1.45	1.29
2	D	601	IMP	C2-N3	8.85	1.45	1.29
2	G	601	IMP	C2-N3	8.85	1.45	1.29
2	B	601	IMP	C2-N3	8.82	1.45	1.29
2	B	601	IMP	C2-N1	4.44	1.43	1.35
2	A	601	IMP	C2-N1	4.42	1.43	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	601	IMP	C2-N1	4.42	1.43	1.35
2	D	601	IMP	C2-N1	4.40	1.43	1.35
2	G	601	IMP	C2-N1	4.40	1.43	1.35
2	C	601	IMP	C2-N1	4.38	1.43	1.35
2	F	601	IMP	C2-N1	4.35	1.43	1.35
2	H	601	IMP	C2-N1	4.35	1.43	1.35
2	A	601	IMP	C4-N3	3.70	1.49	1.37
2	B	601	IMP	C4-N3	3.70	1.49	1.37
2	E	601	IMP	C4-N3	3.70	1.49	1.37
2	C	601	IMP	C4-N3	3.70	1.49	1.37
2	D	601	IMP	C4-N3	3.70	1.49	1.37
2	F	601	IMP	C4-N3	3.69	1.49	1.37
2	H	601	IMP	C4-N3	3.68	1.48	1.37
2	G	601	IMP	C4-N3	3.68	1.48	1.37
2	B	601	IMP	C5-C6	3.19	1.53	1.47
2	H	601	IMP	C5-C6	3.19	1.53	1.47
2	C	601	IMP	C5-C6	3.18	1.53	1.47
2	F	601	IMP	C5-C6	3.18	1.53	1.47
2	G	601	IMP	C5-C6	3.18	1.53	1.47
2	D	601	IMP	C5-C6	3.16	1.53	1.47
2	A	601	IMP	C5-C6	3.14	1.53	1.47
2	E	601	IMP	C5-C6	3.14	1.53	1.47
2	B	601	IMP	C5-C4	-2.74	1.36	1.43
2	F	601	IMP	C5-C4	-2.74	1.36	1.43
2	C	601	IMP	O6-C6	-2.73	1.17	1.23
2	A	601	IMP	C5-C4	-2.73	1.36	1.43
2	D	601	IMP	C5-C4	-2.73	1.36	1.43
2	E	601	IMP	C5-C4	-2.73	1.36	1.43
2	H	601	IMP	C5-C4	-2.73	1.36	1.43
2	C	601	IMP	C5-C4	-2.72	1.36	1.43
2	F	601	IMP	O6-C6	-2.72	1.17	1.23
2	G	601	IMP	C5-C4	-2.71	1.36	1.43
2	A	601	IMP	O6-C6	-2.71	1.17	1.23
2	B	601	IMP	O6-C6	-2.71	1.17	1.23
2	E	601	IMP	O6-C6	-2.71	1.17	1.23
2	G	601	IMP	O6-C6	-2.71	1.17	1.23
2	H	601	IMP	O6-C6	-2.71	1.17	1.23
2	D	601	IMP	O6-C6	-2.68	1.17	1.23
3	F	602	NAD	C2N-N1N	2.41	1.37	1.35
3	C	602	NAD	C2N-N1N	2.38	1.37	1.35
3	D	602	NAD	C2N-N1N	2.37	1.37	1.35
3	A	602	NAD	C2N-N1N	2.35	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	602	NAD	C2N-N1N	2.32	1.37	1.35
3	B	602	NAD	C2N-N1N	2.32	1.37	1.35
3	E	602	NAD	C2N-N1N	2.32	1.37	1.35
3	G	602	NAD	C2N-N1N	2.32	1.37	1.35
2	F	601	IMP	C6-N1	2.13	1.42	1.38
2	A	601	IMP	C6-N1	2.10	1.42	1.38
2	D	601	IMP	C6-N1	2.10	1.42	1.38
2	H	601	IMP	C6-N1	2.10	1.42	1.38
2	C	601	IMP	C6-N1	2.09	1.42	1.38
2	G	601	IMP	C6-N1	2.09	1.42	1.38
2	E	601	IMP	C6-N1	2.08	1.42	1.38
2	B	601	IMP	C6-N1	2.07	1.42	1.38
3	H	602	NAD	C8A-N7A	-2.05	1.31	1.34
3	E	602	NAD	C8A-N7A	-2.05	1.31	1.34
3	F	602	NAD	C8A-N7A	-2.03	1.31	1.34
3	D	602	NAD	C8A-N7A	-2.01	1.31	1.34
3	B	602	NAD	C8A-N7A	-2.00	1.31	1.34
3	C	602	NAD	C8A-N7A	-2.00	1.31	1.34
3	G	602	NAD	C8A-N7A	-2.00	1.31	1.34

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	IMP	C5-C6-N1	3.46	120.06	113.95
2	E	601	IMP	C5-C6-N1	3.46	120.06	113.95
2	A	601	IMP	C5-C6-N1	3.45	120.05	113.95
2	B	601	IMP	C5-C6-N1	3.43	120.01	113.95
2	F	601	IMP	C5-C6-N1	3.43	120.01	113.95
2	H	601	IMP	C5-C6-N1	3.43	120.00	113.95
2	G	601	IMP	C5-C6-N1	3.42	120.00	113.95
2	C	601	IMP	C5-C6-N1	3.41	119.98	113.95
2	A	601	IMP	C8-N7-C5	2.87	108.46	102.99
2	G	601	IMP	C8-N7-C5	2.86	108.45	102.99
2	B	601	IMP	C8-N7-C5	2.86	108.43	102.99
2	C	601	IMP	C8-N7-C5	2.86	108.43	102.99
2	E	601	IMP	C8-N7-C5	2.85	108.43	102.99
2	F	601	IMP	C8-N7-C5	2.85	108.42	102.99
2	H	601	IMP	C8-N7-C5	2.84	108.40	102.99
2	D	601	IMP	C8-N7-C5	2.82	108.37	102.99
3	A	602	NAD	C5A-C6A-N6A	2.28	123.82	120.35
3	H	602	NAD	C5A-C6A-N6A	2.28	123.82	120.35
3	D	602	NAD	C5A-C6A-N6A	2.27	123.81	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	602	NAD	C5A-C6A-N6A	2.27	123.81	120.35
3	C	602	NAD	C5A-C6A-N6A	2.26	123.78	120.35
3	E	602	NAD	C5A-C6A-N6A	2.25	123.77	120.35
3	F	602	NAD	C5A-C6A-N6A	2.23	123.74	120.35
3	G	602	NAD	C5A-C6A-N6A	2.23	123.74	120.35
3	B	602	NAD	C6N-N1N-C2N	-2.19	119.98	121.97
3	C	602	NAD	C6N-N1N-C2N	-2.18	119.99	121.97
3	F	602	NAD	C6N-N1N-C2N	-2.14	120.02	121.97
3	G	602	NAD	C6N-N1N-C2N	-2.14	120.02	121.97
3	A	602	NAD	C6N-N1N-C2N	-2.13	120.03	121.97
3	H	602	NAD	C6N-N1N-C2N	-2.12	120.04	121.97
3	D	602	NAD	C6N-N1N-C2N	-2.12	120.05	121.97
3	E	602	NAD	C6N-N1N-C2N	-2.11	120.05	121.97
2	B	601	IMP	N1-C2-N3	-2.03	120.57	125.87
2	A	601	IMP	N1-C2-N3	-2.03	120.57	125.87
2	D	601	IMP	N1-C2-N3	-2.02	120.59	125.87
2	G	601	IMP	N1-C2-N3	-2.02	120.59	125.87
2	C	601	IMP	N1-C2-N3	-2.02	120.59	125.87
2	E	601	IMP	N1-C2-N3	-2.02	120.59	125.87
2	F	601	IMP	N1-C2-N3	-2.00	120.65	125.87
2	H	601	IMP	N1-C2-N3	-2.00	120.65	125.87

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	NAD	PN-O3-PA-O5B
3	B	602	NAD	PN-O3-PA-O5B
3	C	602	NAD	PN-O3-PA-O5B
3	D	602	NAD	PN-O3-PA-O5B
3	E	602	NAD	PN-O3-PA-O5B
3	F	602	NAD	PN-O3-PA-O5B
3	G	602	NAD	PN-O3-PA-O5B
3	H	602	NAD	PN-O3-PA-O5B
3	A	602	NAD	O4D-C4D-C5D-O5D
3	B	602	NAD	O4D-C4D-C5D-O5D
3	C	602	NAD	O4D-C4D-C5D-O5D
3	E	602	NAD	O4D-C4D-C5D-O5D
3	F	602	NAD	O4D-C4D-C5D-O5D
3	G	602	NAD	O4D-C4D-C5D-O5D
3	H	602	NAD	O4D-C4D-C5D-O5D
3	A	602	NAD	C3D-C4D-C5D-O5D

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	D	602	NAD	O4D-C4D-C5D-O5D
3	H	602	NAD	C3D-C4D-C5D-O5D
3	E	602	NAD	C3D-C4D-C5D-O5D
3	F	602	NAD	C3D-C4D-C5D-O5D
3	G	602	NAD	C3D-C4D-C5D-O5D
3	B	602	NAD	C3D-C4D-C5D-O5D
2	A	601	IMP	C5'-O5'-P-O2P
2	B	601	IMP	C5'-O5'-P-O2P
2	C	601	IMP	C5'-O5'-P-O2P
2	D	601	IMP	C5'-O5'-P-O2P
3	C	602	NAD	C3D-C4D-C5D-O5D
3	D	602	NAD	C3D-C4D-C5D-O5D
2	A	601	IMP	C5'-O5'-P-O1P
2	B	601	IMP	C5'-O5'-P-O1P
2	C	601	IMP	C5'-O5'-P-O1P
2	D	601	IMP	C5'-O5'-P-O1P



There are no ring outliers.


8 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	601	IMP	1	0
2	E	601	IMP	1	0
2	B	601	IMP	1	0
2	D	601	IMP	1	0
2	F	601	IMP	1	0
2	H	601	IMP	1	0
2	A	601	IMP	1	0
2	G	601	IMP	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42029. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 179




Y Index: 179




Z Index: 178


6.3.2 Raw map



X Index: 213



Y Index: 213




Z Index: 222


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.45. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 89 nm³; this corresponds to an approximate mass of 81 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.476 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.476 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.51	2.78	2.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.51 differs from the reported value 2.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42029 and PDB model 8U8Y. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.45 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.45).



















9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.45) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9070	 0.7440
A	 0.9070	 0.7440
B	 0.9070	 0.7440
C	 0.9070	 0.7440
D	 0.9070	 0.7450
E	 0.9060	 0.7440
F	 0.9060	 0.7450
G	 0.9060	 0.7440
H	 0.9070	 0.7440

