

Full wwPDB X-ray Structure Validation Report (i)

Oct 9, 2023 – 06:08 PM EDT

PDB ID	:	7UCI
Title	:	SxtA Methyltransferase and decarboxylase didomain in complex with $Mn2+$
		and SAH
Authors	:	Lao, Y.; Skiba, M.A.; Smith, J.L.
Deposited on	:	2022-03-16
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R _{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	713	68%	28%	·
1	В	713	66%	27%	• 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	В	803	-	-	Х	-



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 21540 atoms, of which 10658 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Polyketide synthase-related protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	1 Λ	686	Total	С	Η	Ν	0	S	0	2	0
	Л	080	10869	3485	5415	942	1002	25	0		
1	Р	670	Total	С	Η	Ν	0	S	0	2	0
	D	070	10479	3380	5198	912	965	24	0		0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-2	SER	-	expression tag	UNP B3EYF9
А	-1	ASN	-	expression tag	UNP B3EYF9
А	0	ALA	-	expression tag	UNP B3EYF9
В	-2	SER	-	expression tag	UNP B3EYF9
В	-1	ASN	-	expression tag	UNP B3EYF9
В	0	ALA	-	expression tag	UNP B3EYF9

• Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: $C_{14}H_{20}N_6O_5S$) (labeled as "Ligand of Interest" by depositor).





$\overline{7}$	ΤT	CI
1	U	ΟI

Mol	Chain	Residues		Α	tom	IS			ZeroOcc	AltConf
0	Δ	1	Total	С	Η	Ν	0	S	4	0
	A	1	45	14	19	6	5	1	4	0
2	В	1	Total	С	Η	Ν	0	S	7	0
	D	1	44	14	18	6	5	1	1	0

• Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mn 1 1	0	0
3	В	1	Total Mn 1 1	0	0

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	В	1	Total 14	С 3	Н 8	O 3	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	47	$\begin{array}{cc} \text{Total} & \text{O} \\ 47 & 47 \end{array}$	0	0
5	В	40	Total O 40 40	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Polyketide synthase-related protein









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	43.80Å 69.67Å 127.61Å	Depositor
a, b, c, α , β , γ	86.44° 83.26° 83.95°	Depositor
Bosolution (Å)	42.43 - 2.60	Depositor
Resolution (A)	36.86 - 2.60	EDS
% Data completeness	97.8 (42.43-2.60)	Depositor
(in resolution range)	83.1 (36.86-2.60)	EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.68 (at 2.61 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
P. P.	0.237 , 0.298	Depositor
n, n_{free}	0.240 , 0.296	DCC
R_{free} test set	1962 reflections $(4.46%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	41.4	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 48.5	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	21540	wwPDB-VP
Average B, all atoms $(Å^2)$	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.53% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MN, SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/5582	0.48	0/7578
1	В	0.26	0/5404	0.49	1/7338~(0.0%)
All	All	0.26	0/10986	0.49	1/14916~(0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	В	317	ASP	CB-CG-OD1	-5.16	113.66	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5454	5415	5406	160	0
1	В	5281	5198	5189	171	0
2	А	26	19	19	6	0
2	В	26	18	19	6	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
4	В	6	8	8	4	0
5	А	47	0	0	7	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	В	40	0	0	12	0
All	All	10882	10658	10641	328	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (328) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:317:ASP:OD1	2:B:801:SAH:O2'	1.71	1.08
1:B:317:ASP:CG	2:B:801:SAH:O2'	2.03	0.96
1:A:317:ASP:OD1	2:A:801:SAH:O2'	1.89	0.90
1:B:373:ASP:OD1	5:B:901:HOH:O	1.91	0.87
1:A:331:ALA:O	1:B:610:ARG:NH2	2.13	0.82
1:B:293:TRP:NE1	1:B:297:GLN:OE1	2.14	0.81
1:A:556:LEU:HD22	1:A:563:ILE:HD11	1.61	0.81
1:A:490:ARG:NH2	1:A:493:LYS:O	2.14	0.81
1:A:585:VAL:HA	1:A:588:LEU:HD13	1.64	0.80
1:B:447:LEU:HD11	1:B:453:LEU:HD22	1.61	0.80
1:B:362:ASN:O	5:B:903:HOH:O	2.01	0.79
1:A:112:TRP:N	5:A:902:HOH:O	2.17	0.78
1:A:283:CYS:HB3	1:A:326:THR:HG21	1.64	0.78
1:B:383:ASN:ND2	5:B:907:HOH:O	2.19	0.76
1:B:19:LEU:HD11	1:B:89:ILE:HD11	1.67	0.75
1:B:468:GLU:OE2	5:B:904:HOH:O	2.05	0.74
1:A:615:GLU:OE2	5:A:901:HOH:O	2.05	0.73
1:B:97:ILE:HD12	1:B:138:PRO:HB2	1.70	0.72
1:A:556:LEU:HB2	1:A:616:LEU:HD12	1.72	0.71
1:A:571:ILE:HD12	1:A:588:LEU:HB3	1.70	0.71
1:B:456:ASP:OD1	5:B:905:HOH:O	2.09	0.71
1:B:366:ILE:HG12	1:B:431:MET:HG2	1.73	0.71
1:A:528:VAL:HG12	1:A:536:ARG:HD3	1.72	0.71
1:A:97:ILE:HD12	1:A:138:PRO:HB2	1.73	0.70
1:B:317:ASP:OD2	2:B:801:SAH:O2'	2.09	0.70
1:A:572:THR:HG23	1:A:590:THR:HG21	1.75	0.69
1:A:331:ALA:HB1	1:B:509:PRO:HG3	1.74	0.69
1:B:645:TYR:HE2	1:B:664:LEU:HD21	1.58	0.69
1:B:276:LYS:O	1:B:311:LEU:HD12	1.92	0.68
1:B:34:SER:HB3	1:B:35:PRO:HD3	1.76	0.68
1:A:262:ILE:HD13	1:A:292:VAL:HG22	1.76	0.68
1:B:634:VAL:HG12	1:B:700:GLU:HG3	1.77	0.67



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:197:GLU:OE1	1:B:198:ARG:NH1	2.29	0.66
1:B:33:GLU:HB3	1:B:36:LEU:HD11	1.77	0.66
1:B:676:ALA:HB2	1:B:701:TYR:CE1	2.31	0.65
1:B:490:ARG:NH2	1:B:497:PHE:O	2.29	0.65
1:A:284:GLY:HA2	2:A:801:SAH:O3'	1.97	0.65
1:A:6:ASN:O	1:A:10:HIS:ND1	2.23	0.65
1:B:342:ILE:HD13	1:B:370:LEU:HD13	1.79	0.65
1:B:691:ASP:OD2	5:B:906:HOH:O	2.15	0.65
1:A:214:ARG:NH2	1:A:225:SER:OG	2.30	0.64
1:A:470:GLU:OE2	5:A:903:HOH:O	2.15	0.64
1:B:654:LEU:HD11	1:B:697:ILE:HD12	1.79	0.64
1:A:637:THR:HG23	1:A:697:ILE:HG23	1.80	0.63
4:B:803:GOL:O1	5:B:902:HOH:O	1.96	0.63
1:A:34:SER:HB2	1:A:35:PRO:HD3	1.80	0.63
1:A:555:VAL:HG13	1:A:562:ILE:HG23	1.81	0.63
1:B:473:LEU:HD22	1:B:626:LEU:HD12	1.80	0.63
1:A:451:GLU:OE1	1:A:451:GLU:N	2.31	0.63
1:A:342:ILE:HD11	1:A:370:LEU:CD2	2.28	0.63
1:B:555:VAL:HG12	1:B:557:ILE:HG13	1.81	0.62
1:A:204:ILE:HG23	1:A:205:VAL:HG13	1.79	0.62
1:A:283:CYS:SG	1:A:316:VAL:N	2.72	0.62
1:B:609:ALA:N	5:B:902:HOH:O	2.19	0.62
1:B:671:HIS:HD1	1:B:701:TYR:HH	1.45	0.62
1:A:572:THR:CG2	1:A:590:THR:HG21	2.30	0.62
1:B:81:ILE:HD11	1:B:122:LEU:HD22	1.81	0.61
1:B:571:ILE:HD12	1:B:588:LEU:HB3	1.82	0.61
1:B:35:PRO:O	1:B:36:LEU:HD12	2.01	0.61
1:B:22:ARG:NH1	1:B:82:HIS:O	2.34	0.60
1:A:44:HIS:NE2	5:A:907:HOH:O	2.31	0.60
4:B:803:GOL:O2	5:B:902:HOH:O	2.17	0.60
1:B:621:LEU:HD11	1:B:701:TYR:CD2	2.37	0.60
1:B:100:TYR:OH	1:B:168:GLU:OE1	2.13	0.59
1:B:330:LEU:HD23	1:B:333:LEU:HD12	1.83	0.59
1:A:39:ASN:HA	1:A:42:VAL:HG22	1.84	0.59
1:A:570:THR:O	1:A:571:ILE:HD13	2.03	0.59
1:A:280:ASP:HB2	1:A:289:LEU:HD21	1.83	0.58
1:B:574:THR:HG22	1:B:634:VAL:HG11	1.83	0.58
1:A:352:LEU:HD22	1:A:357:ILE:HD12	1.83	0.58
1:B:188:ILE:HD12	1:B:188:ILE:H	1.68	0.58
1:B:498:THR:HG21	1:B:626:LEU:HD22	1.85	0.58
1:A:151:ASP:HB3	1:A:193:ARG:HH21	1.69	0.58



	h i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:331:ALA:O	1:B:610:ARG:CZ	2.51	0.58
1:A:498:THR:HG21	1:A:626:LEU:HD22	1.84	0.57
1:B:341:ASP:OD1	1:B:342:ILE:N	2.38	0.57
1:B:621:LEU:HD21	1:B:701:TYR:CD2	2.40	0.57
1:A:286:GLY:N	1:A:326:THR:HG22	2.19	0.57
1:B:281:MET:HG2	1:B:342:ILE:CG2	2.35	0.57
1:A:317:ASP:OD2	2:A:801:SAH:O3'	2.13	0.57
1:A:408:HIS:HA	1:A:411:VAL:HG22	1.86	0.56
1:A:484:LYS:HG3	1:A:506:GLU:HG2	1.87	0.56
1:B:330:LEU:O	1:B:335:HIS:ND1	2.38	0.56
1:A:637:THR:CG2	1:A:697:ILE:HG23	2.35	0.56
1:A:154:ASP:OD1	1:A:155:LYS:N	2.36	0.56
1:B:283:CYS:HB2	1:B:326:THR:HG21	1.87	0.56
1:B:30:LEU:HD11	1:B:41:MET:SD	2.45	0.56
1:A:317:ASP:O	1:A:339:GLN:HA	2.06	0.56
1:A:269:LEU:CB	1:A:270:PRO:HD3	2.36	0.56
1:B:209:THR:HB	1:B:210:PRO:HD3	1.88	0.56
1:A:140:LEU:HB3	1:A:199:ALA:HB1	1.86	0.56
1:A:262:ILE:CD1	1:A:292:VAL:HG22	2.36	0.56
1:B:352:LEU:HD22	1:B:357:ILE:HD12	1.87	0.55
1:A:19:LEU:HD11	1:A:89:ILE:HD11	1.89	0.55
1:B:317:ASP:OD1	2:B:801:SAH:N3	2.40	0.55
1:A:17:VAL:HG12	1:A:215:ILE:HG12	1.89	0.55
1:A:141:LEU:HD12	1:A:203:ALA:HB1	1.89	0.54
1:B:36:LEU:O	1:B:73:TYR:N	2.30	0.54
1:A:38:LEU:HD22	1:A:53:GLN:OE1	2.06	0.54
1:B:327:THR:HG23	1:B:335:HIS:NE2	2.23	0.54
1:B:286:GLY:N	1:B:326:THR:HG22	2.23	0.54
1:B:498:THR:HG21	1:B:626:LEU:CD2	2.38	0.54
1:B:342:ILE:HD13	1:B:370:LEU:CD1	2.37	0.53
1:A:499:ARG:HD3	1:A:500:ILE:HG13	1.90	0.53
1:B:388:ARG:NE	1:B:412:GLN:OE1	2.36	0.53
1:A:318:TYR:HA	1:A:339:GLN:HG3	1.90	0.53
1:A:113:ILE:N	5:A:902:HOH:O	2.11	0.53
1:A:596:ILE:HB	1:A:633:VAL:HG22	1.91	0.53
1:A:96:PRO:HD2	1:A:108:LEU:HD21	1.91	0.53
1:B:446:PHE:HA	1:B:449:LYS:HE2	1.91	0.53
1:B:60:GLU:HG2	1:B:440:PRO:HB2	1.91	0.53
1:A:254:TYR:CZ	1:A:500:ILE:HD12	2.45	0.52
1:B:669:GLY:HA2	1:B:672:VAL:HG22	1.90	0.52
1:A:317:ASP:CG	2:A:801:SAH:O2'	2.47	0.52



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:421:TRP:O	1:B:425:VAL:HG23	2.09	0.52
1:A:335:HIS:CE1	1:B:610:ARG:HD2	2.45	0.52
1:A:342:ILE:HD11	1:A:370:LEU:HD21	1.89	0.52
1:B:269:LEU:CB	1:B:270:PRO:HD3	2.40	0.52
1:B:606:GLU:HB2	1:B:607:PHE:HD1	1.74	0.52
1:A:323:LEU:HD22	1:A:337:VAL:HG13	1.92	0.52
1:A:384:GLU:O	1:A:387:GLU:HG2	2.10	0.51
1:A:367:ARG:HD2	1:A:371:ASP:OD2	2.10	0.51
1:A:251:HIS:HB2	1:A:254:TYR:CZ	2.45	0.51
1:A:372:HIS:ND1	1:A:434:GLU:OE2	2.44	0.51
1:B:89:ILE:HD12	1:B:90:LEU:N	2.26	0.51
1:B:30:LEU:O	1:B:34:SER:HA	2.11	0.51
1:B:281:MET:HG2	1:B:342:ILE:HG23	1.92	0.50
1:A:269:LEU:CB	1:A:270:PRO:CD	2.89	0.50
1:A:281:MET:HE2	1:A:348:MET:CE	2.42	0.50
1:B:35:PRO:C	1:B:36:LEU:HD12	2.31	0.50
1:B:320:GLU:HA	1:B:323:LEU:HD12	1.94	0.50
1:B:280:ASP:HB2	1:B:289:LEU:HD21	1.92	0.50
1:A:651:MET:O	1:A:655:LYS:HG3	2.11	0.50
1:B:6:ASN:HA	1:B:9:THR:HG22	1.93	0.50
1:A:22:ARG:NH1	1:A:82:HIS:O	2.44	0.50
1:B:432:ILE:HD12	1:B:432:ILE:O	2.12	0.50
1:B:558:ILE:HD12	1:B:563:ILE:HG13	1.94	0.50
1:B:431:MET:HA	1:B:503:ASN:O	2.11	0.49
1:A:2:LEU:HD23	1:A:5:ILE:HD12	1.92	0.49
1:B:33:GLU:O	1:B:36:LEU:HD13	2.12	0.49
1:B:424:VAL:HG12	1:B:424:VAL:O	2.13	0.49
1:B:86:SER:O	1:B:89:ILE:HG13	2.12	0.49
1:B:571:ILE:HG22	1:B:573:SER:H	1.78	0.49
1:B:672:VAL:HG23	1:B:673:SER:N	2.28	0.49
1:A:29:LEU:O	1:A:32:ASP:N	2.45	0.49
1:A:269:LEU:HB3	1:A:270:PRO:HD3	1.94	0.49
1:A:285:ASP:C	1:A:326:THR:HG22	2.33	0.49
1:A:637:THR:HG23	1:A:697:ILE:CG2	2.43	0.49
1:A:341:ASP:OD1	1:A:342:ILE:N	2.46	0.49
1:A:435:VAL:HG13	1:A:466:LEU:HD21	1.95	0.48
1:A:640:ARG:NH2	5:A:908:HOH:O	2.46	0.48
1:A:331:ALA:CB	1:B:509:PRO:HG3	2.42	0.48
1:B:681:ILE:HG21	1:B:695:MET:CE	2.43	0.48
1:A:266:PHE:CZ	1:A:278:ILE:HD11	2.47	0.48
1:A:484:LYS:HE3	1:A:506:GLU:CD	2.34	0.48



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:571:ILE:HB	1:A:595:VAL:HG13	1.95	0.48
1:B:358:HIS:C	1:B:360:PRO:HD3	2.34	0.48
1:B:645:TYR:HE2	1:B:664:LEU:CD2	2.23	0.48
1:A:208:TYR:O	1:A:212:LEU:HG	2.13	0.48
1:B:269:LEU:HB2	1:B:270:PRO:HD3	1.95	0.48
1:B:296:ILE:O	1:B:300:SER:OG	2.14	0.48
1:B:571:ILE:HB	1:B:595:VAL:HG23	1.95	0.48
1:A:264:SER:HB3	1:A:487:LEU:HD21	1.95	0.48
1:A:705:ASP:N	1:A:705:ASP:OD1	2.46	0.48
1:A:152:SER:HA	1:A:156:PRO:HA	1.95	0.48
1:B:12:PHE:CD1	1:B:205:VAL:HG22	2.49	0.48
1:A:318:TYR:HE1	2:A:801:SAH:N7	2.11	0.48
1:A:353:GLU:OE2	1:A:358:HIS:NE2	2.47	0.48
1:A:353:GLU:OE2	1:A:358:HIS:CD2	2.67	0.48
1:B:364:LEU:HD21	1:B:366:ILE:HD11	1.96	0.48
1:B:67:ARG:NH2	5:B:909:HOH:O	2.41	0.47
1:A:515:ALA:HB2	1:A:555:VAL:HG23	1.95	0.47
1:B:297:GLN:O	1:B:303:GLY:HA3	2.14	0.47
1:B:330:LEU:CD2	1:B:333:LEU:HD12	2.43	0.47
1:B:435:VAL:HG23	1:B:499:ARG:HD2	1.96	0.47
1:B:621:LEU:HD11	1:B:701:TYR:CE2	2.49	0.47
1:B:663:LEU:HD12	1:B:672:VAL:HG21	1.96	0.47
1:A:65:LEU:HA	1:A:74:SER:O	2.15	0.47
1:A:109:LEU:HD22	1:A:135:LEU:HD11	1.97	0.47
1:A:293:TRP:O	1:A:297:GLN:N	2.40	0.47
1:A:56:LEU:HD13	1:A:73:TYR:CE2	2.48	0.47
1:B:23:GLU:OE2	1:B:87:GLU:OE2	2.31	0.47
1:B:17:VAL:HG21	1:B:58:MET:SD	2.55	0.47
1:B:38:LEU:O	1:B:42:VAL:HG13	2.14	0.47
1:B:269:LEU:CB	1:B:270:PRO:CD	2.93	0.47
1:A:323:LEU:HD22	1:A:337:VAL:CG1	2.45	0.47
1:A:280:ASP:CB	1:A:289:LEU:HD21	2.44	0.47
1:A:621:LEU:O	1:A:625:THR:HG23	2.15	0.46
1:B:14:ALA:O	1:B:18:ILE:HG13	2.14	0.46
1:B:621:LEU:HD11	1:B:701:TYR:HD2	1.81	0.46
1:A:668:VAL:HG21	1:A:697:ILE:HD13	1.97	0.46
1:A:266:PHE:CZ	1:A:275:PRO:HG2	2.51	0.46
1:A:149:LEU:HD23	1:A:196:GLY:HA3	1.97	0.46
1:A:387:GLU:HG3	1:A:388:ARG:N	2.30	0.46
1:A:421:TRP:O	1:A:424:VAL:HG22	2.15	0.46
1:A:563:ILE:C	1:A:563:ILE:HD12	2.36	0.46



	h i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:14:ALA:O	1:B:17:VAL:HG22	2.16	0.46
1:B:89:ILE:O	1:B:92:LEU:HD23	2.14	0.46
1:A:367:ARG:NH1	1:A:371:ASP:OD1	2.48	0.46
1:A:580:VAL:HG11	1:A:588:LEU:HD11	1.98	0.46
1:B:284:GLY:N	2:B:801:SAH:O3'	2.49	0.46
1:B:297:GLN:HA	1:B:303:GLY:HA3	1.95	0.46
1:A:645:TYR:O	1:A:648:MET:HG2	2.16	0.46
1:B:7:ARG:HH21	1:B:126:LEU:HA	1.80	0.46
1:A:14:ALA:O	1:A:18:ILE:HG13	2.16	0.46
1:A:320:GLU:HA	1:A:323:LEU:HD12	1.98	0.46
1:B:482:PHE:N	1:B:482:PHE:HD1	2.14	0.46
1:A:484:LYS:HE3	1:A:506:GLU:CG	2.46	0.46
1:B:654:LEU:O	1:B:663:LEU:HD22	2.16	0.45
1:A:470:GLU:HG2	1:A:471:VAL:N	2.29	0.45
1:B:283:CYS:SG	1:B:315:GLY:HA2	2.56	0.45
1:B:481:LEU:C	1:B:482:PHE:HD1	2.19	0.45
1:B:621:LEU:CD1	1:B:701:TYR:HD2	2.29	0.45
1:B:70:GLU:O	1:B:71:LEU:HB2	2.16	0.45
1:B:484:LYS:HE3	1:B:506:GLU:OE2	2.16	0.45
1:A:283:CYS:SG	1:A:315:GLY:CA	3.04	0.45
1:B:15:VAL:HB	1:B:16:PRO:HD3	1.97	0.45
1:A:89:ILE:O	1:A:92:LEU:HD23	2.16	0.45
1:A:38:LEU:O	1:A:42:VAL:HG13	2.16	0.45
1:A:100:TYR:HD2	1:A:101:LEU:HD22	1.80	0.45
1:B:333:LEU:O	1:B:335:HIS:N	2.48	0.45
1:B:596:ILE:HG12	1:B:630:ILE:HG12	1.99	0.45
1:A:490:ARG:HD2	1:A:498:THR:OG1	2.17	0.45
1:B:37:SER:OG	5:B:908:HOH:O	2.21	0.45
1:B:261:SER:HA	1:B:487:LEU:HD22	1.99	0.45
1:B:431:MET:HB3	1:B:504:TYR:HA	1.99	0.45
1:A:577:LEU:HG	1:A:578:GLU:H	1.82	0.44
1:A:322:SER:O	1:A:326:THR:HG23	2.18	0.44
1:B:370:LEU:HD13	1:B:370:LEU:O	2.18	0.44
1:B:482:PHE:N	1:B:482:PHE:CD1	2.84	0.44
1:B:701:TYR:CD1	1:B:701:TYR:N	2.85	0.44
1:A:654:LEU:O	1:A:663:LEU:HD22	2.18	0.44
1:B:9:THR:HG23	1:B:454:HIS:CE1	2.52	0.44
1:B:139:LEU:CD2	1:B:143:LEU:HD11	2.46	0.44
1:B:419:GLU:OE1	1:B:479:VAL:HG12	2.18	0.44
1:B:582:TYR:CB	1:B:686:ARG:HG2	2.47	0.44
1:A:373:ASP:OD2	1:A:464:GLN:NE2	2.51	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:62:LEU:HD21	1:B:453:LEU:HD21	2.00	0.44
1:B:616:LEU:C	1:B:616:LEU:HD23	2.38	0.44
1:B:628:GLY:O	1:B:630:ILE:HD12	2.18	0.44
1:A:149:LEU:HG	1:A:188:ILE:HD11	2.00	0.44
1:B:109:LEU:HD22	1:B:135:LEU:HD11	2.00	0.44
1:B:470:GLU:HG2	1:B:471:VAL:N	2.33	0.44
1:B:681:ILE:HG21	1:B:695:MET:HE2	2.00	0.44
1:A:417:HIS:HA	1:A:420:ARG:HH11	1.83	0.43
1:B:34:SER:HB3	1:B:35:PRO:CD	2.47	0.43
1:B:520:LEU:N	1:B:521:PRO:HD2	2.33	0.43
1:A:342:ILE:HG22	1:A:421:TRP:HE1	1.82	0.43
1:A:277:TYR:HB2	1:A:363:ILE:HG12	2.00	0.43
1:A:616:LEU:C	1:A:616:LEU:HD23	2.39	0.43
1:A:679:ARG:NH1	1:A:700:GLU:OE1	2.51	0.43
1:A:481:LEU:HA	1:A:506:GLU:O	2.18	0.43
1:A:574:THR:HG22	1:A:634:VAL:HG11	2.01	0.43
1:B:133:GLY:O	1:B:137:ILE:HG12	2.18	0.43
1:B:569:GLN:HE21	1:B:571:ILE:HD11	1.84	0.43
1:B:654:LEU:HD22	1:B:668:VAL:HG11	2.00	0.43
1:A:284:GLY:CA	2:A:801:SAH:O3'	2.64	0.43
1:B:610:ARG:NH2	1:B:612:LEU:HD11	2.34	0.43
1:B:468:GLU:OE1	1:B:470:GLU:OE2	2.37	0.43
1:A:193:ARG:O	1:A:197:GLU:HG3	2.19	0.42
1:A:443:VAL:O	1:A:447:LEU:HA	2.20	0.42
1:B:71:LEU:O	5:B:909:HOH:O	2.21	0.42
1:B:283:CYS:CB	1:B:326:THR:HG21	2.48	0.42
1:B:438:LEU:HD12	1:B:452:ASN:HD21	1.84	0.42
1:B:634:VAL:HG12	1:B:700:GLU:CG	2.47	0.42
1:A:57:ARG:HG3	1:A:440:PRO:HG3	2.01	0.42
1:A:254:TYR:CZ	1:A:500:ILE:CD1	3.03	0.42
1:B:113:ILE:HD12	1:B:168:GLU:HB3	2.00	0.42
1:B:642:TYR:HB3	1:B:692:ASN:OD1	2.19	0.42
1:A:447:LEU:HD11	1:A:453:LEU:HD22	2.00	0.42
1:A:462[B]:SER:O	1:A:462[B]:SER:OG	2.36	0.42
1:A:520:LEU:HB3	1:A:521:PRO:HD3	2.00	0.42
1:B:269:LEU:HB2	1:B:270:PRO:CD	2.49	0.42
1:B:372:HIS:HB2	1:B:465:TYR:O	2.19	0.42
1:A:451:GLU:HG2	1:A:499:ARG:NH1	2.35	0.42
1:B:482:PHE:CE2	1:B:510:TYR:CE2	3.06	0.42
1:A:571:ILE:HG22	1:A:572:THR:N	2.34	0.42
1:B:670:PHE:CE1	4:B:803:GOL:H32	2.55	0.42



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:562:ILE:HD12	1:A:562:ILE:H	1.85	0.42
1:A:558:ILE:HD12	1:A:563:ILE:HG12	2.02	0.42
1:B:366:ILE:HG22	1:B:367:ARG:N	2.35	0.42
1:B:392:PRO:HD2	1:B:551:GLN:NE2	2.34	0.42
1:B:218:VAL:CG2	1:B:226:VAL:HG11	2.50	0.41
1:A:89:ILE:HD12	1:A:90:LEU:N	2.34	0.41
1:A:393:TYR:CE2	1:A:411:VAL:HG21	2.55	0.41
1:A:570:THR:HG22	1:A:596:ILE:CD1	2.51	0.41
1:A:616:LEU:HD23	1:A:616:LEU:O	2.20	0.41
1:A:120:TRP:NE1	1:A:132:ASP:OD1	2.40	0.41
1:A:269:LEU:HB2	1:A:270:PRO:HD3	2.03	0.41
1:A:377:ILE:HD12	1:A:377:ILE:O	2.21	0.41
1:A:473:LEU:HD11	1:A:483:PRO:HG3	2.03	0.41
1:B:297:GLN:HA	1:B:303:GLY:CA	2.50	0.41
1:A:226:VAL:HG13	1:A:226:VAL:O	2.20	0.41
1:A:259:GLU:HA	1:A:262:ILE:HD12	2.03	0.41
1:A:426:ASN:OD1	5:A:904:HOH:O	2.22	0.41
1:A:525:ASP:OD1	1:A:529:LYS:HE3	2.20	0.41
1:B:17:VAL:HG12	1:B:215:ILE:HG12	2.01	0.41
1:B:342:ILE:CG2	1:B:370:LEU:HD12	2.50	0.41
1:B:346:GLU:O	1:B:349:VAL:HG22	2.21	0.41
1:B:432:ILE:HD11	1:B:472:PHE:HE2	1.85	0.41
1:A:264:SER:CB	1:A:487:LEU:HD21	2.51	0.41
1:A:452:ASN:HB3	1:A:456:ASP:OD2	2.21	0.41
1:A:574:THR:CG2	1:A:634:VAL:HG11	2.51	0.41
1:A:625:THR:HG22	1:A:703:LEU:HD11	2.03	0.41
1:B:318:TYR:CD1	2:B:801:SAH:C4	3.03	0.41
1:B:532:PRO:HG2	1:B:534:ASN:OD1	2.21	0.41
1:A:42:VAL:HG11	1:A:49:SER:HA	2.03	0.41
1:A:430:LEU:HD21	1:A:432:ILE:HD11	2.03	0.41
1:B:281:MET:HG2	1:B:342:ILE:HG22	2.03	0.41
1:B:436:HIS:N	1:B:499:ARG:O	2.52	0.41
1:B:476:ALA:HB1	1:B:481:LEU:HB2	2.02	0.41
1:B:366:ILE:HG12	1:B:431:MET:CG	2.47	0.41
1:B:34:SER:CB	1:B:35:PRO:HD3	2.49	0.40
1:B:136:VAL:HG13	1:B:178:TRP:HH2	1.85	0.40
1:B:317:ASP:OD2	1:B:322:SER:OG	2.40	0.40
1:B:452:ASN:HA	1:B:455:PHE:HB3	2.03	0.40
1:A:532:PRO:HD2	1:A:535:LEU:HD12	2.04	0.40
1:B:614:ASN:N	4:B:803:GOL:H11	2.36	0.40
1:A:290:LYS:HE2	1:A:294:GLU:OE2	2.21	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:554:LEU:HB2	1:A:566:ILE:HG22	2.03	0.40
1:A:668:VAL:CG2	1:A:697:ILE:HD13	2.51	0.40
1:A:90:LEU:HD23	1:A:93:TYR:HE2	1.85	0.40
1:B:10:HIS:HA	1:B:454:HIS:HB3	2.04	0.40
1:A:617:ARG:CZ	1:A:674:GLY:HA3	2.51	0.40
1:B:120:TRP:CG	1:B:131:LEU:HD22	2.57	0.40
1:B:435:VAL:HG23	1:B:499:ARG:CD	2.51	0.40
1:B:571:ILE:HD12	1:B:588:LEU:CB	2.50	0.40
1:B:672:VAL:HG23	1:B:673:SER:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	684/713~(96%)	652~(95%)	31~(4%)	1 (0%)	51	75
1	В	664/713~(93%)	634 (96%)	29~(4%)	1 (0%)	47	71
All	All	1348/1426~(94%)	1286 (95%)	60 (4%)	2(0%)	51	75

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	269	LEU
1	В	269	LEU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	593/629~(94%)	592~(100%)	1 (0%)	93 98
1	В	564/629~(90%)	561 (100%)	3 (0%)	88 96
All	All	1157/1258~(92%)	1153 (100%)	4 (0%)	92 98

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	499	ARG
1	В	370	LEU
1	В	482	PHE
1	В	701	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Dec	Tink	Bo	Bond lengths			Bond angles		
MOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2							
2	SAH	А	801	-	24,28,28	0.87	2 (8%)	25,40,40	1.57	5 (20%)							
2	SAH	В	801	-	24,28,28	1.11	3 (12%)	25,40,40	2.20	8 (32%)							
4	GOL	В	803	-	$5,\!5,\!5$	0.45	0	$5,\!5,\!5$	0.91	0							

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	А	801	-	-	5/11/31/31	0/3/3/3
2	SAH	В	801	-	-	3/11/31/31	0/3/3/3
4	GOL	В	803	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	801	SAH	OXT-C	-2.46	1.22	1.30
2	В	801	SAH	C2'-C1'	-2.41	1.50	1.53
2	А	801	SAH	C2-N3	2.14	1.35	1.32
2	А	801	SAH	OXT-C	-2.14	1.23	1.30
2	В	801	SAH	C2-N3	2.09	1.35	1.32

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	801	SAH	O4'-C1'-C2'	-5.73	98.55	106.93
2	А	801	SAH	N3-C2-N1	-4.39	121.82	128.68
2	В	801	SAH	N3-C2-N1	-4.37	121.84	128.68
2	В	801	SAH	C2'-C3'-C4'	-4.23	94.42	102.64
2	В	801	SAH	O2'-C2'-C3'	-3.43	100.73	111.82
2	В	801	SAH	C3'-C2'-C1'	3.23	105.84	100.98
2	А	801	SAH	O3'-C3'-C2'	-2.94	102.31	111.82
2	В	801	SAH	OXT-C-CA	2.40	121.56	113.38
2	А	801	SAH	OXT-C-O	-2.39	118.66	124.09
2	В	801	SAH	OXT-C-O	-2.38	118.68	124.09
2	А	801	SAH	O4'-C4'-C5'	2.06	114.15	108.83
2	В	801	SAH	O2'-C2'-C1'	-2.04	103.33	110.85
2	А	801	SAH	C3'-C2'-C1'	-2.01	97.96	100.98

There are no chirality outliers.



Mol	Chain	Res	Type	Atoms
2	А	801	SAH	CA-CB-CG-SD
2	А	801	SAH	O4'-C4'-C5'-SD
2	А	801	SAH	C3'-C4'-C5'-SD
4	В	803	GOL	O1-C1-C2-C3
2	В	801	SAH	OXT-C-CA-N
2	В	801	SAH	O-C-CA-N
4	В	803	GOL	O1-C1-C2-O2
2	В	801	SAH	C3'-C4'-C5'-SD
2	А	801	SAH	CB-CG-SD-C5'
2	А	801	SAH	OXT-C-CA-N

All (10) torsion outliers are listed below:

There are no ring outliers.

3 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	801	SAH	6	0
2	В	801	SAH	6	0
4	В	803	GOL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	686/713~(96%)	0.44	35 (5%) 28 22	32, 57, 87, 114	0
1	В	670/713~(93%)	0.73	68 (10%) 7 4	33, 63, 120, 213	0
All	All	1356/1426~(95%)	0.58	103 (7%) 13 10	32, 60, 112, 213	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	В	332	SER	14.9	
1	В	271	LEU	9.4	
1	В	357	ILE	7.5	
1	В	328	ARG	7.0	
1	В	333	LEU	6.5	
1	В	311	LEU	6.5	
1	В	313	LEU	6.1	
1	В	312	ARG	5.8	
1	А	702	ASN	5.1	
1	В	358	HIS	5.0	
1	В	325	ALA	5.0	
1	В	283	CYS	4.8	
1	В	69	LYS	4.8	
1	А	152	SER	4.7	
1	А	182	THR	4.6	
1	В	306	LEU	4.5	
1	А	528	VAL	4.3	
1	В	330	LEU	4.3	
1	В	301	ALA	4.3	
1	В	341	ASP	4.2	
1	В	269	LEU	4.1	
1	В	292	VAL	4.0	
1	А	151	ASP	4.0	
1	А	392	PRO	3.8	



Mol	Chain	Res	Type	RSRZ	
1	В	321	ALA	3.8	
1	В	309	TYR	3.8	
1	В	268	GLN	3.6	
1	А	255	PHE	3.5	
1	В	307	GLU	3.5	
1	А	204	ILE	3.5	
1	В	310	PRO	3.4	
1	А	205	VAL	3.3	
1	В	316	VAL	3.3	
1	А	441	ARG	3.2	
1	А	174	LEU	3.2	
1	В	43	GLU	3.2	
1	В	296	ILE	3.2	
1	А	203	ALA	3.1	
1	В	274	GLN	3.1	
1	В	455	PHE	3.1	
1	А	69	LYS	3.0	
1	В	189	THR	3.0	
1	В	336	LEU	2.9	
1	А	146	HIS	2.9	
1	А	150	ALA	2.9	
1	В	334	PRO	2.8	
1	А	97	ILE	2.8	
1	В	361	GLU	2.8	
1	В	453	LEU	2.8	
1	А	705	ASP	2.8	
1	А	186	LEU	2.8	
1	В	174	LEU	2.8	
1	А	269	LEU	2.7	
1	В	81	ILE	2.7	
1	А	357	ILE	2.7	
1	В	284	GLY	2.7	
1	А	251	HIS	2.6	
1	В	194	PHE	2.6	
1	В	251	HIS	2.6	
1	В	324	LYS	2.6	
1	А	185	ARG	2.6	
1	А	292	VAL	2.6	
1	В	318	TYR	2.6	
1	В	187	THR	2.6	
1	А	358	HIS	2.6	
1	В	206	ALA	2.5	



7UCI	
------	--

Mol	Chain	Res	Type	RSRZ	
1	В	360	PRO	2.5	
1	А	34	SER	2.5	
1	В	267	ASN	2.5	
1	В	352	LEU	2.5	
1	В	201	ASN	2.5	
1	А	170	GLY	2.4	
1	В	474	MET	2.4	
1	В	425	VAL	2.4	
1	В	363	ILE	2.4	
1	В	370	LEU	2.4	
1	А	119	LEU	2.3	
1	В	218	VAL	2.3	
1	A	68	ASN	2.3	
1	А	43	GLU	2.3	
1	А	591	PRO	2.3	
1	В	169	LEU	2.3	
1	В	432	ILE	2.2	
1	А	324	LYS	2.2	
1	В	477	ALA	2.2	
1	А	299	LYS	2.2	
1	В	39	ASN	2.2	
1	В	275	PRO	2.2	
1	В	290	LYS	2.2	
1	В	188	ILE	2.2	
1	В	555	VAL	2.1	
1	В	427	LYS	2.1	
1	В	273	GLU	2.1	
1	В	34	SER	2.1	
1	В	293	TRP	2.1	
1	В	278	ILE	2.1	
1	A	153	GLU	2.0	
1	В	45	LEU	2.0	
1	В	337	VAL	2.0	
1	B	435	VAL	2.0	
1	A	39	ASN	2.0	
1	A	659	GLU	2.0	
1	В	204	ILE	2.0	

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	SAH	В	801	26/26	0.71	0.28	37,52,63,80	7
2	SAH	A	801	26/26	0.74	0.23	28,46,57,87	4
4	GOL	В	803	6/6	0.87	0.29	34,58,75,75	0
3	MN	В	802	1/1	0.98	0.20	56,56,56,56	0
3	MN	А	802	1/1	0.99	0.21	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















6.5 Other polymers (i)

There are no such residues in this entry.

