



# wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 18, 2023 – 01:47 am GMT

PDB ID : 4UEQ  
Title : Structure of the V74C large subunit mutant of *D. fructosovorans* NiFe- hydrogenase  
Authors : Volbeda, A.; Martin, L.; Liebgott, P.-P.; Fontecilla-Camps, J.C.  
Deposited on : 2014-12-18  
Resolution : 1.70 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	97%
1	B	264	93%
1	C	264	91%
1	D	264	94%
1	E	264	94%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	264	 94% 5%
2	Q	564	 92%
2	R	564	 91% 5%
2	S	564	 93%
2	T	564	 93%
2	U	564	 93%
2	V	564	 93%

## 2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 40973 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HYDROGENASE (NIFE) SMALL SUBUNIT HYDA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	262	Total 1982	C 1262	N 331	O 374	S 15	0	2	0
1	B	262	Total 2007	C 1279	N 334	O 379	S 15	0	8	0
1	C	261	Total 1977	C 1259	N 330	O 373	S 15	0	2	0
1	D	262	Total 1978	C 1259	N 330	O 374	S 15	0	1	0
1	E	262	Total 2001	C 1273	N 333	O 380	S 15	0	6	0
1	F	261	Total 1988	C 1266	N 333	O 374	S 15	0	3	0

- Molecule 2 is a protein called NICKEL-DEPENDENT HYDROGENASE LARGE SUB-UNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	Q	544	Total 4238	C 2700	N 730	O 775	S 33	0	21	0
2	R	545	Total 4220	C 2687	N 729	O 771	S 33	0	15	0
2	S	544	Total 4205	C 2677	N 727	O 769	S 32	0	11	0
2	T	544	Total 4248	C 2706	N 732	O 776	S 34	0	22	0
2	U	545	Total 4221	C 2687	N 729	O 772	S 33	0	15	0
2	V	544	Total 4211	C 2679	N 726	O 774	S 32	0	13	0

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	-13	ALA	-	expression tag	UNP E1K247
Q	-12	SER	-	expression tag	UNP E1K247
Q	-11	TRP	-	expression tag	UNP E1K247
Q	-10	SER	-	expression tag	UNP E1K247
Q	-9	HIS	-	expression tag	UNP E1K247
Q	-8	PRO	-	expression tag	UNP E1K247
Q	-7	GLN	-	expression tag	UNP E1K247
Q	-6	PHE	-	expression tag	UNP E1K247
Q	-5	GLU	-	expression tag	UNP E1K247
Q	-4	LYS	-	expression tag	UNP E1K247
Q	-3	GLY	-	expression tag	UNP E1K247
Q	-2	ALA	-	expression tag	UNP E1K247
Q	-1	SER	-	expression tag	UNP E1K247
Q	0	GLY	-	expression tag	UNP E1K247
Q	1	ALA	-	expression tag	UNP E1K247
Q	74	CYS	VAL	engineered mutation	UNP E1K247
R	-13	ALA	-	expression tag	UNP E1K247
R	-12	SER	-	expression tag	UNP E1K247
R	-11	TRP	-	expression tag	UNP E1K247
R	-10	SER	-	expression tag	UNP E1K247
R	-9	HIS	-	expression tag	UNP E1K247
R	-8	PRO	-	expression tag	UNP E1K247
R	-7	GLN	-	expression tag	UNP E1K247
R	-6	PHE	-	expression tag	UNP E1K247
R	-5	GLU	-	expression tag	UNP E1K247
R	-4	LYS	-	expression tag	UNP E1K247
R	-3	GLY	-	expression tag	UNP E1K247
R	-2	ALA	-	expression tag	UNP E1K247
R	-1	SER	-	expression tag	UNP E1K247
R	0	GLY	-	expression tag	UNP E1K247
R	1	ALA	-	expression tag	UNP E1K247
R	74	CYS	VAL	engineered mutation	UNP E1K247
S	-13	ALA	-	expression tag	UNP E1K247
S	-12	SER	-	expression tag	UNP E1K247
S	-11	TRP	-	expression tag	UNP E1K247
S	-10	SER	-	expression tag	UNP E1K247
S	-9	HIS	-	expression tag	UNP E1K247
S	-8	PRO	-	expression tag	UNP E1K247
S	-7	GLN	-	expression tag	UNP E1K247
S	-6	PHE	-	expression tag	UNP E1K247
S	-5	GLU	-	expression tag	UNP E1K247
S	-4	LYS	-	expression tag	UNP E1K247
S	-3	GLY	-	expression tag	UNP E1K247

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
S	-2	ALA	-	expression tag	UNP E1K247
S	-1	SER	-	expression tag	UNP E1K247
S	0	GLY	-	expression tag	UNP E1K247
S	1	ALA	-	expression tag	UNP E1K247
S	74	CYS	VAL	engineered mutation	UNP E1K247
T	-13	ALA	-	expression tag	UNP E1K247
T	-12	SER	-	expression tag	UNP E1K247
T	-11	TRP	-	expression tag	UNP E1K247
T	-10	SER	-	expression tag	UNP E1K247
T	-9	HIS	-	expression tag	UNP E1K247
T	-8	PRO	-	expression tag	UNP E1K247
T	-7	GLN	-	expression tag	UNP E1K247
T	-6	PHE	-	expression tag	UNP E1K247
T	-5	GLU	-	expression tag	UNP E1K247
T	-4	LYS	-	expression tag	UNP E1K247
T	-3	GLY	-	expression tag	UNP E1K247
T	-2	ALA	-	expression tag	UNP E1K247
T	-1	SER	-	expression tag	UNP E1K247
T	0	GLY	-	expression tag	UNP E1K247
T	1	ALA	-	expression tag	UNP E1K247
T	74	CYS	VAL	engineered mutation	UNP E1K247
U	-13	ALA	-	expression tag	UNP E1K247
U	-12	SER	-	expression tag	UNP E1K247
U	-11	TRP	-	expression tag	UNP E1K247
U	-10	SER	-	expression tag	UNP E1K247
U	-9	HIS	-	expression tag	UNP E1K247
U	-8	PRO	-	expression tag	UNP E1K247
U	-7	GLN	-	expression tag	UNP E1K247
U	-6	PHE	-	expression tag	UNP E1K247
U	-5	GLU	-	expression tag	UNP E1K247
U	-4	LYS	-	expression tag	UNP E1K247
U	-3	GLY	-	expression tag	UNP E1K247
U	-2	ALA	-	expression tag	UNP E1K247
U	-1	SER	-	expression tag	UNP E1K247
U	0	GLY	-	expression tag	UNP E1K247
U	1	ALA	-	expression tag	UNP E1K247
U	74	CYS	VAL	engineered mutation	UNP E1K247
V	-13	ALA	-	expression tag	UNP E1K247
V	-12	SER	-	expression tag	UNP E1K247
V	-11	TRP	-	expression tag	UNP E1K247
V	-10	SER	-	expression tag	UNP E1K247
V	-9	HIS	-	expression tag	UNP E1K247

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	-8	PRO	-	expression tag	UNP E1K247
V	-7	GLN	-	expression tag	UNP E1K247
V	-6	PHE	-	expression tag	UNP E1K247
V	-5	GLU	-	expression tag	UNP E1K247
V	-4	LYS	-	expression tag	UNP E1K247
V	-3	GLY	-	expression tag	UNP E1K247
V	-2	ALA	-	expression tag	UNP E1K247
V	-1	SER	-	expression tag	UNP E1K247
V	0	GLY	-	expression tag	UNP E1K247
V	1	ALA	-	expression tag	UNP E1K247
V	74	CYS	VAL	engineered mutation	UNP E1K247
Q	543	CSS	CYS	microheterogeneity	UNP E1K247
R	543	CSS	CYS	microheterogeneity	UNP E1K247
S	543	CSS	CYS	microheterogeneity	UNP E1K247
T	543	CSS	CYS	microheterogeneity	UNP E1K247
U	543	CSS	CYS	microheterogeneity	UNP E1K247
V	543	CSS	CYS	microheterogeneity	UNP E1K247

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
3	B	1	8	4	4	0	0
3	C	1	8	4	4	0	0
3	C	1	8	4	4	0	0
3	D	1	8	4	4	0	0
3	D	1	8	4	4	0	0
3	E	1	8	4	4	0	0
3	E	1	8	4	4	0	0
3	F	1	8	4	4	0	0
3	F	1	8	4	4	0	0

- Molecule 4 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe<sub>3</sub>S<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
4	A	1	7	3	4	0	0
4	B	1	7	3	4	0	0


Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	Fe	S	0	0
			7	3	4		
4	D	1	Total	Fe	S	0	0
			7	3	4		
4	E	1	Total	Fe	S	0	0
			7	3	4		
4	F	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 5 is CARBONMONOXIDE-(DICYANO) IRON (three-letter code: FCO) (formula:  $C_3FeN_2O$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	Q	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		
5	R	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		
5	S	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		
5	T	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		
5	U	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		
5	V	1	Total	C	Fe	N	O	0	0
			7	3	1	2	1		

- Molecule 6 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	Q	1	Total Ni 2 2	0	1
6	R	1	Total Ni 2 2	0	1
6	S	1	Total Ni 2 2	0	1
6	T	1	Total Ni 2 2	0	1
6	U	1	Total Ni 2 2	0	1
6	V	1	Total Ni 2 2	0	1

- Molecule 7 is HYDROSULFURIC ACID (three-letter code: H2S) (formula: H<sub>2</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	Q	1	Total S 1 1	0	1
7	R	1	Total S 1 1	0	1
7	S	1	Total S 1 1	0	1
7	T	1	Total S 1 1	0	1
7	U	1	Total S 1 1	0	1
7	V	1	Total S 1 1	0	1

- Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	Q	2	Total 2	Mg 2	0	1
8	R	2	Total 2	Mg 2	0	1
8	S	1	Total 1	Mg 1	0	1
8	T	2	Total 2	Mg 2	0	1
8	U	2	Total 2	Mg 2	0	1
8	V	1	Total 1	Mg 1	0	1

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	Q	1	Total 1	Ca 1	0	1
9	R	1	Total 1	Ca 1	0	1
9	S	1	Total 1	Ca 1	0	1
9	T	1	Total 1	Ca 1	0	1
9	U	1	Total 1	Ca 1	0	1
9	V	1	Total 1	Ca 1	0	1

- Molecule 10 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	Q	1	Total C O 6 3 3	0	0
10	Q	1	Total C O 6 3 3	0	0
10	R	1	Total C O 6 3 3	0	0
10	R	1	Total C O 6 3 3	0	0
10	S	1	Total C O 6 3 3	0	0
10	T	1	Total C O 6 3 3	0	0
10	T	1	Total C O 6 3 3	0	0
10	U	1	Total C O 6 3 3	0	0
10	U	1	Total C O 6 3 3	0	0
10	V	1	Total C O 6 3 3	0	0

- Molecule 11 is CARBONATE ION (three-letter code: CO3) (formula: CO<sub>3</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	V	1	Total	C O	0	0
			4	1 3		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	298	Total	O	0	7
			301	301		
12	B	198	Total	O	0	0
			198	198		
12	C	226	Total	O	0	2
			226	226		
12	D	297	Total	O	0	7
			299	299		
12	E	204	Total	O	0	2
			204	204		
12	F	209	Total	O	0	0
			209	209		
12	Q	396	Total	O	0	5
			398	398		
12	R	345	Total	O	0	4
			345	345		
12	S	247	Total	O	0	6
			247	247		
12	T	401	Total	O	0	10
			401	401		
12	U	348	Total	O	0	5
			349	349		

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
12	V	241	Total 242	O 242	0	3

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain A:  97%




- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain B:  93%




- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain C:  91%



- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain D:  94%



- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain E:  94%




- Molecule 1: HYDROGENASE (NIFE) SMALL SUBUNIT HYDA

Chain F:  94% 5%



● Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain Q:  92%




● Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain R:  91% 5%



● Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain S:  93%



● Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain T:  93%



● Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain U:  93%






H549

- Molecule 2: NICKEL-DEPENDENT HYDROGENASE LARGE SUBUNIT

Chain V: 93%



C543  
C543  
C546  
H549

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.72Å 99.80Å 190.80Å 90.21° 98.61° 90.11°	Depositor
Resolution (Å)	20.00 – 1.70 29.99 – 1.70	Depositor EDS
% Data completeness (in resolution range)	85.0 (20.00-1.70) 84.2 (29.99-1.70)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.78 (at 1.70Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, $R_{free}$	0.137 , 0.185 0.137 , 0.186	Depositor DCC
$R_{free}$ test set	20976 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	14.7	Xtrriage
Anisotropy	0.257	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 39.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	0.056 for h,-k,-h-l 0.439 for -h,k,-l 0.054 for -h,-k,h+l	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	40973	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NI, CSS, CO3, GOL, F3S, H2S, FCO, CA, SF4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.64	0/2045	0.70	0/2782
1	B	0.55	0/2098	0.63	0/2853
1	C	0.61	0/2041	0.69	1/2777 (0.0%)
1	D	0.64	0/2036	0.71	0/2771
1	E	0.56	0/2087	0.64	0/2839
1	F	0.63	0/2052	0.65	0/2792
2	Q	0.61	0/4433	0.72	1/6010 (0.0%)
2	R	0.59	0/4387	0.71	1/5950 (0.0%)
2	S	0.54	0/4351	0.65	1/5901 (0.0%)
2	T	0.62	0/4437	0.71	0/6016
2	U	0.59	0/4387	0.71	0/5951
2	V	0.52	0/4367	0.65	0/5923
All	All	0.59	0/38721	0.68	4/52565 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	170	ASP	CB-CG-OD1	5.70	123.43	118.30
2	R	541	ASP	CB-CG-OD2	-5.68	113.19	118.30
2	Q	60	ASP	CB-CG-OD1	5.28	123.05	118.30
2	S	541	ASP	CB-CG-OD1	5.14	122.92	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1982	0	1922	3	0
1	B	2007	0	1950	12	0
1	C	1977	0	1921	18	0
1	D	1978	0	1913	10	0
1	E	2001	0	1937	10	0
1	F	1988	0	1927	11	0
2	Q	4238	0	4224	19	0
2	R	4220	0	4196	29	0
2	S	4205	0	4175	13	0
2	T	4248	0	4227	15	0
2	U	4221	0	4191	13	0
2	V	4211	0	4173	14	0
3	A	16	0	0	0	0
3	B	16	0	0	0	0
3	C	16	0	0	0	0
3	D	16	0	0	0	0
3	E	16	0	0	0	0
3	F	16	0	0	0	0
4	A	7	0	0	0	0
4	B	7	0	0	0	0
4	C	7	0	0	0	0
4	D	7	0	0	0	0
4	E	7	0	0	0	0
4	F	7	0	0	0	0
5	Q	7	0	0	0	0
5	R	7	0	0	0	0
5	S	7	0	0	0	0
5	T	7	0	0	0	0
5	U	7	0	0	0	0
5	V	7	0	0	0	0
6	Q	2	0	0	1	0
6	R	2	0	0	1	0
6	S	2	0	0	1	0
6	T	2	0	0	1	0
6	U	2	0	0	1	0
6	V	2	0	0	1	0
7	Q	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	R	1	0	0	0	0
7	S	1	0	0	0	0
7	T	1	0	0	0	0
7	U	1	0	0	0	0
7	V	1	0	0	0	0
8	Q	2	0	0	0	0
8	R	2	0	0	0	0
8	S	1	0	0	0	0
8	T	2	0	0	0	0
8	U	2	0	0	0	0
8	V	1	0	0	0	0
9	Q	1	0	0	0	0
9	R	1	0	0	0	0
9	S	1	0	0	0	0
9	T	1	0	0	0	0
9	U	1	0	0	0	0
9	V	1	0	0	0	0
10	Q	12	0	16	0	0
10	R	12	0	16	0	0
10	S	6	0	8	0	0
10	T	12	0	16	0	0
10	U	12	0	16	0	0
10	V	6	0	8	0	0
11	V	4	0	0	0	0
12	A	301	0	0	0	0
12	B	198	0	0	0	0
12	C	226	0	0	7	0
12	D	299	0	0	5	0
12	E	204	0	0	1	0
12	F	209	0	0	3	0
12	Q	398	0	0	5	0
12	R	345	0	0	3	0
12	S	247	0	0	1	0
12	T	401	0	0	4	0
12	U	349	0	0	4	0
12	V	242	0	0	1	0
All	All	40973	0	36836	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 158 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:T:444:LYS:HG3	12:T:2360:HOH:O	1.39	1.21
1:C:171[A]:GLU:HG2	12:C:2144:HOH:O	1.58	1.01
2:R:259[B]:CYS:CB	2:R:436[B]:CYS:HG	1.75	0.99
1:E:96[B]:GLU:HG2	12:E:2100:HOH:O	1.67	0.94
2:S:543[A]:CSS:SD	6:S:1551[A]:NI:NI	1.40	0.93

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/264 (99%)	255 (97%)	7 (3%)	0	100	100
1	B	268/264 (102%)	260 (97%)	8 (3%)	0	100	100
1	C	261/264 (99%)	254 (97%)	7 (3%)	0	100	100
1	D	261/264 (99%)	254 (97%)	7 (3%)	0	100	100
1	E	267/264 (101%)	260 (97%)	7 (3%)	0	100	100
1	F	262/264 (99%)	255 (97%)	7 (3%)	0	100	100
2	Q	563/564 (100%)	553 (98%)	10 (2%)	0	100	100
2	R	558/564 (99%)	546 (98%)	12 (2%)	0	100	100
2	S	553/564 (98%)	542 (98%)	11 (2%)	0	100	100
2	T	564/564 (100%)	553 (98%)	11 (2%)	0	100	100
2	U	558/564 (99%)	548 (98%)	10 (2%)	0	100	100
2	V	555/564 (98%)	545 (98%)	10 (2%)	0	100	100
All	All	4932/4968 (99%)	4825 (98%)	107 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/210 (100%)	209 (100%)	1 (0%)	88	83
1	B	216/210 (103%)	214 (99%)	2 (1%)	78	70
1	C	210/210 (100%)	209 (100%)	1 (0%)	88	83
1	D	209/210 (100%)	208 (100%)	1 (0%)	88	83
1	E	215/210 (102%)	215 (100%)	0	100	100
1	F	211/210 (100%)	210 (100%)	1 (0%)	88	83
2	Q	457/448 (102%)	454 (99%)	3 (1%)	84	77
2	R	451/448 (101%)	450 (100%)	1 (0%)	93	90
2	S	447/448 (100%)	444 (99%)	3 (1%)	84	77
2	T	457/448 (102%)	455 (100%)	2 (0%)	91	87
2	U	451/448 (101%)	448 (99%)	3 (1%)	84	77
2	V	449/448 (100%)	445 (99%)	4 (1%)	78	70
All	All	3983/3948 (101%)	3961 (99%)	22 (1%)	86	80

5 of 22 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	T	503	LEU
2	U	503	LEU
2	U	473	ASP
2	V	365	LYS
2	Q	473	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	14	ASN
1	F	14	ASN
2	R	263	ASN
1	A	61	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	14	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	CSS	V	543[A]	5,2	4,6,7	1.11	0	1,6,8	0.05	0
2	CSS	R	543[A]	5,2	4,6,7	1.07	0	1,6,8	0.01	0
2	CSS	S	543[A]	5,2	4,6,7	0.96	0	1,6,8	0.00	0
2	CSS	Q	543[A]	5,2	4,6,7	0.98	0	1,6,8	0.20	0
2	CSS	U	543[A]	5,2	4,6,7	1.00	0	1,6,8	0.10	0
2	CSS	T	543[A]	5,2	4,6,7	0.88	0	1,6,8	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSS	V	543[A]	5,2	-	0/1/5/7	-
2	CSS	R	543[A]	5,2	-	0/1/5/7	-
2	CSS	S	543[A]	5,2	-	0/1/5/7	-
2	CSS	Q	543[A]	5,2	-	0/1/5/7	-
2	CSS	U	543[A]	5,2	-	0/1/5/7	-
2	CSS	T	543[A]	5,2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	V	543[A]	CSS	3	0
2	R	543[A]	CSS	3	0
2	S	543[A]	CSS	3	0
2	Q	543[A]	CSS	3	0
2	U	543[A]	CSS	3	0
2	T	543[A]	CSS	3	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 69 ligands modelled in this entry, 28 are monoatomic and 6 are modelled with single atom - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
10	GOL	Q	1562	-	5,5,5	0.40	0	5,5,5	0.27	0
10	GOL	T	1562	-	5,5,5	0.32	0	5,5,5	0.29	0
3	SF4	B	1265	1	0,12,12	-	-	-		
3	SF4	F	1265	1	0,12,12	-	-	-		
10	GOL	Q	1561	-	5,5,5	0.37	0	5,5,5	0.50	0
5	FCO	Q	1550	12,7,2	0,6,6	-	-	-		
11	CO3	V	1562	-	2,3,3	1.31	0	2,3,3	0.57	0
3	SF4	E	1267	1	0,12,12	-	-	-		
3	SF4	C	1265	1	0,12,12	-	-	-		
3	SF4	D	1267	1	0,12,12	-	-	-		
5	FCO	T	1550	12,7,2	0,6,6	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SF4	A	1267	1	0,12,12	-	-	-		
4	F3S	C	1266	1	0,9,9	-	-	-		
10	GOL	S	1561	-	5,5,5	0.29	0	5,5,5	0.53	0
3	SF4	E	1265	1	0,12,12	-	-	-		
5	FCO	R	1550	12,7,2	0,6,6	-	-	-		
4	F3S	A	1266	1	0,9,9	-	-	-		
4	F3S	B	1266	1	0,9,9	-	-	-		
3	SF4	D	1265	1	0,12,12	-	-	-		
10	GOL	V	1561	-	5,5,5	0.27	0	5,5,5	0.44	0
4	F3S	F	1266	1	0,9,9	-	-	-		
5	FCO	V	1550	12,7,2	0,6,6	-	-	-		
10	GOL	U	1561	-	5,5,5	0.34	0	5,5,5	0.31	0
5	FCO	U	1550	12,7,2	0,6,6	-	-	-		
10	GOL	R	1561	-	5,5,5	0.27	0	5,5,5	0.50	0
10	GOL	T	1561	-	5,5,5	0.35	0	5,5,5	0.48	0
10	GOL	R	1563	-	5,5,5	0.43	0	5,5,5	0.63	0
3	SF4	B	1267	1	0,12,12	-	-	-		
5	FCO	S	1550	12,7,2	0,6,6	-	-	-		
10	GOL	U	1563	-	5,5,5	0.36	0	5,5,5	0.53	0
3	SF4	F	1267	1	0,12,12	-	-	-		
4	F3S	E	1266	1	0,9,9	-	-	-		
3	SF4	C	1267	1	0,12,12	-	-	-		
4	F3S	D	1266	1	0,9,9	-	-	-		
3	SF4	A	1265	1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	Q	1562	-	-	0/4/4/4	-
10	GOL	T	1562	-	-	0/4/4/4	-
3	SF4	B	1265	1	-	-	0/6/5/5
3	SF4	F	1265	1	-	-	0/6/5/5
10	GOL	Q	1561	-	-	0/4/4/4	-
3	SF4	E	1267	1	-	-	0/6/5/5
3	SF4	C	1265	1	-	-	0/6/5/5
3	SF4	D	1267	1	-	-	0/6/5/5
3	SF4	A	1267	1	-	-	0/6/5/5
4	F3S	C	1266	1	-	-	0/3/3/3
10	GOL	S	1561	-	-	0/4/4/4	-
3	SF4	E	1265	1	-	-	0/6/5/5

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GOL	V	1561	-	-	0/4/4/4	-
4	F3S	A	1266	1	-	-	0/3/3/3
4	F3S	B	1266	1	-	-	0/3/3/3
3	SF4	D	1265	1	-	-	0/6/5/5
4	F3S	F	1266	1	-	-	0/3/3/3
10	GOL	U	1561	-	-	0/4/4/4	-
10	GOL	R	1561	-	-	0/4/4/4	-
10	GOL	T	1561	-	-	2/4/4/4	-
10	GOL	R	1563	-	-	0/4/4/4	-
3	SF4	B	1267	1	-	-	0/6/5/5
10	GOL	U	1563	-	-	0/4/4/4	-
3	SF4	F	1267	1	-	-	0/6/5/5
4	F3S	E	1266	1	-	-	0/3/3/3
3	SF4	C	1267	1	-	-	0/6/5/5
4	F3S	D	1266	1	-	-	0/3/3/3
3	SF4	A	1265	1	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	T	1561	GOL	C1-C2-C3-O3
10	T	1561	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	262/264 (99%)	-0.71	1 (0%) 92   93	9, 15, 28, 53	6 (2%)
1	B	262/264 (99%)	-0.51	1 (0%) 92   93	13, 22, 36, 54	4 (1%)
1	C	261/264 (98%)	-0.70	0 100   100	10, 17, 29, 45	8 (3%)
1	D	262/264 (99%)	-0.72	2 (0%) 86   88	9, 15, 27, 55	5 (1%)
1	E	262/264 (99%)	-0.57	1 (0%) 92   93	13, 21, 35, 49	8 (3%)
1	F	261/264 (98%)	-0.67	0 100   100	10, 17, 30, 44	5 (1%)
2	Q	543/564 (96%)	-0.70	0 100   100	9, 16, 30, 42	9 (1%)
2	R	544/564 (96%)	-0.69	0 100   100	9, 18, 32, 46	6 (1%)
2	S	543/564 (96%)	-0.56	1 (0%) 95   95	11, 23, 36, 45	8 (1%)
2	T	543/564 (96%)	-0.70	0 100   100	9, 16, 29, 39	9 (1%)
2	U	544/564 (96%)	-0.67	0 100   100	9, 17, 32, 44	9 (1%)
2	V	543/564 (96%)	-0.52	1 (0%) 95   95	11, 24, 37, 50	6 (1%)
All	All	4830/4968 (97%)	-0.64	7 (0%) 95   95	9, 19, 34, 55	83 (1%)

The worst 5 of 7 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	3	ALA	6.9
2	S	167	LEU	3.0
1	E	3	ALA	2.9
2	V	148	ILE	2.6
1	D	4	LYS	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CSS	S	543[A]	7/8	0.97	0.08	14,15,17,17	7
2	CSS	Q	543[A]	7/8	0.98	0.07	10,11,13,13	7
2	CSS	V	543[A]	7/8	0.98	0.09	15,15,17,18	7
2	CSS	T	543[A]	7/8	0.99	0.05	11,12,13,14	7
2	CSS	U	543[A]	7/8	0.99	0.06	10,12,13,15	7
2	CSS	R	543[A]	7/8	0.99	0.06	10,11,13,15	7

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
10	GOL	U	1563	6/6	0.94	0.08	15,18,18,22	6
11	CO3	V	1562	4/4	0.95	0.06	38,40,42,43	0
10	GOL	Q	1561	6/6	0.97	0.07	17,19,20,22	0
10	GOL	S	1561	6/6	0.97	0.06	19,22,22,24	0
10	GOL	T	1561	6/6	0.97	0.06	13,15,16,20	0
6	NI	V	1551[A]	1/1	0.97	0.06	20,20,20,20	1
10	GOL	V	1561	6/6	0.97	0.07	17,18,21,22	6
6	NI	V	1551[B]	1/1	0.97	0.06	17,17,17,17	1
10	GOL	U	1561	6/6	0.98	0.07	16,18,21,21	0
10	GOL	R	1563	6/6	0.98	0.05	16,19,21,22	0
10	GOL	Q	1562	6/6	0.98	0.06	10,12,12,12	6
10	GOL	R	1561	6/6	0.98	0.04	17,18,19,20	0
7	H2S	R	1552[B]	1/1	0.99	0.04	12,12,12,12	1
7	H2S	S	1552[B]	1/1	0.99	0.06	16,16,16,16	1
8	MG	R	1553[A]	1/1	0.99	0.04	12,12,12,12	1
8	MG	T	1553[A]	1/1	0.99	0.06	11,11,11,11	1
8	MG	T	1560	1/1	0.99	0.06	16,16,16,16	1
8	MG	U	1560	1/1	0.99	0.11	13,13,13,13	1
9	CA	R	1554[D]	1/1	0.99	0.04	13,13,13,13	1
9	CA	T	1554[B]	1/1	0.99	0.06	11,11,11,11	1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	FCO	S	1550	7/7	0.99	0.07	13,15,16,17	0
6	NI	Q	1551[A]	1/1	0.99	0.03	16,16,16,16	1
6	NI	Q	1551[B]	1/1	0.99	0.03	14,14,14,14	1
6	NI	R	1551[A]	1/1	0.99	0.03	18,18,18,18	1
6	NI	R	1551[B]	1/1	0.99	0.03	15,15,15,15	1
6	NI	S	1551[A]	1/1	0.99	0.06	21,21,21,21	1
10	GOL	T	1562	6/6	0.99	0.08	15,17,18,22	0
6	NI	S	1551[B]	1/1	0.99	0.06	17,17,17,17	1
3	SF4	B	1265	8/8	0.99	0.05	24,27,27,29	0
3	SF4	E	1265	8/8	0.99	0.06	23,24,26,28	0
7	H2S	Q	1552[B]	1/1	0.99	0.05	14,14,14,14	1
6	NI	T	1551[B]	1/1	1.00	0.04	13,13,13,13	1
6	NI	U	1551[A]	1/1	1.00	0.05	19,19,19,19	1
6	NI	U	1551[B]	1/1	1.00	0.05	15,15,15,15	1
3	SF4	E	1267	8/8	1.00	0.06	14,15,15,15	0
3	SF4	F	1265	8/8	1.00	0.06	10,12,13,13	0
3	SF4	F	1267	8/8	1.00	0.06	11,12,13,14	0
4	F3S	A	1266	7/7	1.00	0.06	10,11,12,12	0
4	F3S	B	1266	7/7	1.00	0.05	18,18,20,21	0
7	H2S	T	1552[B]	1/1	1.00	0.04	13,13,13,13	1
7	H2S	U	1552[B]	1/1	1.00	0.09	12,12,12,12	1
7	H2S	V	1552[B]	1/1	1.00	0.09	17,17,17,17	1
8	MG	Q	1553[A]	1/1	1.00	0.04	11,11,11,11	1
8	MG	Q	1560	1/1	1.00	0.04	9,9,9,9	1
4	F3S	C	1266	7/7	1.00	0.06	11,12,12,13	0
8	MG	R	1560	1/1	1.00	0.04	14,14,14,14	1
8	MG	S	1553[A]	1/1	1.00	0.04	15,15,15,15	1
4	F3S	D	1266	7/7	1.00	0.06	10,11,13,14	0
4	F3S	E	1266	7/7	1.00	0.05	17,18,19,19	0
8	MG	U	1553[A]	1/1	1.00	0.03	12,12,12,12	1
4	F3S	F	1266	7/7	1.00	0.05	12,12,12,13	0
8	MG	V	1553[A]	1/1	1.00	0.07	16,16,16,16	1
9	CA	Q	1554[B]	1/1	1.00	0.04	11,11,11,11	1
5	FCO	Q	1550	7/7	1.00	0.06	10,11,13,14	0
9	CA	S	1554[B]	1/1	1.00	0.04	16,16,16,16	1
5	FCO	R	1550	7/7	1.00	0.06	8,11,12,13	0
9	CA	U	1554[B]	1/1	1.00	0.03	12,12,12,12	1
9	CA	V	1554[B]	1/1	1.00	0.07	15,15,15,15	1
3	SF4	A	1265	8/8	1.00	0.06	11,12,13,14	0
5	FCO	T	1550	7/7	1.00	0.06	10,11,12,14	0
5	FCO	U	1550	7/7	1.00	0.06	11,12,13,13	0
5	FCO	V	1550	7/7	1.00	0.06	13,16,17,18	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SF4	B	1267	8/8	1.00	0.04	14,16,16,17	0
3	SF4	C	1265	8/8	1.00	0.06	11,12,13,13	0
3	SF4	C	1267	8/8	1.00	0.06	11,12,13,14	0
3	SF4	D	1265	8/8	1.00	0.06	12,12,14,14	0
3	SF4	D	1267	8/8	1.00	0.06	10,10,10,10	0
3	SF4	A	1267	8/8	1.00	0.06	9,10,11,11	0
6	NI	T	1551[A]	1/1	1.00	0.04	16,16,16,16	1

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.