



Full wwPDB EM Validation Report ⓘ

Nov 23, 2022 – 10:52 AM EST

PDB ID : 7UG7
EMDB ID : EMD-26486
Title : 70S ribosome complex in an intermediate state of translocation bound to EF-G(GDP) stalled by Argyrin B
Authors : Rundlet, E.J.; Wieland, M.; Holm, M.; Koller, T.O.; Blanchard, S.C.; Wilson, D.N.
Deposited on : 2022-03-24
Resolution : 2.58 Å (reported)
Based on initial model : 7N2C

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	16	1534	
2	SB	241	
3	SC	233	
4	SD	206	
5	SE	167	
6	SF	135	
7	SG	179	
8	SH	130	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	SI	130	
10	SJ	103	
11	SK	129	
12	SL	124	
13	SM	118	
14	SN	101	
15	SO	89	
16	SP	82	
17	SQ	84	
18	SR	75	
19	SS	92	
20	ST	87	
21	SU	71	
22	23	2904	
23	5	120	
24	LA	234	
25	LB	273	
26	LC	209	
27	LD	201	
28	LE	179	
29	LF	177	
30	LI	149	
31	LJ	165	
32	LK	142	
33	LM	142	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	LN	123	 98%
35	LO	144	 99%
36	LP	136	 99%
37	LQ	127	 94% 6%
38	LR	117	 97%
39	LS	115	 97%
40	LT	118	 99%
41	LU	103	 98%
42	LV	110	 99%
43	LW	100	 93% 7%
44	LX	104	 90% 10%
45	LY	94	 98%
46	La	85	 89% 7%
47	Lb	78	 99%
48	Lc	63	 98%
49	Ld	59	 98%
50	Le	70	 19% 89% 7%
51	Lf	57	 95%
52	Lg	55	 91% 9%
53	Lh	46	 98%
54	Li	65	 95%
55	Lj	38	 100%
56	EF	700	 92%
57	Dt	77	 69% 30%
58	Pt	76	 66% 32%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	mR	60	 12% 5% 83%
60	B	8	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
60	DHA	B	7	-	X	-	-

2 Entry composition [i](#)

There are 67 unique types of molecules in this entry. The entry contains 154353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	16	1514	32505	14503	5967	10521	1514	0	0

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	SB	226	1770	1120	317	325	8	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	SC	206	1624	1028	305	288	3	0	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	SD	205	1642	1026	315	297	4	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	SE	155	1144	711	216	211	6	0	0

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	SF	106	862	545	156	154	7	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	SG	156	1236	773	238	221	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	SH	129	978	616	173	183	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	SI	127	1021	634	206	178	3	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	SJ	99	795	498	152	144	1	0	0

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	SK	117	876	540	174	159	3	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	SL	123	957	591	196	165	5	0	0

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	SM	115	891	552	179	157	3	0	0

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	SN	100	Total	C	N	O	S	0	0
			804	499	164	138	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	SO	88	Total	C	N	O	S	0	0
			713	439	144	129	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SP	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SQ	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SR	67	Total	C	N	O	S	0	0
			555	351	106	97	1		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	SS	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	ST	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	SU	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	23	2903	Total	C	N	O	P	0	0
			62334	27815	11467	20149	2903		

- Molecule 23 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	5	120	Total	C	N	O	P	0	0
			2570	1144	468	838	120		

- Molecule 24 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LA	134	Total	C	N	O	S	0	0
			1026	645	186	193	2		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LB	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LC	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LD	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	LE	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LF	176	Total	C	N	O	S	0	0
			1322	832	243	245	2		

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LI	149	Total	C	N	O	S	0	0
			1110	699	197	213	1		

- Molecule 31 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LJ	129	Total	C	N	O	S	0	0
			974	616	173	180	5		

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	LK	134	Total	C	N	O	S	0	0
			979	619	169	185	6		

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	LM	142	Total	C	N	O	S	1	0
			1138	720	215	199	4		

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	LN	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	LO	144	Total	C	N	O	S	1	0
			1063	660	211	190	2		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	LP	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	LQ	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	LR	116	Total	C	N	O	0	0
			891	552	178	161		

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	LS	114	Total	C	N	O	S	0	0
			916	574	179	162	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	LT	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 41 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LU	103	Total	C	N	O	S	0	0
			815	516	153	144	2		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LV	110	Total	C	N	O	S	0	0
			856	532	166	155	3		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LW	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	LX	94	Total	C	N	O	S	0	0
			721	454	136	131			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	LY	94	Total	C	N	O	S	0	0
			752	479	137	133	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	La	79	Total	C	N	O	S	0	0
			595	367	120	107	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Lb	77	Total	C	N	O	S	0	0
			624	388	129	105	2		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Lc	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Ld	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 50 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Le	67	Total	C	N	O	S	0	0
			529	328	100	95	6		

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Lf	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	Lg	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Lh	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Li	64	Total	C	N	O	S	1	0
			512	329	107	74	2		

- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Lj	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 56 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	EF	672	5179	3270	894	992	23	0	0

- Molecule 57 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
57	Dt	77	1645	734	298	535	77	1	0	0

- Molecule 58 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
58	Pt	76	1637	733	291	535	76	2	0	0


- Molecule 59 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
59	mR	10	214	96	39	69	10	0	0

- Molecule 60 is a protein called Argyrin B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	B	8	60	41	10	8	1	0	0

- Molecule 61 is 1,4-DIAMINO BUTANE (three-letter code: PUT) (formula: C₄H₁₂N₂).



Mol	Chain	Residues	Atoms			AltConf
61	16	1	Total	C	N	0
			12	8	4	
61	16	1	Total	C	N	0
			12	8	4	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	
61	23	1	Total	C	N	0
			54	36	18	

- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
62	16	77	Total	Mg	0
			77	77	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
62	23	315	Total	Mg	0
			315	315	
62	5	5	Total	Mg	0
			5	5	
62	LB	3	Total	Mg	0
			3	3	
62	LQ	1	Total	Mg	0
			1	1	
62	La	1	Total	Mg	0
			1	1	
62	EF	1	Total	Mg	0
			1	1	
62	Pt	1	Total	Mg	0
			1	1	

- Molecule 63 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			AltConf
63	23	1	Total	C	N	0
			20	14	6	
63	23	1	Total	C	N	0
			20	14	6	

- Molecule 64 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
64	Le	1	Total	Zn	0
			1	1	
64	Lj	1	Total	Zn	0
			1	1	

- Molecule 65 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					AltConf
65	EF	1	Total	C	N	O	P	0
			28	10	5	11	2	

- Molecule 66 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
66	Pt	1	10	6	1	2	1	0

- Molecule 67 is PHENYLALANINE (three-letter code: PHE) (formula: C₉H₁₁NO₂).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
67	Pt	1	10	8	1	1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S rRNA




• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5



• Molecule 6: 30S ribosomal protein S6




• Molecule 7: 30S ribosomal protein S7






ASN


- Molecule 8: 30S ribosomal protein S8




- Molecule 9: 30S ribosomal protein S9




- Molecule 10: 30S ribosomal protein S10



- Molecule 11: 30S ribosomal protein S11



- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13







- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16





- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19





- Molecule 20: 30S ribosomal protein S20




• Molecule 21: 30S ribosomal protein S21




• Molecule 22: 23S rRNA







• Molecule 23: 5S rRNA




• Molecule 24: 50S ribosomal protein L1






• Molecule 25: 50S ribosomal protein L2



• Molecule 26: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L4




There are no outlier residues recorded for this chain.


• Molecule 28: 50S ribosomal protein L5




• Molecule 29: 50S ribosomal protein L6




• Molecule 30: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L10




• Molecule 32: 50S ribosomal protein L11




• Molecule 33: 50S ribosomal protein L13



• Molecule 34: 50S ribosomal protein L14




• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16

Chain LP:  99%



- Molecule 37: 50S ribosomal protein L17

Chain LQ:  94% 6%



- Molecule 38: 50S ribosomal protein L18

Chain LR:  97%



- Molecule 39: 50S ribosomal protein L19

Chain LS:  97%




- Molecule 40: 50S ribosomal protein L20

Chain LT:  99%



- Molecule 41: Ribosomal protein L21

Chain LU:  98%




- Molecule 42: 50S ribosomal protein L22

Chain LV:  99%




- Molecule 43: 50S ribosomal protein L23

Chain LW:  93% 7%




- Molecule 44: 50S ribosomal protein L24

Chain LX:  90% 10%





- Molecule 45: 50S ribosomal protein L25

Chain LY:  98%



- Molecule 46: 50S ribosomal protein L27

Chain La:  89% 7%




- Molecule 47: 50S ribosomal protein L28

Chain Lb:  99%



- Molecule 48: 50S ribosomal protein L29

Chain Lc:  98%





- Molecule 49: 50S ribosomal protein L30


Chain Ld:  98%




- Molecule 50: 50S ribosomal protein L31




- Molecule 51: 50S ribosomal protein L32




- Molecule 52: 50S ribosomal protein L33



- Molecule 53: 50S ribosomal protein L34



- Molecule 54: 50S ribosomal protein L35




- Molecule 55: 50S ribosomal protein L36




There are no outlier residues recorded for this chain.

- Molecule 56: Elongation factor G





• Molecule 57: tRNA-fMet




• Molecule 58: tRNA-Phe



• Molecule 59: mRNA



• Molecule 60: Argyrin B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	35220	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	68	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.070	Depositor
Minimum map value	-0.024	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.007	Depositor
Map size (Å)	400.52002, 400.52002, 400.52002	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.054, 1.054, 1.054	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, 6MZ, PSU, OMC, MIA, 4OC, 4D4, MG, 3TD, G7M, FME, 3AU, PUT, 4SU, OMG, 5MC, MA6, BB9, DAL, OMC, SPD, DHA, D2T, 2MG, ZN, UR3, GDP, 1MG, 0UO, 2MA, H2U, DBB, SAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	16	0.28	0/36143	0.65	1/56376 (0.0%)
2	SB	0.58	0/1801	0.63	0/2426
3	SC	0.56	0/1651	0.63	0/2225
4	SD	0.58	0/1664	0.65	0/2227
5	SE	0.62	0/1157	0.68	0/1557
6	SF	0.60	0/881	0.68	0/1189
7	SG	0.47	0/1254	0.60	0/1683
8	SH	0.64	0/988	0.67	0/1326
9	SI	0.58	0/1033	0.65	0/1375
10	SJ	0.60	0/805	0.66	0/1089
11	SK	0.60	0/892	0.69	0/1205
12	SL	0.62	0/960	0.67	0/1286
13	SM	0.59	0/900	0.64	0/1204
14	SN	0.55	0/816	0.64	0/1088
15	SO	0.56	0/721	0.60	0/964
16	SP	0.58	0/659	0.64	0/884
17	SQ	0.59	0/657	0.67	0/881
18	SR	0.59	0/564	0.67	0/756
19	SS	0.60	0/685	0.65	0/922
20	ST	0.58	0/675	0.66	0/895
21	SU	0.52	0/597	0.61	0/792
22	23	0.31	0/69239	0.66	1/108014 (0.0%)
23	5	0.40	1/2873 (0.0%)	0.66	0/4478
24	LA	0.58	0/1033	0.66	0/1387
25	LB	0.57	0/2121	0.69	0/2852
26	LC	0.56	0/1586	0.66	0/2134
27	LD	0.47	0/1571	0.58	0/2113
28	LE	0.59	0/1434	0.65	0/1926
29	LF	0.55	0/1342	0.64	0/1816
30	LI	0.55	0/1121	0.60	0/1515

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	LJ	0.63	0/986	0.68	0/1328
32	LK	0.61	0/993	0.64	0/1341
33	LM	0.53	0/1162	0.64	0/1566
34	LN	0.55	0/955	0.67	0/1279
35	LO	0.59	0/1072	0.68	0/1427
36	LP	0.55	0/1080	0.67	0/1443
37	LQ	0.48	0/973	0.64	0/1301
38	LR	0.55	0/901	0.64	0/1209
39	LS	0.53	0/928	0.65	0/1242
40	LT	0.50	0/960	0.61	0/1278
41	LU	0.55	0/828	0.62	0/1107
42	LV	0.56	0/863	0.66	0/1156
43	LW	0.53	0/744	0.66	0/994
44	LX	0.60	0/725	0.68	0/961
45	LY	0.56	0/765	0.64	0/1025
46	La	0.55	0/602	0.67	0/797
47	Lb	0.57	0/634	0.67	0/848
48	Lc	0.47	0/502	0.57	0/667
49	Ld	0.56	0/452	0.67	0/605
50	Le	0.62	0/539	0.66	0/721
51	Lf	0.58	0/450	0.69	0/599
52	Lg	0.46	0/416	0.63	0/554
53	Lh	0.54	0/380	0.68	0/498
54	Li	0.56	0/521	0.71	0/687
55	Lj	0.57	0/303	0.71	0/397
56	EF	0.63	0/5277	0.69	0/7145
57	Dt	0.31	0/1721	0.65	0/2682
58	Pt	0.62	6/1625 (0.4%)	0.91	10/2523 (0.4%)
59	mR	0.28	0/239	0.64	0/370
60	B	2.08	0/18	1.19	0/22
All	All	0.41	7/165437 (0.0%)	0.66	12/246357 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
12	SL	0	1
33	LM	0	4
35	LO	0	4
41	LU	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
54	Li	0	1
All	All	0	11

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	Pt	76	A	C5-C4	11.85	1.47	1.38
23	5	1	U	OP3-P	-10.23	1.48	1.61
58	Pt	1	G	OP3-P	-10.21	1.48	1.61
58	Pt	76	A	N7-C5	-7.75	1.34	1.39
58	Pt	76	A	N9-C4	-7.68	1.33	1.37
58	Pt	76	A	C5-C6	7.65	1.48	1.41
58	Pt	76	A	C8-N7	6.33	1.35	1.31

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	Pt	76	A	C2-N3-C4	19.67	120.43	110.60
58	Pt	76	A	N3-C4-C5	-11.03	119.08	126.80
58	Pt	76	A	N1-C2-N3	-10.93	123.84	129.30
58	Pt	76	A	N3-C4-N9	9.05	134.64	127.40
58	Pt	76	A	C4-C5-N7	-8.04	106.68	110.70
58	Pt	76	A	C8-N9-C4	7.16	108.66	105.80
58	Pt	76	A	C5-N7-C8	6.88	107.34	103.90
58	Pt	76	A	C6-N1-C2	5.68	122.01	118.60
58	Pt	76	A	C6-C5-N7	5.56	136.19	132.30
58	Pt	76	A	N7-C8-N9	-5.54	111.03	113.80
22	23	1083	U	C2'-C3'-O3'	5.42	122.37	113.70
1	16	425	G	C5-C6-O6	5.09	131.66	128.60

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
33	LM	79	GLY	Mainchain
33	LM	80[A]	HIS	Mainchain
33	LM	80[B]	HIS	Mainchain
35	LO	77	ILE	Mainchain
35	LO	78[A]	ARG	Mainchain
35	LO	78[B]	ARG	Mainchain
41	LU	51	VAL	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
54	Li	23[A]	LYS	Mainchain
12	SL	44	LYS	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SB	224/241 (93%)	214 (96%)	10 (4%)	0	100	100
3	SC	204/233 (88%)	196 (96%)	8 (4%)	0	100	100
4	SD	203/206 (98%)	197 (97%)	5 (2%)	1 (0%)	29	50
5	SE	153/167 (92%)	148 (97%)	5 (3%)	0	100	100
6	SF	104/135 (77%)	100 (96%)	4 (4%)	0	100	100
7	SG	154/179 (86%)	145 (94%)	9 (6%)	0	100	100
8	SH	127/130 (98%)	124 (98%)	2 (2%)	1 (1%)	19	37
9	SI	125/130 (96%)	120 (96%)	5 (4%)	0	100	100
10	SJ	97/103 (94%)	93 (96%)	4 (4%)	0	100	100
11	SK	115/129 (89%)	110 (96%)	4 (4%)	1 (1%)	17	34
12	SL	120/124 (97%)	113 (94%)	6 (5%)	1 (1%)	19	37
13	SM	113/118 (96%)	108 (96%)	5 (4%)	0	100	100
14	SN	98/101 (97%)	94 (96%)	4 (4%)	0	100	100
15	SO	86/89 (97%)	86 (100%)	0	0	100	100
16	SP	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
17	SQ	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
18	SR	65/75 (87%)	62 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	SS	82/92 (89%)	80 (98%)	1 (1%)	1 (1%)	13	26
20	ST	84/87 (97%)	84 (100%)	0	0	100	100
21	SU	68/71 (96%)	66 (97%)	2 (3%)	0	100	100
24	LA	130/234 (56%)	122 (94%)	8 (6%)	0	100	100
25	LB	269/273 (98%)	260 (97%)	9 (3%)	0	100	100
26	LC	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
27	LD	199/201 (99%)	198 (100%)	1 (0%)	0	100	100
28	LE	175/179 (98%)	169 (97%)	6 (3%)	0	100	100
29	LF	174/177 (98%)	168 (97%)	6 (3%)	0	100	100
30	LI	147/149 (99%)	138 (94%)	9 (6%)	0	100	100
31	LJ	127/165 (77%)	125 (98%)	2 (2%)	0	100	100
32	LK	132/142 (93%)	132 (100%)	0	0	100	100
33	LM	141/142 (99%)	138 (98%)	3 (2%)	0	100	100
34	LN	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
35	LO	143/144 (99%)	138 (96%)	5 (4%)	0	100	100
36	LP	133/136 (98%)	131 (98%)	2 (2%)	0	100	100
37	LQ	118/127 (93%)	114 (97%)	4 (3%)	0	100	100
38	LR	114/117 (97%)	111 (97%)	3 (3%)	0	100	100
39	LS	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
40	LT	115/118 (98%)	114 (99%)	1 (1%)	0	100	100
41	LU	101/103 (98%)	96 (95%)	5 (5%)	0	100	100
42	LV	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
43	LW	91/100 (91%)	88 (97%)	3 (3%)	0	100	100
44	LX	90/104 (86%)	87 (97%)	3 (3%)	0	100	100
45	LY	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
46	La	77/85 (91%)	74 (96%)	3 (4%)	0	100	100
47	Lb	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
48	Lc	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
49	Ld	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
50	Le	65/70 (93%)	63 (97%)	2 (3%)	0	100	100
51	Lf	54/57 (95%)	54 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
52	Lg	48/55 (87%)	48 (100%)	0	0	100	100
53	Lh	44/46 (96%)	44 (100%)	0	0	100	100
54	Li	63/65 (97%)	61 (97%)	2 (3%)	0	100	100
55	Lj	36/38 (95%)	36 (100%)	0	0	100	100
56	EF	668/700 (95%)	642 (96%)	24 (4%)	2 (0%)	41	62
60	B	2/8 (25%)	0	2 (100%)	0	100	100
All	All	6667/7162 (93%)	6448 (97%)	212 (3%)	7 (0%)	54	73

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	SD	122	ALA
19	SS	54	GLY
56	EF	7	ILE
8	SH	55	THR
11	SK	119	ASN
12	SL	45	PRO
56	EF	166	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	SB	188/199 (94%)	185 (98%)	3 (2%)	62	81
3	SC	170/190 (90%)	168 (99%)	2 (1%)	71	86
4	SD	172/173 (99%)	167 (97%)	5 (3%)	42	66
5	SE	118/126 (94%)	115 (98%)	3 (2%)	47	70
6	SF	92/116 (79%)	88 (96%)	4 (4%)	29	52
7	SG	129/147 (88%)	128 (99%)	1 (1%)	81	92
8	SH	104/105 (99%)	102 (98%)	2 (2%)	57	77
9	SI	105/107 (98%)	105 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	SJ	87/90 (97%)	87 (100%)	0	100	100
11	SK	90/99 (91%)	87 (97%)	3 (3%)	38	61
12	SL	102/103 (99%)	98 (96%)	4 (4%)	32	56
13	SM	93/96 (97%)	89 (96%)	4 (4%)	29	52
14	SN	83/84 (99%)	82 (99%)	1 (1%)	71	86
15	SO	76/77 (99%)	74 (97%)	2 (3%)	46	69
16	SP	65/65 (100%)	62 (95%)	3 (5%)	27	49
17	SQ	74/78 (95%)	72 (97%)	2 (3%)	44	68
18	SR	58/65 (89%)	55 (95%)	3 (5%)	23	44
19	SS	72/79 (91%)	69 (96%)	3 (4%)	30	53
20	ST	65/66 (98%)	65 (100%)	0	100	100
21	SU	60/61 (98%)	59 (98%)	1 (2%)	60	79
24	LA	110/181 (61%)	103 (94%)	7 (6%)	17	34
25	LB	216/218 (99%)	214 (99%)	2 (1%)	78	90
26	LC	164/164 (100%)	163 (99%)	1 (1%)	86	94
27	LD	165/165 (100%)	165 (100%)	0	100	100
28	LE	148/150 (99%)	144 (97%)	4 (3%)	44	68
29	LF	137/138 (99%)	133 (97%)	4 (3%)	42	66
30	LI	114/114 (100%)	112 (98%)	2 (2%)	59	78
31	LJ	98/123 (80%)	96 (98%)	2 (2%)	55	76
32	LK	104/110 (94%)	101 (97%)	3 (3%)	42	66
33	LM	117/116 (101%)	115 (98%)	2 (2%)	60	79
34	LN	104/104 (100%)	101 (97%)	3 (3%)	42	66
35	LO	104/103 (101%)	104 (100%)	0	100	100
36	LP	108/108 (100%)	108 (100%)	0	100	100
37	LQ	100/103 (97%)	100 (100%)	0	100	100
38	LR	86/87 (99%)	84 (98%)	2 (2%)	50	73
39	LS	99/100 (99%)	97 (98%)	2 (2%)	55	76
40	LT	89/90 (99%)	89 (100%)	0	100	100
41	LU	84/84 (100%)	83 (99%)	1 (1%)	71	86
42	LV	93/93 (100%)	92 (99%)	1 (1%)	73	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	LW	80/84 (95%)	80 (100%)	0	100	100
44	LX	76/85 (89%)	76 (100%)	0	100	100
45	LY	78/78 (100%)	76 (97%)	2 (3%)	46	69
46	La	59/63 (94%)	56 (95%)	3 (5%)	24	44
47	Lb	67/68 (98%)	67 (100%)	0	100	100
48	Lc	54/55 (98%)	54 (100%)	0	100	100
49	Ld	48/49 (98%)	48 (100%)	0	100	100
50	Le	60/62 (97%)	55 (92%)	5 (8%)	11	21
51	Lf	47/48 (98%)	45 (96%)	2 (4%)	29	52
52	Lg	45/49 (92%)	45 (100%)	0	100	100
53	Lh	38/38 (100%)	37 (97%)	1 (3%)	46	69
54	Li	52/52 (100%)	51 (98%)	1 (2%)	57	77
55	Lj	34/34 (100%)	34 (100%)	0	100	100
56	EF	547/576 (95%)	519 (95%)	28 (5%)	24	44
60	B	1/1 (100%)	1 (100%)	0	100	100
All	All	5529/5819 (95%)	5405 (98%)	124 (2%)	54	74

All (124) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	SB	23	TRP
2	SB	63	ARG
2	SB	208	ARG
3	SC	11	ARG
3	SC	12	LEU
4	SD	35	GLU
4	SD	70	ARG
4	SD	99	ASP
4	SD	105	MET
4	SD	145	ILE
5	SE	13	GLU
5	SE	93	ARG
5	SE	148	ASN
6	SF	44	ARG
6	SF	51	ILE
6	SF	52	ASN
6	SF	92	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	SG	74	GLU
8	SH	32	LEU
8	SH	101	ILE
11	SK	13	ARG
11	SK	75	LYS
11	SK	108	THR
12	SL	21	VAL
12	SL	24	LEU
12	SL	53	CYS
12	SL	67	ILE
13	SM	53	ILE
13	SM	64	VAL
13	SM	101	ARG
13	SM	105	ASN
14	SN	65	ARG
15	SO	2	SER
15	SO	56	LEU
16	SP	36	VAL
16	SP	42	ILE
16	SP	80	LYS
17	SQ	74	THR
17	SQ	75	LEU
18	SR	14	THR
18	SR	18	VAL
18	SR	31	ASN
19	SS	48	THR
19	SS	51	VAL
19	SS	71	LEU
21	SU	62	ARG
24	LA	30	LEU
24	LA	47	ASN
24	LA	50	ILE
24	LA	170	ILE
24	LA	172	HIS
24	LA	174	THR
24	LA	209	ILE
25	LB	228	VAL
25	LB	242	LYS
26	LC	131	ASP
28	LE	64	LYS
28	LE	102	ARG
28	LE	152	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	LE	153	ASP
29	LF	11	VAL
29	LF	25	THR
29	LF	36	THR
29	LF	99	LYS
30	LI	40	THR
30	LI	122	LEU
31	LJ	42	ARG
31	LJ	64	VAL
32	LK	31	GLN
32	LK	94	ASN
32	LK	140	VAL
33	LM	5	THR
33	LM	10	THR
34	LN	58	LEU
34	LN	104	THR
34	LN	123	LEU
38	LR	25	ARG
38	LR	43	ASN
39	LS	27	GLU
39	LS	40	LEU
41	LU	22	LEU
42	LV	109	ASP
45	LY	1	MET
45	LY	60	VAL
46	La	10	THR
46	La	11	ARG
46	La	25	ARG
50	Le	9	TYR
50	Le	10	GLU
50	Le	32	LEU
50	Le	34	LEU
50	Le	61	ASN
51	Lf	18	SER
51	Lf	20	ASP
53	Lh	39	ARG
54	Li	31	HIS
56	EF	7	ILE
56	EF	10	TYR
56	EF	16	SER
56	EF	38	HIS
56	EF	86	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
56	EF	88	ASP
56	EF	137	ARG
56	EF	173	ILE
56	EF	178	HIS
56	EF	212	VAL
56	EF	237	TYR
56	EF	238	LEU
56	EF	262	ILE
56	EF	266	CYS
56	EF	283	ILE
56	EF	284	ASP
56	EF	290	VAL
56	EF	324	ILE
56	EF	340	SER
56	EF	381	ASP
56	EF	393	THR
56	EF	404	ILE
56	EF	488	VAL
56	EF	493	THR
56	EF	512	ARG
56	EF	520	ILE
56	EF	539	ASP
56	EF	544	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (66) such sidechains are listed below:

Mol	Chain	Res	Type
2	SB	24	ASN
2	SB	146	ASN
2	SB	177	ASN
4	SD	89	ASN
5	SE	148	ASN
6	SF	46	GLN
6	SF	52	ASN
6	SF	68	GLN
7	SG	68	ASN
7	SG	142	HIS
7	SG	148	ASN
8	SH	21	ASN
8	SH	67	GLN
9	SI	50	GLN
9	SI	75	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	SJ	15	HIS
10	SJ	99	GLN
11	SK	15	GLN
11	SK	40	ASN
11	SK	119	ASN
12	SL	72	HIS
12	SL	73	ASN
13	SM	105	ASN
14	SN	62	ASN
15	SO	28	GLN
15	SO	35	GLN
15	SO	37	ASN
16	SP	26	ASN
16	SP	29	ASN
16	SP	63	GLN
18	SR	31	ASN
18	SR	52	GLN
19	SS	14	HIS
19	SS	43	ASN
19	SS	53	ASN
19	SS	57	HIS
20	ST	55	GLN
20	ST	78	ASN
24	LA	47	ASN
24	LA	168	ASN
25	LB	90	ASN
25	LB	153	GLN
26	LC	42	ASN
27	LD	46	GLN
29	LF	73	ASN
30	LI	2	GLN
30	LI	20	ASN
30	LI	66	ASN
32	LK	30	GLN
32	LK	94	ASN
34	LN	29	HIS
35	LO	93	ASN
37	LQ	62	ASN
38	LR	116	GLN
48	Lc	39	GLN
50	Le	20	ASN
50	Le	61	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
56	EF	12	ASN
56	EF	129	GLN
56	EF	170	GLN
56	EF	194	ASN
56	EF	221	ASN
56	EF	259	ASN
56	EF	454	ASN
56	EF	478	ASN
56	EF	482	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	16	1508/1534 (98%)	296 (19%)	41 (2%)
22	23	2898/2904 (99%)	548 (18%)	68 (2%)
23	5	119/120 (99%)	24 (20%)	3 (2%)
57	Dt	76/77 (98%)	20 (26%)	0
58	Pt	73/76 (96%)	18 (24%)	0
59	mR	9/60 (15%)	3 (33%)	0
All	All	4683/4771 (98%)	909 (19%)	112 (2%)

All (909) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	16	2	A
1	16	4	U
1	16	5	U
1	16	7	A
1	16	9	G
1	16	22	G
1	16	30	U
1	16	31	G
1	16	32	A
1	16	39	G
1	16	47	C
1	16	48	C
1	16	50	A
1	16	51	A
1	16	58	C
1	16	64	G
1	16	65	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	71	A
1	16	75	G
1	16	94	G
1	16	95	C
1	16	119	A
1	16	120	A
1	16	121	U
1	16	123	U
1	16	129	A
1	16	130	A
1	16	131	A
1	16	141	G
1	16	146	G
1	16	163	C
1	16	164	G
1	16	171	A
1	16	173	U
1	16	174	A
1	16	177	G
1	16	181	A
1	16	182	A
1	16	188	C
1	16	189	A
1	16	197	A
1	16	198	G
1	16	209	U
1	16	210	C
1	16	211	G
1	16	212	G
1	16	222	C
1	16	245	U
1	16	247	G
1	16	251	G
1	16	257	G
1	16	266	G
1	16	267	C
1	16	281	G
1	16	289	G
1	16	293	G
1	16	301	G
1	16	305	G
1	16	316	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	321	A
1	16	328	C
1	16	329	A
1	16	347	G
1	16	351	G
1	16	352	C
1	16	354	G
1	16	355	C
1	16	366	A
1	16	367	U
1	16	372	C
1	16	373	A
1	16	392	C
1	16	397	A
1	16	398	U
1	16	406	G
1	16	411	A
1	16	412	A
1	16	413	G
1	16	414	A
1	16	421	U
1	16	422	C
1	16	429	U
1	16	464	U
1	16	466	A
1	16	467	U
1	16	468	A
1	16	470	C
1	16	495	A
1	16	505	G
1	16	508	U
1	16	511	C
1	16	518	C
1	16	521	G
1	16	527	G7M
1	16	531	U
1	16	536	C
1	16	547	A
1	16	559	A
1	16	560	A
1	16	562	U
1	16	564	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	566	G
1	16	572	A
1	16	573	A
1	16	574	A
1	16	576	C
1	16	577	G
1	16	579	A
1	16	596	A
1	16	597	G
1	16	607	A
1	16	632	U
1	16	641	U
1	16	642	A
1	16	652	U
1	16	653	U
1	16	654	G
1	16	665	A
1	16	671	G
1	16	686	U
1	16	702	A
1	16	703	G
1	16	717	U
1	16	723	U
1	16	748	G
1	16	755	G
1	16	777	A
1	16	793	U
1	16	794	A
1	16	798	U
1	16	799	G
1	16	812	G
1	16	814	A
1	16	815	A
1	16	817	C
1	16	819	A
1	16	820	U
1	16	821	G
1	16	828	U
1	16	829	G
1	16	832	G
1	16	838	G
1	16	851	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	864	A
1	16	867	G
1	16	870	U
1	16	884	U
1	16	885	G
1	16	887	G
1	16	889	A
1	16	902	G
1	16	907	A
1	16	919	A
1	16	927	G
1	16	934	C
1	16	935	A
1	16	945	G
1	16	960	U
1	16	961	U
1	16	968	A
1	16	969	A
1	16	971	G
1	16	972	C
1	16	974	A
1	16	975	A
1	16	977	A
1	16	982	U
1	16	991	U
1	16	992	U
1	16	993	G
1	16	994	A
1	16	1004	A
1	16	1010	U
1	16	1014	A
1	16	1017	U
1	16	1025	U
1	16	1026	G
1	16	1027	C
1	16	1029	U
1	16	1030	U
1	16	1031	C
1	16	1033	G
1	16	1037	C
1	16	1038	C
1	16	1045	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	1046	A
1	16	1053	G
1	16	1054	C
1	16	1056	U
1	16	1065	U
1	16	1068	G
1	16	1070	U
1	16	1085	U
1	16	1086	U
1	16	1089	G
1	16	1094	G
1	16	1095	U
1	16	1101	A
1	16	1104	G
1	16	1124	G
1	16	1125	U
1	16	1126	U
1	16	1129	C
1	16	1133	G
1	16	1136	C
1	16	1137	C
1	16	1139	G
1	16	1145	A
1	16	1146	A
1	16	1151	A
1	16	1152	A
1	16	1157	A
1	16	1159	U
1	16	1160	G
1	16	1167	A
1	16	1168	U
1	16	1169	A
1	16	1183	U
1	16	1184	G
1	16	1191	A
1	16	1195	C
1	16	1196	A
1	16	1197	A
1	16	1198	G
1	16	1201	A
1	16	1212	U
1	16	1213	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	1214	C
1	16	1224	U
1	16	1225	A
1	16	1226	C
1	16	1238	A
1	16	1239	A
1	16	1240	U
1	16	1241	G
1	16	1249	C
1	16	1250	A
1	16	1258	G
1	16	1259	C
1	16	1260	G
1	16	1270	G
1	16	1279	G
1	16	1281	C
1	16	1282	C
1	16	1285	A
1	16	1286	U
1	16	1287	A
1	16	1288	A
1	16	1289	A
1	16	1290	G
1	16	1294	G
1	16	1297	G
1	16	1299	A
1	16	1300	G
1	16	1302	C
1	16	1303	C
1	16	1305	G
1	16	1317	C
1	16	1318	A
1	16	1322	C
1	16	1336	C
1	16	1337	G
1	16	1340	A
1	16	1348	U
1	16	1353	G
1	16	1360	A
1	16	1363	A
1	16	1364	U
1	16	1365	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	1378	C
1	16	1379	G
1	16	1380	U
1	16	1381	U
1	16	1383	C
1	16	1396	A
1	16	1399	C
1	16	1419	G
1	16	1429	A
1	16	1432	G
1	16	1433	A
1	16	1441	A
1	16	1442	G
1	16	1446	A
1	16	1452	C
1	16	1453	G
1	16	1454	G
1	16	1487	G
1	16	1492	A
1	16	1493	A
1	16	1497	G
1	16	1499	A
1	16	1503	A
1	16	1505	G
1	16	1506	U
1	16	1529	G
1	16	1530	G
22	23	10	A
22	23	33	C
22	23	34	U
22	23	36	G
22	23	51	G
22	23	58	G
22	23	63	A
22	23	71	A
22	23	73	A
22	23	74	A
22	23	75	G
22	23	80	G
22	23	91	A
22	23	101	A
22	23	102	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	118	A
22	23	119	A
22	23	120	U
22	23	125	A
22	23	139	U
22	23	140	C
22	23	142	A
22	23	160	A
22	23	163	C
22	23	165	A
22	23	181	A
22	23	196	A
22	23	199	A
22	23	200	U
22	23	215	G
22	23	216	A
22	23	221	A
22	23	222	A
22	23	223	A
22	23	224	U
22	23	228	C
22	23	230	G
22	23	233	A
22	23	239	C
22	23	242	G
22	23	248	G
22	23	252	G
22	23	265	A
22	23	266	G
22	23	267	C
22	23	272	A
22	23	276	U
22	23	277	G
22	23	278	A
22	23	279	A
22	23	282	A
22	23	295	G
22	23	311	A
22	23	329	G
22	23	330	A
22	23	334	C
22	23	338	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	343	C
22	23	346	A
22	23	361	G
22	23	362	A
22	23	369	U
22	23	370	G
22	23	372	G
22	23	380	G
22	23	383	C
22	23	386	G
22	23	396	G
22	23	399	U
22	23	401	A
22	23	404	A
22	23	405	U
22	23	406	G
22	23	411	G
22	23	412	A
22	23	422	A
22	23	428	A
22	23	434	U
22	23	443	A
22	23	451	U
22	23	455	C
22	23	456	C
22	23	475	C
22	23	479	A
22	23	481	G
22	23	489	G
22	23	491	G
22	23	496	G
22	23	503	A
22	23	504	A
22	23	505	A
22	23	507	A
22	23	509	C
22	23	530	G
22	23	531	C
22	23	532	A
22	23	546	U
22	23	547	A
22	23	549	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	550	C
22	23	555	G
22	23	556	A
22	23	563	A
22	23	568	U
22	23	573	U
22	23	575	A
22	23	603	A
22	23	614	A
22	23	615	U
22	23	616	A
22	23	622	G
22	23	627	A
22	23	637	A
22	23	645	C
22	23	647	G
22	23	653	U
22	23	654	A
22	23	655	A
22	23	659	G
22	23	668	A
22	23	682	G
22	23	685	A
22	23	686	U
22	23	695	G
22	23	702	U
22	23	704	G
22	23	726	G
22	23	730	A
22	23	731	C
22	23	738	G
22	23	740	C
22	23	747	5MU
22	23	757	G
22	23	762	U
22	23	765	C
22	23	775	G
22	23	776	G
22	23	782	A
22	23	784	G
22	23	785	G
22	23	787	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	788	A
22	23	791	C
22	23	792	A
22	23	805	G
22	23	812	C
22	23	819	A
22	23	827	U
22	23	828	U
22	23	831	G
22	23	846	U
22	23	847	U
22	23	858	G
22	23	859	G
22	23	865	C
22	23	866	A
22	23	869	G
22	23	877	A
22	23	880	G
22	23	886	A
22	23	890	C
22	23	891	G
22	23	893	C
22	23	896	A
22	23	906	U
22	23	907	G
22	23	909	A
22	23	910	A
22	23	913	U
22	23	914	G
22	23	917	A
22	23	927	A
22	23	931	U
22	23	932	U
22	23	934	U
22	23	941	A
22	23	946	C
22	23	953	G
22	23	961	C
22	23	973	A
22	23	974	G
22	23	980	A
22	23	983	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	984	A
22	23	985	C
22	23	989	G
22	23	996	A
22	23	999	U
22	23	1009	A
22	23	1011	G
22	23	1012	U
22	23	1013	C
22	23	1022	G
22	23	1026	G
22	23	1033	U
22	23	1040	A
22	23	1047	G
22	23	1060	U
22	23	1069	A
22	23	1070	A
22	23	1071	G
22	23	1078	U
22	23	1084	A
22	23	1087	G
22	23	1088	A
22	23	1089	A
22	23	1096	A
22	23	1097	U
22	23	1110	G
22	23	1111	A
22	23	1112	G
22	23	1116	G
22	23	1130	U
22	23	1132	U
22	23	1133	A
22	23	1134	A
22	23	1135	C
22	23	1139	G
22	23	1141	U
22	23	1142	A
22	23	1148	U
22	23	1156	A
22	23	1174	U
22	23	1175	A
22	23	1176	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	1177	G
22	23	1206	G
22	23	1212	G
22	23	1218	G
22	23	1223	G
22	23	1227	G
22	23	1236	G
22	23	1238	G
22	23	1247	A
22	23	1248	G
22	23	1250	G
22	23	1253	A
22	23	1256	G
22	23	1262	A
22	23	1266	G
22	23	1267	U
22	23	1271	G
22	23	1272	A
22	23	1275	A
22	23	1288	G
22	23	1289	C
22	23	1300	G
22	23	1301	A
22	23	1302	A
22	23	1306	C
22	23	1320	C
22	23	1329	U
22	23	1332	G
22	23	1344	U
22	23	1351	C
22	23	1359	A
22	23	1360	G
22	23	1365	A
22	23	1368	G
22	23	1374	G
22	23	1378	A
22	23	1379	U
22	23	1383	A
22	23	1386	C
22	23	1395	A
22	23	1413	A
22	23	1416	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	1417	C
22	23	1420	A
22	23	1421	G
22	23	1427	A
22	23	1428	C
22	23	1435	G
22	23	1449	G
22	23	1451	C
22	23	1452	G
22	23	1453	A
22	23	1458	U
22	23	1478	G
22	23	1482	G
22	23	1493	C
22	23	1508	A
22	23	1509	A
22	23	1515	A
22	23	1524	G
22	23	1529	G
22	23	1534	U
22	23	1536	C
22	23	1537	G
22	23	1538	G
22	23	1558	C
22	23	1566	A
22	23	1567	G
22	23	1569	A
22	23	1578	U
22	23	1583	A
22	23	1584	U
22	23	1607	C
22	23	1608	A
22	23	1609	A
22	23	1610	A
22	23	1616	A
22	23	1617	C
22	23	1634	A
22	23	1635	A
22	23	1647	U
22	23	1648	U
22	23	1649	G
22	23	1651	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	1654	A
22	23	1667	G
22	23	1674	G
22	23	1675	C
22	23	1693	U
22	23	1694	C
22	23	1696	G
22	23	1700	A
22	23	1707	G
22	23	1713	A
22	23	1715	G
22	23	1721	G
22	23	1730	C
22	23	1738	G
22	23	1744	A
22	23	1754	A
22	23	1757	A
22	23	1758	U
22	23	1764	C
22	23	1773	A
22	23	1782	U
22	23	1784	A
22	23	1786	A
22	23	1789	A
22	23	1800	C
22	23	1801	A
22	23	1808	A
22	23	1816	C
22	23	1829	A
22	23	1847	A
22	23	1857	G
22	23	1858	A
22	23	1882	U
22	23	1884	G
22	23	1900	A
22	23	1903	G
22	23	1914	C
22	23	1919	A
22	23	1920	C
22	23	1921	G
22	23	1929	G
22	23	1930	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	1937	A
22	23	1938	A
22	23	1955	U
22	23	1963	U
22	23	1967	C
22	23	1970	A
22	23	1971	U
22	23	1972	G
22	23	1975	G
22	23	1980	G
22	23	1981	A
22	23	1991	U
22	23	1993	U
22	23	1997	C
22	23	2021	C
22	23	2022	U
22	23	2023	C
22	23	2033	A
22	23	2035	G
22	23	2036	C
22	23	2043	C
22	23	2055	C
22	23	2056	G
22	23	2060	A
22	23	2061	G
22	23	2062	A
22	23	2063	C
22	23	2069	G7M
22	23	2076	U
22	23	2093	G
22	23	2111	U
22	23	2112	G
22	23	2113	U
22	23	2114	A
22	23	2115	G
22	23	2116	G
22	23	2117	A
22	23	2118	U
22	23	2119	A
22	23	2120	G
22	23	2121	G
22	23	2126	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	2127	G
22	23	2131	U
22	23	2132	U
22	23	2133	G
22	23	2134	A
22	23	2141	G
22	23	2144	G
22	23	2145	C
22	23	2146	C
22	23	2149	U
22	23	2157	G
22	23	2158	A
22	23	2162	G
22	23	2163	A
22	23	2164	C
22	23	2165	C
22	23	2168	G
22	23	2170	A
22	23	2171	A
22	23	2172	U
22	23	2175	C
22	23	2188	U
22	23	2198	A
22	23	2203	U
22	23	2204	G
22	23	2211	A
22	23	2212	A
22	23	2225	A
22	23	2238	G
22	23	2239	G
22	23	2251	OMG
22	23	2268	A
22	23	2278	A
22	23	2279	G
22	23	2283	C
22	23	2287	A
22	23	2288	A
22	23	2289	G
22	23	2305	U
22	23	2308	G
22	23	2309	A
22	23	2311	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	2312	U
22	23	2319	G
22	23	2320	U
22	23	2322	A
22	23	2324	U
22	23	2325	G
22	23	2333	A
22	23	2334	U
22	23	2335	A
22	23	2336	A
22	23	2343	U
22	23	2345	G
22	23	2347	C
22	23	2350	C
22	23	2361	G
22	23	2383	G
22	23	2385	C
22	23	2389	G
22	23	2391	G
22	23	2396	G
22	23	2402	U
22	23	2403	C
22	23	2406	A
22	23	2419	U
22	23	2423	U
22	23	2425	A
22	23	2426	A
22	23	2428	G
22	23	2429	G
22	23	2430	A
22	23	2434	A
22	23	2436	G
22	23	2441	U
22	23	2444	G
22	23	2448	A
22	23	2459	A
22	23	2473	U
22	23	2476	A
22	23	2484	G
22	23	2487	G
22	23	2491	U
22	23	2494	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	2498	OMC
22	23	2502	G
22	23	2505	G
22	23	2517	C
22	23	2518	A
22	23	2520	C
22	23	2529	G
22	23	2542	A
22	23	2547	A
22	23	2549	G
22	23	2554	U
22	23	2566	A
22	23	2567	G
22	23	2569	G
22	23	2573	C
22	23	2574	G
22	23	2582	G
22	23	2586	U
22	23	2595	G
22	23	2599	G
22	23	2602	A
22	23	2609	U
22	23	2613	U
22	23	2615	U
22	23	2629	U
22	23	2630	G
22	23	2636	C
22	23	2639	A
22	23	2646	C
22	23	2660	A
22	23	2661	G
22	23	2663	G
22	23	2666	C
22	23	2681	C
22	23	2682	A
22	23	2684	U
22	23	2687	U
22	23	2689	U
22	23	2690	U
22	23	2691	C
22	23	2707	U
22	23	2714	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	2718	G
22	23	2720	U
22	23	2726	A
22	23	2728	U
22	23	2729	G
22	23	2732	G
22	23	2733	A
22	23	2744	G
22	23	2748	A
22	23	2757	A
22	23	2765	A
22	23	2778	A
22	23	2779	U
22	23	2791	G
22	23	2797	U
22	23	2800	A
22	23	2809	A
22	23	2818	U
22	23	2820	A
22	23	2835	A
22	23	2836	U
22	23	2861	U
22	23	2873	A
22	23	2874	C
22	23	2879	A
22	23	2883	A
22	23	2884	U
22	23	2885	G
22	23	2886	A
23	5	13	G
23	5	16	G
23	5	24	G
23	5	25	U
23	5	35	C
23	5	36	C
23	5	40	U
23	5	41	G
23	5	44	G
23	5	45	A
23	5	51	G
23	5	53	A
23	5	56	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	5	57	A
23	5	58	A
23	5	66	A
23	5	67	G
23	5	68	C
23	5	88	C
23	5	89	U
23	5	90	C
23	5	99	A
23	5	108	A
23	5	109	A
57	Dt	7	G
57	Dt	9	G
57	Dt	10	G
57	Dt	11	A
57	Dt	14	A
57	Dt	17	C
57	Dt	18	C
57	Dt	19	G
57	Dt	20	G
57	Dt	21	H2U
57	Dt	22	A
57	Dt	45	A
57	Dt	48	U
57	Dt	57	C
57	Dt	58	A
57	Dt	59	A
57	Dt	60	A
57	Dt	62	C
57	Dt	64	G
57	Dt	77	A
58	Pt	2	C
58	Pt	6	G
58	Pt	7	A
58	Pt	8	4SU
58	Pt	9	A
58	Pt	10	G
58	Pt	13	C
58	Pt	17	C
58	Pt	18	G
58	Pt	20	U
58	Pt	22	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
58	Pt	46	G7M
58	Pt	48	C
58	Pt	57	G
58	Pt	59	U
58	Pt	60	U
58	Pt	61	C
58	Pt	62	C
59	mR	37	A
59	mR	41	U
59	mR	43	A

All (112) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	16	30	U
1	16	64	G
1	16	70	U
1	16	129	A
1	16	181	A
1	16	305	G
1	16	315	A
1	16	327	A
1	16	421	U
1	16	428	G
1	16	438	U
1	16	466	A
1	16	467	U
1	16	562	U
1	16	575	G
1	16	641	U
1	16	702	A
1	16	721	G
1	16	884	U
1	16	934	C
1	16	991	U
1	16	993	G
1	16	1045	C
1	16	1049	U
1	16	1124	G
1	16	1129	C
1	16	1145	A
1	16	1167	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16	1190	G
1	16	1196	A
1	16	1200	C
1	16	1224	U
1	16	1239	A
1	16	1281	C
1	16	1298	U
1	16	1345	U
1	16	1380	U
1	16	1396	A
1	16	1400	C
1	16	1432	G
1	16	1451	U
22	23	33	C
22	23	125	A
22	23	177	G
22	23	199	A
22	23	215	G
22	23	265	A
22	23	277	G
22	23	361	G
22	23	372	G
22	23	434	U
22	23	446	G
22	23	455	C
22	23	503	A
22	23	504	A
22	23	512	G
22	23	555	G
22	23	685	A
22	23	784	G
22	23	792	A
22	23	827	U
22	23	865	C
22	23	984	A
22	23	1069	A
22	23	1070	A
22	23	1083	U
22	23	1088	A
22	23	1089	A
22	23	1133	A
22	23	1204	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	23	1266	G
22	23	1288	G
22	23	1300	G
22	23	1344	U
22	23	1451	C
22	23	1454	C
22	23	1458	U
22	23	1460	U
22	23	1493	C
22	23	1607	C
22	23	1608	A
22	23	1609	A
22	23	1615	C
22	23	1647	U
22	23	1730	C
22	23	1738	G
22	23	1799	G
22	23	1847	A
22	23	1857	G
22	23	1900	A
22	23	1980	G
22	23	2111	U
22	23	2113	U
22	23	2118	U
22	23	2145	C
22	23	2162	G
22	23	2282	G
22	23	2307	G
22	23	2311	A
22	23	2319	G
22	23	2324	U
22	23	2430	A
22	23	2468	A
22	23	2517	C
22	23	2581	G
22	23	2645	G
22	23	2681	C
22	23	2756	U
22	23	2873	A
23	5	24	G
23	5	88	C
23	5	108	A

5.4 Non-standard residues in protein, DNA, RNA chains

55 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
22	2MG	23	2445	62,22	18,26,27	1.08	1 (5%)	16,38,41	1.31	3 (18%)
22	2MA	23	2503	62,22	17,25,26	1.11	1 (5%)	17,37,40	1.08	2 (11%)
1	4OC	16	1402	1	20,23,24	0.78	0	26,32,35	1.05	1 (3%)
1	G7M	16	527	1	20,26,27	2.67	4 (20%)	17,39,42	1.21	1 (5%)
57	4SU	Dt	8	57	18,21,22	1.78	5 (27%)	26,30,33	2.15	5 (19%)
22	6MZ	23	2030	22	18,25,26	0.97	1 (5%)	16,36,39	2.82	4 (25%)
22	PSU	23	2504	22	18,21,22	1.47	4 (22%)	22,30,33	2.04	4 (18%)
58	PSU	Pt	39	58	18,21,22	1.34	2 (11%)	22,30,33	1.92	4 (18%)
1	2MG	16	1516	1	18,26,27	1.05	1 (5%)	16,38,41	1.20	3 (18%)
1	5MC	16	1407	1	18,22,23	0.94	2 (11%)	26,32,35	1.24	3 (11%)
1	PSU	16	516	1	18,21,22	1.40	3 (16%)	22,30,33	2.15	5 (22%)
22	PSU	23	2604	22	18,21,22	1.50	3 (16%)	22,30,33	2.03	5 (22%)
60	SAR	B	8	60	4,4,5	1.91	1 (25%)	1,3,5	2.32	1 (100%)
22	PSU	23	746	62,22	18,21,22	1.41	3 (16%)	22,30,33	1.82	3 (13%)
22	5MC	23	1962	62,22	18,22,23	0.95	2 (11%)	26,32,35	1.30	2 (7%)
22	PSU	23	2457	22	18,21,22	1.56	4 (22%)	22,30,33	2.05	6 (27%)
22	OMU	23	2552	62,22	19,22,23	1.26	3 (15%)	26,31,34	1.88	5 (19%)
57	H2U	Dt	21	57	18,21,22	1.05	3 (16%)	21,30,33	1.66	5 (23%)
22	2MG	23	1835	22	18,26,27	1.03	1 (5%)	16,38,41	1.30	3 (18%)
57	G7M	Dt	47	57	20,26,27	2.67	4 (20%)	17,39,42	1.11	2 (11%)
22	G7M	23	2069	22	20,26,27	2.66	4 (20%)	17,39,42	1.21	2 (11%)
58	G7M	Pt	46	58	20,26,27	2.67	4 (20%)	17,39,42	1.16	2 (11%)
22	PSU	23	1917	22	18,21,22	1.46	3 (16%)	22,30,33	1.94	4 (18%)
57	OMC	Dt	33	57	19,22,23	0.87	0	26,31,34	0.85	1 (3%)
58	3AU	Pt	47	58	24,28,29	1.03	1 (4%)	33,40,43	1.33	4 (12%)
22	6MZ	23	1618	22	18,25,26	0.99	1 (5%)	16,36,39	2.08	5 (31%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
60	BB9	B	2	60	3,5,6	3.52	2 (66%)	1,5,7	3.96	1 (100%)
1	2MG	16	966	1	18,26,27	1.08	1 (5%)	16,38,41	1.33	3 (18%)
1	5MC	16	967	1	18,22,23	1.03	2 (11%)	26,32,35	1.71	7 (26%)
58	PSU	Pt	55	58	18,21,22	1.37	2 (11%)	22,30,33	1.92	3 (13%)
58	MIA	Pt	37	58	24,31,32	2.23	3 (12%)	26,44,47	2.72	10 (38%)
58	PSU	Pt	32	58	18,21,22	1.37	2 (11%)	22,30,33	1.94	3 (13%)
36	4D4	LP	81	36	9,11,12	2.99	3 (33%)	8,13,15	3.12	3 (37%)
12	D2T	SL	89	12	7,9,10	2.49	1 (14%)	6,11,13	2.03	2 (33%)
60	DBB	B	6	60	4,5,6	0.48	0	1,5,7	0.73	0
22	1MG	23	745	22	18,26,27	0.88	0	19,39,42	1.11	2 (10%)
22	PSU	23	955	22	18,21,22	1.47	4 (22%)	22,30,33	2.02	3 (13%)
1	MA6	16	1518	1	19,26,27	1.03	1 (5%)	18,38,41	1.43	3 (16%)
22	PSU	23	2605	22	18,21,22	1.43	4 (22%)	22,30,33	1.84	4 (18%)
58	4SU	Pt	8	58	18,21,22	1.81	5 (27%)	26,30,33	2.27	5 (19%)
60	0UO	B	4	60	15,17,18	1.11	1 (6%)	14,23,25	1.68	4 (28%)
22	5MU	23	1939	62,22	19,22,23	1.44	5 (26%)	28,32,35	2.18	6 (21%)
60	DHA	B	7	60	4,4,5	5.23	2 (50%)	2,4,6	4.11	2 (100%)
22	5MU	23	747	22	19,22,23	1.48	6 (31%)	28,32,35	2.12	7 (25%)
22	PSU	23	1911	22	18,21,22	1.39	3 (16%)	22,30,33	1.89	3 (13%)
22	3TD	23	1915	22	18,22,23	1.25	2 (11%)	22,32,35	1.96	3 (13%)
22	OMG	23	2251	58,62,22	18,26,27	1.03	1 (5%)	19,38,41	1.07	2 (10%)
22	OMC	23	2498	62,22	19,22,23	0.87	0	26,31,34	0.81	0
22	H2U	23	2449	22	18,21,22	1.14	3 (16%)	21,30,33	1.30	2 (9%)
1	MA6	16	1519	1	19,26,27	0.94	1 (5%)	18,38,41	1.36	2 (11%)
58	H2U	Pt	16	58	18,21,22	1.13	3 (16%)	21,30,33	1.28	2 (9%)
1	UR3	16	1498	1	19,22,23	0.95	0	26,32,35	1.55	2 (7%)
57	PSU	Dt	56	57	18,21,22	1.40	2 (11%)	22,30,33	1.94	3 (13%)
22	PSU	23	2580	22	18,21,22	1.51	4 (22%)	22,30,33	2.01	5 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	2MG	23	2445	62,22	-	1/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	2MA	23	2503	62,22	-	2/3/25/26	0/3/3/3
1	4OC	16	1402	1	-	1/9/29/30	0/2/2/2
1	G7M	16	527	1	-	2/3/25/26	0/3/3/3
57	4SU	Dt	8	57	-	0/7/25/26	0/2/2/2
22	6MZ	23	2030	22	-	1/5/27/28	0/3/3/3
22	PSU	23	2504	22	-	0/7/25/26	0/2/2/2
58	PSU	Pt	39	58	-	0/7/25/26	0/2/2/2
1	2MG	16	1516	1	-	0/5/27/28	0/3/3/3
1	5MC	16	1407	1	-	0/7/25/26	0/2/2/2
1	PSU	16	516	1	-	0/7/25/26	0/2/2/2
22	PSU	23	2604	22	-	0/7/25/26	0/2/2/2
60	SAR	B	8	60	-	1/1/2/3	-
22	PSU	23	746	62,22	-	1/7/25/26	0/2/2/2
22	5MC	23	1962	62,22	-	0/7/25/26	0/2/2/2
22	PSU	23	2457	22	-	0/7/25/26	0/2/2/2
22	OMU	23	2552	62,22	-	0/9/27/28	0/2/2/2
57	H2U	Dt	21	57	-	1/7/38/39	0/2/2/2
22	2MG	23	1835	22	-	0/5/27/28	0/3/3/3
57	G7M	Dt	47	57	-	0/3/25/26	0/3/3/3
22	G7M	23	2069	22	-	2/3/25/26	0/3/3/3
58	G7M	Pt	46	58	-	0/3/25/26	0/3/3/3
22	PSU	23	1917	22	-	0/7/25/26	0/2/2/2
57	OMC	Dt	33	57	-	1/9/27/28	0/2/2/2
58	3AU	Pt	47	58	-	6/16/34/35	0/2/2/2
22	6MZ	23	1618	22	-	0/5/27/28	0/3/3/3
60	BB9	B	2	60	-	0/0/4/6	-
1	2MG	16	966	1	-	1/5/27/28	0/3/3/3
1	5MC	16	967	1	-	2/7/25/26	0/2/2/2
58	PSU	Pt	55	58	-	0/7/25/26	0/2/2/2
58	MIA	Pt	37	58	-	3/11/33/34	0/3/3/3
58	PSU	Pt	32	58	-	0/7/25/26	0/2/2/2
36	4D4	LP	81	36	-	3/11/12/14	-
12	D2T	SL	89	12	-	2/7/12/14	-
60	DBB	B	6	60	-	1/3/4/6	-
22	1MG	23	745	22	-	0/3/25/26	0/3/3/3
22	PSU	23	955	22	-	0/7/25/26	0/2/2/2
1	MA6	16	1518	1	-	0/7/29/30	0/3/3/3
22	PSU	23	2605	22	-	0/7/25/26	0/2/2/2
58	4SU	Pt	8	58	-	3/7/25/26	0/2/2/2
60	0UO	B	4	60	-	2/6/8/10	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	5MU	23	1939	62,22	-	0/7/25/26	0/2/2/2
60	DHA	B	7	60	-	0/0/2/4	-
22	5MU	23	747	22	-	2/7/25/26	0/2/2/2
22	PSU	23	1911	22	-	0/7/25/26	0/2/2/2
22	3TD	23	1915	22	-	0/7/25/26	0/2/2/2
22	OMG	23	2251	58,62,22	-	3/5/27/28	0/3/3/3
22	OMC	23	2498	62,22	-	2/9/27/28	0/2/2/2
22	H2U	23	2449	22	-	0/7/38/39	0/2/2/2
1	MA6	16	1519	1	-	0/7/29/30	0/3/3/3
58	H2U	Pt	16	58	-	0/7/38/39	0/2/2/2
1	UR3	16	1498	1	-	0/7/25/26	0/2/2/2
57	PSU	Dt	56	57	-	0/7/25/26	0/2/2/2
22	PSU	23	2580	22	-	0/7/25/26	0/2/2/2

All (124) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	B	7	DHA	C-CA	8.64	1.59	1.45
1	16	527	G7M	C8-N9	7.56	1.47	1.33
57	Dt	47	G7M	C8-N9	7.52	1.46	1.33
58	Pt	46	G7M	C8-N7	7.44	1.46	1.33
22	23	2069	G7M	C8-N9	7.43	1.46	1.33
58	Pt	46	G7M	C8-N9	7.36	1.46	1.33
36	LP	81	4D4	CZ-NE	7.31	1.47	1.33
22	23	2069	G7M	C8-N7	7.20	1.46	1.33
58	Pt	37	MIA	C13-C14	7.19	1.53	1.32
57	Dt	47	G7M	C8-N7	7.15	1.46	1.33
1	16	527	G7M	C8-N7	7.14	1.46	1.33
58	Pt	37	MIA	C2-S10	-6.63	1.70	1.75
12	SL	89	D2T	CB-SB	-5.84	1.76	1.82
60	B	7	DHA	CA-N	5.69	1.49	1.35
58	Pt	8	4SU	C4-S4	-4.64	1.59	1.68
60	B	2	BB9	C-CA	4.56	1.52	1.45
57	Dt	8	4SU	C4-S4	-4.45	1.60	1.68
57	Dt	47	G7M	C5-C4	4.38	1.47	1.39
58	Pt	46	G7M	C5-C4	4.18	1.47	1.39
22	23	2069	G7M	C5-C4	4.16	1.47	1.39
1	16	527	G7M	C5-C4	4.11	1.47	1.39
36	LP	81	4D4	CZ-NH2	3.92	1.47	1.32
60	B	2	BB9	CA-N	3.80	1.44	1.35
22	23	2457	PSU	C4-N3	-3.47	1.32	1.38
57	Dt	56	PSU	C6-C5	3.47	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	Dt	8	4SU	C4-N3	-3.42	1.34	1.37
22	23	1915	3TD	C6-C5	3.34	1.39	1.35
60	B	8	SAR	CA-N	3.32	1.50	1.46
58	Pt	55	PSU	C6-C5	3.30	1.39	1.35
58	Pt	8	4SU	C4-N3	-3.30	1.34	1.37
22	23	2580	PSU	C4-N3	-3.27	1.32	1.38
36	LP	81	4D4	CZ-NH1	3.18	1.47	1.34
22	23	2604	PSU	C4-N3	-3.13	1.33	1.38
22	23	2504	PSU	C4-N3	-3.12	1.33	1.38
22	23	2605	PSU	C4-N3	-3.11	1.33	1.38
22	23	746	PSU	C4-N3	-3.07	1.33	1.38
22	23	2604	PSU	C6-C5	3.07	1.38	1.35
1	16	516	PSU	C4-N3	-3.02	1.33	1.38
22	23	1917	PSU	C4-N3	-3.01	1.33	1.38
22	23	955	PSU	C4-N3	-3.00	1.33	1.38
58	Pt	32	PSU	C6-C5	3.00	1.38	1.35
22	23	1911	PSU	C6-C5	2.99	1.38	1.35
22	23	1939	5MU	C4-N3	-2.99	1.33	1.38
22	23	747	5MU	C4-N3	-2.99	1.33	1.38
22	23	2605	PSU	C6-C5	2.94	1.38	1.35
58	Pt	39	PSU	C6-C5	2.93	1.38	1.35
22	23	1917	PSU	C6-C5	2.92	1.38	1.35
22	23	2504	PSU	C6-C5	2.88	1.38	1.35
22	23	2445	2MG	C6-N1	-2.87	1.33	1.37
22	23	2552	OMU	C4-N3	-2.85	1.33	1.38
22	23	746	PSU	C6-C5	2.85	1.38	1.35
22	23	955	PSU	C6-C5	2.81	1.38	1.35
58	Pt	32	PSU	C4-N3	-2.81	1.33	1.38
57	Dt	56	PSU	C4-N3	-2.79	1.33	1.38
58	Pt	16	H2U	C2-N3	-2.78	1.33	1.38
22	23	2449	H2U	C2-N3	-2.78	1.33	1.38
1	16	516	PSU	C6-C5	2.76	1.38	1.35
58	Pt	8	4SU	C5-C4	-2.76	1.39	1.42
22	23	1911	PSU	C4-N3	-2.75	1.33	1.38
22	23	2449	H2U	C4-N3	-2.73	1.33	1.37
22	23	1835	2MG	C6-N1	-2.73	1.33	1.37
22	23	2251	OMG	C6-N1	-2.72	1.33	1.37
58	Pt	39	PSU	C4-N3	-2.70	1.33	1.38
57	Dt	8	4SU	C5-C4	-2.69	1.39	1.42
1	16	1516	2MG	C6-N1	-2.67	1.33	1.37
58	Pt	55	PSU	C4-N3	-2.67	1.33	1.38
1	16	966	2MG	C6-N1	-2.65	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	23	2457	PSU	C6-C5	2.65	1.38	1.35
22	23	747	5MU	C6-C5	2.64	1.38	1.34
22	23	1939	5MU	C6-C5	2.58	1.38	1.34
58	Pt	16	H2U	C4-N3	-2.56	1.33	1.37
22	23	1939	5MU	C2-N3	-2.54	1.33	1.38
22	23	1962	5MC	C6-N1	-2.51	1.33	1.38
22	23	2580	PSU	C6-C5	2.50	1.38	1.35
22	23	2457	PSU	C2-N3	-2.50	1.33	1.37
1	16	967	5MC	C6-N1	-2.50	1.33	1.38
22	23	2552	OMU	C2-N3	-2.48	1.33	1.38
1	16	527	G7M	C6-N1	-2.47	1.34	1.37
57	Dt	21	H2U	C2-N3	-2.46	1.33	1.38
60	B	4	0UO	O3-C17	2.46	1.41	1.36
1	16	1407	5MC	C6-C5	2.46	1.38	1.34
1	16	1518	MA6	C5-C4	2.46	1.47	1.40
22	23	1939	5MU	C6-N1	-2.45	1.33	1.38
22	23	747	5MU	C2-N3	-2.44	1.33	1.38
22	23	1962	5MC	C6-C5	2.44	1.38	1.34
22	23	2580	PSU	C2-N3	-2.41	1.33	1.37
1	16	967	5MC	C6-C5	2.40	1.38	1.34
22	23	1915	3TD	C2-N1	-2.37	1.34	1.37
1	16	1519	MA6	C5-C4	2.35	1.47	1.40
22	23	747	5MU	C6-N1	-2.32	1.34	1.38
22	23	2504	PSU	C2-N3	-2.29	1.33	1.37
22	23	2069	G7M	C6-N1	-2.28	1.34	1.37
58	Pt	37	MIA	C5-C4	2.28	1.47	1.40
22	23	2605	PSU	C2-N3	-2.27	1.33	1.37
22	23	2604	PSU	C2-N3	-2.26	1.33	1.37
58	Pt	16	H2U	C2-N1	-2.21	1.32	1.35
22	23	746	PSU	C2-N3	-2.21	1.33	1.37
22	23	1618	6MZ	C5-C4	2.20	1.46	1.40
22	23	2552	OMU	C5-C4	-2.19	1.38	1.43
58	Pt	47	3AU	C2-N1	2.18	1.41	1.38
22	23	747	5MU	C2-N1	2.18	1.41	1.38
22	23	2580	PSU	C2-N1	-2.17	1.33	1.36
1	16	1407	5MC	C6-N1	-2.17	1.34	1.38
57	Dt	47	G7M	C6-N1	-2.15	1.34	1.37
57	Dt	8	4SU	C2-N3	-2.15	1.34	1.38
58	Pt	8	4SU	C2-N3	-2.13	1.34	1.38
57	Dt	21	H2U	C2-N1	-2.13	1.32	1.35
57	Dt	21	H2U	C4-N3	-2.12	1.34	1.37
22	23	955	PSU	C2-N3	-2.12	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	23	2503	2MA	C2-N3	2.11	1.35	1.31
22	23	1917	PSU	C2-N3	-2.10	1.33	1.37
57	Dt	8	4SU	C2-N1	2.10	1.41	1.38
58	Pt	46	G7M	C6-N1	-2.09	1.34	1.37
1	16	516	PSU	C2-N3	-2.09	1.33	1.37
22	23	747	5MU	C4-C5	2.08	1.48	1.44
22	23	2030	6MZ	C5-C4	2.08	1.46	1.40
22	23	955	PSU	C2-N1	-2.07	1.33	1.36
58	Pt	8	4SU	C2-N1	2.07	1.41	1.38
22	23	1939	5MU	C4-C5	2.06	1.48	1.44
22	23	2457	PSU	C2-N1	-2.06	1.33	1.36
22	23	1911	PSU	C2-N1	-2.04	1.34	1.36
22	23	2605	PSU	C2-N1	-2.04	1.34	1.36
22	23	2449	H2U	C2-N1	-2.03	1.32	1.35
22	23	2504	PSU	C2-N1	-2.00	1.34	1.36

All (177) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	Pt	37	MIA	C12-C13-C14	-8.49	110.62	127.14
22	23	2030	6MZ	C9-N6-C6	-7.72	116.23	122.87
58	Pt	8	4SU	C4-N3-C2	-6.63	120.90	127.34
36	LP	81	4D4	NE-CZ-NH2	-6.55	109.18	120.70
22	23	955	PSU	N1-C2-N3	6.55	122.55	115.13
22	23	2457	PSU	N1-C2-N3	6.52	122.51	115.13
22	23	2504	PSU	N1-C2-N3	6.51	122.50	115.13
1	16	516	PSU	N1-C2-N3	6.48	122.47	115.13
22	23	2604	PSU	N1-C2-N3	6.46	122.45	115.13
22	23	1915	3TD	N1-C2-N3	6.35	121.15	116.14
22	23	2580	PSU	N1-C2-N3	6.26	122.22	115.13
58	Pt	32	PSU	N1-C2-N3	6.21	122.16	115.13
22	23	2030	6MZ	C2-N1-C6	6.16	121.87	116.59
22	23	1917	PSU	N1-C2-N3	6.16	122.11	115.13
57	Dt	8	4SU	C4-N3-C2	-6.10	121.41	127.34
58	Pt	8	4SU	C5-C4-N3	6.07	120.32	114.69
58	Pt	39	PSU	N1-C2-N3	6.05	121.98	115.13
22	23	1911	PSU	N1-C2-N3	6.01	121.94	115.13
57	Dt	56	PSU	N1-C2-N3	5.99	121.92	115.13
58	Pt	55	PSU	N1-C2-N3	5.98	121.91	115.13
22	23	746	PSU	N1-C2-N3	5.94	121.86	115.13
1	16	1498	UR3	C4-N3-C2	-5.86	119.04	124.56
22	23	2605	PSU	N1-C2-N3	5.76	121.66	115.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	23	1618	6MZ	C2-N1-C6	5.69	121.47	116.59
57	Dt	8	4SU	C5-C4-N3	5.66	119.94	114.69
22	23	1939	5MU	C4-N3-C2	-5.48	120.26	127.35
22	23	1939	5MU	N3-C2-N1	5.33	121.96	114.89
22	23	747	5MU	N3-C2-N1	5.24	121.85	114.89
22	23	747	5MU	C4-N3-C2	-5.07	120.79	127.35
60	B	7	DHA	O-C-CA	-5.02	116.17	125.54
22	23	1915	3TD	C4-N3-C2	-4.88	119.31	124.61
22	23	1939	5MU	C5-C4-N3	4.68	119.30	115.31
22	23	2552	OMU	C4-N3-C2	-4.62	120.49	126.58
22	23	2552	OMU	N3-C2-N1	4.40	120.73	114.89
58	Pt	37	MIA	C2-N3-C4	4.39	121.37	115.32
58	Pt	47	3AU	C4-N3-C2	-4.32	119.21	124.63
22	23	2504	PSU	C4-N3-C2	-4.31	120.12	126.34
1	16	516	PSU	C4-N3-C2	-4.31	120.13	126.34
58	Pt	8	4SU	C5-C4-S4	-4.26	118.98	124.47
1	16	967	5MC	O2-C2-N3	-4.22	115.47	122.33
36	LP	81	4D4	NH1-CZ-NE	-4.13	109.66	119.19
22	23	1939	5MU	C5-C6-N1	-4.13	119.09	123.34
22	23	955	PSU	C4-N3-C2	-4.13	120.39	126.34
22	23	747	5MU	C5-C4-N3	4.08	118.79	115.31
58	Pt	39	PSU	C4-N3-C2	-4.01	120.56	126.34
57	Dt	21	H2U	C4-N3-C2	-4.00	122.47	125.79
22	23	2580	PSU	C4-N3-C2	-3.99	120.59	126.34
58	Pt	55	PSU	C4-N3-C2	-3.98	120.60	126.34
22	23	2457	PSU	C4-N3-C2	-3.98	120.61	126.34
58	Pt	32	PSU	C4-N3-C2	-3.96	120.63	126.34
22	23	955	PSU	O2-C2-N1	-3.96	118.43	122.79
60	B	2	BB9	O-C-CA	-3.96	120.35	125.39
22	23	747	5MU	C5-C6-N1	-3.96	119.26	123.34
12	SL	89	D2T	CB1-SB-CB	3.96	109.60	102.44
22	23	2604	PSU	C4-N3-C2	-3.94	120.66	126.34
58	Pt	37	MIA	C15-C14-C13	-3.90	111.38	122.65
22	23	1911	PSU	C4-N3-C2	-3.87	120.76	126.34
58	Pt	37	MIA	C16-C14-C13	-3.87	111.46	122.65
57	Dt	56	PSU	C4-N3-C2	-3.85	120.79	126.34
22	23	1917	PSU	C4-N3-C2	-3.85	120.80	126.34
57	Dt	8	4SU	N3-C2-N1	3.82	119.96	114.89
22	23	1962	5MC	C5-C6-N1	-3.81	119.42	123.34
22	23	2552	OMU	C5-C4-N3	3.77	120.48	114.84
22	23	2605	PSU	C4-N3-C2	-3.77	120.91	126.34
22	23	1939	5MU	O4-C4-C5	-3.70	120.61	124.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	Pt	8	4SU	N3-C2-N1	3.69	119.79	114.89
22	23	1911	PSU	O2-C2-N1	-3.67	118.75	122.79
1	16	516	PSU	O2-C2-N1	-3.66	118.76	122.79
22	23	746	PSU	C4-N3-C2	-3.64	121.09	126.34
22	23	747	5MU	O4-C4-C5	-3.64	120.68	124.90
58	Pt	37	MIA	C5-C6-N1	-3.62	117.80	120.81
22	23	2449	H2U	C4-N3-C2	-3.60	122.80	125.79
36	LP	81	4D4	NH1-CZ-NH2	-3.53	109.38	120.26
22	23	2030	6MZ	N3-C2-N1	-3.53	123.16	128.68
22	23	1618	6MZ	C9-N6-C6	-3.53	119.83	122.87
57	Dt	8	4SU	C5-C4-S4	-3.52	119.93	124.47
1	16	1519	MA6	C4-C5-N7	-3.50	105.75	109.40
58	Pt	32	PSU	O2-C2-N1	-3.48	118.96	122.79
22	23	2580	PSU	O2-C2-N1	-3.42	119.02	122.79
58	Pt	39	PSU	O2-C2-N1	-3.41	119.04	122.79
1	16	1518	MA6	N3-C2-N1	-3.38	123.39	128.68
58	Pt	55	PSU	O2-C2-N1	-3.35	119.11	122.79
1	16	1518	MA6	C4-C5-N7	-3.34	105.91	109.40
58	Pt	37	MIA	C11-S10-C2	-3.32	99.79	102.27
57	Dt	56	PSU	O2-C2-N1	-3.31	119.15	122.79
57	Dt	21	H2U	O3'-C3'-C4'	3.29	120.57	111.05
1	16	967	5MC	C1'-N1-C6	-3.28	115.66	121.12
22	23	2604	PSU	O2-C2-N1	-3.26	119.20	122.79
22	23	2504	PSU	O2-C2-N1	-3.26	119.20	122.79
22	23	1917	PSU	O2-C2-N1	-3.25	119.21	122.79
60	B	4	0UO	C19-O3-C17	-3.22	113.25	117.75
22	23	2457	PSU	C3'-C2'-C1'	3.21	105.37	101.64
60	B	4	0UO	O3-C17-C18	3.19	120.59	115.89
1	16	516	PSU	C3'-C2'-C1'	3.15	105.31	101.64
22	23	1618	6MZ	N3-C2-N1	-3.14	123.78	128.68
58	Pt	16	H2U	C4-N3-C2	-3.11	123.21	125.79
1	16	1519	MA6	N3-C2-N1	-3.10	123.84	128.68
22	23	2552	OMU	C2'-C1'-N1	-3.05	108.30	114.22
58	Pt	37	MIA	C12-N6-C6	-3.04	118.04	122.55
60	B	4	0UO	O3-C17-C16	-3.04	119.21	124.24
58	Pt	47	3AU	C5-C4-N3	3.01	119.47	115.50
22	23	2457	PSU	O2-C2-N1	-3.01	119.48	122.79
22	23	1915	3TD	C3'-C2'-C1'	2.99	105.12	101.64
58	Pt	37	MIA	C2-N1-C6	2.94	122.44	117.19
22	23	2552	OMU	O4-C4-C5	-2.93	120.00	125.16
60	B	7	DHA	CB-CA-N	-2.92	118.89	125.81
1	16	967	5MC	C1'-N1-C2	2.92	124.94	118.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	23	2030	6MZ	C4-C5-N7	-2.90	106.38	109.40
58	Pt	37	MIA	C4-C5-N7	-2.89	106.38	109.40
1	16	967	5MC	C5-C4-N3	-2.81	118.64	121.67
22	23	2069	G7M	CN7-N7-C8	-2.78	112.03	125.43
58	Pt	46	G7M	CN7-N7-C8	-2.77	112.09	125.43
57	Dt	47	G7M	CN7-N7-C8	-2.77	112.12	125.43
22	23	746	PSU	O2-C2-N1	-2.76	119.75	122.79
1	16	1407	5MC	C5-C6-N1	-2.75	120.51	123.34
22	23	2605	PSU	O2-C2-N1	-2.74	119.77	122.79
1	16	527	G7M	CN7-N7-C8	-2.71	112.39	125.43
22	23	2580	PSU	C3'-C2'-C1'	2.70	104.78	101.64
1	16	1407	5MC	C5-C4-N3	-2.62	118.84	121.67
1	16	967	5MC	O4'-C1'-N1	2.61	114.34	108.36
1	16	516	PSU	C5-C6-N1	-2.60	118.21	122.11
22	23	2445	2MG	C5-C6-N1	2.60	118.55	113.95
58	Pt	37	MIA	N3-C2-N1	-2.59	122.22	126.98
1	16	967	5MC	C5-C6-N1	-2.59	120.67	123.34
22	23	1939	5MU	O2-C2-N1	-2.57	119.37	122.79
22	23	745	1MG	C5-C6-N1	2.56	117.75	113.90
22	23	2445	2MG	CM2-N2-C2	-2.55	118.23	123.86
1	16	966	2MG	CM2-N2-C2	-2.54	118.25	123.86
22	23	1962	5MC	C5-C4-N3	-2.52	118.95	121.67
22	23	1835	2MG	C5-C6-N1	2.52	118.39	113.95
1	16	1516	2MG	CM2-N2-C2	-2.50	118.34	123.86
58	Pt	16	H2U	C5-C4-N3	2.49	119.44	116.65
22	23	1618	6MZ	C4-C5-N7	-2.47	106.83	109.40
58	Pt	8	4SU	C1'-N1-C2	2.43	121.97	117.57
22	23	2503	2MA	C5-C6-N1	2.42	118.20	114.02
57	Dt	21	H2U	C5-C4-N3	2.42	119.37	116.65
1	16	1516	2MG	C8-N7-C5	2.39	107.54	102.99
22	23	2503	2MA	C8-N7-C5	2.37	107.50	102.99
22	23	2251	OMG	C5-C6-N1	2.34	118.08	113.95
1	16	966	2MG	C5-C6-N1	2.32	118.05	113.95
1	16	1407	5MC	O2-C2-N3	-2.32	118.56	122.33
60	B	8	SAR	O-C-CA	-2.32	118.72	125.42
22	23	1835	2MG	CM2-N2-C2	-2.31	118.77	123.86
1	16	1402	4OC	O2-C2-N3	-2.28	118.62	122.33
22	23	2445	2MG	C8-N7-C5	2.28	107.33	102.99
1	16	966	2MG	C8-N7-C5	2.25	107.27	102.99
1	16	1518	MA6	C3'-C2'-C1'	2.25	104.36	100.98
1	16	1516	2MG	C5-C6-N1	2.24	117.92	113.95
58	Pt	47	3AU	C10-N3-C2	2.24	121.03	117.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	23	1835	2MG	C8-N7-C5	2.24	107.25	102.99
22	23	2069	G7M	C2'-C3'-C4'	-2.22	98.33	102.64
1	16	1498	UR3	C3U-N3-C4	2.20	121.03	117.89
22	23	745	1MG	C8-N7-C5	2.19	107.17	102.99
58	Pt	47	3AU	C1'-N1-C2	2.19	120.68	116.99
22	23	747	5MU	O2-C2-N1	-2.19	119.88	122.79
22	23	2604	PSU	C5-C6-N1	-2.18	118.84	122.11
57	Dt	33	OMC	O2-C2-N3	-2.17	118.80	122.33
22	23	1618	6MZ	O3'-C3'-C2'	-2.17	104.81	111.82
22	23	2251	OMG	C8-N7-C5	2.16	107.11	102.99
57	Dt	21	H2U	C3'-C2'-C1'	2.16	105.52	101.43
22	23	2457	PSU	C5-C6-N1	-2.16	118.88	122.11
22	23	1917	PSU	C3'-C2'-C1'	2.13	104.12	101.64
22	23	2604	PSU	C3'-C2'-C1'	2.12	104.10	101.64
57	Dt	21	H2U	O2-C2-N1	-2.11	120.45	123.11
22	23	747	5MU	C3'-C2'-C1'	2.11	105.44	101.43
57	Dt	47	G7M	C3'-C2'-C1'	2.10	104.14	100.98
22	23	2504	PSU	C5-C6-N1	-2.09	118.98	122.11
12	SL	89	D2T	O-C-CA	-2.07	119.34	124.78
22	23	2449	H2U	N3-C2-N1	2.07	118.85	116.65
1	16	967	5MC	CM5-C5-C6	-2.06	120.10	122.85
57	Dt	8	4SU	C2'-C1'-N1	-2.05	107.42	113.22
58	Pt	39	PSU	C5-C6-N1	-2.04	119.05	122.11
60	B	4	0UO	C9-C10-C11	-2.03	125.45	127.97
22	23	2605	PSU	C6-C5-C4	-2.02	116.78	118.20
22	23	2457	PSU	O2-C2-N3	-2.02	118.00	121.82
22	23	2580	PSU	C5-C6-N1	-2.02	119.08	122.11
58	Pt	46	G7M	O4'-C1'-C2'	-2.00	104.00	106.93

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
36	LP	81	4D4	NH1-CZ-NE-CD
1	16	527	G7M	O4'-C4'-C5'-O5'
1	16	527	G7M	C3'-C4'-C5'-O5'
1	16	967	5MC	O4'-C1'-N1-C2
1	16	967	5MC	O4'-C1'-N1-C6
22	23	746	PSU	O4'-C1'-C5-C6
22	23	747	5MU	C3'-C4'-C5'-O5'
22	23	747	5MU	O4'-C4'-C5'-O5'
22	23	2251	OMG	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
22	23	2251	OMG	C1'-C2'-O2'-CM2
58	Pt	8	4SU	O4'-C4'-C5'-O5'
58	Pt	37	MIA	C5-C6-N6-C12
58	Pt	37	MIA	C12-C13-C14-C15
58	Pt	47	3AU	C3'-C4'-C5'-O5'
58	Pt	47	3AU	O4'-C4'-C5'-O5'
60	B	4	0UO	C18-C17-O3-C19
60	B	6	DBB	N-CA-CB-CG
60	B	8	SAR	C-CA-N-CN
60	B	4	0UO	C16-C17-O3-C19
22	23	2069	G7M	O4'-C4'-C5'-O5'
22	23	2069	G7M	C3'-C4'-C5'-O5'
22	23	2251	OMG	C3'-C4'-C5'-O5'
58	Pt	8	4SU	C3'-C4'-C5'-O5'
22	23	2498	OMC	C3'-C4'-C5'-O5'
22	23	2498	OMC	O4'-C4'-C5'-O5'
58	Pt	47	3AU	C4'-C5'-O5'-P
58	Pt	37	MIA	N1-C6-N6-C12
58	Pt	47	3AU	N40-C12-C13-O31
58	Pt	47	3AU	N40-C12-C13-O30
12	SL	89	D2T	CG-CB-SB-CB1
58	Pt	47	3AU	C10-C11-C12-N40
57	Dt	21	H2U	C4'-C5'-O5'-P
12	SL	89	D2T	SB-CB-CG-OD1
36	LP	81	4D4	NE-CD-CG-CB
58	Pt	8	4SU	C4'-C5'-O5'-P
57	Dt	33	OMC	C3'-C2'-O2'-CM2
1	16	1402	4OC	O4'-C4'-C5'-O5'
22	23	2030	6MZ	O4'-C4'-C5'-O5'
22	23	2503	2MA	O4'-C4'-C5'-O5'
1	16	966	2MG	C4'-C5'-O5'-P
22	23	2445	2MG	C3'-C4'-C5'-O5'
36	LP	81	4D4	O-C-CA-CB
22	23	2503	2MA	C4'-C5'-O5'-P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 422 ligands modelled in this entry, 406 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
61	PUT	23	3002	-	5,5,5	0.16	0	4,4,4	0.25	0
61	PUT	23	3004	-	5,5,5	0.17	0	4,4,4	0.25	0
61	PUT	23	3008	-	5,5,5	0.16	0	4,4,4	0.18	0
65	GDP	EF	801	-	24,30,30	0.95	1 (4%)	30,47,47	1.28	4 (13%)
63	SPD	23	3011	-	9,9,9	0.15	0	8,8,8	0.25	0
61	PUT	23	3003	-	5,5,5	0.16	0	4,4,4	0.22	0
61	PUT	23	3006	-	5,5,5	0.17	0	4,4,4	0.19	0
61	PUT	23	3007	-	5,5,5	0.16	0	4,4,4	0.20	0
61	PUT	23	3001	-	5,5,5	0.17	0	4,4,4	0.24	0
67	PHE	Pt	3002	58,66	4,9,12	0.80	0	2,10,15	2.49	1 (50%)
61	PUT	16	1601	-	5,5,5	0.16	0	4,4,4	0.20	0
61	PUT	23	3009	-	5,5,5	0.17	0	4,4,4	0.19	0
61	PUT	23	3005	-	5,5,5	0.16	0	4,4,4	0.21	0
66	FME	Pt	3001	67	8,9,10	0.51	0	7,9,11	1.78	3 (42%)
63	SPD	23	3010	-	9,9,9	0.15	0	8,8,8	0.18	0
61	PUT	16	1602	-	5,5,5	0.16	0	4,4,4	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	PUT	23	3002	-	-	1/3/3/3	-
61	PUT	23	3004	-	-	0/3/3/3	-
61	PUT	23	3008	-	-	0/3/3/3	-
65	GDP	EF	801	-	-	0/12/32/32	0/3/3/3
63	SPD	23	3011	-	-	0/7/7/7	-
61	PUT	23	3003	-	-	0/3/3/3	-
61	PUT	23	3006	-	-	0/3/3/3	-
61	PUT	23	3007	-	-	0/3/3/3	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	PUT	23	3001	-	-	0/3/3/3	-
67	PHE	Pt	3002	58,66	-	2/3/6/8	-
61	PUT	16	1601	-	-	0/3/3/3	-
61	PUT	23	3009	-	-	0/3/3/3	-
61	PUT	23	3005	-	-	1/3/3/3	-
66	FME	Pt	3001	67	-	5/7/9/11	-
63	SPD	23	3010	-	-	1/7/7/7	-
61	PUT	16	1602	-	-	0/3/3/3	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
65	EF	801	GDP	C6-N1	-2.65	1.33	1.37

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
67	Pt	3002	PHE	CG-CB-CA	-2.98	108.07	114.10
66	Pt	3001	FME	CA-N-CN	-2.82	118.48	122.82
65	EF	801	GDP	PA-O3A-PB	-2.81	123.19	132.83
65	EF	801	GDP	C3'-C2'-C1'	2.76	105.13	100.98
66	Pt	3001	FME	CE-SD-CG	2.64	109.48	100.40
65	EF	801	GDP	C8-N7-C5	2.31	107.38	102.99
65	EF	801	GDP	C5-C6-N1	2.27	117.96	113.95
66	Pt	3001	FME	O1-CN-N	-2.15	119.62	125.27

There are no chirality outliers.


All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
66	Pt	3001	FME	N-CA-CB-CG
67	Pt	3002	PHE	C-CA-CB-CG
63	23	3010	SPD	C3-C4-C5-N6
66	Pt	3001	FME	O1-CN-N-CA
61	23	3002	PUT	C1-C2-C3-C4
66	Pt	3001	FME	CA-CB-CG-SD
67	Pt	3002	PHE	N-CA-CB-CG
66	Pt	3001	FME	CB-CG-SD-CE
66	Pt	3001	FME	C-CA-CB-CG
61	23	3005	PUT	C1-C2-C3-C4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26486. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 190




Y Index: 190




Z Index: 190


6.2.2 Raw map



X Index: 190



Y Index: 190




Z Index: 190


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 195




Y Index: 157




Z Index: 153


6.3.2 Raw map



X Index: 195



Y Index: 158




Z Index: 153

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.007. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1165 nm³; this corresponds to an approximate mass of 1052 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.388 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.388 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.58	-	-
Author-provided FSC curve	2.57	2.96	2.61
Unmasked-calculated*	3.19	5.06	3.32

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.19 differs from the reported value 2.58 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26486 and PDB model 7UG7. Per-residue inclusion information can be found in section 3 on page 19.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.007 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.007).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































The table lists the average atom inclusion at the recommended contour level (0.007) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8948	 0.5360
16	 0.9480	 0.5160
23	 0.9749	 0.5870
5	 0.9817	 0.5590
B	 0.8814	 0.5290
Dt	 0.8584	 0.4840
EF	 0.7296	 0.4720
LA	 0.2656	 0.1840
LB	 0.9302	 0.6080
LC	 0.9174	 0.6030
LD	 0.8928	 0.5790
LE	 0.7429	 0.4420
LF	 0.8426	 0.5340
LI	 0.3580	 0.3090
LJ	 0.2034	 0.2680
LK	 0.4097	 0.2060
LM	 0.9236	 0.6070
LN	 0.9055	 0.6070
LO	 0.8925	 0.5760
LP	 0.9203	 0.6060
LQ	 0.9588	 0.6110
LR	 0.8724	 0.5370
LS	 0.8726	 0.5780
LT	 0.9559	 0.6110
LU	 0.8807	 0.5760
LV	 0.9174	 0.5980
LW	 0.8657	 0.5730
LX	 0.8914	 0.5620
LY	 0.8643	 0.5530
La	 0.8931	 0.6010
Lb	 0.9200	 0.5940
Lc	 0.8589	 0.5450
Ld	 0.8876	 0.5830
Le	 0.5973	 0.3510
Lf	 0.8902	 0.5880



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Lg	 0.8579	 0.5680
Lh	 0.9437	 0.6170
Li	 0.9490	 0.6180
Lj	 0.8942	 0.5900
Pt	 0.8269	 0.4850
SB	 0.6331	 0.4010
SC	 0.6781	 0.4370
SD	 0.7753	 0.4740
SE	 0.8280	 0.5140
SF	 0.7122	 0.4390
SG	 0.4259	 0.3060
SH	 0.8060	 0.5050
SI	 0.6534	 0.3970
SJ	 0.5987	 0.3660
SK	 0.7887	 0.4950
SL	 0.8245	 0.5600
SM	 0.5658	 0.3200
SN	 0.7400	 0.4080
SO	 0.8345	 0.5110
SP	 0.7959	 0.5000
SQ	 0.8054	 0.5320
SR	 0.7857	 0.4870
SS	 0.6917	 0.4060
ST	 0.8180	 0.5100
SU	 0.7156	 0.4650
mR	 0.7570	 0.4550