

#### Mar 14, 2024 – 06:15 PM EDT

PDB ID	:	8UHD	
EMDB ID	:	EMD-42270	
Title	:	Structure of paused transcription complex Pol II-DSIF-NELF - pos	st-
		translocated	
Authors	:	Su, B.G.; Vos, S.M.	
Deposited on	:	2023-10-08	
Resolution	:	2.80  Å(reported)	

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	0.0.1. dev 70
:	4.02b-467
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	1.9.13
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.36
	: : : : :

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{ m Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq=3, 2, 1$  and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq=5\%$  The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length			Quality o	of chain		
1	X	380	••		979	%		
2	Z	1087	13%	40%	·	57%		
3	W	590	12%		76%		13%	10%
4	V	580		32%	80%		14%	5%
5	А	1970			64%	8%	28%	
6	В	1174			88%			8% •
7	С	271			85%		8%	% 6%



Mol	Chain	Length		Qua	lity of ch	ain		
8	D	142		78%			9%	13%
9	Е	210		81%				18% •
10	F	127	55	%	6%		39%	
11	G	172	<b>–</b>	84%	6			15% •
12	Н	150			95%			
13	Ι	125		78%			12%	• 9%
14	J	67		88	8%			9% •
15	K	117			91%			7% •
16	L	58		59%		17%	24	4%
17	Ν	50	42%		14%		44%	
18	Р	22	23%	23%	14%	9%	32%	
19	Т	50	48%		24	1%	• 24	4%
20	U	528	<b>•</b> 32%	5%		62%		
21	Y	117		68%	95%			



## 2 Entry composition (i)

There are 23 unique types of molecules in this entry. The entry contains 94654 atoms, of which 47094 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Negative elongation factor E.

Mol	Chain	Residues		$\mathbf{A}^{\dagger}$	toms			AltConf	Trace
1	Х	12	Total 217	C 68	Н 114	N 19	O 16	0	0

• Molecule 2 is a protein called Transcription elongation factor SPT5.

Mol	Chain	Residues			Atom	s			AltConf	Trace
2	Ζ	471	Total 7618	C 2404	Н 3840	N 664	O 693	S 17	0	0

• Molecule 3 is a protein called Negative elongation factor C/D.

Mol	Chain	Residues			Atom	.s			AltConf	Trace
3	W	530	Total 8431	C 2699	Н 4214	N 704	O 790	S 24	0	0

• Molecule 4 is a protein called Negative elongation factor B.

Mol	Chain	Residues			Atom	S			AltConf	Trace
4	V	550	Total	С	Η	Ν	0	$\mathbf{S}$	0	0
	v	000	8908	2825	4498	751	810	24		0

• Molecule 5 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues			Atom	ıs			AltConf	Trace
5	А	1416	Total 22554	C 7055	Н 11338	N 2006	O 2084	S 71	0	0

• Molecule 6 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues			Aton	ns			AltConf	Trace
6	В	1136	Total 18187	C 5739	Н 9111	N 1597	O 1676	S 64	0	0



• Molecule 7 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues			Atoms	5			AltConf	Trace
7	С	254	Total 4020	C 1282	H 1001	N 348	0 402	S 6	0	0
			4029	1202	1991	040	402	0		

• Molecule 8 is a protein called RNA polymerase Rpb4/RPC9 core domain-containing protein.

Mol	Chain	Residues			Atom	S			AltConf	Trace
8	D	124	Total 2016	C 632	Н 1004	N 173	O 203	$\begin{array}{c} \mathrm{S} \\ 4 \end{array}$	0	0

• Molecule 9 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues			Atoms	5			AltConf	Trace
9	Е	207	Total 3438	C 1083	Н 1729	N 298	O 320	S 8	0	0

• Molecule 10 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

Mol	Chain	Residues			Aton	ns			AltConf	Trace
10	F	77	Total 1271	C 397	Н 653	N 105	0 111	${S \atop 5}$	0	0

• Molecule 11 is a protein called DNA-directed RNA polymerase II subunit RPB7.

Mol	Chain	Residues			Atom	IS			AltConf	Trace
11	G	171	Total 2709	C 875	Н 1358	N 219	0 249	S 8	0	0

• Molecule 12 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues			Atom	S			AltConf	Trace
12	Н	148	Total 2333	C 750	H 1147	N 194	0 237	${S \atop 5}$	0	0

• Molecule 13 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues			Ator	ns			AltConf	Trace
13	Ι	114	Total 1790	C 571	Н 862	N 166	0 180	S 11	0	0

• Molecule 14 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.



Mol	Chain	Residues		ŀ	Atom	S			AltConf	Trace
14	J	65	Total 1052	C 334	Н 537	N 87	O 88	S 6	0	0

• Molecule 15 is a protein called RNA polymerase II subunit J.

Mol	Chain	Residues			Aton	ıs			AltConf	Trace
15	K	115	Total 1862	C 593	Н 942	N 152	0 173	${ m S} { m 2}$	0	0

• Molecule 16 is a protein called RNA polymerase II subunit K.

Mol	Chain	Residues		ŀ	Atom	S			AltConf	Trace
16	L	44	Total 751	C 231	Н 378	N 72	O 64	S 6	0	0

• Molecule 17 is a DNA chain called Non-template DNA.

Mol	Chain	Residues			Ator	ns			AltConf	Trace
17	Ν	28	Total 886	C 272	Н 316	N 100	0 170	Р 28	0	0

• Molecule 18 is a RNA chain called RNA.

Mol	Chain	Residues			Aton	ıs			AltConf	Trace
18	Р	15	Total 474	C 141	Н 158	N 50	0 110	Р 15	0	0

• Molecule 19 is a DNA chain called Template DNA.

Mol	Chain	Residues			Ator	ns			AltConf	Trace
19	Т	38	Total 1208	C 371	Н 426	N 148	0 225	Р 38	0	0

• Molecule 20 is a protein called Negative elongation factor A.

Mol	Chain	Residues				AltConf	Trace			
20	U	199	Total 3092	C 965	H 1571	N 256	O 292	S 8	0	0

• Molecule 21 is a protein called Transcription elongation factor SPT4.



Mol	Chain	Residues			AltConf	Trace				
21	Y	116	Total 1818	C 570	Н 907	N 159	0 173	S 9	0	0

• Molecule 22 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
22	А	2	Total Zn 2 2	0
22	В	1	Total Zn 1 1	0
22	С	1	Total Zn 1 1	0
22	Ι	2	Total Zn 2 2	0
22	J	1	Total Zn 1 1	0
22	L	1	Total Zn 1 1	0
22	Y	1	Total Zn 1 1	0

• Molecule 23 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
23	А	1	Total Mg 1 1	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Negative elongation factor E







• Molecule 5: DNA-directed RNA polymerase subunit







#### GLU ASN

• Molecule 6: DNA-directed RNA polymerase subunit beta



Chain C:



# 



 $\bullet$  Molecule 8: RNA polymerase Rpb4/RPC9 core domain-containing protein

Chain D:	78%								9%	13%						
MET ALA ALA ALA GLY SER SER ASP PRO ARG ALA GLU GLU GLU	D16 A17	E25	T31	N34	R44	T64	T68	R84	F95	E125	<mark>զ129</mark>	D132	T136	S139 PHE GLN	TYR	

 $\bullet$  Molecule 9: DNA-directed RNA polymerase II subunit E



#### V156 R162 R166 E167 N168 Q210

• Molecule 10: DNA-directed RNA polymerases I, II, and III subunit RPABC2

Chain F:	55%	6%	39%		
MET SER SER ASN ASN ASP ASP ASP ASP ASP ASP ASP ASP	ASP VAL CUU CUU CUU CUU CUU CUU CUU CUU CUU CU	GLU GLU GLU GLU GLU GLU GLU CLU CLU CLU TLE TLEU FRO SSER	GLY GLU GLU PRO GLN ALA ALA ALA GLN GLN	V79 L83	T87 L90 R100



• Molecule 11: DNA-directed RNA polymerase II subunit RPB7



• Molecule 12: DNA-directed RNA polymerases I, II, and III subunit RPABC3



• Molecule 13: DNA-directed RNA polymerase II subunit RPB9



Chain I:	7	8%		12% • 9%	
MET GLU FRO ASP GLV THR TYR FLY GLV GLY	V12 R15 F16 C17 C17 C17 C17 V16 V16 N56	L65 P79 P85 C386 Q87 H91	A102 A116 R122 B122 B125		
• Molecule 14:	DNA-directed RN	A polymerases	I, II, and II	I subunit RPAE	3C5
Chain J:		88%		9% •	
M1 T9 R42 C44 C45 C45 C45 R46 R46 R47	Les CLU LYS				
• Molecule 15:	RNA polymerase l	I subunit J			
Chain K:		91%		7% •	
M1 V63 I71 T77 D80 Y81	R104 F105 I109 G115 GLU				
• Molecule 16:	RNA polymerase l	I subunit K			
Chain L:	59%		17%	24%	
MET ASP THR GLN LYS LYS ASP VAL GLN PRO PRO	GLN GLN ALN ALS ALN ALS ALS ALS ALS CS CS CS CS	L52 V53 V54 R58			
• Molecule 17:	Non-template DN	A			
Chain N:	42%	14%	44	4%	
00 01 01 01 01 01 01 01 01 01 01 01 01 0	61 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A34 A34 A39 A39 A39 A39 DC DC	DA DG DG DG		
• Molecule 18:	RNA				
Chain P:	23% 23%	14%	9%	32%	
U U U U U U C C C C C C C C C C C C C C	6 13 6 13 6 14 6 14 6 14 6 14 6 14 6 14 6 14 6 14				
• Molecule 19:	Template DNA				
Chain T:	48%		24% •	24%	
DC DC DC DC DC DC DC DC DC DC DC DC	112 113 119 120 120 120 120 120 120 120 120	C36 C37 C37 C37 C37 C37 C37 C37 C37 C37 C37	DC		

• Molecule 20: Negative elongation factor A







## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50535	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	51	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.780	Depositor
Minimum map value	-0.819	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.086	Depositor
Recommended contour level	0.35	Depositor
Map size (Å)	420.864, 420.864, 420.864	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.822, 0.822, 0.822	Depositor



## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	B	ond angles
	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	Х	0.82	0/103	1.41	1/132~(0.8%)
2	Ζ	0.29	0/3841	0.60	0/5167
3	W	0.33	0/4302	0.60	1/5835~(0.0%)
4	V	0.35	1/4495~(0.0%)	0.63	0/6074
5	А	0.32	0/11420	0.65	0/15418
6	В	0.32	0/9257	0.65	0/12493
7	С	0.31	0/2081	0.63	0/2828
8	D	0.33	0/1025	0.62	0/1376
9	Е	0.33	0/1739	0.65	0/2347
10	F	0.30	0/628	0.62	0/848
11	G	0.32	0/1382	0.61	0/1874
12	Н	0.30	0/1207	0.64	0/1628
13	Ι	0.31	0/949	0.66	0/1284
14	J	0.30	0/524	0.66	0/707
15	K	0.31	0/939	0.59	0/1271
16	L	0.33	0/378	0.77	0/500
17	Ν	1.03	2/636~(0.3%)	1.22	2/976~(0.2%)
18	Р	0.70	0/351	1.58	12/544~(2.2%)
19	Т	1.11	5/878~(0.6%)	1.27	10/1353~(0.7%)
20	U	0.32	0/1544	0.59	0/2094
21	Y	0.28	0/927	0.62	0/1250
All	All	0.37	8/48606~(0.0%)	0.68	$26/\overline{65999}~(0.0\%)$

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	А	0	2
6	В	0	2



Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
13	Ι	0	1
20	U	0	1
All	All	0	6

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
19	Т	36	DC	C3'-O3'	7.80	1.54	1.44
19	Т	36	DC	C1'-N1	7.00	1.58	1.49
19	Т	43	DT	C1'-N1	6.21	1.57	1.49
19	Т	13	DC	C1'-N1	5.46	1.56	1.49
17	N	38	DC	C1'-N1	5.41	1.56	1.49
4	V	265	CYS	CB-SG	5.21	1.91	1.82
17	Ν	11	DC	C1'-N1	5.21	1.56	1.49
19	Т	25	DG	C3'-O3'	-5.16	1.37	1.44

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
19	Т	36	DC	O4'-C1'-N1	10.16	115.11	108.00
18	Р	11	U	O5'-P-OP1	-9.48	97.16	105.70
18	Р	10	А	O4'-C1'-N9	8.14	114.71	108.20
19	Т	36	DC	P-O3'-C3'	7.86	129.13	119.70
1	Х	21	LYS	CA-CB-CG	7.64	130.21	113.40
19	Т	12	DT	O4'-C1'-N1	7.58	113.30	108.00
18	Р	4	U	C6-N1-C2	-7.24	116.66	121.00
17	Ν	34	DA	O4'-C1'-N9	7.18	113.02	108.00
18	Р	9	С	C6-N1-C2	-7.01	117.50	120.30
19	Т	36	DC	C1'-O4'-C4'	-6.72	103.38	110.10
19	Т	33	DA	O5'-P-OP2	-6.61	99.75	105.70
18	Р	5	U	C5-C6-N1	-6.34	119.53	122.70
3	W	245	MET	CG-SD-CE	6.23	110.17	100.20
18	Р	11	U	C6-N1-C2	-6.02	117.39	121.00
18	Р	4	U	C5-C6-N1	6.01	125.71	122.70
18	Р	11	U	C5-C6-N1	5.81	125.60	122.70
19	Т	36	DC	OP1-P-O3'	5.79	117.93	105.20
18	Р	5	U	C4-C5-C6	5.65	123.09	119.70
19	Т	12	DT	O4'-C1'-C2'	-5.50	101.50	105.90
18	Р	9	С	N3-C4-N4	5.47	121.83	118.00
19	Т	36	DC	O4'-C1'-C2'	-5.41	101.58	105.90
18	Р	4	U	N3-C2-O2	-5.27	118.51	122.20
19	Т	36	DC	C2-N1-C1'	5.23	124.56	118.80



	Jerre						
Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
17	N	31	DG	C1'-O4'-C4'	-5.17	104.93	110.10
18	Р	9	С	C5-C6-N1	5.12	123.56	121.00
19	Т	11	DA	O4'-C4'-C3'	-5.10	102.46	104.50

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	А	1129	ASN	Peptide
5	А	538	VAL	Peptide
6	В	1138	ARG	Sidechain
6	В	859	ARG	Sidechain
13	Ι	122	ARG	Sidechain
20	U	182	SER	Mainchain

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Х	103	114	120	1	0
2	Ζ	3778	3840	3840	25	0
3	W	4217	4214	4221	57	0
4	V	4410	4498	4499	52	0
5	А	11216	11338	11342	95	0
6	В	9076	9111	9116	64	0
7	С	2038	1991	1989	15	0
8	D	1012	1004	1004	9	0
9	Е	1709	1729	1729	18	0
10	F	618	653	653	5	0
11	G	1351	1358	1358	16	0
12	Н	1186	1147	1147	4	0
13	Ι	928	862	859	11	0
14	J	515	537	534	5	0
15	K	920	942	942	6	0
16	L	373	378	378	6	0
17	Ν	570	316	318	3	0
18	Р	316	158	158	4	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	Т	782	426	427	9	0
20	U	1521	1571	1571	21	0
21	Y	911	907	907	3	0
22	А	2	0	0	0	0
22	В	1	0	0	0	0
22	С	1	0	0	0	0
22	Ι	2	0	0	0	0
22	J	1	0	0	0	0
22	L	1	0	0	0	0
22	Y	1	0	0	0	0
23	А	1	0	0	0	0
All	All	47560	47094	47112	369	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (369) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
5:A:350:VAL:HG11	5:A:1435:THR:HG21	1.55	0.88
3:W:439:ARG:NH2	3:W:483:GLN:HG3	1.96	0.80
3:W:94:VAL:HG21	4:V:65:VAL:HG23	1.67	0.77
8:D:44:ARG:NH2	11:G:35:GLU:OE2	2.22	0.72
13:I:65:LEU:O	13:I:122:ARG:NH1	2.22	0.71
10:F:100:ARG:NH2	10:F:123:LEU:O	2.23	0.71
5:A:111:CYS:SG	5:A:188:GLN:NE2	2.64	0.71
2:Z:199:LYS:NZ	2:Z:240:GLU:O	2.25	0.70
6:B:483:ARG:NH2	6:B:527:ALA:O	2.25	0.69
6:B:274:ARG:NH2	6:B:281:ASP:OD1	2.26	0.69
5:A:513:ALA:HB2	10:F:90:LEU:HD21	1.74	0.68
6:B:357:CYS:SG	6:B:361:LYS:NZ	2.67	0.68
5:A:22:GLN:NE2	5:A:1446:GLY:O	2.27	0.67
8:D:25:GLU:OE1	11:G:41:LYS:NZ	2.27	0.67
11:G:1:MET:N	11:G:78:ARG:O	2.28	0.67
4:V:61:PHE:O	4:V:65:VAL:HG22	1.94	0.67
4:V:25:GLU:OE2	4:V:28:LYS:N	2.28	0.66
7:C:78:ILE:HG21	7:C:127:VAL:HG22	1.78	0.66
3:W:439:ARG:CZ	3:W:483:GLN:HG3	2.26	0.65
6:B:859:ARG:NH1	16:L:54:VAL:O	2.31	0.64
6:B:869:LYS:NZ	6:B:892:CYS:SG	2.69	0.64
3:W:498:ASP:OD1	3:W:532:TYR:OH	2.11	0.64



Atom-1	Atom-2	Interatomic	Clash
	1100111 2	distance (Å)	overlap (Å)
3:W:198:LEU:O	3:W:201:PHE:N	2.30	0.64
8:D:34:ASN:O	8:D:68:THR:OG1	2.16	0.64
4:V:508:LEU:HB3	4:V:544:LEU:HD21	1.79	0.63
5:A:1199:MET:SD	5:A:1199:MET:N	2.71	0.63
3:W:82:LEU:O	3:W:86:ASN:ND2	2.32	0.63
5:A:112:PHE:O	5:A:220:ARG:NH2	2.31	0.63
5:A:803:LYS:N	6:B:671:GLU:OE1	2.32	0.62
3:W:236:HIS:HB3	20:U:54:LEU:HD22	1.80	0.62
6:B:91:ILE:HG23	6:B:124:LEU:HD11	1.80	0.62
11:G:21:ASN:O	11:G:25:THR:OG1	2.15	0.62
2:Z:427:GLU:OE2	2:Z:469:ARG:NH2	2.32	0.62
6:B:768:ARG:NH1	6:B:771:GLU:OE2	2.33	0.62
2:Z:733:ARG:NH1	5:A:411:SER:O	2.32	0.62
3:W:133:ASP:O	3:W:137:THR:HG23	2.00	0.62
4:V:406:THR:O	4:V:443:ARG:NE	2.29	0.62
6:B:1032:PHE:O	7:C:32:ASN:ND2	2.33	0.62
9:E:94:MET:O	9:E:98:ASN:N	2.33	0.61
5:A:74:CYS:SG	5:A:84:HIS:CE1	2.93	0.61
13:I:85:PRO:O	13:I:87:GLN:NE2	2.33	0.61
9:E:12:LYS:NZ	9:E:136:LEU:O	2.26	0.61
13:I:86:CYS:SG	13:I:87:GLN:N	2.73	0.61
2:Z:721:ILE:HG22	2:Z:737:HIS:ND1	2.15	0.61
5:A:346:LYS:NZ	19:T:28:DC:OP2	2.17	0.61
3:W:245:MET:HG3	3:W:258:VAL:HG12	1.83	0.60
11:G:78:ARG:NH1	11:G:79:PRO:O	2.35	0.60
5:A:467:MET:HG2	5:A:534:VAL:HG21	1.84	0.60
9:E:3:ASP:OD1	9:E:49:SER:N	2.35	0.60
3:W:439:ARG:CZ	3:W:483:GLN:CG	2.79	0.60
3:W:504:LEU:HG	3:W:509:VAL:HG12	1.83	0.59
20:U:54:LEU:HD21	20:U:89:TRP:HB3	1.83	0.59
5:A:854:THR:O	5:A:857:THR:OG1	2.19	0.59
7:C:183:ALA:HB3	7:C:232:ASN:HB3	1.85	0.59
3:W:457:GLU:OE1	20:U:175:ARG:NE	2.35	0.59
5:A:1314:THR:OG1	5:A:1316:ASN:OD1	2.18	0.59
9:E:67:ASP:OD2	9:E:70:ASP:N	2.35	0.59
2:Z:718:LYS:NZ	7:C:88:CYS:O	2.36	0.59
5:A:535:MET:O	5:A:669:TYR:OH	2.20	0.59
3:W:285:THR:O	3:W:288:SER:OG	2.20	0.58
5:A:549:THR:O	5:A:589:LYS:NZ	2.33	0.58
10:F:100:ARG:NH2	10:F:121:ASP:O	2.37	0.58
4:V:384:ASP:HA	4:V:387:PHE:CE2	2.38	0.58



	t i c	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
16:L:15:MET:N	16:L:27:GLU:OE2	2.37	0.58
7:C:180:ALA:O	14:J:42:ARG:NH2	2.38	0.57
6:B:1035:ARG:NH1	6:B:1036:LYS:O	2.37	0.57
5:A:1173:THR:OG1	13:I:56:ASN:OD1	2.23	0.57
5:A:706:ILE:HD11	5:A:787:VAL:HG21	1.85	0.57
6:B:899:SER:OG	6:B:900:GLU:OE1	2.19	0.57
15:K:77:THR:OG1	15:K:81:TYR:O	2.14	0.57
5:A:457:ILE:HD11	5:A:515:ILE:HD12	1.86	0.57
11:G:152:VAL:HG22	11:G:157:ILE:HG12	1.87	0.57
4:V:318:THR:HG23	4:V:338:LEU:HD11	1.87	0.57
21:Y:94:PRO:HD2	21:Y:97:ILE:HD12	1.87	0.57
5:A:1245:CYS:HB2	5:A:1257:LEU:HD11	1.88	0.56
6:B:133:ILE:HG23	6:B:138:GLU:O	2.06	0.56
7:C:10:ARG:NH2	7:C:24:GLU:OE2	2.39	0.56
3:W:439:ARG:NE	3:W:483:GLN:CG	2.47	0.56
4:V:176:LEU:O	4:V:463:HIS:ND1	2.38	0.56
6:B:927:ARG:NH2	6:B:1057:ASP:OD1	2.39	0.56
4:V:236:THR:OG1	4:V:307:ASP:OD1	2.08	0.55
4:V:268:ALA:O	4:V:271:ARG:NH1	2.40	0.55
8:D:44:ARG:NH1	11:G:48:VAL:O	2.39	0.55
13:I:15:ARG:HB3	13:I:24:LEU:HD12	1.86	0.55
3:W:528:SER:OG	5:A:1150:ASP:OD1	2.10	0.55
5:A:1248:ASN:ND2	5:A:1254:LYS:O	2.39	0.55
5:A:344:LYS:NZ	19:T:24:DG:OP2	2.33	0.55
5:A:193:ARG:NH2	5:A:195:GLY:O	2.40	0.55
3:W:54:ARG:O	4:V:59:LEU:HD22	2.07	0.55
4:V:433:THR:HG23	4:V:472:LEU:HD11	1.89	0.55
5:A:559:GLU:N	5:A:559:GLU:OE1	2.40	0.55
2:Z:725:LYS:NZ	6:B:863:ASP:OD2	2.39	0.54
9:E:47:LYS:O	9:E:52:ARG:N	2.40	0.54
6:B:1078:ARG:NH2	18:P:7:G:O5'	2.39	0.54
3:W:142:THR:HG21	3:W:146:LEU:HD23	1.89	0.54
3:W:200:VAL:O	3:W:204:VAL:HG23	2.07	0.54
4:V:35:THR:OG1	4:V:36:GLU:OE1	2.18	0.54
4:V:487:ASP:OD2	4:V:519:LYS:NZ	2.40	0.54
5:A:495:ASP:OD1	5:A:499:ASP:OD2	2.25	0.54
6:B:344:GLN:NE2	6:B:354:SER:O	2.40	0.54
11:G:30:LEU:O	11:G:34:VAL:HG22	2.08	0.54
20:U:58:LEU:CD1	20:U:93:VAL:HG21	2.37	0.54
4:V:462:LEU:HD11	4:V:500:VAL:HG22	1.89	0.54
4:V:429:VAL:HG21	4:V:448:LEU:HD11	1.90	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:V:432:ILE:O	4:V:436:ARG:N	2.39	0.54
4:V:539:GLU:OE2	4:V:543:GLN:NE2	2.40	0.54
2:Z:705:LEU:HG	2:Z:724:VAL:HG21	1.89	0.54
20:U:14:HIS:O	20:U:18:GLY:N	2.41	0.53
3:W:267:ARG:NH2	20:U:139:LEU:HD11	2.24	0.53
5:A:760:LEU:HD11	5:A:781:ILE:HG21	1.90	0.53
9:E:115:LYS:O	9:E:119:VAL:HG23	2.09	0.53
5:A:525:ILE:O	5:A:534:VAL:HG22	2.07	0.53
3:W:531:ARG:NH2	3:W:562:ILE:HD13	2.23	0.53
2:Z:554:GLU:OE1	2:Z:557:THR:OG1	2.27	0.53
4:V:227:LEU:HD23	4:V:228:ARG:NH1	2.23	0.53
5:A:1430:CYS:O	5:A:1435:THR:HG22	2.08	0.53
6:B:900:GLU:OE1	6:B:900:GLU:N	2.41	0.53
3:W:444:GLN:NE2	5:A:724:GLU:O	2.42	0.53
12:H:115:TYR:OH	12:H:124:ARG:NH2	2.42	0.53
5:A:589:LYS:NZ	5:A:638:GLY:O	2.41	0.52
17:N:39:DA:N6	19:T:13:DC:N3	2.57	0.52
4:V:179:THR:HG23	4:V:506:ARG:HB2	1.91	0.52
4:V:186:ASN:OD1	4:V:189:SER:OG	2.18	0.52
6:B:223:SER:OG	6:B:350:HIS:ND1	2.25	0.52
6:B:824:ASP:OD1	6:B:825:GLN:N	2.42	0.52
13:I:18:GLN:OE1	13:I:44:TYR:OH	2.13	0.52
15:K:80:ASP:OD1	15:K:80:ASP:N	2.42	0.52
5:A:340:LYS:HG3	5:A:1436:VAL:HG11	1.92	0.52
4:V:369:LEU:HD12	4:V:373:PHE:HB3	1.91	0.52
5:A:1100:THR:OG1	5:A:1101:GLN:OE1	2.27	0.52
9:E:14:ARG:NH1	9:E:43:GLN:OE1	2.43	0.52
10:F:79:VAL:HG11	10:F:83:LEU:HD23	1.92	0.52
11:G:27:LYS:HG2	11:G:51:ILE:HD13	1.92	0.51
20:U:85:ASP:O	20:U:91:LEU:HD21	2.11	0.51
3:W:101:LEU:O	3:W:104:THR:OG1	2.27	0.51
5:A:864:LEU:O	5:A:867:SER:OG	2.24	0.51
6:B:310:VAL:HG23	6:B:311:ILE:HD12	1.92	0.51
6:B:1085:ARG:N	19:T:29:DA:OP1	2.41	0.51
20:U:45:PHE:O	20:U:53:LYS:NZ	2.40	0.51
13:I:60:HIS:O	13:I:60:HIS:ND1	2.43	0.51
3:W:244:MET:SD	3:W:244:MET:N	2.84	0.51
4:V:266:LEU:HD22	4:V:304:ILE:HG22	1.92	0.51
4:V:415:LEU:HD23	4:V:422:CYS:HA	1.93	0.51
3:W:245:MET:SD	3:W:262:ALA:N	2.84	0.51
13:I:91:HIS:CG	13:I:116:ALA:HB2	2.46	0.51



	A targe D	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:Z:741:GLN:NE2	2:Z:742:THR:O	2.44	0.50
5:A:338:SER:OG	5:A:341:GLN:NE2	2.44	0.50
4:V:225:LEU:O	4:V:229:THR:OG1	2.18	0.50
4:V:384:ASP:HA	4:V:387:PHE:CD2	2.46	0.50
2:Z:260:MET:O	2:Z:263:VAL:HG22	2.12	0.50
2:Z:424:ASP:HB2	2:Z:440:ILE:HD12	1.93	0.50
5:A:58:MET:HG2	5:A:258:LEU:HD11	1.93	0.50
6:B:741:HIS:O	6:B:922:ARG:NH2	2.44	0.50
20:U:141:CYS:HB3	20:U:149:LEU:HD11	1.93	0.50
6:B:705:GLY:O	6:B:709:SER:OG	2.15	0.50
3:W:245:MET:HG2	3:W:262:ALA:HB2	1.94	0.50
6:B:803:ARG:NH1	14:J:9:THR:O	2.45	0.50
16:L:28:ILE:HG21	16:L:34:ILE:HG22	1.92	0.50
5:A:1249:ASP:OD2	5:A:1251:ASN:ND2	2.45	0.50
6:B:771:GLU:O	14:J:55:LEU:HD21	2.12	0.50
2:Z:753:VAL:HG11	16:L:52:LEU:HD21	1.93	0.50
5:A:397:PHE:HB3	10:F:87:THR:HG23	1.94	0.49
2:Z:513:VAL:HG21	2:Z:518:LEU:HD21	1.94	0.49
5:A:1347:LEU:HB3	9:E:137:ILE:HD13	1.94	0.49
3:W:475:LYS:O	3:W:479:THR:HG23	2.12	0.49
5:A:350:VAL:HG11	5:A:1435:THR:CG2	2.34	0.49
5:A:811:ILE:HD12	13:I:79:PRO:HB3	1.94	0.49
5:A:1437:ASP:N	5:A:1437:ASP:OD1	2.44	0.49
11:G:28:GLN:O	11:G:32:THR:HG23	2.12	0.49
4:V:469:LEU:HD23	4:V:472:LEU:HD12	1.93	0.49
3:W:120:LYS:HG3	3:W:158:LEU:HD13	1.94	0.49
2:Z:554:GLU:OE2	2:Z:559:GLN:NE2	2.46	0.48
7:C:9:VAL:HG11	15:K:105:PHE:CD1	2.48	0.48
3:W:91:ALA:HB2	4:V:62:HIS:CE1	2.49	0.48
3:W:57:ILE:HD11	4:V:30:ILE:HD11	1.94	0.48
3:W:538:LEU:HD23	3:W:541:ILE:HD11	1.95	0.48
12:H:40:ILE:HD12	12:H:124:ARG:HD2	1.95	0.48
4:V:81:ALA:O	4:V:89:ARG:NH1	2.46	0.48
5:A:1192:TRP:HZ3	5:A:1246:ILE:HG22	1.77	0.48
2:Z:219:GLU:OE2	21:Y:50:TYR:OH	2.32	0.48
6:B:669:GLU:O	6:B:673:VAL:HG23	2.14	0.48
13:I:17:CYS:HA	13:I:24:LEU:HD21	1.96	0.48
3:W:329:ARG:NE	3:W:363:ALA:O	2.43	0.48
3:W:90:VAL:O	3:W:94:VAL:HG23	2.13	0.48
6:B:213:SER:OG	6:B:214:LYS:N	2.47	0.48
4:V:483:SER:O	4:V:488:GLY:N	2.46	0.48



	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
6:B:899:SER:OG	6:B:1080:ARG:NH1	2.46	0.48
9:E:166:ARG:NH1	9:E:168:ASN:OD1	2.47	0.48
4:V:186:ASN:N	4:V:189:SER:OG	2.47	0.47
5:A:116:LYS:NZ	5:A:120:ASP:OD1	2.47	0.47
2:Z:493:VAL:HG11	11:G:111:HIS:HB3	1.96	0.47
3:W:122:LEU:HD23	3:W:125:LYS:HZ2	1.78	0.47
3:W:92:GLN:OE1	3:W:92:GLN:N	2.45	0.47
3:W:245:MET:SD	3:W:262:ALA:HB2	2.55	0.47
3:W:460:THR:O	3:W:506:ARG:NH2	2.48	0.47
5:A:272:ASN:OD1	18:P:8:G:N2	2.48	0.47
5:A:590:GLN:O	5:A:593:SER:OG	2.28	0.47
20:U:17:LEU:O	20:U:55:LYS:NZ	2.46	0.47
20:U:58:LEU:HD11	20:U:93:VAL:HG21	1.96	0.47
5:A:196:LEU:HD13	5:A:325:LEU:HD11	1.97	0.47
6:B:18:THR:OG1	6:B:20:ASP:OD1	2.16	0.47
6:B:746:THR:HG21	19:T:33:DA:OP2	2.14	0.47
4:V:227:LEU:HD23	4:V:228:ARG:HH11	1.78	0.47
5:A:853:LYS:O	5:A:857:THR:N	2.47	0.47
5:A:545:VAL:HB	5:A:676:ILE:HD13	1.97	0.47
4:V:63:GLN:NE2	4:V:67:ASP:OD2	2.47	0.47
6:B:1122:CYS:O	6:B:1122:CYS:SG	2.72	0.47
11:G:22:LEU:O	11:G:26:VAL:HG23	2.15	0.47
15:K:105:PHE:CE2	15:K:109:ILE:HD11	2.49	0.47
2:Z:450:ILE:HG21	2:Z:468:LEU:HD11	1.96	0.46
5:A:290:LEU:HD11	5:A:303:ILE:HG23	1.97	0.46
5:A:1138:SER:N	5:A:1360:ASN:OD1	2.48	0.46
5:A:1201:ASP:OD1	5:A:1201:ASP:N	2.48	0.46
5:A:1419:VAL:HG11	5:A:1432:PHE:CE1	2.50	0.46
3:W:261:ILE:O	3:W:265:VAL:HG23	2.14	0.46
20:U:19:ALA:O	20:U:55:LYS:NZ	2.42	0.46
21:Y:75:GLN:O	21:Y:111:ARG:NH1	2.49	0.46
3:W:439:ARG:HH21	3:W:483:GLN:HG3	1.73	0.46
6:B:601:VAL:HG22	6:B:616:THR:HG23	1.97	0.46
6:B:975:ARG:HB3	6:B:977:THR:HG23	1.96	0.46
6:B:794:VAL:HG22	6:B:967:ILE:HG22	1.98	0.46
3:W:367:VAL:HG22	20:U:148:ALA:HB2	1.98	0.46
18:P:10:A:O2'	18:P:11:U:OP1	2.12	0.46
15:K:63:VAL:HG12	15:K:71:ILE:HG22	1.97	0.46
5:A:65:ILE:HD11	5:A:258:LEU:HG	1.96	0.46
5:A:1095:LEU:HD13	5:A:1401:LEU:HD22	1.97	0.46
5:A:1141:VAL:HA	5:A:1357:THR:HG23	1.97	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
5:A:1435:THR:O	5:A:1439:LEU:HD23	2.16	0.46
2:Z:474:MET:SD	2:Z:474:MET:N	2.89	0.46
5:A:1163:HIS:NE2	5:A:1297:THR:OG1	2.41	0.46
6:B:794:VAL:HG13	6:B:965:ILE:HG23	1.97	0.46
11:G:18:PHE:HA	11:G:22:LEU:HD12	1.98	0.46
6:B:210:LYS:HD2	6:B:218:THR:HG21	1.96	0.46
5:A:107:LEU:HD11	5:A:221:VAL:HG13	1.98	0.45
5:A:274:ASP:OD2	5:A:342:ARG:NH2	2.49	0.45
5:A:479:TRP:CD1	6:B:931:ILE:HD12	2.51	0.45
7:C:105:VAL:HG11	7:C:115:VAL:HG22	1.97	0.45
5:A:1151:ALA:HB2	5:A:1334:TRP:CZ2	2.50	0.45
6:B:378:GLY:HA3	13:I:102:ALA:HB3	1.97	0.45
3:W:558:GLU:N	3:W:558:GLU:OE1	2.49	0.45
7:C:129:PRO:O	7:C:132:SER:OG	2.29	0.45
5:A:1196:TYR:CD2	5:A:1246:ILE:HG23	2.52	0.45
6:B:777:ASN:O	14:J:47:ARG:NH1	2.50	0.45
3:W:419:ARG:NH1	3:W:461:CYS:SG	2.90	0.45
4:V:245:LEU:HD13	4:V:253:ILE:HG21	1.98	0.45
7:C:7:PRO:O	15:K:104:ARG:NH1	2.50	0.45
3:W:235:GLU:HB3	20:U:58:LEU:HD23	1.99	0.45
6:B:998:ASP:OD1	6:B:1000:THR:HG23	2.16	0.44
20:U:96:ILE:HG12	20:U:110:LEU:HD11	1.99	0.44
5:A:395:THR:HG22	5:A:397:PHE:H	1.82	0.44
6:B:40:VAL:HG11	6:B:482:LEU:HD13	1.99	0.44
4:V:269:CYS:SG	4:V:279:ARG:NE	2.87	0.44
6:B:924:ARG:NE	7:C:62:GLU:OE1	2.50	0.44
7:C:37:VAL:HG13	7:C:41:GLU:HB2	1.99	0.44
3:W:231:VAL:HG13	3:W:241:ALA:HB3	2.00	0.44
14:J:44:CYS:SG	14:J:45:CYS:N	2.91	0.44
20:U:83:SER:OG	20:U:94:ALA:HB1	2.18	0.44
2:Z:561:LEU:HD21	2:Z:636:PHE:HA	1.99	0.44
3:W:100:TRP:O	3:W:104:THR:HG23	2.18	0.44
5:A:228:ILE:O	5:A:244:ARG:NH2	2.46	0.44
6:B:643:LEU:HD11	6:B:656:LEU:HD11	1.99	0.44
6:B:845:TYR:CD2	6:B:865:VAL:HG11	2.53	0.44
6:B:352:GLY:O	6:B:361:LYS:NZ	2.40	0.44
2:Z:440:ILE:HG23	2:Z:450:ILE:HD11	1.99	0.43
5:A:350:VAL:CG1	5:A:1435:THR:HG21	2.38	0.43
7:C:172:GLU:OE2	16:L:58:ARG:NH2	2.49	0.43
8:D:132:ASP:O	8:D:136:THR:HG23	2.18	0.43
9:E:71:GLN:HB2	9:E:99:ILE:HD12	1.99	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:W:94:VAL:CG2	4:V:65:VAL:HG23	2.45	0.43
5:A:904:GLN:NE2	5:A:981:CYS:O	2.51	0.43
8:D:125:GLU:OE1	8:D:125:GLU:N	2.47	0.43
3:W:112:GLN:HG2	4:V:41:LEU:HD21	2.00	0.43
5:A:344:LYS:HZ3	19:T:24:DG:P	2.40	0.43
6:B:83:ARG:HD3	6:B:133:ILE:HD12	2.00	0.43
9:E:73:PHE:O	9:E:103:LEU:N	2.49	0.43
3:W:360:LEU:HD21	3:W:422:VAL:HG21	1.99	0.43
8:D:64:THR:O	8:D:68:THR:HG22	2.19	0.43
4:V:403:TYR:OH	4:V:443:ARG:NH1	2.51	0.43
5:A:458:PHE:CE2	5:A:484:LEU:HD21	2.54	0.43
5:A:1218:ARG:NH2	5:A:1252:ALA:O	2.52	0.43
4:V:223:ARG:NH2	4:V:300:ASP:OD1	2.51	0.43
5:A:862:ARG:HA	5:A:865:ILE:HG22	1.99	0.43
9:E:104:ILE:HD11	9:E:127:LEU:HD23	2.01	0.43
12:H:112:LEU:HB2	12:H:132:LEU:HD12	2.00	0.43
17:N:44:DT:O2	19:T:10:DG:N2	2.52	0.43
3:W:78:ASN:OD1	3:W:79:VAL:N	2.52	0.43
3:W:120:LYS:CG	3:W:158:LEU:HD13	2.49	0.43
5:A:1484:MET:SD	5:A:1484:MET:N	2.92	0.43
6:B:114:ARG:NE	6:B:191:GLU:OE2	2.39	0.43
5:A:410:ASN:OD1	5:A:449:HIS:NE2	2.48	0.43
5:A:1374:VAL:HG11	5:A:1411:LEU:HD21	2.00	0.43
6:B:761:THR:HG23	6:B:1000:THR:HA	2.01	0.43
6:B:1138:ARG:O	6:B:1141:ARG:NH1	2.47	0.43
4:V:262:PHE:CZ	4:V:283:LEU:HD22	2.53	0.42
20:U:19:ALA:HB3	20:U:22:GLU:HG2	2.01	0.42
5:A:467:MET:SD	5:A:467:MET:N	2.92	0.42
6:B:59:VAL:HG21	6:B:91:ILE:HD11	2.02	0.42
2:Z:493:VAL:HG11	11:G:111:HIS:CB	2.49	0.42
2:Z:540:VAL:O	2:Z:548:GLY:N	2.46	0.42
8:D:31:THR:O	8:D:84:ARG:NH2	2.51	0.42
9:E:103:LEU:HD11	9:E:130:PHE:CD2	2.54	0.42
3:W:150:ILE:O	3:W:156:ARG:NE	2.46	0.42
5:A:115:SER:OG	5:A:115:SER:O	2.36	0.42
6:B:157:ARG:NH2	6:B:177:CYS:O	2.53	0.42
9:E:152:THR:O	9:E:156:VAL:HG23	2.19	0.42
3:W:310:ILE:HG23	3:W:359:ILE:HD12	2.02	0.42
4:V:101:PHE:O	4:V:104:VAL:HG12	2.19	0.42
3:W:322:PRO:O	3:W:375:ARG:NH1	2.52	0.42
4:V:326:VAL:HG12	4:V:378:MET:CG	2.50	0.42



	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:A:290:LEU:HD13	5:A:306:ASP:HB3	2.02	0.42
3:W:473:LEU:O	3:W:477:PHE:N	2.50	0.42
4:V:132:MET:SD	4:V:156:LEU:HD22	2.60	0.42
5:A:42:LYS:O	5:A:288:ASN:ND2	2.48	0.42
3:W:260:ARG:NH1	20:U:136:MET:SD	2.93	0.42
5:A:967:ARG:NH1	5:A:1326:GLY:O	2.53	0.42
6:B:68:GLN:O	6:B:420:GLN:NE2	2.43	0.42
7:C:122:SER:OG	7:C:124:SER:O	2.35	0.42
17:N:14:DC:N4	19:T:38:DG:O6	2.53	0.42
3:W:181:ASP:OD1	3:W:203:ARG:NH2	2.52	0.42
5:A:360:ASP:OD1	6:B:1062:ARG:NE	2.48	0.42
6:B:867:ILE:HB	6:B:894:THR:HG22	2.02	0.42
11:G:94:LYS:O	11:G:128:TYR:OH	2.38	0.42
4:V:265:CYS:O	4:V:268:ALA:N	2.53	0.42
4:V:369:LEU:HD13	4:V:421:ALA:HB2	2.01	0.42
5:A:552:ASP:O	12:H:24:ARG:NH1	2.53	0.42
5:A:1217:ASP:OD2	5:A:1220:HIS:ND1	2.52	0.41
3:W:52:SER:O	3:W:86:ASN:ND2	2.52	0.41
3:W:120:LYS:NZ	3:W:154:THR:O	2.48	0.41
4:V:302:SER:O	4:V:306:CYS:N	2.54	0.41
6:B:193:VAL:CG2	6:B:482:LEU:HD23	2.50	0.41
6:B:817:GLN:HA	6:B:918:PHE:HB2	2.03	0.41
5:A:365:THR:OG1	5:A:366:VAL:N	2.52	0.41
6:B:92:TYR:O	6:B:124:LEU:HD12	2.20	0.41
2:Z:604:ASP:OD1	2:Z:605:GLY:N	2.53	0.41
4:V:498:GLU:OE1	4:V:533:SER:OG	2.39	0.41
5:A:857:THR:H	5:A:857:THR:HG1	1.54	0.41
6:B:857:GLY:N	6:B:904:VAL:O	2.50	0.41
9:E:79:GLU:OE1	9:E:79:GLU:N	2.54	0.41
4:V:253:ILE:HA	4:V:256:VAL:HG22	2.02	0.41
4:V:297:VAL:O	4:V:301:LEU:N	2.42	0.41
4:V:282:GLU:CD	9:E:69:THR:HG21	2.40	0.41
5:A:1115:LYS:NZ	5:A:1136:THR:OG1	2.51	0.41
5:A:1247:PHE:HB3	5:A:1257:LEU:HD13	2.02	0.41
6:B:752:TYR:HE1	6:B:809:VAL:HG23	1.86	0.41
20:U:41:ILE:HD13	20:U:56:LEU:HD21	2.02	0.41
20:U:41:ILE:O	20:U:45:PHE:N	2.54	0.41
1:X:18:LYS:NZ	4:V:378:MET:SD	2.71	0.41
5:A:26:LEU:HG	6:B:1168:ALA:HB2	2.02	0.41
5:A:107:LEU:HB3	5:A:191:ILE:HD13	2.01	0.41
5:A:366:VAL:HG22	6:B:1055:VAL:HG23	2.02	0.41



Continuea from previous page						
Atom 1	Atom 2	Interatomic	$\mathbf{Clash}$			
Atom-1	Atom-2	distance (Å)	overlap (Å)			
5:A:787:VAL:HG22	5:A:824:GLU:O	2.21	0.41			
6:B:91:ILE:HG22	20:U:254:VAL:HG13	2.03	0.41			
5:A:195:GLY:C	5:A:196:LEU:HD12	2.42	0.41			
7:C:212:ASP:N	7:C:212:ASP:OD1	2.54	0.41			
2:Z:189:GLU:N	2:Z:189:GLU:OE1	2.54	0.40			
5:A:425:ASP:N	5:A:425:ASP:OD1	2.54	0.40			
5:A:196:LEU:HD21	5:A:315:ALA:CB	2.51	0.40			
6:B:731:GLN:NE2	18:P:16:G:OP1	2.52	0.40			
19:T:19:DT:H2'	19:T:20:DT:H71	2.03	0.40			
5:A:322:LEU:HB3	5:A:325:LEU:HD12	2.03	0.40			
5:A:871:VAL:HG11	5:A:1400:LEU:HD11	2.03	0.40			
6:B:91:ILE:HD13	6:B:126:VAL:HG23	2.03	0.40			
8:D:17:ALA:HB1	8:D:95:PHE:CZ	2.56	0.40			
11:G:10:GLU:HB3	11:G:67:LEU:HD11	2.03	0.40			
5:A:408:ARG:NH2	5:A:413:TYR:O	2.55	0.40			
9:E:59:THR:HG22	9:E:75:PHE:HA	2.03	0.40			
9:E:76:PHE:CE2	9:E:105:VAL:HG21	2.57	0.40			
16:L:24:THR:O	16:L:26:ASN:ND2	2.55	0.40			
2:Z:726:ASP:O	2:Z:733:ARG:N	2.52	0.40			

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	Х	10/380~(3%)	4 (40%)	6~(60%)	0	100	100
2	Z	455/1087~(42%)	435 (96%)	20 (4%)	0	100	100
3	W	518/590~(88%)	504 (97%)	14 (3%)	0	100	100
4	V	548/580~(94%)	537 (98%)	11 (2%)	0	100	100
5	А	1406/1970~(71%)	1361 (97%)	45 (3%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
6	В	1130/1174~(96%)	1069~(95%)	61~(5%)	0	100	100
7	С	250/271~(92%)	243~(97%)	7(3%)	0	100	100
8	D	122/142~(86%)	118 (97%)	4 (3%)	0	100	100
9	Е	203/210~(97%)	197~(97%)	6 (3%)	0	100	100
10	F	75/127~(59%)	72~(96%)	3(4%)	0	100	100
11	G	169/172~(98%)	161 (95%)	8 (5%)	0	100	100
12	Н	146/150~(97%)	141 (97%)	5(3%)	0	100	100
13	Ι	112/125~(90%)	103~(92%)	9~(8%)	0	100	100
14	J	63/67~(94%)	61~(97%)	2(3%)	0	100	100
15	Κ	113/117~(97%)	110~(97%)	3~(3%)	0	100	100
16	L	42/58~(72%)	38~(90%)	4 (10%)	0	100	100
20	U	$19\overline{5}/528~(37\%)$	186 (95%)	9(5%)	0	100	100
21	Y	$11\overline{4/117}~(97\%)$	111 (97%)	3(3%)	0	100	100
All	All	$567\overline{1/7865}\ (72\%)$	5451 (96%)	220 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	Х	11/331~(3%)	7~(64%)	4(36%)	0	0
2	Ζ	418/940~(44%)	415~(99%)	3~(1%)	84	95
3	W	471/513~(92%)	467~(99%)	4 (1%)	81	94
4	V	493/515~(96%)	487~(99%)	6 (1%)	71	92
5	А	1247/1749~(71%)	1236~(99%)	11 (1%)	78	94
6	В	994/1027~(97%)	989~(100%)	5~(0%)	88	96
7	С	231/248~(93%)	230 (100%)	1 (0%)	91	97
8	D	114/126~(90%)	113~(99%)	1 (1%)	78	94



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
9	Ε	190/192~(99%)	185~(97%)	5(3%)	46	79
10	F	67/111~(60%)	67~(100%)	0	100	100
11	G	152/153~(99%)	150 (99%)	2(1%)	69	91
12	Н	129/131~(98%)	128 (99%)	1 (1%)	81	94
13	Ι	103/112~(92%)	102~(99%)	1 (1%)	76	93
14	J	54/56~(96%)	54 (100%)	0	100	100
15	Κ	104/106~(98%)	104 (100%)	0	100	100
16	L	41/55~(74%)	40 (98%)	1 (2%)	49	81
20	U	170/451~(38%)	170 (100%)	0	100	100
21	Y	102/103~(99%)	102 (100%)	0	100	100
All	All	5091/6919~(74%)	5046 (99%)	45 (1%)	79	94

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	Х	13	GLU
1	Х	21	LYS
1	Х	23	LYS
1	Х	24	LYS
2	Ζ	259	GLU
2	Ζ	359	LEU
2	Ζ	489	THR
3	W	245	MET
3	W	337	PHE
3	W	425	MET
3	W	471	GLN
4	V	28	LYS
4	V	197	GLN
4	V	265	CYS
4	V	321	HIS
4	V	365	MET
4	V	532	GLN
5	А	67	ARG
5	A	114	CYS
5	A	230	ASP
5	А	673	GLN
5	А	766	PHE
5	A	857	THR



Mol	Chain	Res	Type
5	А	931	ARG
5	А	1159	CYS
5	А	1199	MET
5	А	1219	LYS
5	А	1424	THR
6	В	405	ARG
6	В	841	ARG
6	В	1080	ARG
6	В	1138	ARG
6	В	1140	CYS
7	С	63	PHE
8	D	129	GLN
9	Е	7	THR
9	Е	44	PHE
9	Е	86	THR
9	Е	108	GLN
9	Е	162	ARG
11	G	52	ASP
11	G	106	CYS
12	Н	124	ARG
13	Ι	122	ARG
16	L	39	CYS

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type
4	V	532	GLN

#### 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
18	Р	14/22~(63%)	7~(50%)	2(14%)

All (7) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
18	Р	5	U
18	Р	6	U
18	Р	7	G
18	Р	8	G



 $Continued \ from \ previous \ page...$ 

Mol	Chain	Res	Type
18	Р	10	А
18	Р	11	U
18	Р	12	А

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
18	Р	6	U
18	Р	10	А

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-42270. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



#### 6.2 Central slices (i)

#### 6.2.1 Primary map



X Index: 256



Y Index: 256



Z Index: 256

#### 6.2.2 Raw map



X Index: 256

Y Index: 256

Z Index: 256

The images above show central slices of the map in three orthogonal directions.



#### 6.3 Largest variance slices (i)

#### 6.3.1 Primary map



X Index: 289



Y Index: 281



Z Index: 221

#### 6.3.2 Raw map



X Index: 289

Y Index: 281



The images above show the largest variance slices of the map in three orthogonal directions.



#### 6.4 Orthogonal standard-deviation projections (False-color) (i)

#### 6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



#### 6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.35. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

#### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



#### Mask visualisation (i) 6.6

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

#### $emd_{42270}_{msk_{1.map}}$ 6.6.1





## 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



#### 7.2 Volume estimate (i)



The volume at the recommended contour level is 717  $\rm nm^3;$  this corresponds to an approximate mass of 647 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



#### 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.357  ${\rm \AA^{-1}}$ 



## 8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

#### 8.1 FSC (i)



\*Reported resolution corresponds to spatial frequency of 0.357  ${\rm \AA^{-1}}$ 



#### 8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.89	7.41	3.98

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.89 differs from the reported value 2.8 by more than 10 %



## 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-42270 and PDB model 8UHD. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.35 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



#### 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

#### 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.35).



#### 9.4 Atom inclusion (i)



At the recommended contour level, 86% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

### 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.35) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8620	0.3530
А	0.9550	0.4520
В	0.9700	0.4790
С	0.9880	0.5100
D	0.9700	0.2000
Е	0.9610	0.4270
F	0.9850	0.4980
G	0.9690	0.2560
Н	0.9750	0.4880
Ι	0.9800	0.4230
J	0.9860	0.5220
К	0.9810	0.5090
L	0.9970	0.4690
Ν	0.9190	0.1830
Р	0.9750	0.3530
Т	0.9480	0.2730
U	0.8630	0.2750
V	0.5530	0.1130
W	0.7530	0.2710
Х	0.8930	0.1880
Y	0.2660	0.0640
Ζ	0.6110	0.0770

