



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2023 – 01:18 PM EDT

PDB ID : 7UIJ
Title : Structural studies of B5-OspC complex
Authors : Rudolph, M.J.; Mantis, N.
Deposited on : 2022-03-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	
1	H	236	
2	B	214	
2	L	214	
3	C	164	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	164	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a small red segment on the left labeled '3%', a large green segment in the middle labeled '63%', and a yellow segment on the right labeled '32%'. The bar ends with a grey segment and two dots.</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Monoclonal B5 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	215	1636	1038	265	323	10	0	0	0
1	A	210	1604	1020	260	315	9	0	0	0


- Molecule 2 is a protein called Monoclonal B5 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	214	1648	1026	280	335	7	0	0	0
2	B	208	1595	995	269	325	6	0	0	0

- Molecule 3 is a protein called Outer surface protein C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	155	1159	721	198	238	2	0	0	0
3	D	158	1183	736	201	244	2	0	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	1	Total	C O	0	0
			4	2 2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	7	Total	O	0	0
			7	7		
5	L	8	Total	O	0	0
			8	8		
5	A	6	Total	O	0	0
			6	6		
5	B	3	Total	O	0	0
			3	3		
5	C	7	Total	O	0	0
			7	7		
5	D	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Monoclonal B5 Fab Heavy Chain



- Molecule 1: Monoclonal B5 Fab Heavy Chain




- Molecule 2: Monoclonal B5 Fab Light Chain





- Molecule 2: Monoclonal B5 Fab Light Chain






• Molecule 3: Outer surface protein C



• Molecule 3: Outer surface protein C



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.73Å 139.86Å 205.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.47 – 2.70 49.47 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.4 (49.47-2.70) 99.4 (49.47-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 2.69Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.204 , 0.256 0.204 , 0.256	Depositor DCC
R_{free} test set	2124 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	73.1	Xtrriage
Anisotropy	0.292	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 51.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8861	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/1648	0.50	0/2248
1	H	0.32	0/1681	0.52	0/2295
2	B	0.29	0/1632	0.56	1/2219 (0.0%)
2	L	0.32	0/1686	0.58	2/2291 (0.1%)
3	C	0.28	0/1164	0.45	0/1556
3	D	0.27	0/1188	0.44	0/1589
All	All	0.30	0/8999	0.52	3/12198 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	181	LEU	CA-CB-CG	5.68	128.37	115.30
2	B	125	LEU	CA-CB-CG	5.52	127.99	115.30
2	L	211	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1604	0	1556	36	0
1	H	1636	0	1584	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1595	0	1530	53	0
2	L	1648	0	1574	71	0
3	C	1159	0	1216	23	0
3	D	1183	0	1240	42	0
4	H	4	0	6	0	0
5	A	6	0	0	0	0
5	B	3	0	0	0	0
5	C	7	0	0	0	0
5	D	1	0	0	0	0
5	H	7	0	0	0	0
5	L	8	0	0	0	0
All	All	8861	0	8706	247	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (247) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:163:TRP:CE2	2:L:175:MET:HE3	1.56	1.40
1:H:212:LYS:HE2	1:H:214:GLU:OE1	1.42	1.19
2:B:181:LEU:HD11	2:B:186:TYR:HB2	1.33	1.08
3:D:60:LYS:NZ	3:D:63:GLU:OE2	1.90	1.03
2:L:163:TRP:CE2	2:L:175:MET:CE	2.46	0.99
1:H:65:LYS:HD3	1:H:66:GLY:H	1.25	0.98
2:B:105:GLU:OE2	2:B:142:LYS:HE3	1.64	0.97
2:L:186:TYR:O	2:L:211:ARG:NH1	1.98	0.97
1:H:212:LYS:HE2	1:H:214:GLU:CD	1.84	0.96
2:L:187:GLU:HA	2:L:211:ARG:HH22	1.32	0.94
2:B:155:ARG:NH1	2:B:157:ASN:HB2	1.83	0.94
2:B:105:GLU:HG3	2:B:166:GLN:HE22	1.33	0.93
2:L:163:TRP:NE1	2:L:175:MET:HE3	1.88	0.89
1:A:124:VAL:HG21	1:A:200:VAL:HG21	1.55	0.87
1:H:212:LYS:CE	1:H:214:GLU:OE1	2.23	0.86
1:H:138:SER:HA	1:H:187:THR:HA	1.58	0.85
2:L:163:TRP:CD2	2:L:175:MET:HE3	2.10	0.85
1:A:159:SER:H	1:A:199:ASN:HD21	1.25	0.82
2:B:140:TYR:CD1	2:B:141:PRO:HA	2.15	0.81
2:L:128:GLY:HA2	2:L:183:LYS:HD3	1.61	0.81
2:B:150:ILE:N	2:B:153:SER:O	2.11	0.80
1:A:126:PRO:HD3	1:A:211:LYS:HD3	1.65	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:181:LEU:HD11	2:B:186:TYR:CB	2.13	0.78
2:B:85:THR:HG22	2:B:103:LYS:HG2	1.67	0.76
2:B:140:TYR:HD1	2:B:141:PRO:HA	1.51	0.76
1:H:65:LYS:HD3	1:H:66:GLY:N	2.01	0.75
1:A:117:ALA:HB2	1:A:176:ASP:HB3	1.67	0.74
2:L:151:ASP:OD2	2:L:190:ASN:N	2.20	0.74
2:L:190:ASN:HA	2:L:211:ARG:HD2	1.70	0.73
1:H:127:LEU:HD13	2:L:133:VAL:HG21	1.69	0.73
2:L:187:GLU:CA	2:L:211:ARG:HH22	2.03	0.72
1:A:158:ASN:HD22	1:A:197:THR:HG22	1.53	0.72
2:B:108:ARG:HB3	2:B:140:TYR:CD2	2.26	0.71
2:L:195:GLU:HG3	2:L:206:VAL:HG12	1.72	0.71
2:B:105:GLU:OE2	2:B:142:LYS:CE	2.40	0.70
2:L:124:GLN:HE22	2:L:131:SER:HB3	1.57	0.69
3:C:191:LEU:HD23	3:C:192:ALA:N	2.08	0.69
2:B:142:LYS:H	2:B:142:LYS:HD2	1.57	0.69
1:A:159:SER:H	1:A:199:ASN:ND2	1.91	0.68
3:D:196:LYS:O	3:D:196:LYS:NZ	2.19	0.68
2:L:195:GLU:HB3	2:L:205:ILE:O	1.94	0.68
3:C:148:GLU:HG3	3:D:93:HIS:CG	2.29	0.67
2:L:150:ILE:HG23	2:L:192:TYR:HE2	1.59	0.67
2:L:149:LYS:HB2	2:L:193:THR:OG1	1.94	0.67
1:A:23:LYS:HB2	1:A:78:THR:HG22	1.77	0.66
2:B:155:ARG:HD3	2:B:156:GLN:N	2.11	0.66
2:B:107:LYS:HA	2:B:140:TYR:OH	1.96	0.65
2:B:140:TYR:HD1	2:B:141:PRO:CA	2.08	0.65
3:C:191:LEU:HD23	3:C:192:ALA:H	1.61	0.65
1:H:30:THR:HG21	1:H:101:GLY:H	1.60	0.65
2:L:193:THR:HG22	2:L:208:SER:OG	1.95	0.65
1:A:27:TYR:HD1	3:D:178:GLU:HG2	1.60	0.65
3:D:147:LYS:HG3	3:D:149:GLY:H	1.61	0.65
1:H:146:LYS:HD2	2:L:180:THR:HG21	1.79	0.65
3:C:82:HIS:CD2	3:C:85:ASN:H	2.15	0.65
2:L:163:TRP:CD2	2:L:175:MET:CE	2.77	0.64
3:D:60:LYS:HZ1	3:D:63:GLU:CD	1.95	0.64
3:D:124:ILE:HG22	3:D:128:LYS:HD2	1.78	0.64
3:D:92:ASN:HD22	3:D:152:ASP:H	1.46	0.63
2:B:164:THR:HG22	2:B:174:SER:H	1.62	0.62
1:A:124:VAL:HG22	1:A:145:VAL:HG22	1.81	0.61
3:D:78:GLY:H	3:D:94:ASN:HD21	1.48	0.61
1:H:158:ASN:HD21	1:H:196:ILE:HA	1.65	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:155:ARG:HD3	2:B:156:GLN:H	1.66	0.61
2:L:83:PHE:HB3	2:L:106:ILE:HD12	1.82	0.61
3:D:129:LYS:HA	3:D:132:GLU:HG2	1.81	0.60
1:A:140:THR:HG22	1:A:185:THR:OG1	2.00	0.60
2:L:190:ASN:HA	2:L:211:ARG:CD	2.31	0.60
2:L:108:ARG:NH1	2:L:109:ALA:O	2.34	0.60
2:L:189:HIS:O	2:L:211:ARG:HD2	2.00	0.60
1:H:65:LYS:CD	1:H:66:GLY:H	2.07	0.59
2:L:131:SER:HA	2:L:179:LEU:O	2.02	0.59
2:L:163:TRP:CZ2	2:L:175:MET:HE3	2.32	0.59
3:C:82:HIS:HD2	3:C:85:ASN:H	1.49	0.59
3:D:55:VAL:HG21	3:D:117:ASN:HD22	1.68	0.59
1:A:67:ARG:NH2	1:A:90:ASP:OD2	2.36	0.59
1:H:137:SER:O	1:H:188:SER:N	2.33	0.57
3:D:153:ALA:O	3:D:157:GLU:HG3	2.05	0.57
1:H:30:THR:HG23	1:H:100:TRP:HA	1.87	0.57
2:L:110:ASP:OD1	2:L:199:LYS:NZ	2.37	0.57
3:D:92:ASN:ND2	3:D:152:ASP:H	2.03	0.56
1:H:89:GLU:OE2	1:H:89:GLU:N	2.37	0.56
2:L:132:VAL:O	2:L:179:LEU:HB2	2.03	0.56
3:D:47:LYS:NZ	3:D:51:ASP:OD1	2.36	0.56
2:L:181:LEU:HD22	2:L:185:GLU:HB3	1.88	0.56
1:H:51:ILE:HB	1:H:70:LEU:HD22	1.85	0.56
2:L:37:GLN:HB2	2:L:47:LEU:HD11	1.88	0.55
2:L:131:SER:HB2	2:L:180:THR:HG22	1.88	0.55
1:A:158:ASN:ND2	1:A:197:THR:HG22	2.20	0.55
3:D:45:ILE:HD12	3:D:48:LYS:HB2	1.89	0.55
1:H:36:TRP:CD1	1:H:70:LEU:HD11	2.41	0.55
2:B:188:ARG:HG3	2:B:188:ARG:HH11	1.71	0.55
1:A:196:ILE:H	1:A:212:LYS:HZ3	1.55	0.54
2:B:115:VAL:HG12	2:B:207:LYS:HG3	1.89	0.54
1:H:174:GLN:NE2	2:L:160:LEU:HD22	2.23	0.54
3:C:49:ILE:HD12	3:C:194:SER:HB2	1.90	0.54
3:D:103:ALA:O	3:D:106:THR:OG1	2.24	0.53
3:D:60:LYS:HE2	3:D:60:LYS:HA	1.90	0.53
3:D:73:ALA:HB2	3:D:159:ILE:HD12	1.91	0.53
3:D:60:LYS:NZ	3:D:63:GLU:CD	2.57	0.53
2:B:108:ARG:NH1	2:B:109:ALA:O	2.41	0.53
1:H:127:LEU:HD11	1:H:144:LEU:HB2	1.92	0.52
2:B:146:VAL:HA	2:B:195:GLU:O	2.09	0.52
3:D:45:ILE:O	3:D:49:ILE:HG13	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:122:PRO:HB3	1:H:148:TYR:HB3	1.91	0.52
3:D:43:THR:HA	3:D:46:SER:HB3	1.92	0.52
2:L:148:TRP:CZ3	2:L:194:CYS:HB3	2.45	0.52
2:B:124:GLN:OE1	2:B:131:SER:N	2.41	0.52
2:L:147:LYS:HE2	2:L:195:GLU:HB2	1.92	0.51
2:L:196:ALA:H	2:L:205:ILE:HD11	1.75	0.51
2:B:37:GLN:HB2	2:B:47:LEU:HD11	1.93	0.51
1:A:58:PRO:HB3	1:A:70:LEU:HB2	1.92	0.51
1:A:125:TYR:CE1	2:B:124:GLN:HA	2.45	0.51
1:A:172:VAL:HB	2:B:160:LEU:HD21	1.93	0.51
2:B:108:ARG:HB3	2:B:140:TYR:CE2	2.46	0.51
1:A:196:ILE:H	1:A:212:LYS:NZ	2.09	0.51
3:C:192:ALA:HA	3:C:195:VAL:HG12	1.92	0.51
3:D:56:LEU:HD11	3:D:188:LYS:HG3	1.92	0.51
3:D:66:LEU:CD2	3:D:108:ILE:HD13	2.41	0.51
3:D:147:LYS:HD2	3:D:148:GLU:HG3	1.92	0.50
2:L:163:TRP:CD1	2:L:175:MET:HE3	2.46	0.50
2:B:33:LEU:HD11	2:B:88:CYS:HB2	1.92	0.50
2:L:192:TYR:HB2	2:L:209:PHE:CE1	2.46	0.50
3:D:98:LEU:HD23	3:D:145:LEU:HB3	1.92	0.50
1:H:124:VAL:HG21	1:H:200:VAL:HG21	1.93	0.50
2:L:32:ASN:HD21	3:C:75:LYS:NZ	2.10	0.49
2:B:155:ARG:HH12	2:B:157:ASN:HB2	1.73	0.49
2:L:132:VAL:HG21	2:L:209:PHE:CE1	2.47	0.49
3:D:113:ASP:HA	3:D:128:LYS:HE3	1.92	0.49
2:L:39:LYS:NZ	2:L:81:GLU:O	2.46	0.49
3:C:80:LYS:HD3	3:C:90:GLU:HB2	1.95	0.49
2:B:166:GLN:NE2	2:B:173:TYR:OH	2.43	0.49
3:D:147:LYS:HG3	3:D:149:GLY:N	2.26	0.49
2:B:140:TYR:HD1	2:B:141:PRO:N	2.09	0.49
3:D:49:ILE:HG12	3:D:194:SER:HB3	1.94	0.49
1:H:212:LYS:HG2	1:H:214:GLU:OE1	2.13	0.48
2:L:2:ILE:HD12	2:L:2:ILE:H	1.77	0.48
1:H:139:VAL:HG21	1:H:191:TRP:HB3	1.94	0.48
3:C:82:HIS:CD2	3:C:84:ASN:H	2.31	0.48
2:L:150:ILE:N	2:L:153:SER:O	2.36	0.48
3:D:156:LYS:HD3	3:D:160:LEU:HD22	1.94	0.48
2:L:187:GLU:HA	2:L:211:ARG:NH2	2.14	0.48
1:A:6:GLU:HG2	1:A:22:CYS:HB2	1.95	0.48
2:B:138:ASN:HA	2:B:172:THR:HB	1.96	0.48
2:B:188:ARG:HB2	2:B:189:HIS:CE1	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:155:ARG:HH11	2:B:157:ASN:HB2	1.70	0.48
2:B:188:ARG:HB2	2:B:189:HIS:ND1	2.29	0.48
1:A:13:LYS:HG2	1:A:16:GLU:OE1	2.13	0.48
2:L:185:GLU:HA	2:L:188:ARG:CZ	2.44	0.48
3:C:127:ALA:HA	3:C:179:SER:OG	2.14	0.47
1:H:20:MET:HG2	1:H:110:THR:HG21	1.95	0.47
3:D:196:LYS:HZ3	3:D:200:SER:CB	2.27	0.47
2:L:132:VAL:HG21	2:L:209:PHE:HE1	1.79	0.47
1:H:47:TRP:CH2	1:H:49:GLY:HA2	2.50	0.47
2:L:187:GLU:C	2:L:211:ARG:HH22	2.17	0.47
1:A:196:ILE:O	1:A:212:LYS:HD3	2.15	0.47
2:B:105:GLU:CG	2:B:166:GLN:HE22	2.17	0.47
1:H:30:THR:CG2	1:H:101:GLY:H	2.27	0.47
2:B:115:VAL:HG22	2:B:136:LEU:HG	1.97	0.46
1:H:158:ASN:ND2	1:H:196:ILE:HA	2.30	0.46
2:L:150:ILE:HG23	2:L:192:TYR:CE2	2.45	0.46
1:A:191:TRP:CG	1:A:192:PRO:HA	2.50	0.46
1:H:86:LEU:HB3	1:H:114:VAL:HG21	1.97	0.46
1:A:20:MET:HE1	1:A:94:TYR:CD2	2.50	0.46
3:C:46:SER:O	3:C:46:SER:OG	2.31	0.46
3:C:72:ILE:HB	3:C:97:LEU:HD11	1.97	0.46
2:L:210:ASN:HB3	2:L:213:GLU:OE2	2.16	0.46
2:B:144:ILE:HG13	2:B:198:HIS:HB2	1.97	0.46
2:L:63:SER:O	2:L:73:LEU:HD12	2.16	0.46
2:L:163:TRP:CZ2	2:L:175:MET:CE	2.96	0.46
1:H:13:LYS:HG3	1:H:115:SER:O	2.16	0.45
2:L:116:SER:HA	2:L:207:LYS:NZ	2.31	0.45
1:A:154:THR:O	1:A:200:VAL:HA	2.16	0.45
3:C:116:LYS:HA	3:C:121:LYS:NZ	2.32	0.45
3:D:185:LYS:HB2	3:D:185:LYS:HE2	1.70	0.45
2:B:81:GLU:N	2:B:81:GLU:OE1	2.49	0.45
3:C:47:LYS:O	3:C:51:ASP:N	2.45	0.45
3:C:142:HIS:CE1	3:D:83:GLN:HG3	2.51	0.45
1:A:154:THR:HB	1:A:201:ALA:HB3	1.98	0.45
2:B:113:PRO:HG3	2:B:144:ILE:HD11	1.99	0.45
2:L:148:TRP:CH2	2:L:194:CYS:HB3	2.51	0.45
2:L:195:GLU:OE2	2:L:206:VAL:HA	2.17	0.45
1:A:174:GLN:OE1	2:B:160:LEU:HD23	2.17	0.45
2:L:93:GLY:O	2:L:96:TRP:NE1	2.50	0.45
2:L:205:ILE:O	2:L:205:ILE:HD12	2.17	0.45
2:B:13:VAL:O	2:B:106:ILE:HA	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:78:LEU:CD2	2:B:82:ASP:HB2	2.47	0.45
3:D:47:LYS:HE3	3:D:47:LYS:HB3	1.83	0.45
1:H:117:ALA:HB2	1:H:176:ASP:HB3	1.99	0.45
2:L:32:ASN:HD21	3:C:75:LYS:HZ2	1.65	0.45
1:A:12:LYS:O	1:A:114:VAL:HA	2.17	0.45
1:H:130:VAL:HG12	1:H:131:CYS:O	2.17	0.44
1:A:123:SER:HB2	1:A:125:TYR:CZ	2.53	0.44
1:A:122:PRO:HB3	1:A:148:TYR:HB3	2.00	0.44
3:D:147:LYS:HZ2	3:D:149:GLY:H	1.65	0.44
2:L:108:ARG:HG2	2:L:109:ALA:N	2.32	0.44
2:L:155:ARG:HA	2:L:155:ARG:HD2	1.79	0.44
1:A:158:ASN:HD21	1:A:197:THR:N	2.15	0.44
2:L:202:THR:O	2:L:203:SER:OG	2.35	0.44
1:H:13:LYS:HD2	1:H:13:LYS:N	2.32	0.44
2:B:105:GLU:CD	2:B:142:LYS:HE3	2.35	0.44
3:C:199:THR:O	3:C:199:THR:HG22	2.18	0.43
3:D:196:LYS:HZ3	3:D:200:SER:HB2	1.83	0.43
2:L:160:LEU:HA	2:L:160:LEU:HD12	1.72	0.43
2:B:146:VAL:O	2:B:147:LYS:HG3	2.17	0.43
1:A:158:ASN:HD21	1:A:196:ILE:C	2.21	0.43
2:B:149:LYS:HB2	2:B:193:THR:CG2	2.49	0.43
1:A:191:TRP:CD1	1:A:192:PRO:HA	2.53	0.43
3:C:133:THR:HG22	3:C:172:GLU:HG2	2.00	0.43
1:H:158:ASN:OD1	1:H:197:THR:N	2.42	0.43
1:A:47:TRP:CH2	1:A:49:GLY:HA2	2.54	0.42
3:C:82:HIS:HD2	3:C:84:ASN:N	2.17	0.42
1:A:38:LYS:HD2	1:A:94:TYR:CE1	2.54	0.42
3:C:82:HIS:HD2	3:C:84:ASN:H	1.65	0.42
2:B:78:LEU:HD21	2:B:82:ASP:HB2	2.01	0.42
2:L:120:PRO:HB3	2:L:131:SER:H	1.84	0.42
2:L:148:TRP:CE2	2:L:179:LEU:CD2	3.03	0.42
2:L:151:ASP:OD1	2:L:190:ASN:HB3	2.20	0.42
3:D:196:LYS:NZ	3:D:200:SER:HB2	2.35	0.42
2:L:13:VAL:HG21	2:L:19:VAL:HG22	2.02	0.41
2:L:140:TYR:CG	2:L:141:PRO:HA	2.55	0.41
3:D:102:TYR:O	3:D:106:THR:HG23	2.19	0.41
3:D:163:ASN:O	3:D:166:LYS:NZ	2.54	0.41
2:L:194:CYS:N	2:L:195:GLU:OE1	2.41	0.41
2:B:151:ASP:OD1	2:B:189:HIS:HB3	2.20	0.41
2:B:164:THR:HG23	2:B:165:ASP:O	2.20	0.41
2:L:142:LYS:HB2	2:L:173:TYR:CE2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:129:GLY:HA2	2:L:181:LEU:O	2.21	0.41
1:A:39:GLN:HB3	1:A:93:ILE:HG23	2.02	0.41
3:C:47:LYS:O	3:C:50:THR:HG22	2.20	0.41
2:L:118:PHE:HB2	2:L:133:VAL:CG2	2.51	0.41
2:B:148:TRP:O	2:B:154:GLU:HB2	2.21	0.41
1:A:29:PHE:CE1	1:A:98:GLY:HA3	2.56	0.41
2:B:105:GLU:HG3	2:B:166:GLN:NE2	2.17	0.41
3:D:62:VAL:HG13	3:D:108:ILE:HG23	2.03	0.41
3:D:147:LYS:HD2	3:D:148:GLU:N	2.36	0.41
3:D:166:LYS:HB3	3:D:171:GLU:N	2.36	0.41
1:A:196:ILE:O	1:A:197:THR:HB	2.21	0.41
2:L:122:SER:O	2:L:126:THR:HG23	2.21	0.40
2:L:211:ARG:H	2:L:211:ARG:HG3	1.71	0.40
2:B:136:LEU:HD23	2:B:144:ILE:HD13	2.02	0.40
3:C:48:LYS:HD2	3:C:48:LYS:O	2.21	0.40
2:L:52:THR:HG22	2:L:64:GLY:O	2.21	0.40
2:B:11:LEU:CD2	2:B:13:VAL:HG23	2.50	0.40
3:D:198:LEU:HA	3:D:198:LEU:HD13	1.89	0.40
1:H:13:LYS:O	1:H:16:GLU:HG3	2.20	0.40
2:B:50:ALA:HB3	2:B:53:ASN:HD22	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	206/236 (87%)	198 (96%)	8 (4%)	0	100 100
1	H	213/236 (90%)	205 (96%)	7 (3%)	1 (0%)	29 54
2	B	206/214 (96%)	195 (95%)	10 (5%)	1 (0%)	29 54
2	L	212/214 (99%)	199 (94%)	13 (6%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	153/164 (93%)	145 (95%)	8 (5%)	0	100	100
3	D	156/164 (95%)	149 (96%)	7 (4%)	0	100	100
All	All	1146/1228 (93%)	1091 (95%)	53 (5%)	2 (0%)	47	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	67	ARG
2	B	77	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/202 (90%)	174 (96%)	7 (4%)	32	61
1	H	185/202 (92%)	181 (98%)	4 (2%)	52	79
2	B	181/187 (97%)	177 (98%)	4 (2%)	52	79
2	L	187/187 (100%)	182 (97%)	5 (3%)	44	74
3	C	126/134 (94%)	124 (98%)	2 (2%)	62	85
3	D	129/134 (96%)	122 (95%)	7 (5%)	22	47
All	All	989/1046 (95%)	960 (97%)	29 (3%)	42	71

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	13	LYS
1	H	72	LEU
1	H	96	CYS
1	H	108	GLN
2	L	103	LYS
2	L	145	ASN
2	L	176	SER
2	L	207	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	214	CYS
1	A	13	LYS
1	A	19	MET
1	A	96	CYS
1	A	143	CYS
1	A	183	SER
1	A	195	SER
1	A	208	LYS
2	B	107	LYS
2	B	140	TYR
2	B	142	LYS
2	B	154	GLU
3	C	121	LYS
3	C	191	LEU
3	D	46	SER
3	D	70	ASP
3	D	75	LYS
3	D	88	ASP
3	D	148	GLU
3	D	154	ASP
3	D	190	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	39	GLN
2	L	32	ASN
1	A	82	GLN
1	A	84	ASN
1	A	158	ASN
1	A	199	ASN
2	B	166	GLN
3	C	82	HIS
3	D	53	ASN
3	D	92	ASN
3	D	94	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	H	301	-	3,3,3	0.45	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	H	301	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/236 (88%)	0.22	13 (6%) 20 19	56, 89, 163, 222	0
1	H	215/236 (91%)	-0.05	4 (1%) 66 69	52, 82, 152, 210	0
2	B	208/214 (97%)	0.49	13 (6%) 20 19	52, 100, 173, 278	0
2	L	214/214 (100%)	0.43	16 (7%) 14 12	47, 83, 167, 219	0
3	C	155/164 (94%)	0.14	3 (1%) 66 69	47, 67, 145, 195	0
3	D	158/164 (96%)	0.01	5 (3%) 47 48	53, 78, 143, 207	0
All	All	1160/1228 (94%)	0.22	54 (4%) 31 30	47, 83, 164, 278	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	152	GLY	12.1
3	C	198	LEU	7.2
1	A	195	SER	5.2
3	D	199	THR	4.8
2	L	132	VAL	4.5
1	A	189	SER	4.4
2	L	130	ALA	4.2
2	L	194	CYS	4.1
2	B	205	ILE	3.8
1	A	194	GLN	3.8
2	B	208	SER	3.7
3	C	199	THR	3.7
2	B	149	LYS	3.6
1	A	137	SER	3.5
2	B	1	ASP	3.4
1	A	141	LEU	3.4
3	D	195	VAL	3.4
1	H	133	ASP	3.2
2	L	212	ASN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	190	THR	3.1
2	L	117	ILE	3.0
2	L	214	CYS	3.0
2	L	133	VAL	3.0
2	L	155	ARG	2.9
1	A	213	ILE	2.9
1	A	197	THR	2.9
2	L	148	TRP	2.8
2	B	181	LEU	2.7
3	D	198	LEU	2.7
2	B	194	CYS	2.7
2	L	157	ASN	2.6
3	C	200	SER	2.6
2	L	180	THR	2.6
1	H	66	GLY	2.6
1	A	128	ALA	2.5
1	A	129	PRO	2.5
2	B	126	THR	2.5
2	L	188	ARG	2.5
2	B	186	TYR	2.4
1	A	135	THR	2.3
2	B	132	VAL	2.3
2	B	136	LEU	2.3
1	A	127	LEU	2.3
3	D	200	SER	2.2
2	B	135	PHE	2.2
1	H	213	ILE	2.1
1	A	186	VAL	2.1
3	D	49	ILE	2.1
2	L	125	LEU	2.1
2	L	209	PHE	2.1
2	L	179	LEU	2.1
2	L	131	SER	2.1
1	H	137	SER	2.0
2	B	117	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	H	301	4/4	0.89	0.17	97,98,99,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.