



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2023 – 11:33 AM EDT

PDB ID : 7UJK
Title : Integrin alaphIIBbeta3 complex with lamifiban
Authors : Lin, F.-Y.; Zhu, J.; Zhu, J.; Springer, T.A.
Deposited on : 2022-03-30
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	
1	C	457	
2	B	472	
2	D	472	
3	E	221	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	221	 <p>11% 91% 5% ..</p>
4	F	214	 <p>32% 94% 6%</p>
4	L	214	 <p>2% 93% 7%</p>
5	G	5	 <p>60% 40%</p>
6	I	2	 <p>100%</p>
6	K	2	 <p>50% 50%</p>
7	J	4	 <p>50% 50%</p>

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 22145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-IIb heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	454	Total	C	N	O	S	0	8	0
			3532	2245	611	668	8			
1	C	453	Total	C	N	O	S	0	4	0
			3502	2224	604	666	8			

- Molecule 2 is a protein called Isoform Beta-3C of Integrin beta-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	466	Total	C	N	O	S	4	8	0
			3649	2273	622	720	34			
2	D	471	Total	C	N	O	S	3	2	0
			3642	2270	621	716	35			

- Molecule 3 is a protein called 10E5 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	214	Total	C	N	O	S	0	0	0
			1631	1035	264	326	6			
3	H	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			

- Molecule 4 is a protein called 10E5 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			
4	L	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	G	5	61	34	2	25	0	0	0

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	I	2	28	16	2	10	0	0	0
6	K	2	28	16	2	10	0	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	J	4	50	28	2	20	0	0	0

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total O S 5 4 1	0	0
8	A	1	Total O S 5 4 1	0	0
8	A	1	Total O S 5 4 1	0	0
8	C	1	Total O S 5 4 1	0	0
8	C	1	Total O S 5 4 1	0	0
8	C	1	Total O S 5 4 1	0	0
8	L	1	Total O S 5 4 1	0	0

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	C O	0	0
			6	3 3		

- Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	4	Total	Ca	0	0
			4	4		
10	B	2	Total	Ca	0	0
			2	2		
10	C	4	Total	Ca	0	0
			4	4		
10	D	2	Total	Ca	0	0
			2	2		


- Molecule 11 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	1	Total	Cl	0	0
			1	1		
11	C	2	Total	Cl	0	0
			2	2		

- Molecule 12 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	B	1	Total Mg 1 1	0	0
12	D	1	Total Mg 1 1	0	0

- Molecule 13 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	B	1	Total C N O 14 8 1 5	0	0
13	D	1	Total C N O 14 8 1 5	0	0

- Molecule 14 is Lamifiban (three-letter code: NB9) (formula: C₂₄H₂₈N₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
14	B	1	Total	C	N	O	0	0
			34	24	4	6		
14	D	1	Total	C	N	O	0	0
			34	24	4	6		


- Molecule 15 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	323	Total	O	0	0
			323	323		
15	B	214	Total	O	0	0
			214	214		
15	C	125	Total	O	0	0
			125	125		
15	D	118	Total	O	0	0
			118	118		
15	E	35	Total	O	0	0
			35	35		
15	F	35	Total	O	0	0
			35	35		
15	H	46	Total	O	0	0
			46	46		
15	L	56	Total	O	0	0
			56	56		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrin alpha-IIb heavy chain




- Molecule 1: Integrin alpha-IIb heavy chain




- Molecule 2: Isoform Beta-3C of Integrin beta-3




- Molecule 2: Isoform Beta-3C of Integrin beta-3







- Molecule 3: 10E5 Fab heavy chain




- Molecule 3: 10E5 Fab heavy chain



- Molecule 4: 10E5 Fab light chain



- Molecule 4: 10E5 Fab light chain



- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	259.38Å 145.25Å 105.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.78 – 2.43 48.78 – 2.43	Depositor EDS
% Data completeness (in resolution range)	96.8 (48.78-2.43) 86.6 (48.78-2.43)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.42Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.221 , 0.247 0.221 , 0.247	Depositor DCC
R_{free} test set	1981 reflections (1.36%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtrriage
Anisotropy	0.317	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	22145	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CL, MG, GOL, NB9, MAN, BMA, SO4, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3647	0.47	0/4969
1	C	0.25	0/3605	0.45	0/4912
2	B	0.25	0/3725	0.44	0/5049
2	D	0.24	0/3714	0.44	0/5036
3	E	0.24	0/1673	0.45	0/2290
3	H	0.24	0/1684	0.46	0/2305
4	F	0.26	0/1673	0.45	0/2269
4	L	0.25	0/1673	0.46	0/2269
All	All	0.25	0/21394	0.45	0/29099

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3532	0	3383	29	0
1	C	3502	0	3334	8	0
2	B	3649	0	3571	15	0
2	D	3642	0	3558	19	0
3	E	1631	0	1590	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	1642	0	1600	10	0
4	F	1637	0	1553	7	0
4	L	1637	0	1553	7	0
5	G	61	0	52	0	0
6	I	28	0	25	0	0
6	K	28	0	25	2	0
7	J	50	0	43	0	0
8	A	15	0	0	1	0
8	C	15	0	0	0	0
8	L	5	0	0	0	0
9	A	6	0	8	0	0
10	A	4	0	0	0	0
10	B	2	0	0	0	0
10	C	4	0	0	0	0
10	D	2	0	0	0	0
11	A	1	0	0	0	0
11	C	2	0	0	0	0
12	B	1	0	0	0	0
12	D	1	0	0	0	0
13	B	14	0	13	1	0
13	D	14	0	13	0	0
14	B	34	0	0	0	0
14	D	34	0	0	2	0
15	A	323	0	0	18	0
15	B	214	0	0	3	0
15	C	125	0	0	1	0
15	D	118	0	0	3	0
15	E	35	0	0	2	0
15	F	35	0	0	2	0
15	H	46	0	0	6	0
15	L	56	0	0	1	0
All	All	22145	0	20321	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:181:LYS:NZ	15:D:2101:HOH:O	2.20	0.75
1:A:48:GLU:OE2	1:A:90[B]:ARG:NH1	2.20	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
15:H:333:HOH:O	4:L:214:CYS:SG	2.45	0.73
2:B:365:GLU:OE2	2:B:412:LYS:NZ	2.22	0.72
1:A:436:ILE:O	15:A:601:HOH:O	2.13	0.66
3:H:152:PHE:O	15:H:301:HOH:O	2.15	0.65
4:F:6:GLN:NE2	15:F:303:HOH:O	2.28	0.65
3:E:149:LYS:NZ	4:F:180:THR:HG21	2.12	0.64
2:D:202:ARG:NH2	2:D:206:GLU:OE2	2.30	0.64
1:A:422:ARG:O	15:A:601:HOH:O	2.15	0.64
2:B:28:ASP:OD1	2:B:30:ALA:N	2.31	0.64
1:A:330:LEU:O	15:A:603:HOH:O	2.15	0.64
1:A:90[A]:ARG:NH2	15:A:608:HOH:O	2.31	0.63
1:A:177[A]:GLN:NE2	15:A:611:HOH:O	2.33	0.61
2:B:131:ILE:O	15:B:2101:HOH:O	2.16	0.60
1:A:15[B]:ASN:ND2	15:A:612:HOH:O	2.34	0.59
2:D:365:GLU:OE2	2:D:412:LYS:NZ	2.35	0.59
2:D:73:GLY:N	2:D:108:GLU:O	2.36	0.58
2:D:121:SER:HB2	14:D:2005:NB9:O10	2.03	0.58
1:C:2:ASN:N	1:C:2:ASN:OD1	2.37	0.58
1:C:3:LEU:O	1:C:405:GLN:NE2	2.28	0.57
1:A:32[B]:ARG:NH2	15:A:613:HOH:O	2.36	0.57
3:H:213:ASP:OD1	3:H:213:ASP:N	2.37	0.57
1:A:188:GLY:HA2	15:A:772:HOH:O	2.03	0.57
4:F:210:ASN:ND2	15:F:307:HOH:O	2.38	0.56
2:D:306:LEU:HB3	2:D:328:THR:HG22	1.88	0.56
2:B:130:SER:OG	2:B:336:ASP:O	2.21	0.56
2:B:26:CYS:O	2:B:37:ARG:NH1	2.42	0.52
2:B:132[A]:GLN:NE2	15:B:2108:HOH:O	2.37	0.52
3:E:219:ARG:NH2	15:E:303:HOH:O	2.42	0.52
1:A:301:ASP:OD2	15:A:604:HOH:O	2.19	0.51
1:A:307:LEU:O	15:A:605:HOH:O	2.19	0.51
2:D:12:SER:HB3	2:D:461:ARG:HD3	1.92	0.51
4:L:185:GLU:OE1	15:L:401:HOH:O	2.18	0.50
4:L:193:THR:HG23	4:L:208:SER:HB3	1.93	0.50
1:A:307:LEU:HA	1:A:329:TYR:O	2.11	0.50
1:A:377:ALA:HB2	1:A:421:LEU:HD11	1.93	0.50
2:D:418:PRO:HB2	2:D:421:PHE:CD1	2.47	0.50
3:E:67:LYS:NZ	3:E:90:ASP:OD2	2.26	0.49
2:B:39:ASP:OD1	2:B:40:LEU:N	2.45	0.49
4:F:187:GLU:HG2	4:F:211:ARG:NH1	2.28	0.48
1:C:107:CYS:HA	1:C:130:CYS:HA	1.94	0.48
2:B:12:SER:HB3	2:B:461:ARG:HD3	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:125:PRO:HB2	15:H:330:HOH:O	2.13	0.48
2:B:311:THR:O	2:B:315[B]:VAL:HG23	2.14	0.47
1:A:345:LEU:O	15:A:603:HOH:O	2.20	0.47
1:A:9:THR:HB	1:A:447:VAL:HB	1.96	0.47
1:A:197:GLN:OE1	15:A:606:HOH:O	2.21	0.47
1:A:276:ARG:NH1	15:A:630:HOH:O	2.45	0.47
1:C:377:ALA:HB2	1:C:421:LEU:HD11	1.96	0.47
2:D:150:ARG:HE	2:D:239:ARG:HD3	1.79	0.47
1:A:262:TRP:HB3	2:B:317:LEU:HD13	1.97	0.47
2:B:99:ASN:O	13:B:2004:NAG:H82	2.15	0.47
3:E:202:ASN:HA	3:E:213:ASP:HB3	1.98	0.46
6:K:1:NAG:O3	6:K:2:NAG:O5	2.30	0.46
1:A:294:ALA:N	15:A:605:HOH:O	2.40	0.46
3:H:196:SER:OG	3:H:197:GLN:N	2.48	0.46
1:A:107:CYS:HA	1:A:130:CYS:HA	1.97	0.45
1:A:400:ARG:HD2	8:A:502:SO4:O2	2.17	0.45
3:H:205:HIS:HE1	15:H:301:HOH:O	1.99	0.45
2:D:22:MET:HG2	2:D:40:LEU:HD22	1.99	0.45
1:A:436:ILE:N	15:A:601:HOH:O	2.49	0.44
3:H:149:LYS:NZ	15:H:302:HOH:O	2.23	0.44
1:A:15[A]:ASN:ND2	15:A:627:HOH:O	2.44	0.44
3:H:148:VAL:HG13	15:H:330:HOH:O	2.18	0.44
2:D:28:ASP:O	2:D:37:ARG:NH2	2.51	0.44
1:C:224:ASP:OD1	1:C:225:SER:N	2.47	0.44
3:E:38:LYS:N	15:E:307:HOH:O	2.51	0.44
3:E:91:THR:HG23	3:E:116:THR:HA	2.00	0.44
2:B:10:VAL:HG11	2:B:16:CYS:HA	1.99	0.43
3:E:177:GLN:N	3:E:180:LEU:O	2.42	0.43
2:D:178:TYR:CG	2:D:179:ASP:N	2.86	0.43
1:A:122:ALA:O	1:A:123:GLU:HB2	2.19	0.43
2:D:400:GLU:HB2	6:K:1:NAG:H83	2.00	0.43
1:A:41:ARG:NH2	15:A:641:HOH:O	2.51	0.42
3:E:2:VAL:HG13	3:E:27:PHE:CE1	2.54	0.42
4:F:149:LYS:HB2	4:F:193:THR:HB	2.01	0.42
3:H:194:TRP:CG	3:H:195:PRO:HA	2.54	0.42
1:A:3:LEU:O	1:A:5:PRO:HD3	2.19	0.42
3:E:213:ASP:OD1	3:E:213:ASP:N	2.53	0.42
4:L:4:MET:HE2	4:L:90:GLN:HB3	2.02	0.42
1:A:314:MET:HB3	1:A:322:LEU:HB3	2.02	0.42
3:H:146:CYS:HB2	3:H:160:TRP:CH2	2.54	0.42
2:D:329:THR:HB	15:D:2169:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:L:195:GLU:HG2	4:L:206:VAL:HG22	2.02	0.41
2:D:42:GLU:O	2:D:46:LYS:HG3	2.20	0.41
1:C:276:ARG:HD2	1:C:279:ARG:HB2	2.03	0.41
4:L:185:GLU:HG3	4:L:188:ARG:NH1	2.35	0.41
1:C:367:ASP:OD1	1:C:367:ASP:N	2.49	0.41
2:B:125:LYS:NZ	15:B:2119:HOH:O	2.52	0.41
2:D:391:ILE:HG22	15:D:2137:HOH:O	2.20	0.41
4:F:6:GLN:NE2	4:F:86:TYR:O	2.49	0.41
4:F:159:VAL:HG22	4:F:179:LEU:HD13	2.03	0.41
1:A:109:PRO:O	1:A:168:GLU:HA	2.20	0.41
2:B:139:ALA:HB2	2:B:200:VAL:HG11	2.02	0.41
1:C:320:ARG:NH1	15:C:612:HOH:O	2.49	0.41
2:D:121:SER:HB2	14:D:2005:NB9:C09	2.51	0.41
2:D:233:ASP:OD2	2:D:302:LYS:NZ	2.46	0.41
2:B:117:LEU:HD11	2:B:225:ALA:HB1	2.02	0.40
3:H:110:GLY:O	4:L:43:SER:OG	2.35	0.40
2:D:371:ASN:OD1	2:D:381:PRO:HA	2.20	0.40
3:E:152:PHE:HA	3:E:153:PRO:HA	1.90	0.40
1:A:15[A]:ASN:ND2	15:A:648:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	460/457 (101%)	444 (96%)	15 (3%)	1 (0%)	47 57
1	C	455/457 (100%)	437 (96%)	18 (4%)	0	100 100
2	B	472/472 (100%)	451 (96%)	18 (4%)	3 (1%)	25 29
2	D	471/472 (100%)	445 (94%)	26 (6%)	0	100 100
3	E	210/221 (95%)	191 (91%)	18 (9%)	1 (0%)	29 34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	H	212/221 (96%)	195 (92%)	17 (8%)	0	100	100
4	F	212/214 (99%)	193 (91%)	18 (8%)	1 (0%)	29	34
4	L	212/214 (99%)	204 (96%)	8 (4%)	0	100	100
All	All	2704/2728 (99%)	2560 (95%)	138 (5%)	6 (0%)	47	57

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	164	SER
1	A	123	GLU
2	B	9	GLY
2	B	76	ASP
2	B	375	LEU
4	F	212	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/364 (102%)	361 (98%)	9 (2%)	49	61
1	C	365/364 (100%)	354 (97%)	11 (3%)	41	53
2	B	420/417 (101%)	415 (99%)	5 (1%)	71	81
2	D	418/417 (100%)	409 (98%)	9 (2%)	52	64
3	E	186/190 (98%)	185 (100%)	1 (0%)	88	93
3	H	187/190 (98%)	184 (98%)	3 (2%)	62	74
4	F	188/188 (100%)	186 (99%)	2 (1%)	73	83
4	L	188/188 (100%)	183 (97%)	5 (3%)	44	57
All	All	2322/2318 (100%)	2277 (98%)	45 (2%)	57	69

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	61	GLU
1	A	166	TYR
1	A	220	SER
1	A	270	LEU
1	A	288	TYR
1	A	335	ARG
1	A	350[A]	THR
1	A	350[B]	THR
2	B	37	ARG
2	B	101	SER
2	B	182	THR
2	B	215	ASN
2	B	447	ARG
1	C	2	ASN
1	C	15	ASN
1	C	23	LEU
1	C	119	THR
1	C	166	TYR
1	C	190	TYR
1	C	197	GLN
1	C	219	GLN
1	C	288	TYR
1	C	319	ASP
1	C	338	HIS
2	D	20	SER
2	D	47	ASP
2	D	202	ARG
2	D	215	ASN
2	D	262	LEU
2	D	303	ASN
2	D	365	GLU
2	D	378	GLU
2	D	462	CYS
3	E	211	LYS
4	F	134	CYS
4	F	181	LEU
3	H	75	SER
3	H	196	SER
3	H	213	ASP
4	L	12	SER
4	L	72	SER
4	L	122	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	L	157	ASN
4	L	199	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	372	ASN
2	D	280	HIS
2	D	438	GLN
2	D	452	ASN
4	F	138	ASN
4	L	27	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	G	1	2,5	14,14,15	0.29	0	17,19,21	0.60	0
5	NAG	G	2	5	14,14,15	0.34	0	17,19,21	0.41	0
5	BMA	G	3	5	11,11,12	0.62	0	15,15,17	0.81	0
5	MAN	G	4	5	11,11,12	0.61	0	15,15,17	1.01	2 (13%)
5	MAN	G	5	5	11,11,12	0.65	0	15,15,17	0.96	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	I	1	6,2	14,14,15	0.32	0	17,19,21	0.43	0
6	NAG	I	2	6	14,14,15	0.26	0	17,19,21	0.38	0
7	NAG	J	1	7,2	14,14,15	0.31	0	17,19,21	0.61	1 (5%)
7	NAG	J	2	7	14,14,15	0.27	0	17,19,21	0.47	0
7	BMA	J	3	7	11,11,12	0.56	0	15,15,17	0.92	0
7	MAN	J	4	7	11,11,12	0.70	0	15,15,17	1.01	2 (13%)
6	NAG	K	1	6,2	14,14,15	0.29	0	17,19,21	0.54	0
6	NAG	K	2	6	14,14,15	0.37	0	17,19,21	0.75	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	BMA	G	3	5	-	0/2/19/22	0/1/1/1
5	MAN	G	4	5	-	0/2/19/22	0/1/1/1
5	MAN	G	5	5	-	1/2/19/22	0/1/1/1
6	NAG	I	1	6,2	-	1/6/23/26	0/1/1/1
6	NAG	I	2	6	-	3/6/23/26	0/1/1/1
7	NAG	J	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	J	2	7	-	0/6/23/26	0/1/1/1
7	BMA	J	3	7	-	2/2/19/22	0/1/1/1
7	MAN	J	4	7	-	2/2/19/22	0/1/1/1
6	NAG	K	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	4	MAN	C1-O5-C5	2.65	115.78	112.19
7	J	4	MAN	C1-O5-C5	2.34	115.36	112.19
6	K	2	NAG	C1-O5-C5	2.22	115.20	112.19
5	G	4	MAN	O2-C2-C3	-2.18	105.77	110.14
7	J	4	MAN	O2-C2-C3	-2.17	105.79	110.14
5	G	5	MAN	O2-C2-C3	-2.15	105.83	110.14
5	G	5	MAN	C1-O5-C5	2.12	115.07	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	J	1	NAG	C1-O5-C5	2.05	114.97	112.19

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	I	2	NAG	C8-C7-N2-C2
6	I	2	NAG	O7-C7-N2-C2
6	K	2	NAG	C8-C7-N2-C2
6	K	2	NAG	O7-C7-N2-C2
7	J	4	MAN	O5-C5-C6-O6
6	K	2	NAG	C4-C5-C6-O6
6	I	2	NAG	O5-C5-C6-O6
5	G	5	MAN	O5-C5-C6-O6
6	K	2	NAG	O5-C5-C6-O6
6	I	1	NAG	C4-C5-C6-O6
7	J	3	BMA	C4-C5-C6-O6
7	J	3	BMA	O5-C5-C6-O6
7	J	4	MAN	C4-C5-C6-O6


There are no ring outliers.



2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	2	NAG	1	0
6	K	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry

Of 29 ligands modelled in this entry, 17 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	NAG	D	2004	2	14,14,15	0.51	0	17,19,21	0.37	0
8	SO4	C	501	-	4,4,4	0.14	0	6,6,6	0.05	0
14	NB9	B	2005	12	36,36,36	2.60	9 (25%)	44,49,49	1.51	3 (6%)
8	SO4	A	508	-	4,4,4	0.17	0	6,6,6	0.19	0
8	SO4	L	301	-	4,4,4	0.14	0	6,6,6	0.05	0
13	NAG	B	2004	2	14,14,15	0.39	0	17,19,21	0.47	0
8	SO4	C	503	-	4,4,4	0.14	0	6,6,6	0.04	0
9	GOL	A	503	-	5,5,5	0.36	0	5,5,5	0.38	0
8	SO4	A	501	-	4,4,4	0.14	0	6,6,6	0.05	0
14	NB9	D	2005	12	36,36,36	2.62	9 (25%)	44,49,49	1.28	3 (6%)
8	SO4	A	502	-	4,4,4	0.14	0	6,6,6	0.05	0
8	SO4	C	502	-	4,4,4	0.14	0	6,6,6	0.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	D	2004	2	-	2/6/23/26	0/1/1/1
14	NB9	B	2005	12	-	1/29/39/39	0/3/3/3
13	NAG	B	2004	2	-	1/6/23/26	0/1/1/1
9	GOL	A	503	-	-	2/4/4/4	-
14	NB9	D	2005	12	-	2/29/39/39	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	D	2005	NB9	C12-N03	10.56	1.50	1.34
14	B	2005	NB9	C12-N03	10.47	1.49	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	B	2005	NB9	C24-N23	7.08	1.49	1.34
14	D	2005	NB9	C24-N23	7.07	1.49	1.34
14	B	2005	NB9	O13-C12	-4.52	1.14	1.22
14	D	2005	NB9	O13-C12	-4.47	1.14	1.22
14	D	2005	NB9	C32-N34	4.23	1.44	1.33
14	B	2005	NB9	C32-N34	4.23	1.44	1.33
14	D	2005	NB9	C04-N03	2.82	1.52	1.47
14	B	2005	NB9	C04-N03	2.72	1.51	1.47
14	D	2005	NB9	C02-N03	2.57	1.51	1.47
14	B	2005	NB9	C15-C16	2.55	1.57	1.51
14	D	2005	NB9	C15-C16	2.52	1.57	1.51
14	B	2005	NB9	C26-C24	2.49	1.55	1.50
14	D	2005	NB9	C26-C24	2.48	1.55	1.50
14	B	2005	NB9	C14-N23	2.48	1.51	1.45
14	D	2005	NB9	C14-N23	2.47	1.51	1.45
14	B	2005	NB9	C02-N03	2.39	1.51	1.47

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	2005	NB9	C02-C01-C06	5.86	116.77	110.32
14	B	2005	NB9	C04-C05-C06	5.01	115.83	110.32
14	D	2005	NB9	C02-C01-C06	4.51	115.28	110.32
14	D	2005	NB9	C04-C05-C06	3.79	114.49	110.32
14	B	2005	NB9	C05-C06-C01	3.25	118.02	111.74
14	D	2005	NB9	C05-C06-C01	2.19	115.97	111.74

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
13	D	2004	NAG	C4-C5-C6-O6
13	D	2004	NAG	O5-C5-C6-O6
9	A	503	GOL	O1-C1-C2-C3
13	B	2004	NAG	O5-C5-C6-O6
9	A	503	GOL	O1-C1-C2-O2
14	B	2005	NB9	C28-C29-C32-N33
14	D	2005	NB9	C30-C29-C32-N33
14	D	2005	NB9	C28-C29-C32-N33


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	B	2004	NAG	1	0
14	D	2005	NB9	2	0
8	A	502	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/457 (99%)	0.33	8 (1%) 68 64	30, 39, 55, 71	0
1	C	453/457 (99%)	0.23	9 (1%) 65 61	35, 50, 68, 86	0
2	B	466/472 (98%)	0.59	46 (9%) 7 5	31, 59, 114, 132	1 (0%)
2	D	471/472 (99%)	0.50	40 (8%) 10 8	38, 67, 106, 119	1 (0%)
3	E	214/221 (96%)	2.04	83 (38%) 0 0	67, 107, 157, 163	0
3	H	216/221 (97%)	0.66	24 (11%) 5 3	50, 86, 115, 120	0
4	F	214/214 (100%)	1.71	69 (32%) 0 0	69, 112, 150, 158	0
4	L	214/214 (100%)	0.29	4 (1%) 66 63	53, 78, 91, 109	0
All	All	2702/2728 (99%)	0.66	283 (10%) 6 4	30, 63, 135, 163	2 (0%)

All (283) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	212	VAL	12.7
4	F	214	CYS	11.3
3	E	216	ILE	10.7
3	E	133	VAL	10.4
3	E	134	CYS	10.4
4	F	130	ALA	10.2
2	B	33	LEU	10.1
3	E	210	THR	10.0
2	D	471	CYS	9.6
3	E	144	LEU	9.2
3	E	201	CYS	8.9
3	E	147	LEU	8.8
4	F	193	THR	8.7
4	L	214	CYS	8.7
3	E	203	VAL	8.7
2	B	77	SER	8.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	148	TRP	8.3
3	E	194	TRP	7.9
4	F	180	THR	7.6
2	D	469	SER	7.5
3	E	165	LEU	7.0
4	F	134	CYS	7.0
1	A	454	VAL	6.9
4	F	115	VAL	6.9
4	F	206	VAL	6.9
3	E	196	SER	6.7
3	E	127	VAL	6.5
2	B	34	GLY	6.5
4	F	195	GLU	6.3
4	F	159	VAL	6.1
4	F	126	THR	6.1
3	E	160	TRP	6.1
4	F	182	THR	6.0
2	B	1	GLY	5.9
2	B	36	PRO	5.9
3	E	219	ARG	5.9
4	F	208	SER	5.8
4	F	125	LEU	5.8
4	F	212	ASN	5.8
4	F	213	GLU	5.8
3	E	183	LEU	5.7
4	F	135	PHE	5.7
3	E	130	LEU	5.6
3	H	134	CYS	5.6
3	E	199	ILE	5.5
4	F	120	PRO	5.5
3	E	149	LYS	5.5
2	D	468	GLY	5.4
4	F	194	CYS	5.4
4	F	178	THR	5.3
4	F	181	LEU	5.3
3	E	128	TYR	5.2
1	C	1	LEU	5.2
2	B	2	PRO	5.1
2	D	375	LEU	5.0
2	B	375	LEU	4.9
4	F	146	VAL	4.9
4	L	212	ASN	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	179	LEU	4.9
3	H	198	SER	4.8
3	E	146	CYS	4.8
2	D	1	GLY	4.7
3	E	176	LEU	4.7
3	E	129	PRO	4.7
2	B	44	LEU	4.7
3	E	132	PRO	4.7
4	F	132	VAL	4.7
2	B	466	TRP	4.7
2	D	32	PRO	4.6
4	F	117	ILE	4.6
3	H	216	ILE	4.6
3	E	140	SER	4.6
3	E	217	GLU	4.5
4	F	150	ILE	4.5
2	B	451	GLY	4.5
2	B	30	ALA	4.4
4	F	136	LEU	4.4
2	B	450	ASN	4.4
2	B	10	VAL	4.4
3	E	141	SER	4.4
4	F	147	LYS	4.3
3	E	218	PRO	4.3
4	F	191	SER	4.3
4	F	209	PHE	4.3
3	E	215	LYS	4.2
2	D	44	LEU	4.2
3	E	187	VAL	4.2
3	E	191	SER	4.2
3	E	198	SER	4.2
2	D	378	GLU	4.1
3	H	133	VAL	4.1
3	H	165	LEU	4.1
4	F	157	ASN	3.9
2	B	35	SER	3.9
4	F	119	PRO	3.9
3	E	1	GLU	3.9
2	B	76	ASP	3.8
2	D	33	LEU	3.8
2	B	8	ARG	3.8
3	E	156	VAL	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	4	ILE	3.8
3	E	177	GLN	3.8
4	F	156	GLN	3.8
3	E	126	SER	3.7
2	B	49	CYS	3.7
3	H	138	THR	3.7
2	D	54	ILE	3.7
3	E	195	PRO	3.7
2	D	8	ARG	3.7
4	F	149	LYS	3.6
3	E	12	VAL	3.6
2	B	452	ASN	3.6
3	E	145	GLY	3.6
2	B	46	LYS	3.6
3	E	120	ALA	3.6
4	F	122	SER	3.6
4	F	155	ARG	3.6
4	F	190	ASN	3.6
2	D	374	CYS	3.5
1	A	339	ALA	3.5
3	E	16	ALA	3.5
3	E	200	THR	3.5
4	F	154	GLU	3.5
3	E	142	VAL	3.5
4	F	144	ILE	3.4
3	E	83	LEU	3.4
1	C	130	CYS	3.4
4	F	158	GLY	3.4
3	E	143	THR	3.4
3	E	188	THR	3.4
3	E	189	VAL	3.3
4	F	204	PRO	3.3
3	H	219	ARG	3.3
3	E	18	VAL	3.3
4	F	177	SER	3.3
3	E	131	ALA	3.3
4	F	152	GLY	3.3
4	F	192	TYR	3.3
4	F	205	ILE	3.3
4	F	133	VAL	3.3
2	D	51	PRO	3.2
4	F	188	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	118	PHE	3.2
4	F	131	SER	3.2
3	E	168	GLY	3.2
4	L	213	GLU	3.2
2	D	35	SER	3.2
4	F	207	LYS	3.2
2	D	34	GLY	3.2
2	D	450	ASN	3.2
2	D	380	ILE	3.1
3	E	150	GLY	3.1
3	H	160	TRP	3.1
4	F	160	LEU	3.1
3	E	181	TYR	3.1
4	F	114	THR	3.1
3	E	205	HIS	3.1
2	D	36	PRO	3.1
2	D	437	CYS	3.1
3	E	158	LEU	3.1
3	E	167	SER	3.1
2	B	449	ASN	3.1
2	D	2	PRO	3.1
3	E	29	ILE	3.0
1	A	338	HIS	3.0
2	B	29	GLU	3.0
1	A	337	PRO	3.0
3	E	114	SER	3.0
2	D	470	GLN	3.0
4	F	200	THR	3.0
1	C	336	GLY	3.0
2	B	376	ASN	3.0
2	B	378	GLU	2.9
2	B	50	ALA	2.9
4	F	142	LYS	2.9
4	F	124	GLN	2.9
3	H	217	GLU	2.9
4	F	202	THR	2.9
4	F	127	SER	2.9
3	E	118	SER	2.8
3	E	175	VAL	2.8
3	E	192	SER	2.8
2	D	48	ASN	2.8
4	F	113	PRO	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	20	LEU	2.8
2	D	77	SER	2.8
1	A	130	CYS	2.8
2	B	379	VAL	2.8
2	B	129	TRP	2.8
3	E	116	THR	2.8
2	D	143	ARG	2.8
4	F	163	TRP	2.7
3	E	17	SER	2.7
3	E	148	VAL	2.7
2	D	31	LEU	2.7
3	E	179	ASP	2.7
1	A	320	ARG	2.7
3	E	11	LEU	2.6
2	D	181	LYS	2.6
3	E	85	SER	2.6
3	E	184	SER	2.6
2	B	383	LEU	2.6
3	H	158	LEU	2.6
2	D	404	ARG	2.6
3	H	144	LEU	2.6
2	B	28	ASP	2.6
2	B	74	SER	2.6
2	B	31	LEU	2.5
1	C	335	ARG	2.5
2	D	22	MET	2.5
2	B	181	LYS	2.5
3	E	213	ASP	2.5
4	F	184	ASP	2.5
1	C	47	GLN	2.5
2	D	40	LEU	2.5
1	C	337	PRO	2.5
3	E	115	VAL	2.5
4	F	129	GLY	2.5
3	E	84	SER	2.5
3	H	177	GLN	2.5
3	E	178	SER	2.4
4	F	185	GLU	2.4
2	B	440	GLN	2.4
2	D	30	ALA	2.4
3	H	196	SER	2.4
4	F	186	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	H	215	LYS	2.4
4	F	151	ASP	2.4
1	C	320	ARG	2.4
1	C	453	VAL	2.4
2	D	79	GLN	2.4
2	D	387	MET	2.4
4	F	116	SER	2.3
3	H	147	LEU	2.3
4	F	153	SER	2.3
2	B	48	ASN	2.3
4	F	15	LEU	2.3
2	D	52	GLU	2.3
2	B	79	GLN	2.3
2	B	9	GLY	2.3
2	D	55	GLU	2.3
2	D	466	TRP	2.3
2	B	67	ARG	2.3
2	B	380	ILE	2.3
2	B	448	CYS	2.3
3	E	66	GLY	2.3
3	H	142	VAL	2.2
3	E	193	THR	2.2
3	E	13	LYS	2.2
1	A	47	GLN	2.2
1	A	319	ASP	2.2
3	E	124	ALA	2.2
2	B	446	HIS	2.2
4	L	105	GLU	2.2
2	B	54	ILE	2.2
3	E	182	THR	2.2
3	H	195	PRO	2.2
3	E	186	SER	2.2
2	B	75	GLY	2.2
2	D	39	ASP	2.2
3	E	25	SER	2.2
3	H	208	SER	2.2
4	F	197	THR	2.2
1	C	338	HIS	2.1
2	B	62	ARG	2.1
2	D	41	LYS	2.1
2	D	46	LYS	2.1
3	H	211	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	53	SER	2.1
4	F	201	SER	2.1
2	D	462	CYS	2.1
3	H	1	GLU	2.1
3	E	86	LEU	2.1
3	H	164	SER	2.1
2	B	32	PRO	2.1
3	E	121	LYS	2.1
3	H	201	CYS	2.1
3	H	197	GLN	2.1
2	B	11	SER	2.1
3	E	119	SER	2.0
3	H	130	LEU	2.0
3	E	214	LYS	2.0
2	D	78	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	BMA	G	3	11/12	0.64	0.27	70,70,70,70	0
5	MAN	G	5	11/12	0.68	0.39	75,75,75,75	0
7	BMA	J	3	11/12	0.70	0.34	76,76,76,76	0
7	MAN	J	4	11/12	0.77	0.29	76,76,76,76	0
5	MAN	G	4	11/12	0.81	0.21	68,68,68,68	0
6	NAG	K	2	14/15	0.82	0.32	94,94,94,94	0
5	NAG	G	2	14/15	0.84	0.16	61,61,61,61	0
7	NAG	J	2	14/15	0.84	0.27	69,69,69,69	0
6	NAG	K	1	14/15	0.86	0.27	89,89,89,89	0
6	NAG	I	2	14/15	0.89	0.24	85,85,85,85	0
6	NAG	I	1	14/15	0.89	0.22	83,83,83,83	0
5	NAG	G	1	14/15	0.90	0.14	48,48,48,48	0
7	NAG	J	1	14/15	0.94	0.12	58,58,58,58	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands i




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
13	NAG	B	2004	14/15	0.78	0.34	86,86,86,86	0
13	NAG	D	2004	14/15	0.80	0.30	85,85,85,85	0
8	SO4	A	508	5/5	0.84	0.19	52,52,52,52	0
8	SO4	C	502	5/5	0.86	0.23	70,70,70,70	0
8	SO4	C	501	5/5	0.87	0.24	65,65,65,65	0
11	CL	C	504	1/1	0.88	0.07	56,56,56,56	0
11	CL	C	505	1/1	0.88	0.30	67,67,67,67	0
9	GOL	A	503	6/6	0.89	0.20	48,48,48,48	0
10	CA	C	506	1/1	0.89	0.05	64,64,64,64	0
10	CA	D	2002	1/1	0.90	0.10	53,53,53,53	0
8	SO4	L	301	5/5	0.91	0.26	71,71,71,71	0
8	SO4	A	501	5/5	0.91	0.31	61,61,61,61	0
14	NB9	B	2005	34/34	0.93	0.18	38,38,38,38	0
14	NB9	D	2005	34/34	0.93	0.18	48,48,48,48	0
10	CA	B	2002	1/1	0.94	0.04	52,52,52,52	0
11	CL	A	509	1/1	0.94	0.18	53,53,53,53	0
10	CA	A	504	1/1	0.95	0.05	48,48,48,48	0
12	MG	D	2001	1/1	0.95	0.20	40,40,40,40	0
10	CA	A	506	1/1	0.96	0.18	36,36,36,36	0
10	CA	A	507	1/1	0.96	0.17	36,36,36,36	0
10	CA	C	508	1/1	0.96	0.12	51,51,51,51	0
8	SO4	C	503	5/5	0.97	0.14	61,61,61,61	5
10	CA	C	507	1/1	0.97	0.07	56,56,56,56	0
10	CA	A	505	1/1	0.98	0.12	38,38,38,38	0
10	CA	D	2003	1/1	0.98	0.16	42,42,42,42	0
12	MG	B	2001	1/1	0.98	0.24	28,28,28,28	0
10	CA	C	509	1/1	0.98	0.12	49,49,49,49	0
10	CA	B	2003	1/1	0.99	0.18	33,33,33,33	0
8	SO4	A	502	5/5	0.99	0.07	50,50,50,50	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NB9 B 2005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NB9 D 2005:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.