



## Full wwPDB EM Validation Report ⓘ

Apr 8, 2024 – 04:28 PM EDT

PDB ID : 8UK3  
EMDB ID : EMD-42344  
Title : The rotavirus VP5\*/VP8\* conformational transition permeabilizes membranes to Ca<sup>2+</sup> (class 6 reconstruction)  
Authors : De Sautu, M.; Herrmann, T.; Jenni, S.; Harrison, S.C.  
Deposited on : 2023-10-12  
Resolution : 8.00 Å(reported)  
Based on initial model : 6WYG

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 8.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	776	
1	2	776	
1	3	776	
2	a	326	
2	b	326	
2	c	326	
2	d	326	
2	e	326	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	f	326	 80% 19%
2	g	326	 82% 17%
2	h	326	 79% 21%
2	i	326	 82% 17%
2	j	326	 81% 17%
2	k	326	 80% 19%
2	l	326	 79% 19%
2	m	326	 82% 17%
2	n	326	 80% 19%
2	o	326	 79% 19%
2	p	326	 81% 17%
2	q	326	 78% 21%
2	r	326	 82% 17%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 88254 atoms, of which 43479 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Outer capsid protein VP4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	1	275	Total	C	H	N	O	S	0	0
			4291	1382	2107	368	427	7		
1	2	275	Total	C	H	N	O	S	0	0
			4291	1382	2107	368	427	7		
1	3	275	Total	C	H	N	O	S	0	0
			4291	1382	2107	368	427	7		

- Molecule 2 is a protein called Outer capsid glycoprotein VP7.


Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	f	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	g	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	h	259	Total	C	H	N	O	S	0	0
			4041	1298	1994	324	409	16		
2	i	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	j	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	k	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	l	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	m	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	n	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	o	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	p	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	q	259	Total	C	H	N	O	S	0	0
			4041	1298	1994	324	409	16		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	r	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	a	259	Total	C	H	N	O	S	0	0
			4041	1298	1994	324	409	16		
2	b	272	Total	C	H	N	O	S	0	0
			4254	1369	2099	342	428	16		
2	c	261	Total	C	H	N	O	S	0	0
			4074	1308	2011	327	412	16		
2	d	265	Total	C	H	N	O	S	0	0
			4133	1328	2037	333	419	16		
2	e	260	Total	C	H	N	O	S	0	0
			4050	1302	1998	323	411	16		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	N	O	
3	f	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	g	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	h	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	i	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	j	1	Total	C	H	N	O	0
			28	8	14	1	5	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	
3	k	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	l	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	m	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	n	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	o	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	p	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	q	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	r	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	a	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	b	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	c	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	d	1	Total	C	H	N	O	0
			28	8	14	1	5	
3	e	1	Total	C	H	N	O	0
			28	8	14	1	5	

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
4	f	3	Total	Ca	0
			3	3	
4	g	3	Total	Ca	0
			3	3	
4	h	3	Total	Ca	0
			3	3	
4	i	3	Total	Ca	0
			3	3	
4	j	3	Total	Ca	0
			3	3	
4	k	3	Total	Ca	0
			3	3	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
4	l	3	Total 3	Ca 3	0
4	m	3	Total 3	Ca 3	0
4	n	3	Total 3	Ca 3	0
4	o	3	Total 3	Ca 3	0
4	p	3	Total 3	Ca 3	0
4	q	3	Total 3	Ca 3	0
4	r	3	Total 3	Ca 3	0
4	a	3	Total 3	Ca 3	0
4	b	3	Total 3	Ca 3	0
4	c	3	Total 3	Ca 3	0
4	d	3	Total 3	Ca 3	0
4	e	3	Total 3	Ca 3	0







ARG PHE PHE PHE ALA ARG ARG ARG VAL GLU THR THR PHE GLN ASP ASP GLU ILE PRO PHE PHE VAL ASN VAL GLN LYS PHE PHE ALA ALA ASP ASP MET VAL THR ASP SER SER VAL ILE ILE SER PHE LYS THR LYS LYS LEU LEU LEU LEU LEU LEU ASP ASN TYR TYR GLY ILE ILE ARG ARG GLN PHE PHE ASN LEU LEU ARG ASP

PRO ARG VAL LEU ARG GLU PHE ILE ASN ASP ASN PRO ILE ARG ASN ARG GLN LYS ILE GLN LEU LEU LEU MET VAL THR ASP CYS ARG LEU

● Molecule 2: Outer capsid glycoprotein VP7

Chain f: 80% 19%

MET TYR GLY ILE LEU TYR THR THR VAL THR PHE THR LEU ILE SER SER ILE LEU LEU LEU ASN ILE ILE LYS SER LEU THR ARG MET ASP PHE ILE ILE ILE TYR ARG PHE LEU PHE ILE VAL VAL LEU LEU ASN ASP TYR PRO TYR ILE ILE ARG ALA G51 L150 T220 T281 S314 R315

SER LEU ASN SER ALA ALA PHE TYR TYR ILE

● Molecule 2: Outer capsid glycoprotein VP7

Chain g: 82% 17%

MET TYR ILE LEU TYR THR THR VAL THR PHE THR LEU ILE SER SER ILE LEU LEU LEU ASN TYR TYR ILE ILE LEU LYS SER LEU THR ARG MET MET ASP PHE ILE ILE ILE TYR ARG PHE LEU PHE ILE VAL VAL LEU LEU SER SER PRO LEU LEU LYS ALA GLN ASN TYR GLY I55 E180 T281

N318 Y324 R325 I326

● Molecule 2: Outer capsid glycoprotein VP7

Chain h: 79% 21%

MET TYR ILE LEU TYR THR THR VAL THR PHE THR LEU ILE SER SER ILE LEU LEU LEU ASN TYR TYR ILE ILE LEU LYS SER LEU THR ARG ARG MET MET ASP PHE ILE ILE ILE TYR ARG PHE LEU PHE ILE VAL VAL LEU LEU SER SER PRO LEU LEU LYS ALA GLN ASN TYR GLY ILE I57 P58 D231

C244 T281 R315 SER LEU ASN SER ALA ALA PHE TYR TYR ARG ILE

● Molecule 2: Outer capsid glycoprotein VP7


Chain i: 82% 17%

MET TYR GLY ILE LEU TYR THR THR VAL THR PHE THR LEU ILE SER SER ILE LEU LEU LEU ASN TYR TYR ILE ILE LEU LYS SER LEU THR ARG MET MET ASP PHE ILE ILE ILE TYR ARG PHE LEU PHE ILE VAL VAL LEU LEU SER SER PRO LEU LEU LYS ALA GLN ASN TYR GLY I55 T87 Q176



S186 D231 T281 Y324 R325 I326

● Molecule 2: Outer capsid glycoprotein VP7



Chain j: 81% 17%





• Molecule 2: Outer capsid glycoprotein VP7





• Molecule 2: Outer capsid glycoprotein VP7




• Molecule 2: Outer capsid glycoprotein VP7




• Molecule 2: Outer capsid glycoprotein VP7





• Molecule 2: Outer capsid glycoprotein VP7









• Molecule 2: Outer capsid glycoprotein VP7




• Molecule 2: Outer capsid glycoprotein VP7




• Molecule 2: Outer capsid glycoprotein VP7




• Molecule 2: Outer capsid glycoprotein VP7





• Molecule 2: Outer capsid glycoprotein VP7

Chain b:  83% 17%





- Molecule 2: Outer capsid glycoprotein VP7

Chain c:  79% 20%





- Molecule 2: Outer capsid glycoprotein VP7

Chain d:  80% 19%



- Molecule 2: Outer capsid glycoprotein VP7

Chain e:  79% 20%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	70018	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.030	Depositor
Minimum map value	-0.012	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.002	Depositor
Map size (Å)	316.8, 316.8, 316.8	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2375, 1.2375, 1.2375	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1	0.27	0/2232	0.57	0/3032
1	2	0.27	0/2232	0.57	0/3032
1	3	0.27	0/2232	0.57	0/3032
2	a	0.27	0/2089	0.55	0/2854
2	b	0.26	0/2200	0.54	0/3005
2	c	0.27	0/2105	0.54	0/2876
2	d	0.27	0/2139	0.54	0/2922
2	e	0.27	0/2094	0.54	0/2862
2	f	0.27	0/2139	0.53	0/2922
2	g	0.27	0/2200	0.55	0/3005
2	h	0.27	0/2089	0.54	0/2854
2	i	0.28	0/2200	0.55	0/3005
2	j	0.27	0/2200	0.54	0/3005
2	k	0.27	0/2139	0.56	0/2922
2	l	0.27	0/2139	0.55	0/2922
2	m	0.27	0/2200	0.55	0/3005
2	n	0.26	0/2139	0.55	0/2922
2	o	0.27	0/2139	0.54	0/2922
2	p	0.27	0/2200	0.55	0/3005
2	q	0.27	0/2089	0.54	0/2854
2	r	0.27	0/2200	0.55	0/3005
All	All	0.27	0/45396	0.55	0/61963

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	e	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	e	311	SER	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	2184	2107	2107	22	0
1	2	2184	2107	2107	14	0
1	3	2184	2107	2107	20	0
2	a	2047	1994	1993	0	0
2	b	2155	2099	2099	0	0
2	c	2063	2011	2010	0	0
2	d	2096	2037	2036	0	0
2	e	2052	1998	1997	0	0
2	f	2096	2037	2036	0	0
2	g	2155	2099	2098	0	0
2	h	2047	1994	1993	0	0
2	i	2155	2099	2098	0	0
2	j	2155	2099	2098	0	0
2	k	2096	2037	2036	0	0
2	l	2096	2037	2036	0	0
2	m	2155	2099	2098	0	0
2	n	2096	2037	2036	0	0
2	o	2096	2037	2036	0	0
2	p	2155	2099	2098	0	0
2	q	2047	1994	1993	0	0
2	r	2155	2099	2098	0	0
3	a	14	14	13	0	0
3	b	14	14	13	0	0
3	c	14	14	13	0	0
3	d	14	14	13	0	0
3	e	14	14	13	0	0
3	f	14	14	13	0	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	g	14	14	13	0	0
3	h	14	14	13	0	0
3	i	14	14	13	0	0
3	j	14	14	13	0	0
3	k	14	14	13	0	0
3	l	14	14	13	0	0
3	m	14	14	13	0	0
3	n	14	14	13	0	0
3	o	14	14	13	0	0
3	p	14	14	13	0	0
3	q	14	14	13	0	0
3	r	14	14	13	0	0
4	a	3	0	0	0	0
4	b	3	0	0	0	0
4	c	3	0	0	0	0
4	d	3	0	0	0	0
4	e	3	0	0	0	0
4	f	3	0	0	0	0
4	g	3	0	0	0	0
4	h	3	0	0	0	0
4	i	3	0	0	0	0
4	j	3	0	0	0	0
4	k	3	0	0	0	0
4	l	3	0	0	0	0
4	m	3	0	0	0	0
4	n	3	0	0	0	0
4	o	3	0	0	0	0
4	p	3	0	0	0	0
4	q	3	0	0	0	0
4	r	3	0	0	0	0
All	All	44775	43479	43444	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:485:THR:HG1	1:2:412:SER:HG	1.26	0.80
1:3:270:ASP:OD1	1:3:467:ARG:NH1	2.23	0.72
1:2:485:THR:HG1	1:3:412:SER:HG	1.40	0.69

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:493:ASP:OD1	1:1:496:ARG:NH2	2.27	0.68
1:1:485:THR:OG1	1:2:412:SER:OG	2.08	0.67
1:1:491:ARG:NH2	1:2:492:GLN:OE1	2.30	0.65
1:1:360:GLN:OE1	1:1:363:ARG:NH1	2.30	0.64
1:1:502:ARG:NH2	1:2:283:LYS:O	2.35	0.60
1:2:485:THR:OG1	1:3:412:SER:OG	2.17	0.59
1:1:270:ASP:OD1	1:1:467:ARG:NH1	2.35	0.59
1:3:300:ASN:ND2	1:3:317:THR:OG1	2.37	0.57
1:3:403:SER:OG	1:3:433:GLU:OE2	2.23	0.56
1:2:416:THR:OG1	1:2:419:VAL:O	2.22	0.55
1:1:502:ARG:NH1	1:3:504:GLU:OE1	2.40	0.53
1:3:360:GLN:NE2	1:3:478:ASP:OD1	2.42	0.52
1:3:281:ILE:HG21	1:3:385:TYR:OH	2.10	0.52
1:1:490:VAL:O	1:3:491:ARG:NE	2.40	0.51
1:3:253:ASP:OD1	1:3:253:ASP:N	2.44	0.50
1:1:450:LEU:HD12	1:1:451:PRO:HD2	1.94	0.50
1:1:383:GLY:N	1:1:454:ASN:O	2.44	0.50
1:1:253:ASP:OD1	1:1:253:ASP:N	2.45	0.49
1:3:418:PHE:O	1:3:486:ASN:N	2.44	0.49
1:3:270:ASP:OD1	1:3:270:ASP:N	2.45	0.48
1:2:329:ASN:HA	1:2:338:VAL:HG23	1.95	0.48
1:1:345:ILE:HD12	1:1:450:LEU:HD23	1.95	0.47
1:3:329:ASN:HA	1:3:338:VAL:HG23	1.96	0.47
1:2:331:GLY:N	1:2:336:ASP:OD2	2.47	0.47
1:1:438:SER:OG	1:1:444:VAL:O	2.32	0.47
1:2:270:ASP:OD1	1:2:467:ARG:NH1	2.47	0.47
1:1:329:ASN:HA	1:1:338:VAL:HG23	1.98	0.46
1:1:416:THR:OG1	1:1:419:VAL:O	2.27	0.45
1:2:386:SER:HA	1:2:396:VAL:HG12	1.99	0.45
1:1:339:ILE:HD12	1:1:342:TYR:CD2	2.52	0.44
1:3:289:TYR:OH	1:3:391:VAL:O	2.26	0.44
1:1:289:TYR:OH	1:1:391:VAL:O	2.24	0.44
1:3:488:VAL:HG12	1:3:490:VAL:H	1.82	0.43
1:2:418:PHE:O	1:2:486:ASN:N	2.50	0.43
1:2:375:LEU:HD11	1:2:426:PHE:CD1	2.54	0.42
1:2:488:VAL:HG13	1:2:490:VAL:HG23	2.01	0.42
1:1:375:LEU:HD11	1:1:426:PHE:CD1	2.55	0.41
1:1:270:ASP:OD1	1:1:270:ASP:N	2.54	0.41
1:1:488:VAL:HG11	1:3:490:VAL:CG2	2.51	0.41
1:3:423:SER:OG	1:3:424:LEU:N	2.54	0.41
1:3:354:ASP:N	1:3:354:ASP:OD1	2.53	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:3:502:ARG:O	1:3:506:ASN:ND2	2.53	0.40
1:1:423:SER:OG	1:1:424:LEU:N	2.52	0.40
1:3:261:LEU:O	1:3:476:SER:N	2.47	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	273/776 (35%)	273 (100%)	0	0	100	100
1	2	273/776 (35%)	273 (100%)	0	0	100	100
1	3	273/776 (35%)	273 (100%)	0	0	100	100
2	a	257/326 (79%)	257 (100%)	0	0	100	100
2	b	270/326 (83%)	269 (100%)	1 (0%)	0	100	100
2	c	259/326 (79%)	258 (100%)	1 (0%)	0	100	100
2	d	263/326 (81%)	263 (100%)	0	0	100	100
2	e	258/326 (79%)	257 (100%)	1 (0%)	0	100	100
2	f	263/326 (81%)	263 (100%)	0	0	100	100
2	g	270/326 (83%)	269 (100%)	1 (0%)	0	100	100
2	h	257/326 (79%)	257 (100%)	0	0	100	100
2	i	270/326 (83%)	270 (100%)	0	0	100	100
2	j	270/326 (83%)	268 (99%)	2 (1%)	0	100	100
2	k	263/326 (81%)	263 (100%)	0	0	100	100
2	l	263/326 (81%)	263 (100%)	0	0	100	100
2	m	270/326 (83%)	269 (100%)	1 (0%)	0	100	100
2	n	263/326 (81%)	263 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	o	263/326 (81%)	263 (100%)	0	0	100	100
2	p	270/326 (83%)	270 (100%)	0	0	100	100
2	q	257/326 (79%)	257 (100%)	0	0	100	100
2	r	270/326 (83%)	269 (100%)	1 (0%)	0	100	100
All	All	5575/8196 (68%)	5567 (100%)	8 (0%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	241/688 (35%)	235 (98%)	6 (2%)	47	68
1	2	241/688 (35%)	235 (98%)	6 (2%)	47	68
1	3	241/688 (35%)	235 (98%)	6 (2%)	47	68
2	a	233/295 (79%)	230 (99%)	3 (1%)	69	81
2	b	244/295 (83%)	241 (99%)	3 (1%)	71	83
2	c	235/295 (80%)	232 (99%)	3 (1%)	69	81
2	d	238/295 (81%)	234 (98%)	4 (2%)	60	78
2	e	234/295 (79%)	231 (99%)	3 (1%)	69	81
2	f	238/295 (81%)	234 (98%)	4 (2%)	60	78
2	g	244/295 (83%)	240 (98%)	4 (2%)	62	79
2	h	233/295 (79%)	230 (99%)	3 (1%)	69	81
2	i	244/295 (83%)	238 (98%)	6 (2%)	47	68
2	j	244/295 (83%)	237 (97%)	7 (3%)	42	64
2	k	238/295 (81%)	234 (98%)	4 (2%)	60	78
2	l	238/295 (81%)	231 (97%)	7 (3%)	42	64
2	m	244/295 (83%)	240 (98%)	4 (2%)	62	79
2	n	238/295 (81%)	234 (98%)	4 (2%)	60	78

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	o	238/295 (81%)	232 (98%)	6 (2%)	47	68
2	p	244/295 (83%)	237 (97%)	7 (3%)	42	64
2	q	233/295 (79%)	228 (98%)	5 (2%)	53	72
2	r	244/295 (83%)	240 (98%)	4 (2%)	62	79
All	All	5027/7374 (68%)	4928 (98%)	99 (2%)	57	74

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	307	ARG
1	1	323	MET
1	1	413	THR
1	1	423	SER
1	1	443	ARG
1	1	473	LEU
2	f	150	LEU
2	f	220	THR
2	f	281	THR
2	f	314	SER
1	2	307	ARG
1	2	312	VAL
1	2	335	THR
1	2	349	SER
1	2	423	SER
1	2	477	ASN
2	g	180	GLU
2	g	281	THR
2	g	318	ASN
2	g	324	TYR
1	3	270	ASP
1	3	323	MET
1	3	413	THR
1	3	423	SER
1	3	473	LEU
1	3	477	ASN
2	h	231	ASP
2	h	244	CYS
2	h	281	THR
2	i	87	THR
2	i	176	GLN
2	i	186	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	i	231	ASP
2	i	281	THR
2	i	324	TYR
2	j	150	LEU
2	j	176	GLN
2	j	185	ILE
2	j	237	LEU
2	j	277	THR
2	j	281	THR
2	j	284	MET
2	k	60	THR
2	k	74	GLU
2	k	208	LEU
2	k	281	THR
2	l	162	GLU
2	l	186	SER
2	l	202	THR
2	l	209	THR
2	l	274	ASP
2	l	281	THR
2	l	283	ARG
2	m	151	ASP
2	m	185	ILE
2	m	281	THR
2	m	324	TYR
2	n	131	PRO
2	n	169	ASP
2	n	207	CYS
2	n	281	THR
2	o	73	GLU
2	o	74	GLU
2	o	133	LEU
2	o	176	GLN
2	o	209	THR
2	o	284	MET
2	p	133	LEU
2	p	149	GLN
2	p	176	GLN
2	p	209	THR
2	p	237	LEU
2	p	281	THR
2	p	324	TYR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	q	87	THR
2	q	202	THR
2	q	231	ASP
2	q	244	CYS
2	q	281	THR
2	r	180	GLU
2	r	185	ILE
2	r	186	SER
2	r	231	ASP
2	a	186	SER
2	a	207	CYS
2	a	281	THR
2	b	202	THR
2	b	281	THR
2	b	284	MET
2	c	174	TYR
2	c	179	ASP
2	c	281	THR
2	d	73	GLU
2	d	149	GLN
2	d	185	ILE
2	d	281	THR
2	e	202	THR
2	e	209	THR
2	e	281	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	f	149	GLN
2	g	132	GLN
2	g	149	GLN
2	g	176	GLN
2	g	234	ASN
2	h	149	GLN
2	h	182	ASN
2	h	248	ASN
2	j	132	GLN
2	j	248	ASN
2	j	305	GLN
2	k	305	GLN
2	l	248	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
2	n	52	ASN
2	n	288	ASN
2	n	305	GLN
2	r	182	ASN
2	r	248	ASN
2	c	305	GLN
2	d	149	GLN
2	d	176	GLN
2	d	234	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 72 ligands modelled in this entry, 54 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	g	401	2	14,14,15	0.44	0	17,19,21	0.44	0
3	NAG	r	403	2	14,14,15	0.61	1 (7%)	17,19,21	0.76	1 (5%)
3	NAG	h	401	2	14,14,15	0.59	1 (7%)	17,19,21	0.72	1 (5%)
3	NAG	i	403	2	14,14,15	0.60	1 (7%)	17,19,21	0.72	1 (5%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	j	402	2	14,14,15	0.36	0	17,19,21	0.35	0
3	NAG	m	401	2	14,14,15	0.58	1 (7%)	17,19,21	0.71	1 (5%)
3	NAG	b	401	-	14,14,15	0.25	0	17,19,21	0.49	0
3	NAG	l	403	2	14,14,15	0.40	0	17,19,21	0.46	0
3	NAG	o	403	2	14,14,15	0.49	0	17,19,21	0.45	0
3	NAG	q	401	2	14,14,15	0.44	0	17,19,21	0.69	1 (5%)
3	NAG	e	401	2	14,14,15	0.20	0	17,19,21	0.56	0
3	NAG	c	403	2	14,14,15	0.58	0	17,19,21	0.70	1 (5%)
3	NAG	n	401	2	14,14,15	0.31	0	17,19,21	0.34	0
3	NAG	p	401	2	14,14,15	0.51	0	17,19,21	0.73	1 (5%)
3	NAG	d	404	2	14,14,15	0.39	0	17,19,21	0.39	0
3	NAG	k	401	2	14,14,15	0.61	1 (7%)	17,19,21	0.78	1 (5%)
3	NAG	f	401	2	14,14,15	0.38	0	17,19,21	0.43	0
3	NAG	a	401	2	14,14,15	0.62	1 (7%)	17,19,21	0.75	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	g	401	2	-	0/6/23/26	0/1/1/1
3	NAG	r	403	2	-	0/6/23/26	0/1/1/1
3	NAG	h	401	2	-	0/6/23/26	0/1/1/1
3	NAG	i	403	2	-	0/6/23/26	0/1/1/1
3	NAG	j	402	2	-	0/6/23/26	0/1/1/1
3	NAG	m	401	2	-	0/6/23/26	0/1/1/1
3	NAG	b	401	-	-	0/6/23/26	0/1/1/1
3	NAG	l	403	2	-	0/6/23/26	0/1/1/1
3	NAG	o	403	2	-	0/6/23/26	0/1/1/1
3	NAG	q	401	2	-	0/6/23/26	0/1/1/1
3	NAG	e	401	2	-	0/6/23/26	0/1/1/1
3	NAG	c	403	2	-	2/6/23/26	0/1/1/1
3	NAG	n	401	2	-	0/6/23/26	0/1/1/1
3	NAG	p	401	2	-	2/6/23/26	0/1/1/1
3	NAG	d	404	2	-	0/6/23/26	0/1/1/1
3	NAG	k	401	2	-	0/6/23/26	0/1/1/1
3	NAG	f	401	2	-	0/6/23/26	0/1/1/1
3	NAG	a	401	2	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	a	401	NAG	C1-C2	2.11	1.55	1.52
3	r	403	NAG	C1-C2	2.06	1.55	1.52
3	k	401	NAG	C1-C2	2.04	1.55	1.52
3	i	403	NAG	C1-C2	2.02	1.55	1.52
3	m	401	NAG	C1-C2	2.02	1.55	1.52
3	h	401	NAG	C1-C2	2.01	1.55	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	k	401	NAG	C1-O5-C5	2.82	116.01	112.19
3	r	403	NAG	C1-O5-C5	2.72	115.88	112.19
3	a	401	NAG	C1-O5-C5	2.67	115.81	112.19
3	p	401	NAG	C1-O5-C5	2.58	115.69	112.19
3	i	403	NAG	C1-O5-C5	2.56	115.66	112.19
3	h	401	NAG	C1-O5-C5	2.52	115.61	112.19
3	m	401	NAG	C1-O5-C5	2.51	115.59	112.19
3	c	403	NAG	C1-O5-C5	2.41	115.46	112.19
3	q	401	NAG	C1-O5-C5	2.34	115.37	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	c	403	NAG	C4-C5-C6-O6
3	c	403	NAG	O5-C5-C6-O6
3	p	401	NAG	O5-C5-C6-O6
3	p	401	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42344. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 90




Y Index: 56




Z Index: 96


### 6.3.2 Raw map



X Index: 107



Y Index: 78




Z Index: 123


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.002. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2619  $\text{nm}^3$ ; this corresponds to an approximate mass of 2366 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.125 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.125 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)			
	0.143	0.5	Half-bit	Other
Reported by author	-	-	-	8.00
Author-provided FSC curve	4.20	6.15	4.31	-
Unmasked-calculated*	4.17	6.12	4.26	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42344 and PDB model 8UK3. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.002 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.002).













































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.002) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9440	 0.3270
1	 0.8820	 0.2730
2	 0.9020	 0.3010
3	 0.9220	 0.3000
a	 0.9530	 0.3470
b	 0.9640	 0.3730
c	 0.9740	 0.3810
d	 0.9680	 0.3880
e	 0.9840	 0.4030
f	 0.9610	 0.3890
g	 0.9620	 0.3430
h	 0.9650	 0.3470
i	 0.9630	 0.3760
j	 0.9540	 0.3020
k	 0.9580	 0.3380
l	 0.9300	 0.3100
m	 0.9380	 0.2890
n	 0.9380	 0.2860
o	 0.9400	 0.2520
p	 0.9280	 0.2680
q	 0.9560	 0.3310
r	 0.9360	 0.2660

