

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 28, 2024 - 01:04 PM EDT

PDB ID	:	8ULJ
Title	:	Prefusion RSV F bound by neutralizing antibody 2E08
Authors	:	Harshbarger, W.D.; Andreano, E.; Malito, E.
Deposited on	:	2023-10-16
Resolution	:	3.00  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	164625	2511 (3.00-3.00)
Clashscore	180529	2866 (3.00-3.00)
Ramachandran outliers	177936	2778 (3.00-3.00)
Sidechain outliers	177891	2781 (3.00-3.00)
RSRZ outliers	164620	2523 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	79	84%	15% •
2	L	214	73%	20% • •
3	Н	242	<u>33%</u> 64% 24%	• 10%
4	В	414	5% 83%	14% ••



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 6896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Fusion glycoprotein F2.

Mol	Chain	Residues		At	$\mathbf{oms}$			ZeroOcc	AltConf	Trace
1	А	78	Total 611	C 384	N 100	0 124	${ m S} { m 3}$	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	102	ALA	PRO	$\operatorname{conflict}$	UNP P03420

• Molecule 2 is a protein called 2E08 Fab Light Chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
2	L	209	Total 1516	C 936	N 272	0 304	S 4	0	1	0

• Molecule 3 is a protein called 2E08 Fab Heavy Chain.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
3	Н	217	Total 1617	C 1026	N 267	0 317	S 7	0	0	0

• Molecule 4 is a protein called Fusion glycoprotein F0,Fibritin.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
4	В	408	Total 3152	C 1997	N 520	0 615	S 20	0	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	155	CYS	SER	conflict	UNP A0A088S9A7
В	190	PHE	SER	conflict	UNP A0A088S9A7
В	207	LEU	VAL	conflict	UNP A0A088S9A7



Reference	]

Continu	Continued from previous page								
Chain	Residue	Modelled	Actual	Comment	Reference				
В	290	CYS	SER	conflict	UNP A0A088S9A7				
В	514	SER	-	linker	UNP A0A088S9A7				
В	515	ALA	-	linker	UNP A0A088S9A7				
В	516	ILE	-	linker	UNP A0A088S9A7				
В	517	GLY	-	linker	UNP A0A088S9A7				
В	539	LEU	PHE	conflict	UNP P10104				
В	545	GLY	-	expression tag	UNP P10104				
В	546	GLY	-	expression tag	UNP P10104				
В	547	LEU	-	expression tag	UNP P10104				
В	548	VAL	-	expression tag	UNP P10104				
В	549	PRO	-	expression tag	UNP P10104				
B	550	ARG	-	expression tag	UNP P10104				

8ULJ



Chain B:

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



83%

• Molecule 1: Fusion glycoprotein F2



14%

# N278 N278 F137 1150 0283 1159 1151 1291 1159 1152 1291 1159 11291 1291 1159 11291 1291 1156 11291 1291 1156 11201 1291 1156 11201 1291 1171 1121 1291 1171 112 1291 1171 112 1292 1173 112 1333 1173 1136 1136 1171 1136 1136 1139 1136 1136 1139 1136 1136 1139 1136 1136 1139 11396 1139 1214 11396 1316 1214 11396 1316 1214 11396 1316 1214 1141 141 1216 1142 1316 1214



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants	164.72Å 164.72Å 146.16Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	43.39 - 3.00	Depositor
Resolution (A)	43.39 - 3.00	EDS
% Data completeness	98.5 (43.39-3.00)	Depositor
(in resolution range)	94.7 (43.39-3.00)	EDS
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.17 (at 3.01Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
D D.	0.237 , $0.264$	Depositor
$\Pi, \Pi_{free}$	0.238 , $0.264$	DCC
$R_{free}$ test set	44189 reflections $(4.35%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	63.3	Xtriage
Anisotropy	0.595	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.29, 56.0	EDS
L-test for twinning <sup>2</sup>	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	6896	wwPDB-VP
Average B, all atoms $(Å^2)$	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.27	0/618	0.47	0/835	
2	L	0.33	0/1546	0.56	0/2107	
3	Н	0.26	0/1653	0.56	1/2257~(0.0%)	
4	В	0.27	0/3203	0.50	1/4345~(0.0%)	
All	All	0.28	0/7020	0.52	2/9544~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	L	0	3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	В	205	PRO	N-CA-C	-5.53	97.71	112.10
3	Н	167	LEU	CA-CB-CG	5.20	127.26	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	L	108	ARG	Sidechain
2	L	109	ARG	Sidechain
2	L	212	ARG	Sidechain



#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	611	0	618	11	0
2	L	1516	0	1378	38	0
3	Н	1617	0	1601	53	0
4	В	3152	0	3180	42	0
All	All	6896	0	6777	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	$\operatorname{Clash}$	
Atom-1	Atom-2	$distance ( { m \AA} )$	overlap (Å)	
3:H:32:TYR:HB3	3:H:98:THR:HG21	1.63	0.80	
3:H:158:VAL:HG23	3:H:207:ASN:HB3	1.65	0.76	
4:B:203:LEU:C	4:B:205:PRO:HD3	2.05	0.76	
2:L:205:PRO:HB2	2:L:208:LYS:HD2	1.67	0.75	
3:H:167:LEU:HD23	3:H:168:THR:H	1.52	0.74	
2:L:139:ASN:HA	2:L:174:TYR:H	1.55	0.71	
3:H:121:SER:H	3:H:154:PHE:HZ	1.38	0.71	
3:H:162:TRP:O	3:H:163:ASN:ND2	2.24	0.70	
3:H:129:VAL:HG12	3:H:206:VAL:HG11	1.74	0.68	
2:L:111:VAL:HG13	2:L:142:PRO:HG2	1.76	0.68	
2:L:146:LYS:H	2:L:197:VAL:HG13	1.59	0.67	
3:H:153:TYR:HB2	3:H:184:TYR:HB2	1.77	0.66	
2:L:206:VAL:HG22	2:L:207:THR:HG23	1.77	0.65	
2:L:4:VAL:HA	2:L:24:ARG:O	1.97	0.65	
3:H:98:THR:HG22	3:H:99:MET:H	1.63	0.64	
4:B:204:LEU:N	4:B:205:PRO:HD3	2.13	0.64	
2:L:137:LEU:HD13	2:L:145:ALA:HB1	1.79	0.63	
4:B:137:PHE:CE1	4:B:339:ARG:HD2	2.34	0.63	
2:L:165:THR:HG21	2:L:174:TYR:HB3	1.81	0.63	
4:B:246:PRO:HB3	4:B:283:GLN:HA	1.81	0.63	
3:H:208:HIS:HB3	3:H:213:THR:HG23	1.81	0.62	
2:L:40:LYS:HG3	2:L:85:VAL:HG11	1.81	0.62	
1:A:62:SER:HB2	4:B:196:LYS:HA	1.81	0.62	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:H:194:SER:O	3:H:197:LEU:HB2	2.02	0.60	
3:H:35:ARG:NH1	3:H:106:ASP:OD1	2.35	0.59	
3:H:168:THR:OG1	3:H:169:SER:N	2.35	0.59	
3:H:127:PRO:HB3	3:H:209:LYS:HE2	1.84	0.59	
2:L:161:GLN:HE22	3:H:179:GLN:HA	1.67	0.59	
3:H:91:ALA:HB2	3:H:119:VAL:H	1.66	0.59	
4:B:264:MET:HE2	4:B:266:ILE:HD13	1.85	0.58	
3:H:39:GLN:HB3	3:H:45:LEU:HD23	1.85	0.57	
2:L:33:LEU:HD12	2:L:93:GLY:HA2	1.88	0.56	
1:A:68:LYS:O	4:B:208:ASN:ND2	2.39	0.56	
4:B:310:ASP:OD1	4:B:364:ARG:NH2	2.39	0.56	
4:B:171:LEU:HD13	4:B:191:LYS:HB2	1.89	0.55	
4:B:399:LYS:HG3	4:B:485:SER:HB2	1.88	0.55	
2:L:124:GLU:HA	2:L:127:LYS:HE3	1.88	0.55	
2:L:165:THR:HG21	2:L:174:TYR:HD2	1.73	0.54	
3:H:156:GLU:HG2	3:H:157:PRO:HD2	1.90	0.54	
4:B:167:ILE:HG23	4:B:189:THR:HG21	1.88	0.54	
2:L:61:ASP:N	2:L:61:ASP:OD1	2.41	0.53	
4:B:338:ASP:OD1	4:B:338:ASP:N	2.35	0.53	
3:H:35:ARG:HD2	4:B:173:SER:HB3	1.89	0.53	
3:H:155:PRO:HD2	3:H:209:LYS:HB3	1.91	0.53	
2:L:97:ARG:NE	3:H:106:ASP:OD2	2.42	0.53	
2:L:125:GLN:HG2	2:L:130:THR:O	2.09	0.53	
4:B:209:LYS:O	4:B:209:LYS:HD2	2.09	0.52	
3:H:153:TYR:HE1	3:H:186:LEU:HD22	1.74	0.52	
3:H:97:ALA:HB3	3:H:108:LEU:HD13	1.92	0.51	
3:H:13:LYS:O	3:H:16:SER:OG	2.29	0.51	
2:L:24:ARG:HH21	2:L:71:ASP:HB2	1.76	0.51	
1:A:95:LEU:O	1:A:98:GLN:HG2	2.11	0.51	
3:H:178:LEU:HA	3:H:184:TYR:HA	1.92	0.51	
2:L:125:GLN:HG3	3:H:130:PHE:CE2	2.47	0.50	
1:A:90:VAL:HG13	4:B:292:ILE:HD11	1.93	0.50	
3:H:120:SER:HB2	3:H:154:PHE:CE2	2.47	0.49	
4:B:357:THR:HG21	4:B:371:ASN:HD22	1.77	0.49	
3:H:153:TYR:CE1	3:H:186:LEU:HD22	2.48	0.49	
2:L:140:PHE:HE2	2:L:142:PRO:O	1.94	0.49	
2:L:140:PHE:CZ	2:L:145:ALA:HB2	2.48	0.49	
4:B:163:GLU:OE2	4:B:182:SER:OG	2.30	0.49	
4:B:199:ILE:O	4:B:204:LEU:HB2	2.13	0.49	
2:L:195:CYS:O	2:L:208:LYS:NZ	2.31	0.48	
2:L:138:ASN:O	2:L:139:ASN:C	2.51	0.48	



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
3:H:124:THR:HA	3:H:155:PRO:HG3	1.95	0.48		
3:H:75:LEU:H	3:H:75:LEU:HD23	1.78	0.48		
3:H:167:LEU:HD23	3:H:168:THR:N	2.25	0.48		
3:H:174:PHE:HB3	3:H:175:PRO:HD2	1.96	0.48		
3:H:153:TYR:CG	3:H:209:LYS:HE3	2.49	0.48		
3:H:127:PRO:HD3	3:H:209:LYS:HG2	1.95	0.47		
3:H:33:PRO:O	3:H:98:THR:HG23	2.13	0.47		
4:B:216:ASN:O	4:B:219:THR:HG22	2.15	0.47		
3:H:150:VAL:HB	3:H:186:LEU:HD23	1.96	0.47		
2:L:141:TYR:HB3	2:L:142:PRO:HD3	1.97	0.46		
4:B:487:GLU:HB3	4:B:490:ALA:HB2	1.97	0.46		
2:L:64:SER:OG	2:L:75:THR:OG1	2.33	0.46		
4:B:415:SER:HB3	4:B:417:TYR:CE2	2.50	0.46		
4:B:171:LEU:HD11	4:B:189:THR:HG22	1.98	0.45		
2:L:162:GLU:HB3	2:L:176:LEU:HD11	1.97	0.45		
2:L:142:PRO:O	2:L:144:GLU:N	2.50	0.45		
3:H:134:PRO:HG3	3:H:221:PRO:HB3	1.97	0.45		
4:B:159:HIS:NE2	4:B:291:ILE:HD13	2.31	0.45		
3:H:129:VAL:CG1	3:H:206:VAL:HG11	2.45	0.45		
4:B:532:ARG:NH2	4:B:535:GLY:O	2.50	0.45		
2:L:165:THR:HG21	2:L:174:TYR:CD2	2.52	0.44		
2:L:132:SER:HA	2:L:180:LEU:O	2.17	0.44		
3:H:2:VAL:HA	3:H:25:SER:O	2.18	0.44		
4:B:206:ILE:HG22	4:B:214:ILE:HB	2.00	0.44		
1:A:92:GLU:OE2	4:B:238:SER:OG	2.28	0.44		
1:A:46:SER:HB3	4:B:313:CYS:SG	2.58	0.43		
2:L:132:SER:OG	2:L:181:THR:HG22	2.18	0.43		
2:L:165:THR:CG2	2:L:174:TYR:HB3	2.46	0.43		
4:B:405:SER:HB3	4:B:457:TYR:CE2	2.53	0.43		
4:B:217:ILE:HG22	4:B:218:GLU:OE2	2.18	0.43		
3:H:29:LEU:HG	3:H:53:PRO:HG2	1.99	0.43		
4:B:257:LEU:HD23	4:B:278:VAL:HG13	1.99	0.43		
3:H:30:ASN:HB3	3:H:54:ILE:HD12	2.00	0.43		
1:A:70:ASN:HB3	4:B:210:GLN:O	2.19	0.43		
3:H:155:PRO:CD	3:H:209:LYS:HB3	2.48	0.43		
2:L:168:ASP:HB2	2:L:173:THR:H	1.84	0.43		
4:B:394:LYS:HB3	4:B:394:LYS:HE3	1.67	0.43		
3:H:129:VAL:HG21	3:H:215:VAL:HG11	2.00	0.43		
3:H:152:ASP:HA	3:H:183:LEU:HB3	2.00	0.42		
2:L:173:THR:HB	2:L:174:TYR:H	1.56	0.42		
4:B:338:ASP:HB2	4:B:342:TYR:OH	2.19	0.42		



		Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
3:H:29:LEU:HD11	3:H:79:VAL:HG23	2.02	0.42	
1:A:83:LEU:HD23	1:A:83:LEU:HA	1.95	0.42	
2:L:112:ALA:HB3	2:L:201:GLY:HA3	2.02	0.42	
4:B:357:THR:HG21	4:B:371:ASN:ND2	2.35	0.42	
3:H:129:VAL:HG11	3:H:215:VAL:HG11	2.01	0.42	
4:B:463:GLU:OE1	4:B:464:GLY:N	2.52	0.42	
4:B:415:SER:HB3	4:B:417:TYR:HE2	1.85	0.42	
3:H:156:GLU:O	3:H:158:VAL:HG13	2.19	0.41	
4:B:395:ILE:HD13	4:B:492:ILE:HD13	2.02	0.41	
1:A:52:TRP:CE3	4:B:302:GLN:HG2	2.55	0.41	
1:A:49:ARG:HE	4:B:368:ASP:CG	2.24	0.41	
2:L:126:LEU:HD13	2:L:126:LEU:HA	1.94	0.41	
3:H:102:PRO:HB2	4:B:178:VAL:HG23	2.02	0.41	
2:L:163:SER:CB	3:H:175:PRO:HG3	2.51	0.41	
1:A:37:CYS:SG	4:B:319:SER:HB3	2.61	0.40	
2:L:132:SER:HB3	2:L:179:THR:HG23	2.01	0.40	
3:H:209:LYS:HA	3:H:209:LYS:HD3	1.60	0.40	
2:L:33:LEU:HB3	2:L:92:TYR:CD2	2.56	0.40	
3:H:214:LYS:HE3	3:H:214:LYS:HB3	1.98	0.40	
3:H:153:TYR:HA	3:H:209:LYS:HD2	2.02	0.40	
2:L:140:PHE:C	2:L:173:THR:HG22	2.42	0.40	
3:H:39:GLN:O	3:H:92:ALA:HB1	2.22	0.40	
3:H:120:SER:HB2	3:H:154:PHE:CZ	2.56	0.40	
4:B:399:LYS:HZ3	4:B:399:LYS:HB3	1.87	0.40	

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	А	76/79~(96%)	73~(96%)	3(4%)	0	100 100	



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	206/214~(96%)	181 (88%)	20 (10%)	5(2%)	5	25
3	Н	213/242 (88%)	190 (89%)	20 (9%)	3 (1%)	9	37
4	В	406/414~(98%)	392~(97%)	11 (3%)	3(1%)	19	54
All	All	901/949~(95%)	836 (93%)	54 (6%)	11 (1%)	11	41

Continued from previous page...

All (11) Ramachandran outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type
2	L	4	VAL
3	Н	154	PHE
3	Н	211	SER
4	В	205	PRO
2	L	139	ASN
2	L	174	TYR
4	В	201	LYS
4	В	204	LEU
2	L	146	LYS
2	L	141	TYR
3	Н	105	ILE

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	70/71~(99%)	70~(100%)	0	100	100
2	L	149/185~(80%)	140 (94%)	9~(6%)	16	47
3	Н	181/206~(88%)	178 (98%)	3(2%)	56	81
4	В	369/373~(99%)	363~(98%)	6(2%)	58	82
All	All	769/835~(92%)	751 (98%)	18 (2%)	45	75

All (18) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
2	L	109	ARG
2	L	110	THR
2	L	126	LEU
2	L	127	LYS
2	L	143	ARG
2	L	173	THR
2	L	174	TYR
2	L	192	VAL
2	L	212	ARG
3	Н	162	TRP
3	Н	163	ASN
3	Н	208	HIS
4	В	203	LEU
4	В	206	ILE
4	В	212	CYS
4	В	222	GLU
4	В	262	ASN
4	В	532	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	161	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.



## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	78/79~(98%)	0.40	8 (10%) 13 8	44, 68, 140, 151	0
2	L	209/214~(97%)	1.39	66 (31%) 1 1	44, 89, 166, 195	1 (0%)
3	Н	217/242 (89%)	1.95	81 (37%) 1 1	45, 102, 183, 200	0
4	В	408/414 (98%)	0.12	19 (4%) 37 21	40, 63, 119, 177	0
All	All	912/949~(96%)	0.87	174 (19%) 4 3	40, 74, 171, 200	1 (0%)

All (174) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
3	Н	132	LEU	10.1
2	L	136	LEU	9.9
3	Н	149	LEU	9.1
3	Н	190	VAL	8.4
3	Н	135	SER	8.2
3	Н	188	SER	8.1
2	L	145	ALA	8.0
3	Н	146	LEU	7.8
3	Н	173	THR	7.8
2	L	209	SER	6.7
3	Н	150	VAL	6.6
1	А	104	ASN	6.2
2	L	134	VAL	6.1
2	L	120	PRO	6.1
2	L	164[A]	VAL	5.8
3	Н	157	PRO	5.7
3	Н	207	ASN	5.4
3	Н	137	LYS	5.4
3	Н	134	PRO	5.3
2	L	147	VAL	5.3
2	L	197	VAL	5.3



Mol	Chain	Res	Type	RSRZ
3	Н	147	GLY	5.3
3	Н	145	ALA	5.2
3	Н	131	PRO	5.2
3	Н	193	PRO	5.2
3	Н	176	ALA	5.1
3	Н	191	THR	5.1
2	L	175	SER	5.1
2	L	146	LYS	5.1
3	Н	195	SER	5.1
3	Н	172	HIS	5.0
1	А	100	THR	4.9
2	L	132	SER	4.9
3	Н	154	PHE	4.8
3	Н	129	VAL	4.8
3	Н	189	VAL	4.8
3	Н	187	SER	4.8
1	А	103	THR	4.8
2	L	123	ASP	4.7
2	L	135	CYS	4.7
3	Н	133	ALA	4.7
2	L	115	SER	4.7
2	L	177	SER	4.7
3	Н	174	PHE	4.7
3	Н	148	CYS	4.6
3	Н	136	SER	4.6
2	L	148	GLN	4.6
1	А	101	PRO	4.6
3	Н	210	PRO	4.5
2	L	200	GLN	4.5
2	L	122	SER	4.5
2	L	163	SER	4.4
2	L	137	LEU	4.4
3	Н	178	LEU	4.3
2	L	114	PRO	4.2
3	Н	125	LYS	4.2
2	L	192	VAL	4.2
3	Н	167	LEU	4.1
2	L	180	LEU	4.1
3	H	171	VAL	4.0
1	A	102	ALA	4.0
3	Н	221	PRO	4.0
3	Н	211	SER	4.0



Mol	Chain	Res	Type	RSRZ
2	L	151	VAL	4.0
3	Н	175	PRO	3.9
2	L	207	THR	3.9
3	Н	192	VAL	3.9
2	L	133	VAL	3.8
3	Н	199	THR	3.8
3	Н	213	THR	3.8
3	Н	153	TYR	3.8
2	L	178	SER	3.7
3	Н	219	VAL	3.7
2	L	112	ALA	3.7
2	L	176	LEU	3.7
4	В	137	PHE	3.7
3	Н	203	ILE	3.6
2	L	143	ARG	3.5
4	В	329	GLY	3.5
2	L	144	GLU	3.4
2	L	121	PRO	3.4
3	Н	88	SER	3.4
2	L	206	VAL	3.4
2	L	169	SER	3.4
3	Н	186	LEU	3.4
4	В	207	LEU	3.4
2	L	142	PRO	3.4
2	L	214	GLU	3.3
3	Н	206	VAL	3.3
3	Н	202	TYR	3.3
2	L	130	THR	3.3
2	L	201	GLY	3.3
3	H	143	THR	3.2
3	H	196	SER	3.2
2	L	211	ASN	3.2
3	H	166	ALA	3.2
2	L	190	HIS	3.1
2	L	183	SER	3.1
3	H	128	SER	3.1
2	L	194	ALA	3.1
3	H	217	LYS	3.1
3	H	144	ALA	3.1
3	H	184	TYR	3.1
3	H	194	SER	3.1
2	L	141	TYR	3.1



Mol	Chain	Res	Type	RSRZ
4	В	357	THR	3.0
2	L	111	VAL	3.0
2	L	198	THR	3.0
4	В	214	ILE	3.0
2	L	131	ALA	3.0
3	Н	156	GLU	2.9
3	Н	179	GLN	2.9
3	Н	142	GLY	2.9
3	Н	201	THR	2.9
3	Н	197	LEU	2.9
3	Н	160	VAL	2.9
4	В	165	ASN	2.9
3	Н	155	PRO	2.9
1	A	99	SER	2.8
2	L	2	GLU	2.8
4	В	328	GLU	2.8
2	L	199	HIS	2.8
4	В	486	ASP	2.8
4	В	520	ILE	2.7
2	L	193	TYR	2.7
2	L	187	TYR	2.7
3	Н	198	GLY	2.7
2	L	179	THR	2.7
4	В	327	LYS	2.7
2	L	186	ASP	2.6
3	Н	161	SER	2.6
2	L	208	LYS	2.6
3	Н	118	THR	2.6
2	L	174	TYR	2.6
2	L	140	PHE	2.6
3	Н	152	ASP	2.6
3	Н	169	SER	2.5
3	Н	181	SER	2.5
3	Н	126	GLY	2.5
3	Н	159	THR	2.5
3	Н	177	VAL	2.5
3	Н	120	SER	2.5
3	Н	162	TRP	2.5
3	Н	204	CYS	2.4
2	L	138	ASN	2.4
2	L	113	ALA	2.4
4	В	518	GLY	2.4



Mol	Chain	Res	Type	RSRZ
2	L	195	CYS	2.3
3	Н	130	PHE	2.3
2	L	202	LEU	2.3
2	L	149	TRP	2.3
3	Н	87	THR	2.3
3	Н	158	VAL	2.3
3	Н	215	VAL	2.3
4	В	505	PHE	2.2
3	Н	127	PRO	2.2
4	В	205	PRO	2.2
2	L	126	LEU	2.2
2	L	182	LEU	2.2
2	L	205	PRO	2.2
3	Н	15	GLY	2.1
4	В	206	ILE	2.1
4	В	543	PHE	2.1
4	В	489	ASP	2.1
2	L	166	GLU	2.1
4	В	215	SER	2.1
2	L	185	ALA	2.1
4	В	517	GLY	2.1
2	L	191	LYS	2.1
1	А	97	MET	2.1
3	Н	116	ARG	2.1
4	В	544	LEU	2.1
3	Н	14	PRO	2.0
1	А	42	LYS	2.0

Continued from previous page...

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

There are no ligands in this entry.



## 6.5 Other polymers (i)

There are no such residues in this entry.

