



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 30, 2024 – 11:59 pm BST

PDB ID : 4UMP
Title : Structure of MELK in complex with inhibitors
Authors : Johnson, C.N.; Berdini, V.; Beke, L.; Bonnet, P.; Brehmer, D.; Coyle, J.E.; Day, P.J.; Frederickson, M.; Freyne, E.J.E.; Gilissen, R.A.H.J.; Hamlett, C.C.F.; Howard, S.; Meerpoel, L.; McMenamini, R.; Patel, S.; Rees, D.C.; Sharff, A.; Sommen, F.; Wu, T.; Linders, J.T.M.
Deposited on : 2014-05-20
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	 75% 11% 12% 2%
1	B	356	 74% 15% 9% 2%
1	C	356	 73% 14% 13% 3%
1	D	356	 73% 15% 10% 5%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 10944 atoms, of which 36 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	313	2545	1642	430	456	17	0	1	0
1	B	324	2614	1680	444	472	18	0	0	0
1	C	311	2536	1636	427	456	17	0	1	0
1	D	321	2593	1672	439	467	15	0	1	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP Q14680
A	-18	GLY	-	expression tag	UNP Q14680
A	-17	SER	-	expression tag	UNP Q14680
A	-16	SER	-	expression tag	UNP Q14680
A	-15	HIS	-	expression tag	UNP Q14680
A	-14	HIS	-	expression tag	UNP Q14680
A	-13	HIS	-	expression tag	UNP Q14680
A	-12	HIS	-	expression tag	UNP Q14680
A	-11	HIS	-	expression tag	UNP Q14680
A	-10	HIS	-	expression tag	UNP Q14680
A	-9	SER	-	expression tag	UNP Q14680
A	-8	SER	-	expression tag	UNP Q14680
A	-7	GLY	-	expression tag	UNP Q14680
A	-6	LEU	-	expression tag	UNP Q14680
A	-5	VAL	-	expression tag	UNP Q14680
A	-4	PRO	-	expression tag	UNP Q14680
A	-3	ARG	-	expression tag	UNP Q14680
A	-2	GLY	-	expression tag	UNP Q14680
A	-1	SER	-	expression tag	UNP Q14680
A	0	HIS	-	expression tag	UNP Q14680
A	167	ALA	THR	engineered mutation	UNP Q14680

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	171	ALA	SER	engineered mutation	UNP Q14680
A	213	THR	ASN	engineered mutation	UNP Q14680
A	214	ALA	VAL	engineered mutation	UNP Q14680
A	215	ALA	MET	engineered mutation	UNP Q14680
A	218	VAL	TYR	engineered mutation	UNP Q14680
A	219	ALA	LYS	engineered mutation	UNP Q14680
B	-19	MET	-	expression tag	UNP Q14680
B	-18	GLY	-	expression tag	UNP Q14680
B	-17	SER	-	expression tag	UNP Q14680
B	-16	SER	-	expression tag	UNP Q14680
B	-15	HIS	-	expression tag	UNP Q14680
B	-14	HIS	-	expression tag	UNP Q14680
B	-13	HIS	-	expression tag	UNP Q14680
B	-12	HIS	-	expression tag	UNP Q14680
B	-11	HIS	-	expression tag	UNP Q14680
B	-10	HIS	-	expression tag	UNP Q14680
B	-9	SER	-	expression tag	UNP Q14680
B	-8	SER	-	expression tag	UNP Q14680
B	-7	GLY	-	expression tag	UNP Q14680
B	-6	LEU	-	expression tag	UNP Q14680
B	-5	VAL	-	expression tag	UNP Q14680
B	-4	PRO	-	expression tag	UNP Q14680
B	-3	ARG	-	expression tag	UNP Q14680
B	-2	GLY	-	expression tag	UNP Q14680
B	-1	SER	-	expression tag	UNP Q14680
B	0	HIS	-	expression tag	UNP Q14680
B	167	ALA	THR	engineered mutation	UNP Q14680
B	171	ALA	SER	engineered mutation	UNP Q14680
B	213	THR	ASN	engineered mutation	UNP Q14680
B	214	ALA	VAL	engineered mutation	UNP Q14680
B	215	ALA	MET	engineered mutation	UNP Q14680
B	218	VAL	TYR	engineered mutation	UNP Q14680
B	219	ALA	LYS	engineered mutation	UNP Q14680
C	-19	MET	-	expression tag	UNP Q14680
C	-18	GLY	-	expression tag	UNP Q14680
C	-17	SER	-	expression tag	UNP Q14680
C	-16	SER	-	expression tag	UNP Q14680
C	-15	HIS	-	expression tag	UNP Q14680
C	-14	HIS	-	expression tag	UNP Q14680
C	-13	HIS	-	expression tag	UNP Q14680
C	-12	HIS	-	expression tag	UNP Q14680
C	-11	HIS	-	expression tag	UNP Q14680

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-10	HIS	-	expression tag	UNP Q14680
C	-9	SER	-	expression tag	UNP Q14680
C	-8	SER	-	expression tag	UNP Q14680
C	-7	GLY	-	expression tag	UNP Q14680
C	-6	LEU	-	expression tag	UNP Q14680
C	-5	VAL	-	expression tag	UNP Q14680
C	-4	PRO	-	expression tag	UNP Q14680
C	-3	ARG	-	expression tag	UNP Q14680
C	-2	GLY	-	expression tag	UNP Q14680
C	-1	SER	-	expression tag	UNP Q14680
C	0	HIS	-	expression tag	UNP Q14680
C	167	ALA	THR	engineered mutation	UNP Q14680
C	171	ALA	SER	engineered mutation	UNP Q14680
C	213	THR	ASN	engineered mutation	UNP Q14680
C	214	ALA	VAL	engineered mutation	UNP Q14680
C	215	ALA	MET	engineered mutation	UNP Q14680
C	218	VAL	TYR	engineered mutation	UNP Q14680
C	219	ALA	LYS	engineered mutation	UNP Q14680
D	-19	MET	-	expression tag	UNP Q14680
D	-18	GLY	-	expression tag	UNP Q14680
D	-17	SER	-	expression tag	UNP Q14680
D	-16	SER	-	expression tag	UNP Q14680
D	-15	HIS	-	expression tag	UNP Q14680
D	-14	HIS	-	expression tag	UNP Q14680
D	-13	HIS	-	expression tag	UNP Q14680
D	-12	HIS	-	expression tag	UNP Q14680
D	-11	HIS	-	expression tag	UNP Q14680
D	-10	HIS	-	expression tag	UNP Q14680
D	-9	SER	-	expression tag	UNP Q14680
D	-8	SER	-	expression tag	UNP Q14680
D	-7	GLY	-	expression tag	UNP Q14680
D	-6	LEU	-	expression tag	UNP Q14680
D	-5	VAL	-	expression tag	UNP Q14680
D	-4	PRO	-	expression tag	UNP Q14680
D	-3	ARG	-	expression tag	UNP Q14680
D	-2	GLY	-	expression tag	UNP Q14680
D	-1	SER	-	expression tag	UNP Q14680
D	0	HIS	-	expression tag	UNP Q14680
D	167	ALA	THR	engineered mutation	UNP Q14680
D	171	ALA	SER	engineered mutation	UNP Q14680
D	213	THR	ASN	engineered mutation	UNP Q14680
D	214	ALA	VAL	engineered mutation	UNP Q14680

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	215	ALA	MET	engineered mutation	UNP Q14680
D	218	VAL	TYR	engineered mutation	UNP Q14680
D	219	ALA	LYS	engineered mutation	UNP Q14680

- Molecule 2 is 3-(isoquinolin-7-yl)prop-2-yn-1-ol (three-letter code: 5QM) (formula: C₁₂H₉NO).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
2	A	1	Total	C	H	N	O	0	0
			23	12	9	1	1		
2	B	1	Total	C	H	N	O	0	0
			23	12	9	1	1		
2	C	1	Total	C	H	N	O	0	0
			23	12	9	1	1		
2	D	1	Total	C	H	N	O	0	0
			23	12	9	1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	143	Total	O	0	0
			143	143		
3	B	162	Total	O	0	0
			162	162		
3	C	130	Total	O	0	0
			130	130		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	129	Total 129	O 129	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE




- Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE





- Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE





● Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	65.82Å 74.97Å 77.09Å 86.47° 70.06° 89.94°	Depositor
Resolution (Å)	50.38 – 2.30 50.38 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.7 (50.38-2.30) 95.8 (50.38-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.29Å)	Xtrriage
Refinement program	BUSTER 2.11.5	Depositor
R, R_{free}	0.235 , 0.291 0.243 , 0.306	Depositor DCC
R_{free} test set	2989 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	50.3	Xtrriage
Anisotropy	0.241	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10944	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5QM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/2604	0.74	1/3519 (0.0%)
1	B	0.57	0/2671	0.73	0/3609
1	C	0.55	0/2594	0.71	0/3505
1	D	0.58	0/2653	0.73	0/3587
All	All	0.57	0/10522	0.73	1/14220 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	267	TYR	CB-CA-C	-5.52	99.37	110.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	18	GLY	Peptide
1	D	283	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2545	0	2568	18	0
1	B	2614	0	2639	23	0
1	C	2536	0	2555	20	0
1	D	2593	0	2623	27	0
2	A	14	9	9	0	0
2	B	14	9	9	0	0
2	C	14	9	9	0	0
2	D	14	9	9	0	0
3	A	143	0	0	2	0
3	B	162	0	0	0	0
3	C	130	0	0	0	0
3	D	129	0	0	1	0
All	All	10908	36	10421	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:TYR:H	1:A:314:THR:HG21	1.47	0.79
1:C:109:THR:HG22	1:C:202:LEU:HB3	1.67	0.75
1:C:138:LEU:HB3	1:C:146:LEU:HD22	1.73	0.69
1:A:104:LEU:HB2	1:A:109:THR:HG22	1.74	0.69
1:A:138:LEU:HB3	1:A:146:LEU:HD22	1.73	0.69
1:B:229:PRO:HD2	1:B:232:LEU:HD22	1.73	0.69
1:D:138:LEU:HB3	1:D:146:LEU:HD22	1.75	0.68
1:B:139:LEU:HD22	1:B:139:LEU:N	2.08	0.67
1:A:213:THR:HG23	1:A:216:ALA:H	1.59	0.66
1:D:229:PRO:HD2	1:D:232:LEU:HD22	1.77	0.66
1:B:289:GLU:HG3	1:B:332:LEU:HD22	1.77	0.65
1:C:245:GLN:HB2	1:C:251:ARG:HG2	1.78	0.65
1:D:40:LYS:HE3	1:D:42:MET:CE	2.27	0.65
1:D:289:GLU:HG3	1:D:330:VAL:O	1.97	0.65
1:C:104:LEU:HB2	1:C:109:THR:HG23	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:229:PRO:HD2	1:C:232:LEU:HD22	1.79	0.63
1:A:229:PRO:HD2	1:A:232:LEU:HD22	1.81	0.62
1:D:322:ALA:HB1	1:D:326:ARG:HH21	1.67	0.60
1:B:201:VAL:HG11	1:B:207:LEU:HD23	1.84	0.59
1:B:151:PHE:O	1:B:154:CYS:HB2	2.03	0.58
1:B:197:ILE:O	1:B:201:VAL:HG13	2.03	0.58
1:D:260:HIS:CD2	1:D:262:TRP:H	2.22	0.57
1:C:131:ARG:HH11	1:C:155:ALA:HB2	1.69	0.57
1:D:248:PRO:HA	1:D:251:ARG:HG3	1.86	0.57
1:D:57:GLU:HG3	1:D:61:LEU:HD23	1.88	0.55
1:D:40:LYS:HE3	1:D:42:MET:HE3	1.88	0.55
1:D:54:ILE:HA	3:D:2018:HOH:O	2.06	0.55
1:C:109:THR:CG2	1:C:202:LEU:HB3	2.37	0.55
1:D:40:LYS:HE3	1:D:42:MET:HE1	1.89	0.54
1:A:330:VAL:O	1:A:330:VAL:CG2	2.55	0.54
1:D:65:ARG:HG3	1:D:71:GLN:HE22	1.73	0.54
1:B:14:HIS:HB2	1:B:27:LEU:O	2.09	0.53
1:B:50:ASP:O	1:B:54:ILE:HG12	2.07	0.53
1:A:330:VAL:O	1:A:330:VAL:HG22	2.07	0.53
1:D:245:GLN:HB2	1:D:251:ARG:HG2	1.90	0.52
1:B:297:ASN:O	1:B:301:MET:HB2	2.09	0.52
1:C:65:ARG:HG3	1:C:71:GLN:HE22	1.76	0.51
1:C:32:LEU:HB3	1:C:332:LEU:HD22	1.93	0.51
1:B:298:ARG:O	1:B:302:GLU:HB3	2.10	0.50
1:A:312:HIS:HE1	3:A:2011:HOH:O	1.95	0.50
1:C:197:ILE:O	1:C:201:VAL:HG13	2.13	0.49
1:B:201:VAL:CG1	1:B:207:LEU:HD23	2.43	0.49
1:B:21:GLY:C	1:B:23:ALA:H	2.14	0.49
1:D:290:LEU:HD21	1:D:313:LEU:HD11	1.95	0.48
1:A:310:TYR:H	1:A:314:THR:CG2	2.23	0.48
1:A:65:ARG:HG3	1:A:71:GLN:HE22	1.78	0.48
1:B:143:TYR:HB2	1:B:145:LYS:HD2	1.96	0.48
1:B:178:GLU:HA	1:B:181:GLN:HG2	1.96	0.47
1:C:37:VAL:CG1	1:C:85:VAL:HG13	2.45	0.47
1:A:105:SER:O	1:A:109:THR:HG23	2.16	0.46
1:D:185:TYR:HB2	1:D:187:GLY:H	1.80	0.46
1:A:45:ASN:HD21	1:A:80:ASN:HB3	1.80	0.46
1:B:305:ILE:HA	1:B:313:LEU:HD11	1.98	0.46
1:D:40:LYS:CE	1:D:42:MET:HE1	2.45	0.46
1:B:300:THR:O	1:B:304:LEU:HB2	2.16	0.45
1:D:28:ALA:HB3	1:D:37:VAL:HG12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:HIS:HB3	1:B:85:VAL:HB	1.99	0.44
1:D:23:ALA:HB3	1:D:42:MET:HE3	1.98	0.44
1:C:201:VAL:CG1	1:C:207:LEU:HD23	2.47	0.44
1:C:242:GLN:HB3	1:C:252:ILE:HB	2.00	0.44
1:D:2:LYS:O	1:D:3:ASP:HB2	2.18	0.44
1:A:109:THR:HG21	1:A:203:MET:HG3	2.00	0.44
1:B:242:GLN:HB3	1:B:252:ILE:HB	2.00	0.43
1:A:109:THR:O	1:A:113:PHE:HB2	2.19	0.43
1:A:177:PRO:O	1:A:181:GLN:HG2	2.18	0.43
1:C:132:ASP:HB2	1:C:153:LEU:HD12	2.00	0.43
1:C:324:LYS:HD3	1:C:330:VAL:CG2	2.48	0.43
1:B:65:ARG:HG3	1:B:71:GLN:HE22	1.83	0.43
1:C:7:LEU:HD11	1:C:39:ILE:HD13	2.01	0.43
1:C:57:GLU:O	1:C:61:LEU:HD13	2.18	0.42
1:A:74:HIS:HB3	1:A:85:VAL:HB	2.01	0.42
1:D:23:ALA:CB	1:D:42:MET:HE3	2.50	0.42
1:B:320:LEU:HD23	1:B:320:LEU:HA	1.91	0.42
1:D:104:LEU:HB3	1:D:108:GLU:HB3	2.02	0.41
1:B:138:LEU:HB3	1:B:146:LEU:HD22	2.02	0.41
1:A:7:LEU:HD23	1:A:76:LEU:HD13	2.02	0.41
1:A:312:HIS:CE1	3:A:2011:HOH:O	2.73	0.41
1:D:74:HIS:HB3	1:D:85:VAL:HB	2.01	0.41
1:B:21:GLY:H	1:B:40:LYS:NZ	2.19	0.41
1:D:30:HIS:NE2	1:D:312:HIS:CE1	2.89	0.41
1:C:97[B]:TYR:CE2	1:C:144:HIS:HE1	2.39	0.40
1:D:74:HIS:HB2	1:D:315:ALA:HB2	2.01	0.40
1:D:137:ASN:HD22	1:D:137:ASN:HA	1.71	0.40
1:D:11:TYR:CE1	1:D:30:HIS:HD2	2.38	0.40
1:B:13:LEU:HD23	1:C:99:ILE:HD13	2.03	0.40
1:D:40:LYS:CE	1:D:42:MET:CE	2.97	0.40
1:C:74:HIS:HB3	1:C:85:VAL:HB	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	306/356 (86%)	290 (95%)	16 (5%)	0	100	100
1	B	318/356 (89%)	301 (95%)	17 (5%)	0	100	100
1	C	302/356 (85%)	286 (95%)	16 (5%)	0	100	100
1	D	316/356 (89%)	292 (92%)	22 (7%)	2 (1%)	25	31
All	All	1242/1424 (87%)	1169 (94%)	71 (6%)	2 (0%)	47	58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	48	GLY
1	D	3	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/314 (88%)	248 (90%)	29 (10%)	7	8
1	B	285/314 (91%)	255 (90%)	30 (10%)	7	8
1	C	277/314 (88%)	260 (94%)	17 (6%)	18	25
1	D	282/314 (90%)	252 (89%)	30 (11%)	6	7
All	All	1121/1256 (89%)	1015 (90%)	106 (10%)	8	10

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	15	GLU
1	A	42	MET
1	A	43	ASP
1	A	45	ASN
1	A	51	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	59	GLU
1	A	76	LEU
1	A	101	GLN
1	A	109	THR
1	A	179	LEU
1	A	181	GLN
1	A	211	ASP
1	A	217	LEU
1	A	223	ARG
1	A	232	LEU
1	A	251	ARG
1	A	259	ASN
1	A	265	GLN
1	A	274[A]	GLN
1	A	274[B]	GLN
1	A	290	LEU
1	A	295	ARG
1	A	304	LEU
1	A	314	THR
1	A	320	LEU
1	A	330	VAL
1	A	332	LEU
1	A	333	ARG
1	B	2	LYS
1	B	7	LEU
1	B	45	ASN
1	B	47	LEU
1	B	55	LYS
1	B	56	THR
1	B	59	GLU
1	B	64	LEU
1	B	65	ARG
1	B	76	LEU
1	B	107	GLU
1	B	139	LEU
1	B	142	GLU
1	B	145	LYS
1	B	161	LYS
1	B	179	LEU
1	B	201	VAL
1	B	211	ASP
1	B	212	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	217	LEU
1	B	230	LYS
1	B	232	LEU
1	B	251	ARG
1	B	259	ASN
1	B	274	GLN
1	B	296	ASN
1	B	304	LEU
1	B	307	LEU
1	B	320	LEU
1	B	332	LEU
1	C	15	GLU
1	C	44	LYS
1	C	59	GLU
1	C	76	LEU
1	C	101	GLN
1	C	107	GLU
1	C	154	CYS
1	C	179	LEU
1	C	217	LEU
1	C	232	LEU
1	C	259	ASN
1	C	274	GLN
1	C	292	VAL
1	C	294	HIS
1	C	298	ARG
1	C	299	GLN
1	C	307	LEU
1	D	15	GLU
1	D	17	ILE
1	D	37	VAL
1	D	42	MET
1	D	44	LYS
1	D	47	LEU
1	D	61	LEU
1	D	76	LEU
1	D	102	ASP
1	D	107	GLU
1	D	143	TYR
1	D	179	LEU
1	D	185	TYR
1	D	217	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	232	LEU
1	D	238	LEU
1	D	259	ASN
1	D	264	MET
1	D	274	GLN
1	D	276	LYS
1	D	283	ASP
1	D	284	ASP
1	D	290	LEU
1	D	296	ASN
1	D	299	GLN
1	D	307	LEU
1	D	320	LEU
1	D	326	ARG
1	D	332	LEU
1	D	333	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	71	GLN
1	A	137	ASN
1	A	259	ASN
1	A	277	ASN
1	B	71	GLN
1	B	80	ASN
1	B	137	ASN
1	B	259	ASN
1	B	274	GLN
1	B	277	ASN
1	C	71	GLN
1	C	101	GLN
1	C	137	ASN
1	C	144	HIS
1	C	259	ASN
1	C	265	GLN
1	C	274	GLN
1	C	277	ASN
1	C	312	HIS
1	D	71	GLN
1	D	80	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	137	ASN
1	D	259	ASN
1	D	260	HIS
1	D	274	GLN
1	D	312	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	5QM	A	1334	-	15,15,15	0.65	0	18,19,19	0.47	0
2	5QM	B	1334	-	15,15,15	0.66	0	18,19,19	0.48	0
2	5QM	D	1334	-	15,15,15	0.68	0	18,19,19	0.50	0
2	5QM	C	1334	-	15,15,15	0.56	0	18,19,19	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5QM	A	1334	-	-	0/2/4/4	0/2/2/2
2	5QM	B	1334	-	-	0/2/4/4	0/2/2/2
2	5QM	D	1334	-	-	0/2/4/4	0/2/2/2
2	5QM	C	1334	-	-	0/2/4/4	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	313/356 (87%)	-0.07	2 (0%) 89 92	35, 56, 86, 112	0
1	B	324/356 (91%)	0.03	7 (2%) 62 69	37, 57, 91, 121	0
1	C	311/356 (87%)	0.05	10 (3%) 47 54	38, 59, 89, 134	0
1	D	321/356 (90%)	0.17	19 (5%) 22 28	37, 60, 106, 138	0
All	All	1269/1424 (89%)	0.04	38 (2%) 50 57	35, 58, 93, 138	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	186	LEU	7.1
1	D	47	LEU	6.7
1	D	331	ARG	3.9
1	A	214	ALA	3.9
1	C	182	GLY	3.7
1	D	49	SER	3.7
1	D	170	GLY	3.6
1	C	296	ASN	3.6
1	C	45	ASN	3.5
1	B	170	GLY	3.4
1	D	219	ALA	3.3
1	D	282	LEU	3.2
1	D	212	ASP	3.2
1	C	235	SER	3.0
1	B	169	CYS	3.0
1	D	292	VAL	3.0
1	D	326	ARG	3.0
1	B	48	GLY	3.0
1	C	49	SER	2.8
1	D	332	LEU	2.7
1	D	48	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	331	ARG	2.6
1	C	51	LEU	2.5
1	D	321	LEU	2.5
1	C	249	LYS	2.4
1	D	290	LEU	2.4
1	D	53	ARG	2.4
1	D	294	HIS	2.4
1	B	42	MET	2.4
1	C	180	ILE	2.3
1	D	185	TYR	2.2
1	D	283	ASP	2.2
1	B	76	LEU	2.1
1	C	50	ASP	2.1
1	B	53	ARG	2.1
1	D	162	ASP	2.0
1	B	302	GLU	2.0
1	C	328	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	5QM	C	1334	14/14	0.93	0.15	38,47,53,53	0
2	5QM	D	1334	14/14	0.94	0.10	36,46,55,57	0
2	5QM	B	1334	14/14	0.95	0.13	38,45,50,50	23
2	5QM	A	1334	14/14	0.96	0.09	35,43,49,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.