



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 15, 2020 – 12:51 PM EDT

PDB ID : 5UMW
Title : Crystal structure of TnmS2, an antibiotic binding protein from *Streptomyces* sp. CB03234
Authors : Chang, C.Y.; Chang, C.; Nocek, B.; Rudolf, J.D.; Joachimiak, A.; Phillips Jr., G.N.; Shen, B.; Enzyme Discovery for Natural Product Biosynthesis (NatPro); Midwest Center for Structural Genomics (MCSG)
Deposited on : 2017-01-29
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.4
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.4


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	151	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 1%, green 1%, green 78%, yellow 78%, yellow 90%, orange 90%, orange 91%, red 91%, red 92%, grey 92%);"></div> <div style="margin-left: 10px;">%</div> </div> <div style="display: flex; justify-content: space-between; width: 100%; margin-top: 5px;"> 78% 9% .. 11% </div>
1	B	151	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 1%, green 1%, green 72%, yellow 72%, yellow 87%, orange 87%, orange 88%, red 88%, red 89%, grey 89%);"></div> <div style="margin-left: 10px;">%</div> </div> <div style="display: flex; justify-content: space-between; width: 100%; margin-top: 5px;"> 72% 15% .. 11% </div>
1	C	151	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 1%, green 1%, green 77%, yellow 77%, yellow 84%, orange 84%, orange 85%, red 85%, red 86%, grey 86%);"></div> <div style="margin-left: 10px;">%</div> </div> <div style="display: flex; justify-content: space-between; width: 100%; margin-top: 5px;"> 77% 7% . 13% </div>
1	D	151	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 1%, green 1%, green 74%, yellow 74%, yellow 85%, orange 85%, orange 86%, red 86%, red 87%, grey 87%);"></div> <div style="margin-left: 10px;">%</div> </div> <div style="display: flex; justify-content: space-between; width: 100%; margin-top: 5px;"> 74% 11% . 13% </div>
1	E	151	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 1%, green 1%, green 78%, yellow 78%, yellow 86%, orange 86%, orange 87%, red 87%, red 88%, grey 88%);"></div> <div style="margin-left: 10px;">%</div> </div> <div style="display: flex; justify-content: space-between; width: 100%; margin-top: 5px;"> 78% 8% . 12% </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	151	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a green segment on the left labeled '74%', a yellow segment in the middle labeled '13%', and a red segment on the right labeled '11%'. A small red square is positioned at the beginning of the bar, and a small black dot is positioned at the end of the bar. A '%' symbol is located above the bar.</p>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6673 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glyoxalase/bleomycin resistance protein/dioxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	134	1060	665	187	205	3	0	0	0
1	B	134	1060	665	187	205	3	0	0	0
1	C	131	1041	655	181	202	3	0	0	0
1	D	131	1041	655	181	202	3	0	0	0
1	E	133	1066	671	187	205	3	0	1	0
1	F	134	1060	665	187	205	3	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	HIS	-	expression tag	UNP A0A125SA26
A	-14	HIS	-	expression tag	UNP A0A125SA26
A	-13	HIS	-	expression tag	UNP A0A125SA26
A	-12	HIS	-	expression tag	UNP A0A125SA26
A	-11	HIS	-	expression tag	UNP A0A125SA26
A	-10	HIS	-	expression tag	UNP A0A125SA26
A	-9	SER	-	expression tag	UNP A0A125SA26
A	-8	SER	-	expression tag	UNP A0A125SA26
A	-7	GLY	-	expression tag	UNP A0A125SA26
A	-6	LEU	-	expression tag	UNP A0A125SA26
A	-5	VAL	-	expression tag	UNP A0A125SA26
A	-4	PRO	-	expression tag	UNP A0A125SA26
A	-3	ARG	-	expression tag	UNP A0A125SA26
A	-2	GLY	-	expression tag	UNP A0A125SA26
A	-1	SER	-	expression tag	UNP A0A125SA26
A	0	HIS	-	expression tag	UNP A0A125SA26
B	-15	HIS	-	expression tag	UNP A0A125SA26

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP A0A125SA26
B	-13	HIS	-	expression tag	UNP A0A125SA26
B	-12	HIS	-	expression tag	UNP A0A125SA26
B	-11	HIS	-	expression tag	UNP A0A125SA26
B	-10	HIS	-	expression tag	UNP A0A125SA26
B	-9	SER	-	expression tag	UNP A0A125SA26
B	-8	SER	-	expression tag	UNP A0A125SA26
B	-7	GLY	-	expression tag	UNP A0A125SA26
B	-6	LEU	-	expression tag	UNP A0A125SA26
B	-5	VAL	-	expression tag	UNP A0A125SA26
B	-4	PRO	-	expression tag	UNP A0A125SA26
B	-3	ARG	-	expression tag	UNP A0A125SA26
B	-2	GLY	-	expression tag	UNP A0A125SA26
B	-1	SER	-	expression tag	UNP A0A125SA26
B	0	HIS	-	expression tag	UNP A0A125SA26
C	-15	HIS	-	expression tag	UNP A0A125SA26
C	-14	HIS	-	expression tag	UNP A0A125SA26
C	-13	HIS	-	expression tag	UNP A0A125SA26
C	-12	HIS	-	expression tag	UNP A0A125SA26
C	-11	HIS	-	expression tag	UNP A0A125SA26
C	-10	HIS	-	expression tag	UNP A0A125SA26
C	-9	SER	-	expression tag	UNP A0A125SA26
C	-8	SER	-	expression tag	UNP A0A125SA26
C	-7	GLY	-	expression tag	UNP A0A125SA26
C	-6	LEU	-	expression tag	UNP A0A125SA26
C	-5	VAL	-	expression tag	UNP A0A125SA26
C	-4	PRO	-	expression tag	UNP A0A125SA26
C	-3	ARG	-	expression tag	UNP A0A125SA26
C	-2	GLY	-	expression tag	UNP A0A125SA26
C	-1	SER	-	expression tag	UNP A0A125SA26
C	0	HIS	-	expression tag	UNP A0A125SA26
D	-15	HIS	-	expression tag	UNP A0A125SA26
D	-14	HIS	-	expression tag	UNP A0A125SA26
D	-13	HIS	-	expression tag	UNP A0A125SA26
D	-12	HIS	-	expression tag	UNP A0A125SA26
D	-11	HIS	-	expression tag	UNP A0A125SA26
D	-10	HIS	-	expression tag	UNP A0A125SA26
D	-9	SER	-	expression tag	UNP A0A125SA26
D	-8	SER	-	expression tag	UNP A0A125SA26
D	-7	GLY	-	expression tag	UNP A0A125SA26
D	-6	LEU	-	expression tag	UNP A0A125SA26
D	-5	VAL	-	expression tag	UNP A0A125SA26

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	PRO	-	expression tag	UNP A0A125SA26
D	-3	ARG	-	expression tag	UNP A0A125SA26
D	-2	GLY	-	expression tag	UNP A0A125SA26
D	-1	SER	-	expression tag	UNP A0A125SA26
D	0	HIS	-	expression tag	UNP A0A125SA26
E	-15	HIS	-	expression tag	UNP A0A125SA26
E	-14	HIS	-	expression tag	UNP A0A125SA26
E	-13	HIS	-	expression tag	UNP A0A125SA26
E	-12	HIS	-	expression tag	UNP A0A125SA26
E	-11	HIS	-	expression tag	UNP A0A125SA26
E	-10	HIS	-	expression tag	UNP A0A125SA26
E	-9	SER	-	expression tag	UNP A0A125SA26
E	-8	SER	-	expression tag	UNP A0A125SA26
E	-7	GLY	-	expression tag	UNP A0A125SA26
E	-6	LEU	-	expression tag	UNP A0A125SA26
E	-5	VAL	-	expression tag	UNP A0A125SA26
E	-4	PRO	-	expression tag	UNP A0A125SA26
E	-3	ARG	-	expression tag	UNP A0A125SA26
E	-2	GLY	-	expression tag	UNP A0A125SA26
E	-1	SER	-	expression tag	UNP A0A125SA26
E	0	HIS	-	expression tag	UNP A0A125SA26
F	-15	HIS	-	expression tag	UNP A0A125SA26
F	-14	HIS	-	expression tag	UNP A0A125SA26
F	-13	HIS	-	expression tag	UNP A0A125SA26
F	-12	HIS	-	expression tag	UNP A0A125SA26
F	-11	HIS	-	expression tag	UNP A0A125SA26
F	-10	HIS	-	expression tag	UNP A0A125SA26
F	-9	SER	-	expression tag	UNP A0A125SA26
F	-8	SER	-	expression tag	UNP A0A125SA26
F	-7	GLY	-	expression tag	UNP A0A125SA26
F	-6	LEU	-	expression tag	UNP A0A125SA26
F	-5	VAL	-	expression tag	UNP A0A125SA26
F	-4	PRO	-	expression tag	UNP A0A125SA26
F	-3	ARG	-	expression tag	UNP A0A125SA26
F	-2	GLY	-	expression tag	UNP A0A125SA26
F	-1	SER	-	expression tag	UNP A0A125SA26
F	0	HIS	-	expression tag	UNP A0A125SA26

- Molecule 2 is RIBOFLAVIN (three-letter code: RBF) (formula: C₁₇H₂₀N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			27	17	4	6		
2	F	1	Total	C	N	O	0	0
			27	17	4	6		



- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	37	Total	O	0	0
			37	37		
3	B	50	Total	O	0	0
			50	50		
3	C	58	Total	O	0	0
			58	58		
3	D	56	Total	O	0	0
			56	56		
3	E	36	Total	O	0	0
			36	36		
3	F	54	Total	O	0	0
			54	54		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase



- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase




- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase




- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase




- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase





- Molecule 1: Glyoxalase/bleomycin resistance protein/dioxygenase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	74.30Å 74.30Å 342.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.27 42.72 – 2.27	Depositor EDS
% Data completeness (in resolution range)	97.5 (50.00-2.27) 97.5 (42.72-2.27)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.97 (at 2.27Å)	Xtrriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.205 , 0.263 0.218 , 0.275	Depositor DCC
R_{free} test set	2536 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	30.6	Xtrriage
Anisotropy	0.039	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 14.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.478 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6673	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RBF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	0/1078	0.97	3/1456 (0.2%)
1	B	0.93	0/1078	1.03	3/1456 (0.2%)
1	C	0.95	0/1059	1.04	5/1432 (0.3%)
1	D	0.94	1/1059 (0.1%)	1.07	7/1432 (0.5%)
1	E	0.82	0/1085	0.99	4/1466 (0.3%)
1	F	0.97	1/1078 (0.1%)	1.06	4/1456 (0.3%)
All	All	0.91	2/6437 (0.0%)	1.03	26/8698 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	F	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	132	ASP	CB-CG	-6.06	1.39	1.51
1	D	133	ALA	N-CA	5.28	1.56	1.46

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	31	ARG	NE-CZ-NH2	-8.60	116.00	120.30
1	F	132	ASP	CB-CA-C	-8.27	93.86	110.40
1	D	31	ARG	NE-CZ-NH2	-6.86	116.87	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	34	MSE	CG-SE-CE	-6.75	84.05	98.90
1	D	31	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	C	73	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	B	31	ARG	CG-CD-NE	-6.10	98.98	111.80
1	F	34	MSE	N-CA-CB	-6.07	99.67	110.60
1	C	101	ALA	C-N-CA	-5.89	109.94	122.30
1	D	16	ASP	CB-CG-OD1	5.88	123.59	118.30
1	D	101	ALA	N-CA-C	-5.80	95.34	111.00
1	A	54	MSE	CG-SE-CE	-5.68	86.39	98.90
1	F	57	ARG	NE-CZ-NH2	-5.51	117.54	120.30
1	F	57	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	E	36	MSE	CA-CB-CG	5.45	122.56	113.30
1	B	31	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	D	73	ARG	NE-CZ-NH1	5.39	122.99	120.30
1	E	132	ASP	CB-CA-C	-5.34	99.72	110.40
1	D	31	ARG	CG-CD-NE	-5.31	100.66	111.80
1	C	90	ASP	CB-CG-OD1	5.23	123.01	118.30
1	C	101	ALA	N-CA-C	-5.22	96.89	111.00
1	E	33	ASP	CB-CG-OD1	5.16	122.95	118.30
1	E	36	MSE	CG-SE-CE	5.14	110.22	98.90
1	A	121	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	D	101	ALA	C-N-CA	-5.05	111.70	122.30
1	C	73	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	61	ALA	Peptide
1	F	133	ALA	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1060	0	1032	11	0
1	B	1060	0	1032	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1041	0	1015	6	0
1	D	1041	0	1015	7	0
1	E	1066	0	1035	8	0
1	F	1060	0	1032	8	0
2	B	27	0	20	5	0
2	F	27	0	20	7	0
3	A	37	0	0	1	0
3	B	50	0	0	0	0
3	C	58	0	0	1	0
3	D	56	0	0	1	0
3	E	36	0	0	0	0
3	F	54	0	0	0	0
All	All	6673	0	6201	51	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:MSE:SE	2:F:201:RBF:HC73	2.09	1.03
1:A:34:MSE:SE	2:F:201:RBF:C7M	2.85	0.74
1:A:34:MSE:HE1	2:F:201:RBF:C7M	2.18	0.73
1:B:112:ARG:NH1	1:B:117:GLU:OE2	2.28	0.67
1:F:112:ARG:NH1	1:F:117:GLU:OE2	2.27	0.67
1:F:28:PHE:CE2	1:F:54:MSE:HE1	2.31	0.64
1:A:34:MSE:HE1	2:F:201:RBF:C7	2.28	0.62
1:C:99:ARG:O	1:C:101:ALA:O	2.19	0.60
1:A:51:ASP:HB2	3:A:223:HOH:O	2.01	0.60
2:B:201:RBF:HC73	1:E:34:MSE:HG3	1.84	0.59
1:B:28:PHE:CE2	1:B:54:MSE:HE1	2.40	0.57
1:D:99:ARG:O	1:D:101:ALA:O	2.24	0.55
2:B:201:RBF:HC82	1:E:36:MSE:HB2	1.88	0.55
1:A:34:MSE:CE	2:F:201:RBF:C7M	2.83	0.54
2:F:201:RBF:O2'	2:F:201:RBF:N1	2.34	0.54
1:A:34:MSE:CE	2:F:201:RBF:HC73	2.39	0.53
1:C:21:PHE:CZ	1:C:122:ASP:HA	2.44	0.53
1:F:114:TYR:OH	1:F:117:GLU:OE1	2.27	0.53
1:E:59:VAL:O	1:E:73:ARG:NH2	2.41	0.52
1:D:21:PHE:CZ	1:D:122:ASP:HA	2.45	0.52
1:B:4:ARG:NH2	1:B:51:ASP:OD1	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:201:RBF:HC73	1:E:34:MSE:SE	2.60	0.51
1:F:81:ILE:HB	1:F:126:ASN:HD22	1.75	0.51
1:A:31:ARG:NH2	1:A:49:GLN:O	2.45	0.49
1:F:79:GLY:HA2	1:F:125:GLY:O	2.12	0.49
3:C:204:HOH:O	1:D:87:HIS:HD2	1.96	0.49
1:C:10:VAL:HG21	1:C:54:MSE:HE3	1.95	0.48
1:A:21:PHE:CZ	1:A:122:ASP:HA	2.47	0.48
2:B:201:RBF:N1	2:B:201:RBF:O2'	2.38	0.48
1:E:81:ILE:HB	1:E:126:ASN:HD22	1.77	0.48
1:E:31:ARG:HH11	1:E:31:ARG:HG3	1.79	0.47
1:B:31:ARG:NH2	1:B:49:GLN:O	2.43	0.47
1:C:31:ARG:NH2	1:C:49:GLN:O	2.48	0.46
1:D:100:ALA:C	1:D:101:ALA:O	2.49	0.46
1:E:95:TYR:CD1	1:E:109:PRO:HD3	2.51	0.46
1:D:57:ARG:HD3	1:D:63:GLU:OE1	2.16	0.46
2:B:201:RBF:HC73	1:E:34:MSE:CG	2.46	0.45
1:A:75:LEU:HD12	1:F:75:LEU:HD12	1.99	0.45
1:D:121:ARG:HD3	3:D:253:HOH:O	2.17	0.44
1:B:79:GLY:HA2	1:B:125:GLY:O	2.18	0.44
1:B:132:ASP:C	1:B:132:ASP:OD1	2.57	0.43
1:B:69:ALA:O	1:B:73:ARG:HG3	2.18	0.43
1:A:81:ILE:HB	1:A:126:ASN:HD22	1.85	0.42
1:B:81:ILE:HB	1:B:126:ASN:HD22	1.84	0.42
1:D:28:PHE:CE2	1:D:54:MSE:HE1	2.54	0.42
1:C:110:VAL:HG11	1:C:112:ARG:HH21	1.83	0.42
1:F:69:ALA:O	1:F:73:ARG:HG3	2.19	0.41
1:B:99:ARG:O	1:B:101:ALA:O	2.37	0.41
1:B:115:GLY:HA3	1:B:132:ASP:O	2.21	0.41
1:C:22:TYR:CE1	1:C:54:MSE:HE1	2.56	0.41
1:F:48:ASP:O	1:F:50:PRO:HD3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	132/151 (87%)	128 (97%)	2 (2%)	2 (2%)	10	9
1	B	132/151 (87%)	129 (98%)	2 (2%)	1 (1%)	19	22
1	C	127/151 (84%)	125 (98%)	2 (2%)	0	100	100
1	D	127/151 (84%)	122 (96%)	4 (3%)	1 (1%)	19	22
1	E	132/151 (87%)	130 (98%)	2 (2%)	0	100	100
1	F	132/151 (87%)	127 (96%)	4 (3%)	1 (1%)	19	22
All	All	782/906 (86%)	761 (97%)	16 (2%)	5 (1%)	25	29

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	62	PRO
1	F	134	ARG
1	A	63	GLU
1	B	66	GLU
1	D	39	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	112/123 (91%)	108 (96%)	4 (4%)	35	47
1	B	112/123 (91%)	104 (93%)	8 (7%)	14	17
1	C	111/123 (90%)	108 (97%)	3 (3%)	44	59
1	D	111/123 (90%)	106 (96%)	5 (4%)	27	36
1	E	112/123 (91%)	106 (95%)	6 (5%)	22	28
1	F	112/123 (91%)	104 (93%)	8 (7%)	14	17
All	All	670/738 (91%)	636 (95%)	34 (5%)	24	31

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	ARG
1	A	34	MSE
1	A	65	ASP
1	A	97	ARG
1	B	4	ARG
1	B	20	GLU
1	B	24	GLU
1	B	31	ARG
1	B	57	ARG
1	B	65	ASP
1	B	67	GLU
1	B	106	ILE
1	C	1	MSE
1	C	31	ARG
1	C	112	ARG
1	D	1	MSE
1	D	31	ARG
1	D	39	LEU
1	D	47	LYS
1	D	58	ARG
1	E	39	LEU
1	E	57	ARG
1	E	109	PRO
1	E	112	ARG
1	E	116	THR
1	E	132	ASP
1	F	36	MSE
1	F	48	ASP
1	F	57	ARG
1	F	58	ARG
1	F	129	SER
1	F	131	THR
1	F	132	ASP
1	F	134	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	HIS
1	A	126	ASN
1	B	126	ASN
1	C	126	ASN
1	D	87	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	126	ASN
1	E	71	GLN
1	E	126	ASN
1	F	87	HIS
1	F	126	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	RBF	F	201	-	27,29,29	2.89	8 (29%)	33,43,43	2.86	12 (36%)
2	RBF	B	201	-	27,29,29	2.71	6 (22%)	33,43,43	2.84	11 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '·' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RBF	F	201	-	-	6/14/14/14	0/3/3/3
2	RBF	B	201	-	-	6/14/14/14	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	201	RBF	C4A-C10	10.82	1.49	1.38
2	B	201	RBF	C4A-C10	10.50	1.49	1.38
2	F	201	RBF	C9A-C5A	5.07	1.52	1.42
2	B	201	RBF	C9A-C5A	4.76	1.52	1.42
2	F	201	RBF	C4-C4A	4.61	1.49	1.41
2	F	201	RBF	C8-C7	4.37	1.51	1.40
2	B	201	RBF	C8-C7	3.95	1.50	1.40
2	B	201	RBF	C4-C4A	3.77	1.47	1.41
2	F	201	RBF	C1'-N10	3.51	1.51	1.48
2	B	201	RBF	C1'-N10	2.99	1.51	1.48
2	F	201	RBF	C9A-N10	2.71	1.42	1.38
2	F	201	RBF	C6-C5A	-2.69	1.37	1.41
2	B	201	RBF	C9A-N10	2.29	1.41	1.38
2	F	201	RBF	C10-N1	2.05	1.35	1.33

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	201	RBF	C1'-N10-C10	10.53	127.84	118.41
2	B	201	RBF	C4-N3-C2	7.67	121.62	115.14
2	B	201	RBF	C1'-N10-C10	6.97	124.65	118.41
2	F	201	RBF	C9A-N10-C10	-6.17	113.82	121.91
2	B	201	RBF	C5A-C9A-N10	5.72	121.86	117.72
2	B	201	RBF	C9A-N10-C10	-5.68	114.47	121.91
2	B	201	RBF	C4-C4A-C10	-5.22	116.50	119.95
2	F	201	RBF	C4-N3-C2	4.71	119.12	115.14
2	F	201	RBF	C6-C5A-N5	-3.97	114.67	119.05
2	B	201	RBF	C1'-N10-C9A	3.28	120.87	118.29
2	F	201	RBF	C7M-C7-C6	-3.23	112.61	120.34
2	F	201	RBF	O2'-C2'-C1'	3.13	117.12	109.59
2	B	201	RBF	O2'-C2'-C1'	3.03	116.88	109.59
2	B	201	RBF	C10-C4A-N5	3.01	123.34	121.26
2	F	201	RBF	C4-C4A-C10	-2.99	117.97	119.95
2	B	201	RBF	C4A-C4-N3	-2.94	119.41	123.43
2	F	201	RBF	C5A-C9A-N10	2.60	119.60	117.72
2	F	201	RBF	C4A-C10-N10	2.39	122.75	120.30
2	F	201	RBF	O4'-C4'-C3'	2.33	114.77	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	201	RBF	C7-C6-C5A	-2.20	118.11	121.22
2	B	201	RBF	C8M-C8-C9	-2.08	115.38	120.34
2	F	201	RBF	C4A-C4-N3	-2.07	120.60	123.43
2	B	201	RBF	C7-C6-C5A	-2.04	118.32	121.22

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	F	201	RBF	C2'-C1'-N10-C9A
2	F	201	RBF	C2'-C1'-N10-C10
2	F	201	RBF	N10-C1'-C2'-O2'
2	B	201	RBF	C2'-C1'-N10-C9A
2	B	201	RBF	C2'-C1'-N10-C10
2	B	201	RBF	C1'-C2'-C3'-C4'
2	B	201	RBF	O2'-C2'-C3'-C4'
2	F	201	RBF	C3'-C4'-C5'-O5'
2	B	201	RBF	C2'-C3'-C4'-O4'
2	B	201	RBF	C2'-C3'-C4'-C5'
2	F	201	RBF	O4'-C4'-C5'-O5'
2	F	201	RBF	N10-C1'-C2'-C3'


There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	201	RBF	7	0
2	B	201	RBF	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	131/151 (86%)	-0.09	1 (0%) 86 89	20, 39, 72, 95	0
1	B	131/151 (86%)	-0.22	1 (0%) 86 89	16, 29, 57, 77	0
1	C	128/151 (84%)	-0.19	1 (0%) 86 89	13, 27, 58, 82	0
1	D	128/151 (84%)	-0.25	0 100 100	14, 27, 60, 77	0
1	E	130/151 (86%)	-0.03	1 (0%) 86 89	20, 39, 69, 96	0
1	F	131/151 (86%)	-0.18	1 (0%) 86 89	17, 29, 60, 91	0
All	All	779/906 (85%)	-0.16	5 (0%) 89 91	13, 32, 65, 96	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	48	ASP	3.1
1	B	48	ASP	2.8
1	C	65	ASP	2.5
1	E	114[A]	TYR	2.4
1	A	96	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	RBF	B	201	27/27	0.78	0.20	45,57,69,70	0
2	RBF	F	201	27/27	0.80	0.22	51,61,82,89	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RBF B 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.