



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 09:16 AM BST

PDB ID : 3URF
Title : Human RANKL/OPG complex
Authors : Wang, X.Q.; Luan, X.D.; Lu, Q.Y.
Deposited on : 2011-11-22
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	162	
2	Z	171	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 2604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tumor necrosis factor ligand superfamily member 11, soluble form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	156	1243	797	206	236	4	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	318	HIS	-	expression tag	UNP O14788
A	319	HIS	-	expression tag	UNP O14788
A	320	HIS	-	expression tag	UNP O14788
A	321	HIS	-	expression tag	UNP O14788
A	322	HIS	-	expression tag	UNP O14788
A	323	HIS	-	expression tag	UNP O14788

- Molecule 2 is a protein called Tumor necrosis factor receptor superfamily member 11B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	Z	164	1311	812	237	244	18	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	166	HIS	-	expression tag	UNP O00300
Z	167	HIS	-	expression tag	UNP O00300
Z	168	HIS	-	expression tag	UNP O00300
Z	169	HIS	-	expression tag	UNP O00300
Z	170	HIS	-	expression tag	UNP O00300
Z	171	HIS	-	expression tag	UNP O00300

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	Z	1	14	8	1	5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	24	Total	O	0	0
			24	24		
4	Z	12	Total	O	0	0
			12	12		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tumor necrosis factor ligand superfamily member 11, soluble form



- Molecule 2: Tumor necrosis factor receptor superfamily member 11B



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 3 2	Depositor
Cell constants a, b, c, α , β , γ	144.80Å 144.80Å 144.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.16 – 2.70 40.16 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.16-2.70) 99.8 (40.16-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.97 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.202 , 0.251 0.200 , 0.247	Depositor DCC
R_{free} test set	748 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	64.0	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 67.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2604	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/1279	0.66	0/1733
2	Z	0.40	0/1350	0.58	0/1829
All	All	0.47	0/2629	0.62	0/3562

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1243	0	1183	45	0
2	Z	1311	0	1218	96	0
3	Z	14	0	13	1	0
4	A	24	0	0	1	0
4	Z	12	0	0	1	0
All	All	2604	0	2414	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:LYS:HD3	1:A:249:ILE:HG13	1.45	0.95
2:Z:13:GLU:HG2	2:Z:14:THR:H	1.34	0.91
1:A:237:GLN:HE22	2:Z:95:GLU:H	1.21	0.89
2:Z:107:PHE:CE1	2:Z:123:ARG:HG2	2.13	0.83
2:Z:38:LYS:HB3	2:Z:38:LYS:NZ	1.94	0.83
2:Z:6:LYS:O	2:Z:7:TYR:HB2	1.79	0.81
2:Z:143:THR:HG22	2:Z:161:ASP:OD2	1.84	0.78
2:Z:12:GLU:HA	2:Z:17:GLN:HA	1.68	0.75
1:A:171:ASN:HD21	1:A:173:THR:HB	1.53	0.74
2:Z:113:GLY:HA3	2:Z:119:THR:HG22	1.69	0.73
2:Z:62:CYS:HA	2:Z:81:ASN:ND2	2.04	0.73
2:Z:13:GLU:HG2	2:Z:14:THR:N	2.04	0.72
1:A:193:TRP:O	1:A:195:LYS:HE2	1.88	0.72
2:Z:152:LEU:HA	2:Z:164:CYS:SG	2.30	0.72
1:A:171:ASN:ND2	1:A:173:THR:HB	2.04	0.71
2:Z:38:LYS:HB3	2:Z:38:LYS:HZ3	1.54	0.70
2:Z:155:LYS:H	2:Z:155:LYS:CD	2.05	0.69
1:A:262:LYS:HE3	1:A:273:TYR:CD1	2.27	0.69
1:A:248:LYS:O	1:A:250:PRO:HD3	1.92	0.69
2:Z:104:PRO:HA	2:Z:133:THR:HG23	1.75	0.69
1:A:316:ILE:O	1:A:317:ASP:HB2	1.93	0.68
2:Z:150:LEU:HB3	2:Z:166:HIS:HB3	1.76	0.67
2:Z:155:LYS:H	2:Z:155:LYS:HD3	1.58	0.67
2:Z:113:GLY:CA	2:Z:119:THR:HG22	2.26	0.66
1:A:171:ASN:HD22	1:A:171:ASN:C	1.98	0.66
2:Z:62:CYS:HA	2:Z:81:ASN:HD21	1.63	0.63
2:Z:35:ALA:O	2:Z:36:LYS:HB2	1.97	0.63
2:Z:113:GLY:H	2:Z:119:THR:HG22	1.63	0.62
1:A:171:ASN:HD21	1:A:173:THR:CB	2.13	0.62
1:A:248:LYS:HG3	1:A:249:ILE:H	1.65	0.62
1:A:248:LYS:CD	1:A:249:ILE:HG13	2.27	0.61
2:Z:107:PHE:HB3	2:Z:122:LYS:O	2.01	0.60
2:Z:105:PRO:HD3	2:Z:133:THR:HG23	1.83	0.59
1:A:246:SER:OG	1:A:248:LYS:HG3	2.02	0.59
2:Z:111:GLN:HB2	2:Z:120:VAL:HB	1.82	0.59
2:Z:110:VAL:HG21	2:Z:122:LYS:HB2	1.84	0.59
2:Z:113:GLY:N	2:Z:119:THR:HG22	2.18	0.59
2:Z:143:THR:HG22	2:Z:161:ASP:CG	2.23	0.59
1:A:248:LYS:C	1:A:250:PRO:HD3	2.24	0.57
2:Z:37:TRP:HA	2:Z:37:TRP:CE3	2.38	0.57
2:Z:107:PHE:CD2	2:Z:107:PHE:N	2.73	0.57
2:Z:63:SER:H	2:Z:81:ASN:HD21	1.50	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Z:27:THR:HB	2:Z:42:ALA:O	2.05	0.57
1:A:164:PRO:HG3	1:A:198:ASN:HD22	1.71	0.56
2:Z:143:THR:CG2	2:Z:161:ASP:OD2	2.52	0.56
1:A:245:THR:HG22	1:A:246:SER:N	2.20	0.56
1:A:247:ILE:O	1:A:248:LYS:CB	2.53	0.56
2:Z:127:GLY:HA2	2:Z:142:HIS:CD2	2.41	0.56
2:Z:154:GLN:HB2	2:Z:163:ILE:HB	1.88	0.55
2:Z:38:LYS:NZ	2:Z:38:LYS:CB	2.68	0.55
1:A:296:PRO:HD2	4:A:401:HOH:O	2.06	0.55
1:A:224:HIS:CE1	1:A:226:GLU:HG3	2.43	0.54
2:Z:48:TYR:HA	2:Z:60:LEU:O	2.06	0.54
1:A:175:ILE:HD12	1:A:175:ILE:O	2.08	0.54
2:Z:155:LYS:H	2:Z:155:LYS:CE	2.20	0.54
2:Z:129:PHE:CZ	2:Z:161:ASP:HB2	2.43	0.53
2:Z:155:LYS:HD3	2:Z:155:LYS:N	2.23	0.53
2:Z:25:PRO:HG3	2:Z:52:SER:HA	1.91	0.53
1:A:168:LEU:HD12	1:A:308:PHE:CZ	2.43	0.53
1:A:248:LYS:HG3	1:A:249:ILE:N	2.24	0.53
2:Z:114:THR:HB	2:Z:115:PRO:CD	2.38	0.53
2:Z:9:HIS:CE1	2:Z:20:CYS:HB2	2.44	0.53
1:A:284:ARG:O	1:A:287:GLU:HG3	2.09	0.52
2:Z:152:LEU:HD23	2:Z:153:THR:H	1.75	0.52
1:A:312:LYS:HD3	1:A:314:ARG:O	2.10	0.52
2:Z:151:LEU:HD22	2:Z:168:HIS:HA	1.92	0.52
2:Z:104:PRO:C	2:Z:106:GLY:H	2.14	0.51
2:Z:10:TYR:HD2	2:Z:17:GLN:HE21	1.55	0.51
1:A:247:ILE:O	1:A:248:LYS:HB3	2.10	0.51
2:Z:26:GLY:HA2	2:Z:78:ARG:O	2.10	0.51
2:Z:48:TYR:HB3	2:Z:59:CYS:HB3	1.93	0.51
2:Z:5:PRO:HB2	2:Z:7:TYR:H	1.76	0.51
2:Z:13:GLU:CG	2:Z:14:THR:N	2.75	0.50
2:Z:29:LEU:C	2:Z:29:LEU:HD23	2.32	0.50
2:Z:103:CYS:O	2:Z:133:THR:HA	2.12	0.50
2:Z:49:TYR:CE2	2:Z:60:LEU:HB3	2.47	0.50
2:Z:143:THR:HG22	2:Z:161:ASP:OD1	2.12	0.50
1:A:171:ASN:ND2	1:A:171:ASN:C	2.63	0.49
2:Z:113:GLY:HA3	2:Z:119:THR:CG2	2.42	0.49
2:Z:114:THR:HB	2:Z:115:PRO:HD2	1.93	0.49
2:Z:105:PRO:HA	2:Z:132:GLU:O	2.12	0.49
2:Z:69:LEU:HB2	2:Z:97:CYS:HB2	1.95	0.49
2:Z:100:HIS:HB3	2:Z:119:THR:HG23	1.93	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:HIS:O	1:A:194:ALA:HA	2.13	0.48
2:Z:152:LEU:HD23	2:Z:153:THR:N	2.29	0.48
2:Z:104:PRO:C	2:Z:106:GLY:N	2.67	0.47
3:Z:201:NAG:H5	4:Z:310:HOH:O	2.15	0.47
2:Z:8:LEU:HA	2:Z:20:CYS:O	2.15	0.47
1:A:171:ASN:ND2	1:A:173:THR:H	2.13	0.47
1:A:166:ALA:HB2	1:A:196:ILE:HG13	1.97	0.47
1:A:295:ASN:N	1:A:296:PRO:HD3	2.30	0.46
2:Z:34:THR:O	2:Z:35:ALA:HB3	2.15	0.46
2:Z:12:GLU:HA	2:Z:16:HIS:O	2.14	0.46
1:A:171:ASN:HD22	1:A:173:THR:H	1.64	0.46
2:Z:11:ASP:HB2	2:Z:20:CYS:SG	2.55	0.46
1:A:264:TRP:CE2	1:A:271:HIS:HB3	2.51	0.46
2:Z:79:THR:HB	2:Z:80:HIS:CD2	2.50	0.46
1:A:247:ILE:H	1:A:247:ILE:HG13	1.46	0.45
2:Z:48:TYR:CD2	2:Z:48:TYR:N	2.84	0.45
1:A:175:ILE:HA	1:A:176:PRO:HD3	1.85	0.45
2:Z:104:PRO:O	2:Z:106:GLY:N	2.49	0.45
1:A:247:ILE:O	1:A:248:LYS:CG	2.64	0.45
2:Z:37:TRP:HE3	2:Z:37:TRP:HA	1.82	0.44
2:Z:107:PHE:HD2	2:Z:107:PHE:N	2.13	0.44
2:Z:34:THR:OG1	2:Z:37:TRP:HB2	2.17	0.44
2:Z:123:ARG:O	2:Z:125:PRO:HD3	2.18	0.44
2:Z:153:THR:HB	2:Z:163:ILE:O	2.18	0.44
2:Z:38:LYS:HB3	2:Z:38:LYS:HZ2	1.78	0.43
2:Z:23:CYS:O	2:Z:53:TRP:HA	2.17	0.43
2:Z:38:LYS:HD2	2:Z:38:LYS:H	1.83	0.43
1:A:245:THR:HG22	1:A:246:SER:H	1.83	0.43
2:Z:35:ALA:O	2:Z:36:LYS:CB	2.64	0.43
2:Z:90:ARG:HA	2:Z:98:LEU:O	2.18	0.43
1:A:237:GLN:NE2	2:Z:95:GLU:H	2.02	0.43
2:Z:129:PHE:CE1	2:Z:161:ASP:HB2	2.53	0.43
2:Z:23:CYS:HA	2:Z:24:PRO:HD3	1.74	0.42
1:A:248:LYS:NZ	2:Z:56:SER:HB3	2.35	0.42
1:A:165:PHE:CD1	1:A:165:PHE:C	2.93	0.42
1:A:200:THR:O	1:A:207:ILE:HG12	2.20	0.42
2:Z:30:LYS:HA	2:Z:30:LYS:HD2	1.77	0.41
2:Z:49:TYR:CZ	2:Z:81:ASN:HB2	2.54	0.41
2:Z:103:CYS:HA	2:Z:104:PRO:HD3	1.91	0.41
2:Z:28:TYR:CE1	2:Z:42:ALA:HB3	2.56	0.41
1:A:224:HIS:ND1	1:A:226:GLU:HG3	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Z:77:ASN:HB3	2:Z:79:THR:H	1.85	0.41
2:Z:8:LEU:HD22	2:Z:19:LEU:HB3	2.02	0.41
2:Z:49:TYR:O	2:Z:50:THR:HG23	2.20	0.41
1:A:216:LEU:O	1:A:278:GLY:HA2	2.21	0.41
1:A:164:PRO:HD2	1:A:312:LYS:HB2	2.03	0.41
2:Z:10:TYR:HA	2:Z:18:LEU:O	2.21	0.41
2:Z:12:GLU:HB2	2:Z:17:GLN:CD	2.41	0.41
1:A:238:LEU:O	1:A:259:GLY:HA3	2.21	0.40
2:Z:142:HIS:HE1	2:Z:157:ASN:O	2.04	0.40
2:Z:154:GLN:CD	2:Z:163:ILE:HD12	2.42	0.40
1:A:170:ILE:HD12	1:A:170:ILE:HA	1.95	0.40
2:Z:38:LYS:H	2:Z:38:LYS:CD	2.33	0.40
2:Z:11:ASP:O	2:Z:12:GLU:HB3	2.21	0.40
2:Z:110:VAL:CG2	2:Z:122:LYS:HB2	2.48	0.40
2:Z:157:ASN:HB2	2:Z:158:ALA:H	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	154/162 (95%)	142 (92%)	10 (6%)	2 (1%)	12	30
2	Z	162/171 (95%)	133 (82%)	24 (15%)	5 (3%)	4	9
All	All	316/333 (95%)	275 (87%)	34 (11%)	7 (2%)	6	17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Z	147	VAL
1	A	248	LYS
2	Z	7	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Z	15	SER
2	Z	94	ILE
1	A	203	ASN
2	Z	35	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/142 (96%)	121 (89%)	15 (11%)	6	14
2	Z	151/158 (96%)	135 (89%)	16 (11%)	6	15
All	All	287/300 (96%)	256 (89%)	31 (11%)	6	15

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	GLN
1	A	171	ASN
1	A	182	VAL
1	A	183	SER
1	A	191	ARG
1	A	195	LYS
1	A	200	THR
1	A	244	LYS
1	A	247	ILE
1	A	248	LYS
1	A	262	LYS
1	A	265	SER
1	A	288	GLU
1	A	297	SER
1	A	312	LYS
2	Z	7	TYR
2	Z	16	HIS
2	Z	17	GLN
2	Z	38	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Z	51	ASP
2	Z	60	LEU
2	Z	102	SER
2	Z	103	CYS
2	Z	107	PHE
2	Z	110	VAL
2	Z	122	LYS
2	Z	130	SER
2	Z	133	THR
2	Z	143	THR
2	Z	146	SER
2	Z	150	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	ASN
1	A	189	HIS
1	A	198	ASN
1	A	210	GLN
1	A	237	GLN
2	Z	74	GLN
2	Z	80	HIS
2	Z	81	ASN
2	Z	100	HIS
2	Z	142	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	Z	201	2	14,14,15	0.57	0	17,19,21	1.11	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Z	201	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Z	201	NAG	C1-O5-C5	3.71	117.22	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	Z	201	NAG	C8-C7-N2-C2
3	Z	201	NAG	O7-C7-N2-C2
3	Z	201	NAG	C4-C5-C6-O6
3	Z	201	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Z	201	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	156/162 (96%)	0.56	12 (7%) 13 11	34, 56, 108, 152	0
2	Z	164/171 (95%)	0.74	20 (12%) 4 3	44, 94, 138, 154	0
All	All	320/333 (96%)	0.65	32 (10%) 7 5	34, 76, 135, 154	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Z	32	HIS	4.6
2	Z	16	HIS	4.3
2	Z	168	HIS	3.6
2	Z	36	LYS	3.5
1	A	276	ASN	3.5
2	Z	146	SER	3.3
2	Z	163	ILE	3.3
1	A	247	ILE	3.3
2	Z	7	TYR	3.0
2	Z	10	TYR	3.0
2	Z	17	GLN	3.0
2	Z	166	HIS	2.9
2	Z	155	LYS	2.8
2	Z	13	GLU	2.7
2	Z	18	LEU	2.7
1	A	275	ILE	2.7
1	A	317	ASP	2.7
1	A	277	VAL	2.6
2	Z	144	ASN	2.6
2	Z	126	ASP	2.6
1	A	218	ALA	2.4
2	Z	165	SER	2.4
2	Z	147	VAL	2.4
2	Z	164	CYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Z	42	ALA	2.2
1	A	216	LEU	2.2
1	A	259	GLY	2.2
2	Z	158	ALA	2.1
1	A	217	TYR	2.1
1	A	278	GLY	2.1
1	A	279	GLY	2.1
1	A	258	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	Z	201	14/15	0.75	0.33	95,123,139,140	0

6.5 Other polymers [i](#)

There are no such residues in this entry.