

wwPDB X-ray Structure Validation Summary Report (i)

Oct 5, 2023 – 06:03 AM EDT

PDB ID	:	6URF
Title	:	Malic enzyme from Mycobacterium tuberculosis
Authors	:	Cuthbert, B.J.; Burley, K.H.; Goulding, C.W.; Mathews, E.I.; Beste, D.J.
Deposited on	:	2019-10-23
Resolution	:	3.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	FAILED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\hbox{-}RAY\,DIFFRACTION$

The reported resolution of this entry is 3.60 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13612 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1 A	520	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	520	3535	2219	624	682	10	0	0	0
1	В	496	Total	С	Ν	0	S	0	0	0
	I D	490	3108	1935	573	596	4	0		
1	C	507	Total	С	Ν	0	S	0	0	0
			3218	2004	585	621	8	0		
1	1 D	526	Total	С	Ν	0	S	0	0	0
	520	3621	2283	644	686	8	0	0	0	

• Molecule 1 is a protein called NAD-dependent malic enzyme.

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-21	MET	-	initiating methionine	UNP A0A045JP82
А	-20	HIS	-	expression tag	UNP A0A045JP82
А	-19	HIS	-	expression tag	UNP A0A045JP82
А	-18	HIS	-	expression tag	UNP A0A045JP82
А	-17	HIS	-	expression tag	UNP A0A045JP82
A	-16	HIS	-	expression tag	UNP A0A045JP82
A	-15	HIS	-	expression tag	UNP A0A045JP82
А	-14	SER	-	expression tag	UNP A0A045JP82
A	-13	SER	-	expression tag	UNP A0A045JP82
А	-12	GLY	-	expression tag	UNP A0A045JP82
A	-11	VAL	-	expression tag	UNP A0A045JP82
A	-10	ASP	-	expression tag	UNP A0A045JP82
А	-9	LEU	-	expression tag	UNP A0A045JP82
A	-8	GLY	-	expression tag	UNP A0A045JP82
А	-7	THR	-	expression tag	UNP A0A045JP82
A	-6	GLU	-	expression tag	UNP A0A045JP82
А	-5	ASN	-	expression tag	UNP A0A045JP82
А	-4	LEU	-	expression tag	UNP A0A045JP82
А	-3	TYR	-	expression tag	UNP A0A045JP82
А	-2	PHE	-	expression tag	UNP A0A045JP82
А	-1	GLN	-	expression tag	UNP A0A045JP82

Continued on next page...



6URF	
------	--

Continued from previous page									
Chain	Residue	Modelled	Actual	Comment	Reference				
А	0	SER	-	expression tag	UNP A0A045JP82				
В	-21	MET	-	initiating methionine	UNP A0A045JP82				
В	-20	HIS	-	expression tag	UNP A0A045JP82				
В	-19	HIS	-	expression tag	UNP A0A045JP82				
В	-18	HIS	-	expression tag	UNP A0A045JP82				
В	-17	HIS	-	expression tag	UNP A0A045JP82				
В	-16	HIS	-	expression tag	UNP A0A045JP82				
В	-15	HIS	-	expression tag	UNP A0A045JP82				
В	-14	SER	-	expression tag	UNP A0A045JP82				
В	-13	SER	-	expression tag	UNP A0A045JP82				
В	-12	GLY	-	expression tag	UNP A0A045JP82				
В	-11	VAL	-	expression tag	UNP A0A045JP82				
В	-10	ASP	-	expression tag	UNP A0A045JP82				
В	-9	LEU	-	expression tag	UNP A0A045JP82				
В	-8	GLY	-	expression tag	UNP A0A045JP82				
В	-7	THR	-	expression tag	UNP A0A045JP82				
В	-6	GLU	-	expression tag	UNP A0A045JP82				
В	-5	ASN	-	expression tag	UNP A0A045JP82				
В	-4	LEU	-	expression tag	UNP A0A045JP82				
В	-3	TYR	-	expression tag	UNP A0A045JP82				
В	-2	PHE	-	expression tag	UNP A0A045JP82				
В	-1	GLN	-	expression tag	UNP A0A045JP82				
В	0	SER	-	expression tag	UNP A0A045JP82				
С	-21	MET	-	initiating methionine	UNP A0A045JP82				
С	-20	HIS	-	expression tag	UNP A0A045JP82				
С	-19	HIS	-	expression tag	UNP A0A045JP82				
С	-18	HIS	-	expression tag	UNP A0A045JP82				
С	-17	HIS	-	expression tag	UNP A0A045JP82				
С	-16	HIS	-	expression tag	UNP A0A045JP82				
С	-15	HIS	-	expression tag	UNP A0A045JP82				
С	-14	SER	-	expression tag	UNP A0A045JP82				
С	-13	SER	-	expression tag	UNP A0A045JP82				
С	-12	GLY	-	expression tag	UNP A0A045JP82				
С	-11	VAL	-	expression tag	UNP A0A045JP82				
С	-10	ASP	-	expression tag	UNP A0A045JP82				
С	-9	LEU	-	expression tag	UNP A0A045JP82				
С	-8	GLY	-	expression tag	UNP A0A045JP82				
С	-7	THR	-	expression tag	UNP A0A045JP82				
С	-6	GLU	-	expression tag	UNP A0A045JP82				
С	-5	ASN	-	expression tag	UNP A0A045JP82				
С	-4	LEU	-	expression tag	UNP A0A045JP82				
1									

Continued from previous page...

Continued on next page...




6URF	
------	--

Chain	Residue	Modelled	Actual	Comment	Reference
С	-2	PHE	-	expression tag	UNP A0A045JP82
С	-1	GLN	-	expression tag	UNP A0A045JP82
С	0	SER	-	expression tag	UNP A0A045JP82
D	-21	MET	-	initiating methionine	UNP A0A045JP82
D	-20	HIS	-	expression tag	UNP A0A045JP82
D	-19	HIS	-	expression tag	UNP A0A045JP82
D	-18	HIS	-	expression tag	UNP A0A045JP82
D	-17	HIS	-	expression tag	UNP A0A045JP82
D	-16	HIS	-	expression tag	UNP A0A045JP82
D	-15	HIS	-	expression tag	UNP A0A045JP82
D	-14	SER	-	expression tag	UNP A0A045JP82
D	-13	SER	-	expression tag	UNP A0A045JP82
D	-12	GLY	-	expression tag	UNP A0A045JP82
D	-11	VAL	-	expression tag	UNP A0A045JP82
D	-10	ASP	-	expression tag	UNP A0A045JP82
D	-9	LEU	-	expression tag	UNP A0A045JP82
D	-8	GLY	-	expression tag	UNP A0A045JP82
D	-7	THR	-	expression tag	UNP A0A045JP82
D	-6	GLU	-	expression tag	UNP A0A045JP82
D	-5	ASN	-	expression tag	UNP A0A045JP82
D	-4	LEU	-	expression tag	UNP A0A045JP82
D	-3	TYR	-	expression tag	UNP A0A045JP82
D	-2	PHE	-	expression tag	UNP A0A045JP82
D	-1	GLN	-	expression tag	UNP A0A045JP82
D	0	SER	-	expression tag	UNP A0A045JP82

Continued from previous page...

• Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).





Mol	Chain	Residues	sidues Atoms		AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	28	TotalO2828	0	0
3	В	28	TotalO2828	0	0
3	С	10	Total O 10 10	0	0
3	D	34	Total O 34 34	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 1 21 1	Depositor	
Cell constants	94.55Å 143.18Å 117.62Å	Depositor	
a, b, c, α , β , γ	90.00° 109.77° 90.00°	Depositor	
Resolution (Å)	47.17 - 3.60	Depositor	
% Data completeness	99.7 (47.17-3.60)	Depositor	
(in resolution range)		-	
R_{merge}	0.14	Depositor	
R_{sym}	(Not available)	Depositor	
$< I/\sigma(I) > 1$	$0.92 (at 3.57 \text{\AA})$	Xtriage	
Refinement program	PHENIX 1.16_3549	Depositor	
R, R_{free}	0.305 , 0.327	Depositor	
Wilson B-factor $(Å^2)$	80.7	Xtriage	
Anisotropy	0.676	Xtriage	
L-test for twinning ²	$ < L >=0.46, < L^2>=0.29$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	13612	wwPDB-VP	
Average B, all atoms $(Å^2)$	73.0	wwPDB-VP	

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 13.31% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



Mal			Dec Link	Link	Bond lengths				Bond angles		
Mol	Type	Chain	nes	Res	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	GOL	В	602	-	$5,\!5,\!5$	0.88	0	$5,\!5,\!5$	0.95	0	
2	GOL	А	602	-	$5,\!5,\!5$	0.91	0	$5,\!5,\!5$	1.01	0	
2	GOL	С	601	-	$5,\!5,\!5$	0.85	0	$5,\!5,\!5$	0.95	0	
2	GOL	А	601	-	$5,\!5,\!5$	0.91	0	$5,\!5,\!5$	0.99	0	
2	GOL	В	601	-	$5,\!5,\!5$	0.92	0	$5,\!5,\!5$	0.93	0	

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	В	602	-	-	2/4/4/4	-
2	GOL	А	602	-	-	0/4/4/4	-
2	GOL	С	601	-	-	2/4/4/4	-
2	GOL	А	601	-	-	0/4/4/4	-
2	GOL	В	601	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	601	GOL	C1-C2-C3-O3
2	С	601	GOL	O2-C2-C3-O3
2	В	602	GOL	C1-C2-C3-O3
2	В	602	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers (i)

There are no such residues in this entry.



4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

