



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 08:19 AM UTC

PDB ID : 8URM / pdb_00008urm
EMDB ID : EMD-42495
Title : E. coli 70S ribosome with unmodified tRNA^{Pro}(GGG) bound to slippery P-site CCC-C codon and tRNA^{Val}(UAC) in the A site
Authors : Kimbrough, E.M.; Dunham, C.M.; Nguyen, H.A.
Deposited on : 2023-10-26
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2904	
2	2	1540	
3	3	120	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	18	
5	5	77	
6	6	76	
7	B	273	
8	C	209	
9	D	201	
10	E	179	
11	F	177	
12	G	149	
13	J	142	
14	K	123	
15	L	144	
16	M	136	
17	N	127	
18	O	117	
19	P	115	
20	Q	118	
21	R	103	
22	S	110	
23	T	100	
24	U	104	
25	V	94	
26	W	84	
27	X	78	
28	Y	63	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	59	
30	a	70	
31	b	57	
32	c	55	
33	d	46	
34	e	65	
35	f	38	
36	g	241	
37	h	233	
38	i	206	
39	j	167	
40	k	135	
41	l	178	
42	m	130	
43	n	130	
44	o	103	
45	p	129	
46	q	124	
47	r	118	
48	s	101	
49	t	89	
50	u	82	
51	v	84	
52	w	75	
53	x	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	y	87	<div><div></div><div>90%</div><div>9%</div><div></div></div>
55	z	71	<div><div></div><div>85%</div><div>14%</div><div></div></div>

2 Entry composition [i](#)

There are 57 unique types of molecules in this entry. The entry contains 148557 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 13S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62334	27814	11470	20147	2903		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	887	A	U	conflict	GB 2577360273

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1540	Total	C	N	O	P	0	0
			33049	14747	6057	10705	1540		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	12	Total	C	N	O	P	0	0
			252	113	43	84	12		

- Molecule 5 is a RNA chain called tRNA ProL.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	77	Total	C	N	O	P	0	0
			1648	733	297	541	77		

- Molecule 6 is a RNA chain called tRNA Val.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	6	76	Total	C	N	O	P	S	0	0
			1627	728	292	531	75	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
6	34	CM0	U	conflict	GB 1847302804

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	B	271	Total	C	N	O	S		0	0
			2082	1288	423	364	7			

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	C	209	Total	C	N	O	S		0	0
			1565	979	288	294	4			

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	D	201	Total	C	N	O	S		0	0
			1552	974	283	290	5			

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms						AltConf	Trace
10	E	177	Total	C	N	O	S		0	0
			1410	899	249	256	6			

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms						AltConf	Trace
11	F	175	Total	C	N	O	S		0	0
			1313	826	241	244	2			

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 18 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	117	Total	C	N	O	S	0	0
			947	604	192	151			

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	103	Total	C	N	O	S	0	0
			788	498	148	142			

- Molecule 25 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 48 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 53 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	1	287	Total	Mg	0
			287	287	
56	2	97	Total	Mg	0
			97	97	
56	3	7	Total	Mg	0
			7	7	
56	B	1	Total	Mg	0
			1	1	
56	Q	1	Total	Mg	0
			1	1	
56	S	1	Total	Mg	0
			1	1	
56	m	1	Total	Mg	0
			1	1	

- Molecule 57 is water.

Mol	Chain	Residues	Atoms		AltConf
57	1	1328	Total	O	0
			1328	1328	
57	2	518	Total	O	0
			518	518	
57	3	13	Total	O	0
			13	13	
57	4	1	Total	O	0
			1	1	
57	5	1	Total	O	0
			1	1	
57	6	2	Total	O	0
			2	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
57	B	10	Total 10	O 10	0
57	C	3	Total 3	O 3	0
57	D	5	Total 5	O 5	0
57	E	4	Total 4	O 4	0
57	G	1	Total 1	O 1	0
57	J	1	Total 1	O 1	0
57	K	2	Total 2	O 2	0
57	L	5	Total 5	O 5	0
57	M	2	Total 2	O 2	0
57	N	5	Total 5	O 5	0
57	Q	2	Total 2	O 2	0
57	R	3	Total 3	O 3	0
57	S	2	Total 2	O 2	0
57	U	1	Total 1	O 1	0
57	W	3	Total 3	O 3	0
57	Y	1	Total 1	O 1	0
57	a	1	Total 1	O 1	0
57	b	4	Total 4	O 4	0
57	d	1	Total 1	O 1	0
57	e	2	Total 2	O 2	0
57	f	1	Total 1	O 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
57	g	6	Total 6	O 6	0
57	h	2	Total 2	O 2	0
57	i	19	Total 19	O 19	0
57	j	1	Total 1	O 1	0
57	l	3	Total 3	O 3	0
57	m	1	Total 1	O 1	0
57	n	1	Total 1	O 1	0
57	o	2	Total 2	O 2	0
57	q	5	Total 5	O 5	0
57	r	1	Total 1	O 1	0
57	s	2	Total 2	O 2	0
57	t	2	Total 2	O 2	0
57	u	2	Total 2	O 2	0
57	x	1	Total 1	O 1	0
57	y	1	Total 1	O 1	0
57	z	1	Total 1	O 1	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 13S ribosomal RNA




G2838	G2839	U2847	G2848	U2849	G2852	G2857	A2860	U2865	U2866	G2867	A2872	A2873	C2880	A2883	U2884	A2887	C2888	C2889	G2890	U2898	A2899	A2900	C2901	U2903	U																						
G2709	U2586	C2475	G2383	C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2714	A2587	U2477	U2384	C2484	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
C2715	C2591	A2478	C2385	C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
C2716	C2592			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2717	G2595			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2718	U2596			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2719	G2597			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2720	A2598			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2724	A2602			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2725	G2603			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2726	U2604			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2727	U2605			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2728	U2605			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2729	U2609			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2732	U2613			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2733	A2614			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2744	U2615			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2748	G2618			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2751	C2620			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2755	U2629			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2756	G2630			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2757	A2635			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2758	U2636			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
G2759	U2637			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2764	G2638			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
A2765	A2639			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
U2768	G2645			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C2520	C2531	U2522	G2523	U2528	G2529	A2530	A2547	U2548	U2552	G2553	U2554	U2555	C2564	A2565	A2566	U2567	A2576	G2577	G2578	C2579	U2580	U2584	U2585
	C2646			C2483	G2484	U2489	G2490	U2491	G2494	G2495	A2496	A2497	C2498	C2499	G2502	A2503	U2504	G2505	C2506	C2512	A2513	A2518	U2519	C25																							

• Molecule 2: 16S ribosomal RNA



Chain 3:  67% 28% 6%





- Molecule 4: mRNA

Chain 4:  11% 44% 11% 33%





- Molecule 5: tRNA ProL

Chain 5:  19% 51% 29%





- Molecule 6: tRNA Val

Chain 6:  14% 53% 29%




- Molecule 7: 50S ribosomal protein L2

Chain B:  85% 13%



- Molecule 8: 50S ribosomal protein L3

Chain C:  86% 14%





- Molecule 9: 50S ribosomal protein L4

Chain D:  91% 9%




- Molecule 10: 50S ribosomal protein L5

Chain E:  78% 20% ..





- Molecule 11: 50S ribosomal protein L6

Chain F:  87% 12% .





- Molecule 12: 50S ribosomal protein L9

Chain G:  31% 87% 13% .




- Molecule 13: Large ribosomal subunit protein uL13

Chain J:  80% 20% .




- Molecule 14: 50S ribosomal protein L14

Chain K:  90% 9% .




- Molecule 15: 50S ribosomal protein L15




- Molecule 16: 50S ribosomal protein L16




- Molecule 17: 50S ribosomal protein L17




- Molecule 18: Large ribosomal subunit protein uL18




- Molecule 19: Large ribosomal subunit protein bL19




- Molecule 20: 50S ribosomal protein L20



- Molecule 21: Ribosomal protein L21



- Molecule 22: 50S ribosomal protein L22

Chain S:  88% 11% .





- Molecule 23: 50S ribosomal protein L23

Chain T:  90% . 6%



- Molecule 24: 50S ribosomal protein L24

Chain U:  88% 11% ..



- Molecule 25: Large ribosomal subunit protein bL25

Chain V:  91% 9%




- Molecule 26: Large ribosomal subunit protein bL27

Chain W:  92% 8%




- Molecule 27: 50S ribosomal protein L28

Chain X:  79% 19% .




- Molecule 28: Large ribosomal subunit protein uL29

Chain Y:  90% 8% .





- Molecule 29: 50S ribosomal protein L30

Chain Z:  90% 8% .




- Molecule 30: 50S ribosomal protein L31

Chain a:  11% 76% 19% 6%




- Molecule 31: 50S ribosomal protein L32

Chain b:  86% 12% .



- Molecule 32: 50S ribosomal protein L33

Chain c:  82% 13% 5%




- Molecule 33: 50S ribosomal protein L34

Chain d:  98% .




- Molecule 34: 50S ribosomal protein L35

Chain e:  80% 17% . .




- Molecule 35: 50S ribosomal protein L36


Chain f:  87% 11% .




- Molecule 36: 30S ribosomal protein S2




- Molecule 37: 30S ribosomal protein S3




- Molecule 38: 30S ribosomal protein S4



- Molecule 39: 30S ribosomal protein S5




- Molecule 40: 30S ribosomal protein S6



- Molecule 41: Small ribosomal subunit protein uS7





- Molecule 42: Small ribosomal subunit protein uS8

Chain m: 85% 14% .



- Molecule 43: Small ribosomal subunit protein uS9

Chain n: 85% 12% ..



- Molecule 44: Small ribosomal subunit protein uS10

Chain o: 76% 17% . .




- Molecule 45: 30S ribosomal protein S11

Chain p: 79% 12% 9%



- Molecule 46: Small ribosomal subunit protein uS12

Chain q: 74% 23% ..




- Molecule 47: 30S ribosomal protein S13

Chain r: 82% 16% .



- Molecule 48: Small ribosomal subunit protein uS14

Chain s:  79% 20%




- Molecule 49: Small ribosomal subunit protein uS15

Chain t:  87% 12%





- Molecule 50: 30S ribosomal protein S16

Chain u:  68% 32%



- Molecule 51: Small ribosomal subunit protein uS17

Chain v:  80% 15% 5%




- Molecule 52: 30S ribosomal protein S18

Chain w:  72% 16% 12%




- Molecule 53: Small ribosomal subunit protein uS19

Chain x:  76% 14% 10%




- Molecule 54: 30S ribosomal protein S20

Chain y:  90% 9%



- Molecule 55: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	173856	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61.23	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.050	Depositor
Minimum map value	-0.005	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	427.6, 427.6, 427.6	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.069, 1.069, 1.069	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, 7MG, G7M, OMG, MG, MA6, 1MG, 6MZ, 4OC, 0TD, 2MG, CM0, 2MA, PSU, OMU, 4SU, 5MC, UR3, 5MU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.14	0/69335	0.25	0/108168
2	2	0.12	0/36722	0.23	0/57278
3	3	0.11	0/2872	0.22	0/4478
4	4	0.44	0/280	1.09	4/433 (0.9%)
5	5	0.34	0/1841	0.59	5/2870 (0.2%)
6	6	0.44	0/1668	0.52	1/2595 (0.0%)
7	B	0.21	0/2121	0.35	0/2852
8	C	0.21	0/1586	0.34	0/2134
9	D	0.19	0/1571	0.32	0/2113
10	E	0.15	0/1434	0.37	0/1926
11	F	0.14	0/1333	0.32	0/1805
12	G	0.15	0/1122	0.33	0/1515
13	J	0.19	0/1152	0.31	0/1551
14	K	0.20	0/955	0.33	0/1279
15	L	0.20	0/1062	0.34	0/1413
16	M	0.20	0/1093	0.35	0/1460
17	N	0.21	0/964	0.39	0/1289
18	O	0.15	0/902	0.34	0/1209
19	P	0.18	0/929	0.34	0/1242
20	Q	0.20	0/960	0.32	0/1278
21	R	0.21	0/829	0.37	0/1107
22	S	0.21	0/864	0.34	0/1156
23	T	0.19	0/752	0.27	0/1005
24	U	0.16	0/796	0.32	0/1062
25	V	0.18	0/766	0.33	0/1025
26	W	0.18	0/642	0.31	0/848
27	X	0.20	0/635	0.36	0/848
28	Y	0.15	0/502	0.32	0/667
29	Z	0.19	0/452	0.36	0/605
30	a	0.15	0/531	0.31	0/709
31	b	0.19	0/450	0.36	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
32	c	0.18	0/433	0.33	0/576
33	d	0.22	0/380	0.39	0/498
34	e	0.20	0/513	0.42	0/676
35	f	0.21	0/303	0.32	0/397
36	g	0.14	0/1791	0.33	0/2413
37	h	0.18	0/1663	0.35	0/2241
38	i	0.16	0/1665	0.38	0/2227
39	j	0.18	0/1165	0.34	0/1568
40	k	0.18	0/867	0.34	0/1171
41	l	0.14	0/1195	0.32	0/1602
42	m	0.16	0/989	0.31	0/1326
43	n	0.16	0/1034	0.33	0/1375
44	o	0.16	0/800	0.35	0/1082
45	p	0.16	0/893	0.33	0/1205
46	q	0.19	0/960	0.42	0/1286
47	r	0.14	0/909	0.33	0/1215
48	s	0.14	0/817	0.32	0/1088
49	t	0.15	0/722	0.29	0/964
50	u	0.22	0/659	0.44	0/884
51	v	0.15	0/657	0.37	0/881
52	w	0.15	0/553	0.28	0/743
53	x	0.14	0/680	0.28	0/915
54	y	0.15	0/675	0.30	0/895
55	z	0.13	0/597	0.32	0/792
All	All	0.16	0/158041	0.28	10/236539 (0.0%)

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	4	12	A	C2'-C3'-O3'	9.67	124.01	109.50
5	5	3	G	C4'-C3'-O3'	7.79	121.09	109.40
4	4	11	A	C4'-C3'-O3'	-6.91	102.64	113.00
5	5	41	C	C2'-C3'-O3'	6.83	123.94	113.70
5	5	2	G	C4'-C3'-O3'	6.66	119.38	109.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62334	0	31367	515	0
2	2	33049	0	16652	357	0
3	3	2569	0	1301	27	0
4	4	252	0	130	3	0
5	5	1648	0	834	46	0
6	6	1627	0	832	66	0
7	B	2082	0	2154	25	0
8	C	1565	0	1616	22	0
9	D	1552	0	1619	10	0
10	E	1410	0	1444	28	0
11	F	1313	0	1358	9	0
12	G	1111	0	1148	12	0
13	J	1129	0	1162	19	0
14	K	946	0	1023	9	0
15	L	1053	0	1129	13	0
16	M	1074	0	1157	11	0
17	N	951	0	994	10	0
18	O	892	0	923	12	0
19	P	917	0	962	9	0
20	Q	947	0	1019	9	0
21	R	816	0	839	14	0
22	S	857	0	922	8	0
23	T	746	0	811	3	0
24	U	788	0	844	7	0
25	V	753	0	780	7	0
26	W	634	0	653	5	0
27	X	625	0	652	10	0
28	Y	501	0	531	6	0
29	Z	448	0	488	4	0
30	a	522	0	524	7	0
31	b	444	0	458	6	0
32	c	426	0	464	7	0
33	d	377	0	418	1	0
34	e	504	0	572	10	0
35	f	302	0	343	4	0
36	g	1760	0	1787	14	0
37	h	1636	0	1710	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	i	1643	0	1707	64	0
39	j	1152	0	1196	14	0
40	k	848	0	846	5	0
41	l	1181	0	1238	12	0
42	m	979	0	1031	13	0
43	n	1022	0	1070	15	0
44	o	790	0	831	16	0
45	p	877	0	887	9	0
46	q	957	0	1017	27	0
47	r	900	0	965	12	0
48	s	805	0	844	18	0
49	t	714	0	734	6	0
50	u	649	0	666	19	0
51	v	648	0	691	11	0
52	w	544	0	560	10	0
53	x	663	0	688	10	0
54	y	669	0	719	5	0
55	z	589	0	629	9	0
56	1	287	0	0	0	0
56	2	97	0	0	0	0
56	3	7	0	0	0	0
56	B	1	0	0	0	0
56	Q	1	0	0	0	0
56	S	1	0	0	0	0
56	m	1	0	0	0	0
57	1	1328	0	0	43	0
57	2	518	0	0	20	0
57	3	13	0	0	0	0
57	4	1	0	0	0	0
57	5	1	0	0	0	0
57	6	2	0	0	0	0
57	B	10	0	0	2	0
57	C	3	0	0	0	0
57	D	5	0	0	1	0
57	E	4	0	0	0	0
57	G	1	0	0	0	0
57	J	1	0	0	0	0
57	K	2	0	0	0	0
57	L	5	0	0	0	0
57	M	2	0	0	0	0
57	N	5	0	0	1	0
57	Q	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	R	3	0	0	2	0
57	S	2	0	0	0	0
57	U	1	0	0	0	0
57	W	3	0	0	0	0
57	Y	1	0	0	0	0
57	a	1	0	0	1	0
57	b	4	0	0	0	0
57	d	1	0	0	0	0
57	e	2	0	0	1	0
57	f	1	0	0	0	0
57	g	6	0	0	1	0
57	h	2	0	0	0	0
57	i	19	0	0	4	0
57	j	1	0	0	0	0
57	l	3	0	0	0	0
57	m	1	0	0	0	0
57	n	1	0	0	0	0
57	o	2	0	0	1	0
57	q	5	0	0	1	0
57	r	1	0	0	0	0
57	s	2	0	0	1	0
57	t	2	0	0	0	0
57	u	2	0	0	1	0
57	x	1	0	0	0	0
57	y	1	0	0	0	0
57	z	1	0	0	0	0
All	All	148557	0	97939	1377	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 1377 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:542:G:OP1	38:i:10:LYS:NZ	2.02	0.91
1:1:1065:U:O4	1:1:1069:A:O2'	1.88	0.90
1:1:1174:U:O2'	1:1:1175:A:O4'	1.91	0.89
38:i:148:LYS:O	38:i:152:GLN:NE2	2.06	0.89
1:1:572:A:OP2	21:R:80:ARG:NH2	2.06	0.88

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	B	269/273 (98%)	257 (96%)	12 (4%)	0	100	100
8	C	207/209 (99%)	194 (94%)	13 (6%)	0	100	100
9	D	199/201 (99%)	191 (96%)	8 (4%)	0	100	100
10	E	175/179 (98%)	166 (95%)	9 (5%)	0	100	100
11	F	173/177 (98%)	162 (94%)	11 (6%)	0	100	100
12	G	147/149 (99%)	140 (95%)	7 (5%)	0	100	100
13	J	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
14	K	121/123 (98%)	119 (98%)	2 (2%)	0	100	100
15	L	142/144 (99%)	137 (96%)	5 (4%)	0	100	100
16	M	134/136 (98%)	131 (98%)	3 (2%)	0	100	100
17	N	117/127 (92%)	112 (96%)	5 (4%)	0	100	100
18	O	114/117 (97%)	111 (97%)	3 (3%)	0	100	100
19	P	112/115 (97%)	111 (99%)	1 (1%)	0	100	100
20	Q	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
21	R	101/103 (98%)	97 (96%)	4 (4%)	0	100	100
22	S	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
23	T	92/100 (92%)	90 (98%)	2 (2%)	0	100	100
24	U	101/104 (97%)	95 (94%)	6 (6%)	0	100	100
25	V	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
26	W	82/84 (98%)	79 (96%)	3 (4%)	0	100	100
27	X	75/78 (96%)	75 (100%)	0	0	100	100
28	Y	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
29	Z	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
30	a	64/70 (91%)	61 (95%)	3 (5%)	0	100	100
31	b	54/57 (95%)	53 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	c	50/55 (91%)	50 (100%)	0	0	100	100
33	d	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
34	e	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
35	f	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
36	g	223/241 (92%)	211 (95%)	12 (5%)	0	100	100
37	h	206/233 (88%)	199 (97%)	7 (3%)	0	100	100
38	i	203/206 (98%)	195 (96%)	8 (4%)	0	100	100
39	j	154/167 (92%)	145 (94%)	9 (6%)	0	100	100
40	k	102/135 (76%)	97 (95%)	5 (5%)	0	100	100
41	l	149/178 (84%)	142 (95%)	7 (5%)	0	100	100
42	m	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
43	n	125/130 (96%)	117 (94%)	8 (6%)	0	100	100
44	o	97/103 (94%)	91 (94%)	6 (6%)	0	100	100
45	p	115/129 (89%)	111 (96%)	4 (4%)	0	100	100
46	q	120/124 (97%)	110 (92%)	10 (8%)	0	100	100
47	r	114/118 (97%)	110 (96%)	4 (4%)	0	100	100
48	s	98/101 (97%)	98 (100%)	0	0	100	100
49	t	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
50	u	80/82 (98%)	76 (95%)	4 (5%)	0	100	100
51	v	78/84 (93%)	75 (96%)	3 (4%)	0	100	100
52	w	64/75 (85%)	64 (100%)	0	0	100	100
53	x	81/92 (88%)	80 (99%)	1 (1%)	0	100	100
54	y	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
55	z	68/71 (96%)	68 (100%)	0	0	100	100
All	All	5616/5911 (95%)	5403 (96%)	213 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	B	216/218 (99%)	208 (96%)	8 (4%)	30	64
8	C	164/164 (100%)	160 (98%)	4 (2%)	43	73
9	D	165/165 (100%)	161 (98%)	4 (2%)	43	73
10	E	148/150 (99%)	143 (97%)	5 (3%)	32	66
11	F	136/138 (99%)	127 (93%)	9 (7%)	15	46
12	G	114/114 (100%)	109 (96%)	5 (4%)	25	60
13	J	116/116 (100%)	113 (97%)	3 (3%)	40	72
14	K	104/104 (100%)	103 (99%)	1 (1%)	68	84
15	L	103/103 (100%)	100 (97%)	3 (3%)	37	70
16	M	109/109 (100%)	107 (98%)	2 (2%)	51	77
17	N	99/103 (96%)	97 (98%)	2 (2%)	48	76
18	O	86/87 (99%)	84 (98%)	2 (2%)	44	74
19	P	99/100 (99%)	97 (98%)	2 (2%)	48	76
20	Q	89/90 (99%)	88 (99%)	1 (1%)	65	83
21	R	84/84 (100%)	83 (99%)	1 (1%)	63	82
22	S	93/93 (100%)	91 (98%)	2 (2%)	45	74
23	T	81/84 (96%)	80 (99%)	1 (1%)	63	82
24	U	84/85 (99%)	81 (96%)	3 (4%)	31	65
25	V	78/78 (100%)	77 (99%)	1 (1%)	61	81
26	W	62/62 (100%)	61 (98%)	1 (2%)	55	79
27	X	67/68 (98%)	67 (100%)	0	100	100
28	Y	54/55 (98%)	54 (100%)	0	100	100
29	Z	48/49 (98%)	48 (100%)	0	100	100
30	a	59/62 (95%)	56 (95%)	3 (5%)	21	55
31	b	47/48 (98%)	47 (100%)	0	100	100
32	c	47/49 (96%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/52 (98%)	48 (94%)	3 (6%)	18	50
35	f	34/34 (100%)	33 (97%)	1 (3%)	37	70
36	g	187/199 (94%)	184 (98%)	3 (2%)	55	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	h	171/190 (90%)	163 (95%)	8 (5%)	23	58
38	i	172/173 (99%)	166 (96%)	6 (4%)	32	65
39	j	119/126 (94%)	118 (99%)	1 (1%)	73	86
40	k	91/116 (78%)	88 (97%)	3 (3%)	33	67
41	l	124/146 (85%)	122 (98%)	2 (2%)	55	79
42	m	104/105 (99%)	102 (98%)	2 (2%)	50	76
43	n	105/107 (98%)	104 (99%)	1 (1%)	68	84
44	o	86/90 (96%)	80 (93%)	6 (7%)	14	44
45	p	90/99 (91%)	85 (94%)	5 (6%)	19	52
46	q	102/103 (99%)	99 (97%)	3 (3%)	37	70
47	r	94/96 (98%)	93 (99%)	1 (1%)	65	83
48	s	83/84 (99%)	82 (99%)	1 (1%)	63	82
49	t	76/77 (99%)	76 (100%)	0	100	100
50	u	65/65 (100%)	61 (94%)	4 (6%)	16	49
51	v	74/78 (95%)	73 (99%)	1 (1%)	59	80
52	w	57/65 (88%)	57 (100%)	0	100	100
53	x	72/79 (91%)	72 (100%)	0	100	100
54	y	65/66 (98%)	65 (100%)	0	100	100
55	z	60/61 (98%)	60 (100%)	0	100	100
All	All	4672/4827 (97%)	4558 (98%)	114 (2%)	43	73

5 of 114 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
24	U	52	LEU
50	u	8	ARG
37	h	47	LEU
50	u	1	MET
45	p	16	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

Mol	Chain	Res	Type
38	i	152	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
45	p	38	GLN
39	j	148	ASN
43	n	37	GLN
48	s	66	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2902/2904 (99%)	426 (14%)	13 (0%)
2	2	1538/1540 (99%)	251 (16%)	7 (0%)
3	3	119/120 (99%)	18 (15%)	0
4	4	11/18 (61%)	6 (54%)	1 (9%)
5	5	76/77 (98%)	33 (43%)	7 (9%)
6	6	75/76 (98%)	31 (41%)	3 (4%)
All	All	4721/4735 (99%)	765 (16%)	31 (0%)

5 of 765 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A
1	1	26	G
1	1	34	U
1	1	35	G
1	1	46	G

5 of 31 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	2	1008	U
5	5	60	U
2	2	1145	A
6	6	46	7MG
5	5	21	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

38 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	1	955	1	18,21,22	1.08	1 (5%)	21,30,33	1.93	4 (19%)
1	PSU	1	2457	1	18,21,22	1.06	1 (5%)	21,30,33	2.03	6 (28%)
2	2MG	2	1207	2	23,26,27	2.92	9 (39%)	33,38,41	2.10	10 (30%)
2	5MC	2	967	2	19,22,23	3.89	8 (42%)	26,32,35	0.98	2 (7%)
2	MA6	2	1518	2	23,26,27	1.47	4 (17%)	33,38,41	2.80	11 (33%)
6	4SU	6	7	6	18,21,22	3.59	8 (44%)	25,30,33	2.50	4 (16%)
1	PSU	1	2605	1	18,21,22	1.08	1 (5%)	21,30,33	2.07	5 (23%)
46	0TD	q	89	46	8,9,10	1.70	1 (12%)	6,11,13	1.33	0
1	PSU	1	1911	1	18,21,22	1.08	1 (5%)	21,30,33	1.99	5 (23%)
2	2MG	2	1516	2	23,26,27	2.86	9 (39%)	33,38,41	2.12	9 (27%)
1	G7M	1	2069	1	23,26,27	2.54	9 (39%)	34,39,42	1.92	10 (29%)
1	PSU	1	2504	1	18,21,22	1.05	1 (5%)	21,30,33	1.96	5 (23%)
1	PSU	1	746	1,56	18,21,22	1.12	1 (5%)	21,30,33	1.90	4 (19%)
6	5MU	6	54	6	19,22,23	4.62	7 (36%)	27,32,35	3.82	9 (33%)
1	2MG	1	2445	1	23,26,27	2.84	9 (39%)	33,38,41	2.08	10 (30%)
2	UR3	2	1498	2	19,22,23	2.94	8 (42%)	26,32,35	1.53	4 (15%)
2	2MG	2	966	2	23,26,27	2.92	9 (39%)	33,38,41	2.19	12 (36%)
1	5MU	1	747	1	19,22,23	4.82	7 (36%)	27,32,35	3.59	9 (33%)
1	2MG	1	1835	1	23,26,27	2.89	8 (34%)	33,38,41	2.13	9 (27%)
2	7MG	2	527	2	23,26,27	3.91	11 (47%)	27,39,42	2.19	9 (33%)
1	OMU	1	2552	1	19,22,23	3.07	8 (42%)	25,31,34	1.78	5 (20%)
1	5MC	1	1962	1	19,22,23	3.84	8 (42%)	26,32,35	1.01	2 (7%)
6	CM0	6	34	6	21,26,27	2.39	7 (33%)	26,37,40	1.81	5 (19%)
1	OMG	1	2251	5,1	23,26,27	2.41	9 (39%)	32,38,41	2.48	10 (31%)
6	7MG	6	46	6	23,26,27	3.50	10 (43%)	27,39,42	2.03	8 (29%)
1	OMC	1	2498	1	19,22,23	2.96	8 (42%)	25,31,34	0.75	0
1	2MA	1	2503	1	22,25,26	3.83	9 (40%)	32,37,40	3.78	11 (34%)
2	PSU	2	516	2	18,21,22	1.11	1 (5%)	21,30,33	2.03	5 (23%)
2	4OC	2	1402	2	20,23,24	3.17	8 (40%)	25,32,35	0.89	1 (4%)
1	6MZ	1	1618	1	22,25,26	3.31	4 (18%)	29,36,39	2.26	11 (37%)
1	1MG	1	745	1	23,26,27	3.08	8 (34%)	33,39,42	2.00	8 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MA6	2	1519	2	23,26,27	1.48	5 (21%)	33,38,41	2.90	12 (36%)
6	6MZ	6	37	6	22,25,26	1.56	5 (22%)	29,36,39	2.31	10 (34%)
1	PSU	1	1917	1	18,21,22	1.10	1 (5%)	21,30,33	1.99	5 (23%)
1	5MU	1	1939	1	19,22,23	4.82	7 (36%)	27,32,35	3.60	9 (33%)
1	PSU	1	2580	1	18,21,22	1.08	1 (5%)	21,30,33	2.14	6 (28%)
2	5MC	2	1407	2	19,22,23	3.83	8 (42%)	26,32,35	0.97	2 (7%)
6	PSU	6	55	6	18,21,22	1.44	4 (22%)	21,30,33	2.15	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
2	2MG	2	1207	2	-	0/9/27/28	0/3/3/3
2	5MC	2	967	2	-	0/7/25/26	0/2/2/2
2	MA6	2	1518	2	-	0/11/29/30	0/3/3/3
6	4SU	6	7	6	-	0/7/25/26	0/2/2/2
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
46	0TD	q	89	46	-	2/7/12/14	-
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
2	2MG	2	1516	2	-	0/9/27/28	0/3/3/3
1	G7M	1	2069	1	-	1/7/25/26	0/3/3/3
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2
1	PSU	1	746	1,56	-	1/7/25/26	0/2/2/2
6	5MU	6	54	6	-	2/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	2/9/27/28	0/3/3/3
2	UR3	2	1498	2	-	0/7/25/26	0/2/2/2
2	2MG	2	966	2	-	0/9/27/28	0/3/3/3
1	5MU	1	747	1	-	0/7/25/26	0/2/2/2
1	2MG	1	1835	1	-	0/9/27/28	0/3/3/3
2	7MG	2	527	2	-	3/7/37/38	0/3/3/3
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
1	5MC	1	1962	1	-	0/7/25/26	0/2/2/2
6	CM0	6	34	6	-	3/12/30/31	0/2/2/2
1	OMG	1	2251	5,1	-	0/9/27/28	0/3/3/3
6	7MG	6	46	6	-	1/7/37/38	0/3/3/3
1	OMC	1	2498	1	-	0/9/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MA	1	2503	1	-	3/7/25/26	0/3/3/3
2	PSU	2	516	2	-	1/7/25/26	0/2/2/2
2	4OC	2	1402	2	-	0/9/29/30	0/2/2/2
1	6MZ	1	1618	1	-	2/9/27/28	0/3/3/3
1	1MG	1	745	1	-	0/7/25/26	0/3/3/3
2	MA6	2	1519	2	-	2/11/29/30	0/3/3/3
6	6MZ	6	37	6	-	2/9/27/28	0/3/3/3
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2
1	5MU	1	1939	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
6	PSU	6	55	6	-	2/7/25/26	0/2/2/2

The worst 5 of 224 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1618	6MZ	C6-N6	14.27	1.50	1.34
1	1	2503	2MA	C4-N3	11.55	1.49	1.34
1	1	747	5MU	C2-N1	11.22	1.56	1.38
1	1	1939	5MU	C2-N1	11.14	1.55	1.38
6	6	54	5MU	C2-N1	10.36	1.54	1.38

The worst 5 of 251 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2503	2MA	C1'-N9-C8	-13.69	96.70	127.09
6	6	54	5MU	C5-C4-N3	12.63	126.30	115.32
1	1	747	5MU	C5-C4-N3	12.06	125.81	115.32
1	1	1939	5MU	C5-C4-N3	12.06	125.81	115.32
1	1	2503	2MA	C4-N9-C1'	11.84	154.32	126.63

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1	1618	6MZ	C5-C6-N6-C9
1	1	1618	6MZ	N1-C6-N6-C9
1	1	2504	PSU	O4'-C4'-C5'-O5'
2	2	516	PSU	O4'-C1'-C5-C6
2	2	1519	MA6	O4'-C4'-C5'-O5'

There are no ring outliers.

14 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	2	967	5MC	1	0
2	2	1518	MA6	1	0
6	6	7	4SU	2	0
46	q	89	0TD	1	0
2	2	1516	2MG	1	0
6	6	54	5MU	1	0
2	2	966	2MG	1	0
2	2	527	7MG	2	0
6	6	34	CM0	1	0
6	6	46	7MG	1	0
2	2	516	PSU	1	0
2	2	1402	4OC	1	0
1	1	745	1MG	3	0
2	2	1519	MA6	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 395 ligands modelled in this entry, 395 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42495. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 210




Y Index: 208




Z Index: 170


6.3.2 Raw map



X Index: 211



Y Index: 209




Z Index: 170


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3079 nm^3 ; this corresponds to an approximate mass of 2781 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.333 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	2.95	3.22	2.97
Unmasked-calculated*	3.23	4.02	3.29

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-42495 and PDB model 8URM. Per-residue inclusion information can be found in section [3](#) on page [17](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ











































The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9780	 0.4770
1	 0.9940	 0.4960
2	 0.9890	 0.4500
3	 0.9900	 0.4650
4	 1.0000	 0.4320
5	 1.0000	 0.4400
6	 0.9980	 0.4250
B	 0.9990	 0.5470
C	 0.9820	 0.5390
D	 0.9490	 0.5030
E	 0.9640	 0.4460
F	 0.9500	 0.4650
G	 0.5800	 0.3770
J	 0.9900	 0.5260
K	 0.9970	 0.5400
L	 0.9730	 0.5220
M	 0.9990	 0.5330
N	 0.9970	 0.5370
O	 0.9540	 0.4720
P	 0.9920	 0.5280
Q	 0.9890	 0.5250
R	 0.9510	 0.5330
S	 0.9870	 0.5270
T	 0.9800	 0.5040
U	 0.9610	 0.5100
V	 0.9430	 0.5020
W	 0.9850	 0.5100
X	 0.9930	 0.5290
Y	 0.9530	 0.4580
Z	 0.9610	 0.5180
a	 0.7910	 0.3930
b	 0.9790	 0.5270
c	 0.9930	 0.5130
d	 1.0000	 0.5440
e	 1.0000	 0.5460



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 1.0000	 0.5300
g	 0.6850	 0.4190
h	 0.9590	 0.4730
i	 0.8430	 0.2270
j	 0.9860	 0.4950
k	 0.9550	 0.4570
l	 0.9700	 0.4280
m	 0.9660	 0.4960
n	 0.9590	 0.4590
o	 0.9010	 0.4470
p	 0.9890	 0.4850
q	 0.9780	 0.4200
r	 0.9640	 0.4480
s	 0.9820	 0.4750
t	 0.9810	 0.4660
u	 0.9300	 0.3670
v	 0.9760	 0.4520
w	 0.9870	 0.4240
x	 0.9680	 0.4700
y	 0.9740	 0.4180
z	 0.9800	 0.4110