



Full wwPDB X-ray Structure Validation Report i

Jun 18, 2024 – 12:02 PM EDT

PDB ID : 8US2
Title : P22121 Crystal structure of TamA from Pseudomonas aeruginosa at 3.95 Ang
Authors : Mellouk, A.; Moraes, T.F.; Calmettes, C.
Deposited on : 2023-10-27
Resolution : 3.96 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1025 (4.22-3.70)
Clashscore	141614	1085 (4.22-3.70)
Ramachandran outliers	138981	1047 (4.22-3.70)
Sidechain outliers	138945	1039 (4.22-3.70)
RSRZ outliers	127900	1013 (4.28-3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 8016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Translocation and assembly module subunit TamA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	550	Total	C 4292	N 2707	O 767	S 811	7	0	0
1	B	475	Total	C 3724	N 2354	O 663	S 700	7	0	1

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	PHE	-	expression tag	UNP Q9I0U1
A	22	GLN	-	expression tag	UNP Q9I0U1
A	23	GLY	-	expression tag	UNP Q9I0U1
A	24	SER	-	expression tag	UNP Q9I0U1
B	21	PHE	-	expression tag	UNP Q9I0U1
B	22	GLN	-	expression tag	UNP Q9I0U1
B	23	GLY	-	expression tag	UNP Q9I0U1
B	24	SER	-	expression tag	UNP Q9I0U1


3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Translocation and assembly module subunit TamA



- Molecule 1: Translocation and assembly module subunit TamA





4 Data and refinement statistics i

Property	Value	Source
Space group	P 2 1 21	Depositor
Cell constants a, b, c, α , β , γ	73.05 Å 155.50 Å 157.02 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.26 – 3.96 44.06 – 3.95	Depositor EDS
% Data completeness (in resolution range)	99.3 (39.26-3.96) 88.3 (44.06-3.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.22	Depositor
$< I/\sigma(I) >$ ¹	1.60 (at 4.00 Å)	Xtriage
Refinement program	PHENIX 1.19	Depositor
R , R_{free}	0.302 , 0.381 0.306 , 0.380	Depositor DCC
R_{free} test set	807 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	109.9	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 138.0	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	0.017 for -h,l,k	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	8016	wwPDB-VP
Average B, all atoms (Å ²)	159.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.29	0/4387	0.72	10/5932 (0.2%)
1	B	0.28	0/3815	0.54	1/5158 (0.0%)
All	All	0.28	0/8202	0.64	11/11090 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	377	GLU	N-CA-C	-7.19	91.59	111.00
1	A	391	MET	N-CA-C	6.62	128.87	111.00
1	A	395	GLY	N-CA-C	6.07	128.28	113.10
1	A	390	LEU	N-CA-C	-5.81	95.31	111.00
1	B	246	ALA	C-N-CD	5.73	140.44	128.40
1	A	376	GLU	N-CA-C	5.70	126.40	111.00
1	A	392	PRO	N-CA-C	-5.67	97.35	112.10
1	A	369	VAL	N-CA-C	-5.50	96.16	111.00
1	A	522	THR	N-CA-C	-5.42	96.36	111.00
1	A	549	VAL	N-CA-C	-5.17	97.04	111.00
1	A	95	LEU	N-CA-C	-5.15	97.09	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	249	GLN	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4292	0	4203	107	0
1	B	3724	0	3622	75	0
All	All	8016	0	7825	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:LEU:HD11	1:A:138:LEU:HD13	1.57	0.86
1:A:455:VAL:HG12	1:A:504:ILE:HG23	1.62	0.81
1:B:168:ARG:HH11	1:B:168:ARG:HG3	1.49	0.78
1:A:168:ARG:HH11	1:A:168:ARG:HG3	1.48	0.77
1:B:248:THR:OG1	1:B:249:GLN:N	2.12	0.77
1:B:246:ALA:HB1	1:B:247:PRO:HD2	1.68	0.76
1:A:108:ARG:HG2	1:A:109:GLN:HG2	1.69	0.74
1:A:431:LEU:HB3	1:A:459:ALA:HB3	1.69	0.74
1:B:274:GLY:O	1:B:290:ASN:N	2.25	0.70
1:B:361:ARG:NH2	1:B:363:ASP:OD2	2.27	0.68
1:A:550:SER:OG	1:A:551:PRO:HD2	1.95	0.66
1:A:361:ARG:NH2	1:A:363:ASP:OD2	2.29	0.66
1:B:271:ARG:HG3	1:B:293:ARG:HG3	1.78	0.65
1:B:455:VAL:HG12	1:B:504:ILE:HG23	1.79	0.65
1:A:271:ARG:HG3	1:A:293:ARG:HG3	1.77	0.65
1:B:246:ALA:HB1	1:B:247:PRO:CD	2.28	0.64
1:A:392:PRO:HD2	1:A:419:GLY:O	1.98	0.64
1:A:108:ARG:NE	1:A:109:GLN:HE21	1.96	0.63
1:A:492:ASN:HB3	1:A:498:ILE:HG13	1.81	0.63
1:A:168:ARG:HG3	1:A:168:ARG:NH1	2.15	0.62
1:A:380:LEU:HD21	1:A:468:PRO:HG3	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:GLU:OE2	1:B:256:ARG:NH2	2.33	0.62
1:A:289:PHE:HE2	1:A:309:ILE:HD13	1.65	0.61
1:A:108:ARG:HE	1:A:109:GLN:HG2	1.66	0.60
1:A:420:ALA:HB3	1:A:430:VAL:HB	1.83	0.60
1:A:94:LYS:HG2	1:A:95:LEU:N	2.16	0.60
1:B:243:VAL:HG13	1:B:263:VAL:HG22	1.84	0.60
1:B:481:ARG:NH1	1:B:558:ASP:OD2	2.33	0.59
1:B:168:ARG:HG3	1:B:168:ARG:NH1	2.16	0.59
1:B:286:ARG:HH21	1:B:288:ARG:HH12	1.50	0.58
1:B:247:PRO:HG2	1:B:248:THR:H	1.69	0.57
1:A:511:GLN:HA	1:A:520:LEU:O	2.04	0.57
1:B:245:ALA:HB2	1:B:261:VAL:HA	1.85	0.57
1:A:448:ARG:HB2	1:A:511:GLN:HB2	1.85	0.57
1:A:304:GLY:HA3	1:A:319:TRP:CE2	2.39	0.56
1:B:405:VAL:HG23	1:B:406:ASP:OD1	2.05	0.56
1:A:374:MET:HG3	1:A:389:PHE:HB2	1.86	0.56
1:B:105:VAL:HG22	1:B:176:GLY:HA2	1.87	0.56
1:A:117:GLU:HG2	1:B:117:GLU:HG2	1.88	0.56
1:B:440:LEU:HD12	1:B:450:LEU:HG	1.88	0.56
1:A:340:PHE:HD2	1:A:349:LYS:HG2	1.71	0.56
1:A:547:ARG:NH1	1:A:558:ASP:OD1	2.31	0.55
1:A:556:ARG:NH2	1:A:576:GLY:O	2.39	0.55
1:B:380:LEU:HD21	1:B:468:PRO:HG3	1.89	0.55
1:A:347:GLU:OE2	1:A:379:LYS:NZ	2.40	0.54
1:B:304:GLY:HA3	1:B:319:TRP:CE2	2.42	0.54
1:B:273:MET:HG2	1:B:275:VAL:HG23	1.90	0.54
1:A:82:GLN:HB2	1:A:100:VAL:HB	1.90	0.54
1:A:550:SER:OG	1:A:552:VAL:HG22	2.08	0.54
1:B:246:ALA:O	1:B:248:THR:HG23	2.08	0.53
1:A:160:PHE:CG	1:A:247:PRO:HB3	2.43	0.53
1:B:252:ALA:HB2	1:B:257:GLN:H	1.72	0.53
1:B:515:ALA:HB3	1:B:518:TRP:HB2	1.90	0.53
1:A:248:THR:HG22	1:A:249:GLN:H	1.73	0.53
1:B:448:ARG:HB2	1:B:511:GLN:HB2	1.91	0.53
1:A:75:ALA:HA	1:A:140:GLN:HB2	1.90	0.53
1:A:440:LEU:HD12	1:A:450:LEU:HG	1.91	0.52
1:A:108:ARG:HG2	1:A:109:GLN:N	2.25	0.52
1:A:367:ARG:HD2	1:A:394:ILE:HD11	1.92	0.52
1:A:329:THR:HB	1:A:360:LYS:HB3	1.92	0.52
1:B:281:THR:HG21	1:B:571:LEU:O	2.10	0.52
1:A:481:ARG:NH1	1:A:558:ASP:OD2	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:LEU:HB2	1:A:509:GLU:HB3	1.92	0.51
1:A:422:GLU:HA	1:A:426:ALA:HB3	1.92	0.51
1:A:103:GLU:HG3	1:A:104:PRO:HD2	1.93	0.51
1:A:161:GLN:HG3	1:A:190:TYR:HE2	1.74	0.51
1:A:490:PRO:HG3	1:A:530:PHE:HA	1.93	0.51
1:A:286:ARG:HH21	1:A:288:ARG:HH12	1.58	0.51
1:A:131:GLN:CG	1:A:142:VAL:HG11	2.41	0.51
1:A:545:GLY:HA3	1:A:558:ASP:OD1	2.11	0.50
1:B:288:ARG:HA	1:B:308:GLU:HG2	1.93	0.50
1:B:313:ARG:HD3	1:B:341:GLU:HG3	1.93	0.50
1:B:392:PRO:HD2	1:B:419:GLY:O	2.12	0.49
1:A:401:THR:OG1	1:A:403:ASN:HB3	2.11	0.49
1:A:420:ALA:O	1:A:429:ASP:HA	2.13	0.49
1:B:450:LEU:HB2	1:B:509:GLU:HB3	1.94	0.49
1:A:108:ARG:HG2	1:A:109:GLN:CG	2.41	0.49
1:B:256:ARG:HH11	1:B:256:ARG:HA	1.77	0.49
1:A:409:HIS:HA	1:A:440:LEU:HD23	1.95	0.49
1:A:131:GLN:OE1	1:A:131:GLN:N	2.40	0.49
1:A:406:ASP:N	1:A:406:ASP:OD1	2.46	0.49
1:B:212:VAL:HA	1:B:228:LEU:HD13	1.95	0.49
1:A:496:ASP:O	1:A:498:ILE:HG12	2.13	0.48
1:B:452:ARG:NH2	1:B:479:SER:O	2.47	0.48
1:A:264:ARG:HG3	1:A:265:LEU:N	2.29	0.48
1:A:50:LEU:O	1:A:53:ARG:NH1	2.46	0.47
1:A:497:LYS:N	1:A:497:LYS:HD3	2.30	0.47
1:B:497:LYS:N	1:B:497:LYS:HD3	2.30	0.47
1:A:198:ASP:O	1:A:264:ARG:HA	2.14	0.47
1:A:376:GLU:OE2	1:A:467:PRO:HB2	2.15	0.47
1:A:417:VAL:HG13	1:A:433:VAL:HG22	1.96	0.47
1:A:105:VAL:HG22	1:A:176:GLY:HA2	1.97	0.47
1:A:418:LYS:HE2	1:A:432:HIS:ND1	2.30	0.47
1:B:472:PHE:HB3	1:B:503:MET:HG2	1.97	0.47
1:B:273:MET:HG3	1:B:274:GLY:HA3	1.96	0.46
1:A:212:VAL:HA	1:A:228:LEU:HD13	1.96	0.46
1:A:356:GLU:HG2	1:A:370:SER:HB3	1.97	0.46
1:B:401:THR:OG1	1:B:403:ASN:HB3	2.15	0.46
1:B:431:LEU:HB3	1:B:459:ALA:HB3	1.97	0.46
1:A:520:LEU:HD12	1:A:546:VAL:HG22	1.97	0.46
1:B:205:GLU:O	1:B:209:ARG:HG3	2.16	0.46
1:A:326:PRO:HA	1:A:327:PRO:HD3	1.83	0.46
1:A:412:ARG:O	1:A:413:LEU:HD23	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ARG:HE	1:A:109:GLN:CG	2.30	0.45
1:A:189:ARG:HB3	1:B:120:SER:HB3	1.97	0.45
1:B:406:ASP:OD1	1:B:406:ASP:N	2.49	0.45
1:B:562:ALA:O	1:B:567:GLY:HA3	2.16	0.45
1:A:108:ARG:NE	1:A:109:GLN:HG2	2.32	0.45
1:A:448:ARG:HD3	1:A:511:GLN:OE1	2.17	0.45
1:B:326:PRO:HA	1:B:327:PRO:HD3	1.82	0.45
1:B:519:ARG:HB2	1:B:547:ARG:HB2	1.98	0.45
1:A:238:PHE:CE1	1:A:265:LEU:HD13	2.52	0.45
1:B:269:LYS:HA	1:B:270:PRO:HD3	1.77	0.45
1:A:131:GLN:HG3	1:A:142:VAL:HG11	1.98	0.45
1:B:488:LEU:HD22	1:B:539:LYS:HG3	1.97	0.45
1:A:160:PHE:HD2	1:A:190:TYR:CD1	2.35	0.44
1:A:528:ASN:ND2	1:A:537:SER:O	2.50	0.44
1:A:556:ARG:CG	1:A:574:SER:HB3	2.46	0.44
1:B:198:ASP:O	1:B:264:ARG:HA	2.18	0.44
1:B:402:ASP:OD2	1:B:408:SER:OG	2.33	0.44
1:B:164:PHE:HB3	1:B:167:GLN:HG2	2.00	0.44
1:A:463:TYR:O	1:A:471:ARG:NH2	2.50	0.44
1:B:340:PHE:HD2	1:B:349:LYS:HG2	1.82	0.44
1:B:233:GLN:NE2	1:B:241:VAL:HG22	2.32	0.44
1:B:139:ASN:O	1:B:139:ASN:ND2	2.51	0.44
1:B:257:GLN:HE21	1:B:257:GLN:HA	1.81	0.44
1:A:188:GLN:HB3	1:A:256:ARG:NH2	2.32	0.43
1:A:104:PRO:HG3	1:A:137:LYS:HD3	2.00	0.43
1:A:28:LEU:HD22	1:A:29:SER:H	1.82	0.43
1:A:39:LEU:HA	1:A:76:LEU:HD12	1.99	0.43
1:A:82:GLN:HA	1:A:82:GLN:OE1	2.18	0.43
1:A:341:GLU:O	1:A:347:GLU:HA	2.18	0.43
1:B:209:ARG:HA	1:B:212:VAL:HG23	2.00	0.43
1:B:496:ASP:O	1:B:498:ILE:HG12	2.19	0.43
1:A:219:PRO:HG3	1:B:122:GLU:HA	1.99	0.43
1:A:281:THR:HG21	1:A:571:LEU:O	2.19	0.43
1:A:42:ASN:O	1:A:46:TYR:HD2	2.01	0.43
1:A:55:GLU:OE1	1:A:89:ASP:HB2	2.19	0.43
1:A:374:MET:CG	1:A:389:PHE:HB2	2.49	0.43
1:A:442:SER:OG	1:A:448:ARG:HG2	2.19	0.43
1:A:512:TYR:CD1	1:A:513:PRO:HD2	2.54	0.42
1:B:484:ASP:HB3	1:B:487:THR:HG21	2.01	0.42
1:B:238:PHE:CE1	1:B:265:LEU:HD13	2.54	0.42
1:B:555:LEU:HD22	1:B:575:MET:HG2	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:132:LEU:HD21	1:B:142:VAL:CG2	2.49	0.42
1:B:238:PHE:CZ	1:B:265:LEU:HD13	2.54	0.42
1:A:420:ALA:CB	1:A:430:VAL:HB	2.47	0.42
1:A:195:VAL:O	1:A:209:ARG:NH1	2.51	0.42
1:B:247:PRO:HG2	1:B:248:THR:N	2.32	0.42
1:A:550:SER:OG	1:A:551:PRO:CD	2.65	0.42
1:A:542:VAL:HG23	1:A:561:HIS:HB3	2.02	0.42
1:A:33:THR:HA	1:A:34:PRO:HA	1.64	0.41
1:A:484:ASP:HB3	1:A:487:THR:HG21	2.02	0.41
1:B:436:MET:HG3	1:B:437:ALA:N	2.35	0.41
1:A:211:MET:HB2	1:A:328:LEU:HD11	2.02	0.41
1:A:467:PRO:HD2	1:A:470:LEU:HD12	2.02	0.41
1:B:130:LYS:O	1:B:133:LYS:HG3	2.20	0.41
1:B:232:LEU:HD13	1:B:265:LEU:HD21	2.02	0.41
1:A:28:LEU:HD22	1:A:29:SER:N	2.35	0.41
1:A:313:ARG:HD3	1:A:341:GLU:OE2	2.21	0.41
1:B:243:VAL:HG22	1:B:263:VAL:HG13	2.02	0.41
1:B:289:PHE:HE2	1:B:309:ILE:HD13	1.85	0.41
1:B:509:GLU:OE1	1:B:547:ARG:NH2	2.53	0.41
1:A:142:VAL:O	1:A:145:ASP:HB2	2.20	0.41
1:A:418:LYS:HG3	1:A:432:HIS:HB3	2.03	0.41
1:A:58:LEU:O	1:A:62:ARG:HG3	2.20	0.41
1:A:446:GLY:O	1:A:513:PRO:HD3	2.21	0.41
1:B:125:ARG:HB2	1:B:153:GLN:OE1	2.21	0.41
1:A:530:PHE:HE2	1:A:533:LEU:HA	1.85	0.41
1:A:550:SER:C	1:A:552:VAL:H	2.24	0.41
1:B:550:SER:HB2	1:B:551:PRO:HD2	2.03	0.41
1:B:253:ASP:N	1:B:254:GLY:HA3	2.36	0.41
1:A:376:GLU:CD	1:A:467:PRO:HB2	2.41	0.41
1:A:436:MET:HG3	1:A:437:ALA:N	2.35	0.41
1:B:273:MET:HA	1:B:274:GLY:HA3	1.76	0.41
1:B:286:ARG:NH2	1:B:288:ARG:HH12	2.14	0.41
1:A:245:ALA:HB2	1:A:261:VAL:HA	2.04	0.40
1:B:268:ARG:HG2	1:B:269:LYS:N	2.36	0.40
1:A:365:TRP:CE2	1:A:398:LEU:HD22	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	546/559 (98%)	523 (96%)	22 (4%)	1 (0%)	47 79
1	B	472/559 (84%)	447 (95%)	23 (5%)	2 (0%)	34 70
All	All	1018/1118 (91%)	970 (95%)	45 (4%)	3 (0%)	41 74

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	253	ASP
1	B	344	VAL
1	A	344	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	445/450 (99%)	422 (95%)	23 (5%)	23 51
1	B	387/450 (86%)	367 (95%)	20 (5%)	23 51
All	All	832/900 (92%)	789 (95%)	43 (5%)	23 51

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92	PRO
1	A	99	VAL
1	A	107	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	ARG
1	A	147	LYS
1	A	168	ARG
1	A	248	THR
1	A	249	GLN
1	A	256	ARG
1	A	271	ARG
1	A	272	THR
1	A	273	MET
1	A	281	THR
1	A	404	LYS
1	A	405	VAL
1	A	406	ASP
1	A	464	LYS
1	A	489	SER
1	A	493	SER
1	A	503	MET
1	A	504	ILE
1	A	554	PRO
1	A	570	ARG
1	B	107	LEU
1	B	139	ASN
1	B	147	LYS
1	B	168	ARG
1	B	248	THR
1	B	251	GLN
1	B	256	ARG
1	B	257	GLN
1	B	281	THR
1	B	290	ASN
1	B	404	LYS
1	B	405	VAL
1	B	406	ASP
1	B	441	THR
1	B	464	LYS
1	B	489	SER
1	B	493	SER
1	B	503	MET
1	B	504	ILE
1	B	570	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	GLN
1	A	109	GLN
1	B	257	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	550/559 (98%)	0.29	41 (7%) 14 12	41, 139, 300, 537	0
1	B	475/559 (84%)	0.47	37 (7%) 13 11	29, 145, 336, 550	0
All	All	1025/1118 (91%)	0.37	78 (7%) 13 11	29, 141, 306, 550	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	175	ALA	8.8
1	B	179	ASP	7.4
1	B	579	LEU	6.7
1	A	91	LYS	6.1
1	B	401	THR	6.0
1	B	180	ILE	5.8
1	B	173	PRO	5.6
1	B	171	ILE	5.4
1	A	551	PRO	5.4
1	B	177	ILE	5.4
1	A	579	LEU	5.2
1	A	578	GLU	5.1
1	B	139	ASN	4.9
1	B	174	ARG	4.9
1	A	87	VAL	4.9
1	B	127	PRO	4.5
1	B	178	ALA	4.4
1	B	578	GLU	4.0
1	A	86	GLU	3.9
1	B	496	ASP	3.8
1	A	28	LEU	3.7
1	B	125	ARG	3.7
1	B	402	ASP	3.4
1	B	181	ASP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	171	ILE	3.4
1	A	249	GLN	3.3
1	A	109	GLN	3.3
1	B	253	ASP	3.1
1	A	43	ILE	3.1
1	A	400	GLU	3.0
1	A	92	PRO	3.0
1	A	566	ASP	2.9
1	A	65	ALA	2.9
1	A	88	LYS	2.9
1	A	382	ASP	2.9
1	A	50	LEU	2.9
1	A	95	LEU	2.8
1	B	109	GLN	2.8
1	A	107	LEU	2.8
1	A	25	GLU	2.8
1	B	108	ARG	2.8
1	B	168	ARG	2.8
1	A	552	VAL	2.7
1	B	172	ASP	2.7
1	A	542	VAL	2.7
1	A	27	GLN	2.7
1	A	272	THR	2.6
1	B	516	GLU	2.6
1	A	103	GLU	2.6
1	A	255	ALA	2.6
1	A	105	VAL	2.6
1	B	135	GLY	2.5
1	B	176	GLY	2.5
1	A	242	ARG	2.5
1	A	104	PRO	2.5
1	B	441	THR	2.5
1	B	128	SER	2.4
1	B	169	LEU	2.3
1	B	126	LEU	2.3
1	A	241	VAL	2.3
1	A	81	ALA	2.3
1	A	562	ALA	2.3
1	A	108	ARG	2.3
1	A	135	GLY	2.2
1	B	500	GLY	2.2
1	A	66	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	551	PRO	2.2
1	B	197	PHE	2.2
1	A	271	ARG	2.2
1	B	407	PRO	2.1
1	B	140	GLN	2.1
1	B	170	SER	2.1
1	B	111	ASN	2.1
1	B	104	PRO	2.1
1	A	173	PRO	2.1
1	A	558	ASP	2.0
1	A	547	ARG	2.0
1	A	248	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.