



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 16, 2024 – 06:03 PM EDT

PDB ID : 8UZ9  
Title : Fundamental Characterization of Chelated and Crystallized Actinium in a Macromolecular Host  
Authors : Rupert, P.B.; Strong, R.K.  
Deposited on : 2023-11-14  
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 1.20.1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.002 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7574 (2.10-2.06)
Clashscore	180529	8325 (2.10-2.06)
Ramachandran outliers	177936	8271 (2.10-2.06)
Sidechain outliers	177891	8272 (2.10-2.06)
RSRZ outliers	164620	7574 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	178	
1	B	178	
1	C	178	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZTM	C	201	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4247 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutrophil gelatinase-associated lipocalin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	174	1408	912	233	259	4	0	1	0
1	B	169	1320	860	220	236	4	0	0	0
1	C	173	1395	904	229	258	4	0	0	0


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	87	SER	CYS	conflict	UNP P80188
B	87	SER	CYS	conflict	UNP P80188
C	87	SER	CYS	conflict	UNP P80188

- Molecule 2 is Actinium Ion (three-letter code: ZTM) (formula: Ac) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Ac 1	0	0
2	B	1	Total 1	Ac 1	0	0
2	C	1	Total 1	Ac 1	0	0

- Molecule 3 is N,N'-butane-1,4-diylbis[1-hydroxy-N-(3-{{(1-hydroxy-6-oxo-1,6-dihydropyridin-2-yl)carbonyl}amino}propyl)-6-oxo-1,6-dihydropyridine-2-carboxamide] (three-letter code: 4OL) (formula: C<sub>34</sub>H<sub>38</sub>N<sub>8</sub>O<sub>12</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
3	A	1	Total	C	N	O	0	0
			14	9	2	3		
3	B	1	Total	C	N	O	0	0
			11	6	2	3		
3	C	1	Total	C	N	O	0	0
			54	34	8	12		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total O S 5 4 1	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total Cl 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	13	Total O 13 13	0	0
6	C	18	Total O 18 18	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Neutrophil gelatinase-associated lipocalin



- Molecule 1: Neutrophil gelatinase-associated lipocalin



- Molecule 1: Neutrophil gelatinase-associated lipocalin



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.86Å 114.86Å 119.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.12 – 2.08 48.12 – 2.08	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.12-2.08) 99.4 (48.12-2.08)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.14 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.225 , 0.255 0.232 , 0.261	Depositor DCC
$R_{free}$ test set	2451 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	54.1	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 57.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.009 for -h,l,k 0.003 for -l,-k,-h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4247	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZTM, SO4, CL, 4OL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.89	1/1445 (0.1%)	0.77	0/1962
1	B	0.74	0/1354	0.72	0/1838
1	C	0.98	2/1432 (0.1%)	0.82	0/1945
All	All	0.87	3/4231 (0.1%)	0.77	0/5745

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	150	GLU	CD-OE1	6.67	1.32	1.25
1	A	57	GLU	CD-OE2	6.21	1.32	1.25
1	C	105	SER	CB-OG	-5.07	1.35	1.42

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1408	0	1376	6	0
1	B	1320	0	1277	7	0
1	C	1395	0	1362	10	0
2	A	1	0	0	1	0
2	B	1	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	2	0
3	A	14	0	9	3	0
3	B	11	0	4	2	0
3	C	54	0	38	10	0
4	C	10	0	0	0	0
5	C	1	0	0	0	0
6	A	13	0	0	0	0
6	C	18	0	0	1	0
All	All	4247	0	4066	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:200:ZTM:AC	3:B:201:4OL:O10	2.27	0.82
1:C:34:VAL:HG21	1:C:144:LEU:HD12	1.63	0.78
1:B:122:PHE:HD1	1:B:135:ILE:CD1	1.99	0.73
1:C:70:LEU:HD21	3:C:202:4OL:H19	1.78	0.65
3:C:202:4OL:O8	6:C:301:HOH:O	2.15	0.63
3:C:202:4OL:O10	3:C:202:4OL:N9	2.19	0.62
1:C:59:LYS:HE3	1:C:63:SER:OG	2.00	0.62
3:C:202:4OL:H37	3:C:202:4OL:H38	1.48	0.60
2:C:201:ZTM:AC	3:C:202:4OL:O10	2.53	0.57
3:C:202:4OL:H6	3:C:202:4OL:C22	2.35	0.56
1:C:34:VAL:HG21	1:C:144:LEU:CD1	2.34	0.54
1:C:43:ARG:NH1	1:C:45:ASP:OD2	2.41	0.54
1:B:133:PHE:HA	3:B:201:4OL:H1	1.90	0.53
1:A:70:LEU:HD23	1:A:79:TRP:CZ3	2.45	0.51
1:B:122:PHE:HD1	1:B:135:ILE:HD11	1.74	0.51
1:C:59:LYS:CE	1:C:63:SER:OG	2.58	0.51
1:A:133:PHE:HA	3:A:201:4OL:H1	1.94	0.48
1:C:59:LYS:HD3	1:C:65:ASN:ND2	2.29	0.48
1:B:122:PHE:CD1	1:B:135:ILE:CD1	2.89	0.47
1:C:149:LYS:HG3	1:C:168:PHE:CE1	2.50	0.47
1:C:41:ILE:HD11	3:C:202:4OL:H4	1.98	0.44
1:A:68:SER:HB2	1:A:79:TRP:CE2	2.53	0.43
2:C:201:ZTM:AC	3:C:202:4OL:O9	2.67	0.42
3:C:202:4OL:O46	3:C:202:4OL:H23	2.18	0.42
1:B:31:TRP:CE3	1:B:138:TYR:HB3	2.54	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:PHE:CA	3:A:201:4OL:H1	2.49	0.42
3:C:202:4OL:H6	3:C:202:4OL:N27	2.35	0.42
2:A:200:ZTM:AC	3:A:201:4OL:O10	2.68	0.41
1:B:149:LYS:HG3	1:B:168:PHE:CE1	2.55	0.41
1:A:70:LEU:HD12	1:A:70:LEU:C	2.41	0.41
1:A:91:GLU:OE1	1:A:109:ARG:NH1	2.53	0.41
1:B:146:SER:O	1:B:150:GLU:HG2	2.20	0.41
1:C:69:VAL:HG13	1:C:78:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/178 (97%)	167 (96%)	6 (4%)	0	100	100
1	B	165/178 (93%)	161 (98%)	4 (2%)	0	100	100
1	C	171/178 (96%)	164 (96%)	7 (4%)	0	100	100
All	All	509/534 (95%)	492 (97%)	17 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	155/163 (95%)	154 (99%)	1 (1%)	84	88
1	B	139/163 (85%)	138 (99%)	1 (1%)	81	86
1	C	154/163 (94%)	152 (99%)	2 (1%)	65	71
All	All	448/489 (92%)	444 (99%)	4 (1%)	75	81

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	GLN
1	B	87	SER
1	C	79	TRP
1	C	81	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 4 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	4OL	B	201	-	11,11,57	4.21	4 (36%)	10,15,78	2.01	2 (20%)
4	SO4	C	204	-	4,4,4	0.34	0	6,6,6	0.06	0
4	SO4	C	203	-	4,4,4	0.33	0	6,6,6	0.13	0
3	4OL	A	201	-	14,14,57	5.50	6 (42%)	15,18,78	2.96	4 (26%)
3	4OL	C	202	-	57,57,57	4.81	17 (29%)	64,78,78	2.95	14 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4OL	B	201	-	-	2/2/4/45	0/1/1/4
3	4OL	A	201	-	-	5/8/8/45	0/1/1/4
3	4OL	C	202	-	-	12/45/45/45	0/4/4/4

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	202	4OL	C4-N3	24.14	1.47	1.39
3	A	201	4OL	C4-N3	17.83	1.45	1.39
3	C	202	4OL	C44-N45	16.58	1.44	1.39
3	C	202	4OL	C36-N35	14.93	1.44	1.39
3	B	201	4OL	C4-N3	12.90	1.43	1.39
3	A	201	4OL	O10-N3	7.97	1.47	1.38
3	C	202	4OL	O48-N27	6.09	1.45	1.38
3	C	202	4OL	O10-N3	5.25	1.44	1.38
3	C	202	4OL	C28-N21	4.58	1.42	1.34
3	C	202	4OL	O50-N45	4.28	1.43	1.38
3	C	202	4OL	C26-N27	4.03	1.40	1.39
3	C	202	4OL	C40-N45	3.77	1.44	1.38
3	A	201	4OL	C5-C4	-3.52	1.35	1.43
3	B	201	4OL	O10-N3	3.19	1.42	1.38
3	C	202	4OL	O46-N35	3.14	1.42	1.38
3	C	202	4OL	O9-C4	2.92	1.29	1.23
3	C	202	4OL	C33-N32	2.92	1.38	1.33
3	C	202	4OL	C41-C40	2.71	1.43	1.37
3	A	201	4OL	C2-N3	2.67	1.42	1.38

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	4OL	C6-C5	-2.56	1.31	1.37
3	C	202	4OL	C6-C5	2.51	1.43	1.37
3	C	202	4OL	C40-C33	2.48	1.54	1.49
3	A	201	4OL	C1-N9	2.47	1.37	1.33
3	B	201	4OL	C2-N3	2.40	1.42	1.38
3	C	202	4OL	C22-N27	2.23	1.41	1.38
3	B	201	4OL	O9-C4	2.04	1.27	1.23
3	C	202	4OL	C23-C22	2.03	1.41	1.37

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	202	4OL	O46-N35-C36	13.77	126.63	116.75
3	C	202	4OL	O10-N3-C4	12.74	125.89	116.75
3	A	201	4OL	O10-N3-C4	8.00	122.49	116.75
3	A	201	4OL	O9-C4-N3	6.81	125.45	118.76
3	C	202	4OL	O48-N27-C26	5.78	120.90	116.75
3	C	202	4OL	O9-C4-N3	5.36	124.02	118.76
3	B	201	4OL	O10-N3-C4	5.19	120.47	116.75
3	C	202	4OL	O50-N45-C44	5.15	120.44	116.75
3	C	202	4OL	O47-C36-N35	4.92	123.58	118.76
3	A	201	4OL	O9-C4-C5	-3.31	114.96	124.35
3	B	201	4OL	O9-C4-N3	2.63	121.34	118.76
3	C	202	4OL	O47-C36-C37	-2.59	117.00	124.35
3	C	202	4OL	C1-C2-N3	-2.57	117.28	122.27
3	C	202	4OL	C6-C5-C4	-2.50	117.16	121.51
3	C	202	4OL	C34-C28-N21	2.34	121.95	118.45
3	C	202	4OL	C23-C22-N27	2.33	120.24	118.48
3	A	201	4OL	O8-C1-C2	-2.28	115.17	120.24
3	C	202	4OL	C7-C2-C1	2.06	123.11	119.27
3	C	202	4OL	O55-C28-C34	-2.02	114.12	120.36
3	C	202	4OL	O51-C44-N45	2.00	120.72	118.76

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	202	4OL	O54-C16-N15-C14
3	C	202	4OL	O54-C16-N15-C17
3	C	202	4OL	C22-C16-N15-C14
3	C	202	4OL	C22-C16-N15-C17
3	C	202	4OL	C18-C19-C20-N21

Continued on next page...

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
3	B	201	4OL	O8-C1-C2-C7
3	A	201	4OL	O8-C1-C2-C7
3	C	202	4OL	O53-C33-C40-C41
3	A	201	4OL	O8-C1-C2-N3
3	B	201	4OL	O8-C1-C2-N3
3	C	202	4OL	N32-C33-C40-N45
3	C	202	4OL	N32-C33-C40-C41
3	C	202	4OL	O53-C33-C40-N45
3	A	201	4OL	N9-C12-C13-C14
3	A	201	4OL	N9-C1-C2-N3
3	A	201	4OL	N9-C1-C2-C7
3	C	202	4OL	N15-C17-C18-C19
3	C	202	4OL	C29-C30-C31-N32
3	C	202	4OL	O55-C28-C34-N35

There are no ring outliers.


3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	201	4OL	2	0
3	A	201	4OL	3	0
3	C	202	4OL	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	174/178 (97%)	0.84	18 (10%) 13 14	33, 58, 79, 97	2 (1%)
1	B	169/178 (94%)	2.96	129 (76%) 0 0	76, 107, 137, 155	0
1	C	173/178 (97%)	0.56	9 (5%) 34 35	38, 49, 72, 101	0
All	All	516/534 (96%)	1.44	156 (30%) 1 1	33, 62, 127, 155	2 (0%)

All (156) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	8	ILE	7.2
1	B	159	LEU	6.8
1	A	45	ASP	6.7
1	B	79	TRP	6.3
1	B	172	ILE	5.9
1	B	69	VAL	5.7
1	B	170	VAL	5.7
1	B	171	PRO	5.6
1	B	167	VAL	5.6
1	B	7	LEU	5.3
1	B	55	ILE	5.3
1	B	42	LEU	5.1
1	B	138	TYR	5.1
1	B	74	LYS	5.0
1	B	32	TYR	4.9
1	B	136	THR	4.9
1	B	34	VAL	4.8
1	B	168	PHE	4.6
1	B	52	TYR	4.5
1	B	33	VAL	4.5
1	B	18	LEU	4.4
1	B	148	LEU	4.4
1	B	110	VAL	4.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	166	ILE	4.4
1	B	6	ASP	4.3
1	B	176	ILE	4.3
1	B	78	TYR	4.3
1	B	122	PHE	4.3
1	B	155	PHE	4.2
1	B	27	PHE	4.1
1	B	31	TRP	4.1
1	B	71	PHE	4.0
1	B	56	TYR	4.0
1	B	97	ILE	4.0
1	B	66	VAL	4.0
1	B	144	LEU	4.0
1	B	70	LEU	3.9
1	B	5	SER	3.9
1	B	29	GLY	3.9
1	B	48	PRO	3.8
1	B	49	GLN	3.8
1	A	42	LEU	3.8
1	B	64	TYR	3.8
1	B	161	LEU	3.7
1	B	36	LEU	3.7
1	B	94	LEU	3.7
1	B	126	VAL	3.7
1	B	53	ALA	3.7
1	B	121	VAL	3.7
1	B	73	LYS	3.7
1	B	67	THR	3.7
1	B	141	THR	3.7
1	B	132	TYR	3.6
1	B	145	THR	3.6
1	B	119	ALA	3.6
1	A	150	GLU	3.6
1	B	146	SER	3.6
1	B	133	PHE	3.5
1	B	120	MET	3.5
1	B	17	PRO	3.5
1	B	111	VAL	3.5
1	B	153	ILE	3.5
1	B	30	LYS	3.4
1	B	40	ALA	3.3
1	B	107	LEU	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	115	TYR	3.3
1	B	58	LEU	3.3
1	B	41	ILE	3.3
1	B	59	LYS	3.2
1	A	79	TRP	3.2
1	B	137	LEU	3.1
1	C	144	LEU	3.1
1	B	92	PHE	3.1
1	B	143	GLU	3.1
1	B	82	THR	3.1
1	B	98	LYS	3.1
1	B	95	GLY	3.0
1	B	28	GLN	3.0
1	B	174	GLN	3.0
1	B	103	LEU	3.0
1	C	79	TRP	2.9
1	A	70	LEU	2.9
1	B	80	ILE	2.9
1	B	39	ASN	2.9
1	B	84	VAL	2.9
1	B	165	HIS	2.9
1	B	108	VAL	2.8
1	B	147	GLU	2.8
1	B	160	GLY	2.8
1	B	169	PRO	2.8
1	B	72	ARG	2.8
1	A	65	ASN	2.8
1	B	116	ASN	2.8
1	B	61	ASP	2.8
1	B	93	THR	2.8
1	B	75	LYS	2.7
1	B	123	PHE	2.7
1	A	107	LEU	2.7
1	C	150	GLU	2.7
1	B	11	PRO	2.7
1	B	77	ASP	2.7
1	B	89	PRO	2.7
1	B	162	PRO	2.7
1	C	174	GLN	2.7
1	B	87	SER	2.7
1	B	83	PHE	2.7
1	A	4	THR	2.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	80	ILE	2.7
1	A	18	LEU	2.6
1	C	163	GLU	2.6
1	A	46	LYS	2.6
1	B	106	TYR	2.6
1	B	62	LYS	2.6
1	B	88	GLN	2.6
1	B	102	GLY	2.5
1	B	51	MET	2.5
1	B	68	SER	2.5
1	B	156	SER	2.5
1	B	139	GLY	2.5
1	B	22	PHE	2.5
1	C	5	SER	2.5
1	B	50	LYS	2.4
1	A	20	GLN	2.4
1	B	57	GLU	2.4
1	B	81	ARG	2.4
1	A	97	ILE	2.4
1	B	149	LYS	2.4
1	B	21	ASN	2.3
1	B	37	ALA	2.3
1	B	112	SER	2.3
1	B	142	LYS	2.3
1	B	54	THR	2.3
1	B	140	ARG	2.3
1	B	158	SER	2.3
1	B	16	VAL	2.3
1	B	38	GLY	2.3
1	B	152	PHE	2.3
1	B	12	PRO	2.3
1	A	21	ASN	2.3
1	B	163	GLU	2.2
1	B	129	ASN	2.2
1	B	91	GLU	2.2
1	B	177	ASP	2.2
1	A	126	VAL	2.2
1	B	9	PRO	2.2
1	A	80	ILE	2.1
1	C	116	ASN	2.1
1	A	22	PHE	2.1
1	B	63	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	114	ASN	2.1
1	A	98	LYS	2.1
1	C	88	GLN	2.1
1	B	25	ASN	2.0
1	B	175	CYS	2.0
1	A	49	GLN	2.0
1	B	118	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	4OL	A	201	14/54	0.59	0.28	63,88,109,111	0
3	4OL	B	201	11/54	0.73	0.14	102,114,125,131	0
3	4OL	C	202	54/54	0.77	0.19	48,91,135,136	0
4	SO4	C	204	5/5	0.78	0.12	92,98,110,117	0
4	SO4	C	203	5/5	0.87	0.09	76,81,103,112	0
2	ZTM	A	200	1/1	0.89	0.22	177,177,177,177	0
2	ZTM	B	200	1/1	0.93	0.15	206,206,206,206	0
5	CL	C	205	1/1	0.93	0.10	61,61,61,61	0
2	ZTM	C	201	1/1	0.96	0.16	130,130,130,130	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around 4OL A 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around 4OL B 201:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around 4OL C 202:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZTM A 200:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers ⓘ

There are no such residues in this entry.