



Full wwPDB EM Validation Report ⓘ

Dec 7, 2022 – 02:57 PM JST

PDB ID : 7V31
EMDB ID : EMD-31649
Title : Active state complex I from rotenone dataset
Authors : Gu, J.K.; Yang, M.J.
Deposited on : 2021-08-10
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	99%
2	B	176	100%
3	C	156	100%
4	E	115	99%
5	F	86	6% 100%
6	G	88	24% 99%
6	X	88	5% 99%
7	H	112	99%
8	I	112	85% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	342	99%
10	K	43	30% 100%
11	L	125	6% 100%
12	M	690	99%
13	N	144	100%
14	O	217	99%
15	P	208	99%
16	Q	430	99%
17	S	70	99%
18	T	96	12% 99%
19	U	83	100%
20	V	140	100%
21	W	142	100%
22	Y	67	10% 100%
23	Z	80	14% 100%
24	a	138	100%
25	b	126	5% 78% 22%
26	c	156	99%
27	d	175	5% 99%
28	e	104	8% 100%
29	f	49	29% 100%
30	g	121	99%
31	h	105	100%
32	i	347	100%
33	j	115	99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	k	98	 97%
35	l	606	 100%
36	m	175	 14% 99%
37	n	56	 16% 100%
38	o	128	 99%
39	p	178	 99%
40	r	459	 100%
41	s	318	 99%
42	u	171	 99%
43	v	125	 10% 99%
44	w	320	 100%

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 68204 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	433	3330	2103	593	614	20	0	0

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	176	1412	887	243	269	13	0	0

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	156	1248	794	227	213	14	0	0

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	E	115	971	619	179	168	5	0	0

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	F	86	687	432	129	124	2	0	0

- Molecule 6 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	88	Total	C	N	O	S	0	0
			693	447	102	139	5		
6	X	88	Total	C	N	O	S	0	0
			699	450	103	141	5		

- Molecule 7 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	112	Total	C	N	O	S	0	0
			910	588	154	165	3		

- Molecule 8 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	97	Total	C	N	O	S	0	0
			780	491	147	139	3		

- Molecule 9 is a protein called NADH dehydrogenase ubiquinone 1 alpha subcomplex subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	J	342	Total	C	N	O	S	0	0
			2751	1783	481	478	9		

- Molecule 10 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	K	43	Total	C	N	O	S	0	0
			366	228	68	69	1		

- Molecule 11 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	125	Total	C	N	O	S	0	0
			1016	642	181	190	3		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	M	690	5296	3320	923	1014	39	0	0

- Molecule 13 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	N	144	1204	770	218	212	4	0	0

- Molecule 14 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	O	217	1671	1065	281	315	10	0	0

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	P	208	1738	1124	298	314	2	0	0

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	Q	430	3459	2212	594	629	24	0	0

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	S	70	566	364	103	94	5	0	0

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	T	96	741	452	140	146	3	0	0

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	U	83	643	417	110	115	1	0	0

- Molecule 20 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	V	140	1021	651	174	190	6	0	0

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	W	142	1167	752	200	206	9	0	0

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	Y	67	584	385	95	103	1	0	0

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	Z	80	641	418	108	114	1	0	0

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	a	138	1151	754	195	199	3	0	0

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	b	98	819	537	144	137	1	0	0

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	c	156	1315	853	213	241	8	0	0

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	d	175	1461	916	265	272	8	0	0

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	e	104	867	553	142	168	4	0	0

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
29	f	49	377	246	65	66	0	0

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	g	121	1000	650	173	171	6	0	0

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	h	105	867	550	161	150	6	0	0

- Molecule 32 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	i	347	2710	1782	420	462	46	0	0

- Molecule 33 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	j	115	914	615	134	158	7	0	0

- Molecule 34 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	k	98	748	493	113	128	14	0	0

- Molecule 35 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	l	606	4816	3193	746	826	51	0	0

- Molecule 36 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	m	175	1292	863	188	228	13	0	0

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	n	56	479	311	88	79	1	0	0

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit

4.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
38	o	128	1062	691	182	189	0	0

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	p	178	1534	982	279	265	8	0	0

- Molecule 40 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	r	459	3631	2412	572	609	38	0	0

- Molecule 41 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	s	318	2508	1678	385	424	21	0	0

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	u	171	1398	887	250	251	10	0	0

- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	v	124	1028	642	195	182	9	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
v	1	MYR	-	acetylation	UNP F1SCH1

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	w	320	2586	1646	439	491	10	0	0

- Molecule 45 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
45	A	1	8	4	4	0
45	B	1	16	8	8	0
45	B	1	16	8	8	0
45	C	1	8	4	4	0
45	M	1	16	8	8	0
45	M	1	16	8	8	0

- Molecule 46 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
46	A	1	31	17	4	9	1	0

- Molecule 47 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (three-letter code: PEE) (formula: $C_{41}H_{78}NO_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
47	B	1	51	41	1	8	1	0
47	Q	1	47	37	1	8	1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
47	U	1	Total 51	C 41	N 1	O 8	P 1	0
47	W	1	Total 41	C 31	N 1	O 8	P 1	0
47	b	1	Total 46	C 36	N 1	O 8	P 1	0
47	f	1	Total 1	C 1	N 1	O 0	P 0	0
47	j	1	Total 41	C 31	N 1	O 8	P 1	0
47	l	1	Total 90	C 70	N 2	O 16	P 2	0
47	l	1	Total 90	C 70	N 2	O 16	P 2	0
47	r	1	Total 51	C 41	N 1	O 8	P 1	0
47	s	1	Total 47	C 37	N 1	O 8	P 1	0
47	v	1	Total 1	C 1	N 1	O 0	P 0	0

- Molecule 48 is (9R,11S)-9-({[(1S)-1-HYDROXYHEXADECYL]OXY}METHYL)-2,2-DIMETHYL-5,7,10-TRIOXA-2LAMBDA 5 -AZA-6LAMBDA 5 -PHOSPHAOCTACOSANE-6,6,11-TRIOX (three-letter code: PLX) (formula: C₄₂H₈₉NO₈P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
48	C	1	Total 52	C 42	N 1	O 8	P 1	0
48	J	1	Total 52	C 42	N 1	O 8	P 1	0
48	a	1	Total 52	C 42	N 1	O 8	P 1	0
48	g	1	Total 52	C 42	N 1	O 8	P 1	0
48	j	1	Total 52	C 42	N 1	O 8	P 1	0
48	r	1	Total 104	C 84	N 2	O 16	P 2	0
48	r	1	Total 104	C 84	N 2	O 16	P 2	0

- Molecule 49 is (2R,6aS,12aS)-8,9-dimethoxy-2-(prop-1-en-2-yl)-1,2,12,12a-tetrahydrofuro[2',3':7,8][1]benzopyrano[2,3-c][1]benzopyran-6(6aH)-one (three-letter code: 970) (formula: C₂₃H₂₂O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
49	C	1	Total 29	C 23	O 6	0

- Molecule 50 is S-[2-({N-[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alanyl}amino)ethyl] dodecanethioate (three-letter code: 8Q1) (formula: C₂₃H₄₅N₂O₈PS) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
50	G	1	35	23	2	8	1	1	0
50	X	1	35	23	2	8	1	1	0

- Molecule 51 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
51	J	1	48	21	7	17	3	0

- Molecule 52 is Coenzyme Q10, (2Z,6E,10Z,14E,18E,22E,26Z)-isomer (three-letter code: UQ) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
52	J	1	33	29	4	0
52	s	1	38	34	4	0

- Molecule 53 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe_2S_2) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
53	M	1	Total	Fe	S	0
			4	2	2	
53	O	1	Total	Fe	S	0
			4	2	2	

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
54	M	1	Total	Mg	0
			1	1	

- Molecule 55 is CARDIOLIPIN (three-letter code: CDL) (formula: C₈₁H₁₅₆O₁₇P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
55	N	1	Total	C	O	P	0
			51	32	17	2	
55	V	1	Total	C	O	P	0
			194	156	34	4	
55	V	1	Total	C	O	P	0
			194	156	34	4	
55	a	1	Total	C	O	P	0
			100	81	17	2	
55	l	1	Total	C	O	P	0
			199	161	34	4	
55	l	1	Total	C	O	P	0
			199	161	34	4	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
55	m	1	Total 95	C 76	O 17	P 2	0
55	r	1	Total 99	C 80	O 17	P 2	0
55	s	1	Total 89	C 70	O 17	P 2	0
55	u	1	Total 55	C 36	O 17	P 2	0

- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
56	T	1	Total 1	Zn 1	0

- Molecule 57 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
57	w	1	Total 27	C 10	N 5	O 10	P 2	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial



- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial




- Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial




There are no outlier residues recorded for this chain.


- Molecule 4: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6




- Molecule 5: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2




- Molecule 6: Acyl carrier protein





- Molecule 6: Acyl carrier protein




- Molecule 7: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5



- Molecule 8: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7



- Molecule 9: NADH dehydrogenase ubiquinone 1 alpha subcomplex subunit 9, mitochondrial




- Molecule 10: NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial



- Molecule 11: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial






- Molecule 12: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial

Chain M: 99%




- Molecule 13: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12

Chain N: 100%




- Molecule 14: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial

Chain O: 99%




- Molecule 15: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial

Chain P: 99%



- Molecule 16: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial

Chain Q: 99%




- Molecule 17: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1


Chain S: 99%




- Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 20: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11




- Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13



- Molecule 22: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial



- Molecule 23: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3





- Molecule 24: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial






- Molecule 25: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial



- Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial




- Molecule 30: NADH dehydrogenase [ubiquinone] 1 subunit C2




- Molecule 31: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5

Chain h:  100%



- Molecule 32: NADH-ubiquinone oxidoreductase chain 2

Chain i:  100%



- Molecule 33: NADH-ubiquinone oxidoreductase chain 3

Chain j:  99%




- Molecule 34: NADH-ubiquinone oxidoreductase chain 4L

Chain k:  97%




- Molecule 35: NADH-ubiquinone oxidoreductase chain 5

Chain l:  100%




- Molecule 36: NADH-ubiquinone oxidoreductase chain 6

Chain m:  14%  99%




- Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1


Chain n:  16%  100%



- Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4



- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9



- Molecule 40: NADH-ubiquinone oxidoreductase chain 4



- Molecule 41: NADH-ubiquinone oxidoreductase chain 1



- Molecule 42: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8




- Molecule 43: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7



- Molecule 44: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain w:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	111024	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.208	Depositor
Minimum map value	-0.124	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.0257	Depositor
Map size (Å)	333.002, 333.002, 333.002	wwPDB
Map dimensions	310, 310, 310	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0742, 1.0742, 1.0742	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, CDL, PEE, UQ, MG, FES, ADP, 8Q1, 970, ZN, SF4, NDP, 2MR, PLX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3406	0.49	0/4603
2	B	0.28	0/1443	0.52	0/1952
3	C	0.27	0/1279	0.50	0/1730
4	E	0.25	0/995	0.51	0/1340
5	F	0.26	0/698	0.57	0/940
6	G	0.25	0/705	0.53	1/956 (0.1%)
6	X	0.24	0/711	0.43	0/963
7	H	0.23	0/929	0.46	0/1258
8	I	0.24	0/798	0.54	0/1079
9	J	0.26	0/2828	0.49	0/3834
10	K	0.24	0/377	0.51	0/509
11	L	0.24	0/1039	0.48	0/1403
12	M	0.26	0/5384	0.52	0/7295
13	N	0.25	0/1245	0.52	0/1694
14	O	0.26	0/1711	0.48	0/2328
15	P	0.28	0/1789	0.55	1/2436 (0.0%)
16	Q	0.27	0/3538	0.51	1/4796 (0.0%)
17	S	0.25	0/581	0.53	0/781
18	T	0.24	0/755	0.52	0/1018
19	U	0.25	0/664	0.44	0/912
20	V	0.26	0/1042	0.47	0/1411
21	W	0.27	0/1198	0.54	0/1617
22	Y	0.24	0/610	0.48	0/836
23	Z	0.24	0/660	0.46	0/892
24	a	0.26	0/1184	0.49	0/1603
25	b	0.25	0/844	0.51	0/1149
26	c	0.25	0/1371	0.47	0/1875
27	d	0.26	0/1494	0.49	0/2015
28	e	0.25	0/891	0.49	0/1210
29	f	0.32	0/385	0.49	0/522
30	g	0.26	0/1031	0.51	1/1394 (0.1%)
31	h	0.24	0/889	0.52	0/1190

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	i	0.25	0/2773	0.46	0/3768
33	j	0.25	0/938	0.43	0/1281
34	k	0.27	0/759	0.50	0/1029
35	l	0.26	0/4947	0.45	0/6728
36	m	0.28	0/1325	0.46	0/1800
37	n	0.23	0/491	0.49	0/663
38	o	0.26	0/1092	0.49	0/1481
39	p	0.24	0/1590	0.48	0/2155
40	r	0.25	0/3723	0.47	0/5078
41	s	0.26	0/2581	0.46	0/3529
42	u	0.26	0/1436	0.50	0/1938
43	v	0.24	0/1052	0.54	0/1411
44	w	0.24	0/2646	0.46	0/3584
All	All	0.26	0/67827	0.49	4/91986 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	g	16	LEU	CA-CB-CG	5.47	127.89	115.30
15	P	248	PRO	CA-N-CD	-5.29	104.10	111.50
16	Q	102	SER	N-CA-C	-5.04	97.38	111.00
6	G	133	ILE	C-N-CA	5.01	134.22	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/433 (100%)	413 (96%)	18 (4%)	0	100	100
2	B	174/176 (99%)	172 (99%)	2 (1%)	0	100	100
3	C	154/156 (99%)	150 (97%)	4 (3%)	0	100	100
4	E	113/115 (98%)	108 (96%)	5 (4%)	0	100	100
5	F	84/86 (98%)	80 (95%)	4 (5%)	0	100	100
6	G	86/88 (98%)	82 (95%)	4 (5%)	0	100	100
6	X	86/88 (98%)	84 (98%)	2 (2%)	0	100	100
7	H	110/112 (98%)	103 (94%)	6 (6%)	1 (1%)	17	48
8	I	93/112 (83%)	84 (90%)	8 (9%)	1 (1%)	14	42
9	J	340/342 (99%)	329 (97%)	11 (3%)	0	100	100
10	K	41/43 (95%)	41 (100%)	0	0	100	100
11	L	123/125 (98%)	121 (98%)	2 (2%)	0	100	100
12	M	688/690 (100%)	663 (96%)	24 (4%)	1 (0%)	51	82
13	N	142/144 (99%)	139 (98%)	3 (2%)	0	100	100
14	O	215/217 (99%)	203 (94%)	12 (6%)	0	100	100
15	P	206/208 (99%)	199 (97%)	7 (3%)	0	100	100
16	Q	427/430 (99%)	415 (97%)	11 (3%)	1 (0%)	47	78
17	S	68/70 (97%)	63 (93%)	4 (6%)	1 (2%)	10	34
18	T	94/96 (98%)	92 (98%)	2 (2%)	0	100	100
19	U	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
20	V	138/140 (99%)	135 (98%)	3 (2%)	0	100	100
21	W	140/142 (99%)	136 (97%)	4 (3%)	0	100	100
22	Y	65/67 (97%)	61 (94%)	4 (6%)	0	100	100
23	Z	78/80 (98%)	76 (97%)	2 (3%)	0	100	100
24	a	136/138 (99%)	133 (98%)	3 (2%)	0	100	100
25	b	94/126 (75%)	86 (92%)	8 (8%)	0	100	100
26	c	154/156 (99%)	143 (93%)	10 (6%)	1 (1%)	25	58
27	d	173/175 (99%)	171 (99%)	2 (1%)	0	100	100
28	e	102/104 (98%)	95 (93%)	7 (7%)	0	100	100
29	f	47/49 (96%)	43 (92%)	4 (8%)	0	100	100
30	g	119/121 (98%)	114 (96%)	5 (4%)	0	100	100
31	h	103/105 (98%)	99 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	i	345/347 (99%)	331 (96%)	14 (4%)	0	100	100
33	j	113/115 (98%)	109 (96%)	4 (4%)	0	100	100
34	k	96/98 (98%)	95 (99%)	0	1 (1%)	15	45
35	l	604/606 (100%)	580 (96%)	24 (4%)	0	100	100
36	m	173/175 (99%)	160 (92%)	12 (7%)	1 (1%)	25	58
37	n	54/56 (96%)	54 (100%)	0	0	100	100
38	o	126/128 (98%)	122 (97%)	4 (3%)	0	100	100
39	p	176/178 (99%)	171 (97%)	4 (2%)	1 (1%)	25	58
40	r	457/459 (100%)	456 (100%)	1 (0%)	0	100	100
41	s	316/318 (99%)	309 (98%)	7 (2%)	0	100	100
42	u	169/171 (99%)	163 (96%)	4 (2%)	2 (1%)	13	40
43	v	122/125 (98%)	118 (97%)	4 (3%)	0	100	100
44	w	318/320 (99%)	305 (96%)	13 (4%)	0	100	100
All	All	8174/8313 (98%)	7886 (96%)	277 (3%)	11 (0%)	54	82

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
17	S	35	GLU
34	k	24	SER
8	I	41	LEU
42	u	168	PHE
26	c	80	ASP
39	p	174	PRO
7	H	77	ILE
12	M	281	ILE
42	u	152	PRO
16	Q	229	PRO
36	m	24	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/346 (100%)	343 (99%)	3 (1%)	78	93
2	B	151/151 (100%)	151 (100%)	0	100	100
3	C	132/132 (100%)	132 (100%)	0	100	100
4	E	107/107 (100%)	106 (99%)	1 (1%)	78	93
5	F	75/76 (99%)	75 (100%)	0	100	100
6	G	76/81 (94%)	76 (100%)	0	100	100
6	X	78/81 (96%)	77 (99%)	1 (1%)	69	90
7	H	99/99 (100%)	99 (100%)	0	100	100
8	I	87/97 (90%)	86 (99%)	1 (1%)	73	92
9	J	296/296 (100%)	293 (99%)	3 (1%)	76	92
10	K	42/42 (100%)	42 (100%)	0	100	100
11	L	113/113 (100%)	113 (100%)	0	100	100
12	M	580/580 (100%)	575 (99%)	5 (1%)	78	93
13	N	130/130 (100%)	130 (100%)	0	100	100
14	O	183/183 (100%)	180 (98%)	3 (2%)	62	86
15	P	190/190 (100%)	189 (100%)	1 (0%)	88	96
16	Q	370/370 (100%)	368 (100%)	2 (0%)	88	96
17	S	57/58 (98%)	57 (100%)	0	100	100
18	T	79/79 (100%)	78 (99%)	1 (1%)	69	90
19	U	69/69 (100%)	69 (100%)	0	100	100
20	V	101/101 (100%)	101 (100%)	0	100	100
21	W	122/123 (99%)	122 (100%)	0	100	100
22	Y	62/62 (100%)	62 (100%)	0	100	100
23	Z	62/62 (100%)	62 (100%)	0	100	100
24	a	121/121 (100%)	121 (100%)	0	100	100
25	b	90/119 (76%)	90 (100%)	0	100	100
26	c	141/141 (100%)	141 (100%)	0	100	100
27	d	155/155 (100%)	153 (99%)	2 (1%)	69	90
28	e	96/96 (100%)	96 (100%)	0	100	100
29	f	35/45 (78%)	35 (100%)	0	100	100
30	g	108/108 (100%)	108 (100%)	0	100	100
31	h	93/93 (100%)	93 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	i	311/311 (100%)	310 (100%)	1 (0%)	92	98
33	j	100/100 (100%)	99 (99%)	1 (1%)	76	92
34	k	85/85 (100%)	83 (98%)	2 (2%)	49	79
35	l	540/540 (100%)	540 (100%)	0	100	100
36	m	129/141 (92%)	128 (99%)	1 (1%)	81	94
37	n	53/53 (100%)	53 (100%)	0	100	100
38	o	113/113 (100%)	112 (99%)	1 (1%)	78	93
39	p	159/159 (100%)	159 (100%)	0	100	100
40	r	410/410 (100%)	409 (100%)	1 (0%)	93	98
41	s	275/275 (100%)	273 (99%)	2 (1%)	84	95
42	u	153/153 (100%)	153 (100%)	0	100	100
43	v	104/111 (94%)	104 (100%)	0	100	100
44	w	282/283 (100%)	282 (100%)	0	100	100
All	All	7160/7240 (99%)	7128 (100%)	32 (0%)	91	97

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	ASP
1	A	240	THR
1	A	244	ASN
4	E	96	VAL
8	I	25	GLN
9	J	298	TYR
9	J	303	ARG
9	J	360	ARG
12	M	171	THR
12	M	173	MET
12	M	203	ASP
12	M	470	LYS
12	M	688	GLN
14	O	74	HIS
14	O	176	CYS
14	O	181	VAL
15	P	201	ASP
16	Q	143	SER
16	Q	144	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	T	46	ASP
6	X	133	ILE
27	d	62	TYR
27	d	64	TYR
32	i	149	ILE
33	j	31	SER
34	k	21	MET
34	k	53	PHE
36	m	20	PHE
38	o	56	ARG
40	r	138	ASN
41	s	200	LEU
41	s	202	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	244	ASN
1	A	418	GLN
8	I	21	GLN
9	J	38	HIS
9	J	138	ASN
11	L	86	ASN
12	M	202	ASN
12	M	260	ASN
12	M	300	GLN
12	M	604	GLN
12	M	688	GLN
13	N	31	ASN
14	O	41	HIS
14	O	48	ASN
14	O	182	ASN
15	P	107	GLN
15	P	124	ASN
16	Q	182	ASN
16	Q	285	ASN
17	S	31	ASN
21	W	90	ASN
25	b	13	GLN
31	h	97	HIS
31	h	98	HIS
32	i	112	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
35	l	72	GLN
38	o	75	ASN
39	p	12	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	2MR	Q	118	16	10,12,13	1.99	1 (10%)	5,13,15	5.92	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	2MR	Q	118	16	-	3/10/13/15	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	Q	118	2MR	CZ-NE	5.71	1.46	1.34

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	Q	118	2MR	NE-CZ-NH2	12.11	130.58	119.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	Q	118	2MR	CD-NE-CZ	4.27	131.41	123.41
16	Q	118	2MR	CQ2-NH2-CZ	3.08	130.68	123.86

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	Q	118	2MR	NE-CD-CG-CB
16	Q	118	2MR	CA-CB-CG-CD
16	Q	118	2MR	CG-CD-NE-CZ

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 2 are modelled with single atom and 2 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
45	SF4	M	801	12	0,12,12	-	-	-		
47	PEE	s	401	-	46,46,50	1.20	6 (13%)	49,51,55	0.98	2 (4%)
50	8Q1	G	201	-	31,34,34	2.03	6 (19%)	40,43,43	1.79	10 (25%)
47	PEE	U	101	-	50,50,50	1.16	6 (12%)	53,55,55	0.98	2 (3%)
45	SF4	B	301	2	0,12,12	-	-	-		
48	PLX	j	202	-	51,51,51	1.14	4 (7%)	55,59,59	0.61	1 (1%)
52	UQ	s	403	-	38,38,63	3.55	10 (26%)	46,49,79	2.84	16 (34%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
49	970	C	303	-	33,33,33	4.74	13 (39%)	48,50,50	2.41	20 (41%)
51	NDP	J	401	-	45,52,52	4.52	19 (42%)	53,80,80	2.02	6 (11%)
47	PEE	B	303	-	50,50,50	1.16	6 (12%)	53,55,55	0.96	2 (3%)
55	CDL	r	504	-	98,98,99	1.09	8 (8%)	104,110,111	0.85	4 (3%)
53	FES	M	803	12	0,4,4	-	-	-	-	-
48	PLX	C	302	-	51,51,51	0.62	0	55,59,59	0.80	2 (3%)
50	8Q1	X	201	-	31,34,34	2.06	6 (19%)	40,43,43	1.70	11 (27%)
55	CDL	V	202	-	99,99,99	1.09	9 (9%)	105,111,111	0.87	4 (3%)
46	FMN	A	502	-	33,33,33	1.41	6 (18%)	48,50,50	1.29	8 (16%)
47	PEE	W	201	-	40,40,50	1.14	5 (12%)	43,45,55	1.02	2 (4%)
48	PLX	r	503	-	51,51,51	1.15	4 (7%)	55,59,59	0.53	1 (1%)
55	CDL	l	703	-	99,99,99	0.93	4 (4%)	105,111,111	1.09	7 (6%)
48	PLX	J	403	-	51,51,51	1.14	4 (7%)	55,59,59	0.60	1 (1%)
55	CDL	a	201	-	99,99,99	1.09	8 (8%)	105,111,111	0.86	4 (3%)
47	PEE	l	704	-	49,49,50	1.17	6 (12%)	52,54,55	0.99	2 (3%)
55	CDL	V	201	-	93,93,99	1.12	9 (9%)	99,105,111	0.86	4 (4%)
47	PEE	b	201	-	45,45,50	1.22	6 (13%)	48,50,55	0.99	2 (4%)
48	PLX	a	202	-	51,51,51	1.15	4 (7%)	55,59,59	0.59	1 (1%)
55	CDL	s	402	-	88,88,99	0.98	4 (4%)	94,100,111	1.06	6 (6%)
45	SF4	B	302	2	0,12,12	-	-	-	-	-
53	FES	O	301	14	0,4,4	-	-	-	-	-
47	PEE	l	701	-	39,39,50	1.32	6 (15%)	41,44,55	1.04	2 (4%)
55	CDL	u	201	-	54,54,99	1.24	4 (7%)	60,66,111	1.28	5 (8%)
48	PLX	r	502	-	51,51,51	1.15	4 (7%)	55,59,59	0.62	1 (1%)
57	ADP	w	401	-	24,29,29	3.12	6 (25%)	29,45,45	1.40	4 (13%)
55	CDL	l	702	-	98,98,99	1.09	8 (8%)	104,110,111	0.89	4 (3%)
48	PLX	g	201	-	51,51,51	1.15	4 (7%)	55,59,59	0.63	1 (1%)
45	SF4	A	501	1	0,12,12	-	-	-	-	-
52	UQ	J	402	-	33,33,63	3.44	8 (24%)	40,43,79	2.85	13 (32%)
55	CDL	N	201	-	50,50,99	1.28	4 (8%)	56,62,111	1.34	6 (10%)
47	PEE	Q	501	-	46,46,50	1.20	6 (13%)	49,51,55	0.99	2 (4%)
45	SF4	C	301	3	0,12,12	-	-	-	-	-
47	PEE	r	501	-	50,50,50	1.17	6 (12%)	53,55,55	1.02	2 (3%)
45	SF4	M	802	12	0,12,12	-	-	-	-	-
55	CDL	m	201	-	94,94,99	1.12	7 (7%)	100,106,111	0.88	4 (4%)
47	PEE	j	201	-	40,40,50	1.14	4 (10%)	43,45,55	1.04	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	PEE	s	401	-	-	24/50/50/54	-
50	8Q1	G	201	-	-	16/41/41/41	-
45	SF4	M	801	12	-	-	0/6/5/5
47	PEE	U	101	-	-	25/54/54/54	-
45	SF4	B	301	2	-	-	0/6/5/5
48	PLX	j	202	-	-	30/55/55/55	-
52	UQ	s	403	-	-	13/33/57/87	0/1/1/1
49	970	C	303	-	-	2/8/41/41	0/5/5/5
51	NDP	J	401	-	-	7/30/77/77	0/4/5/5
47	PEE	B	303	-	-	30/54/54/54	-
55	CDL	r	504	-	-	51/109/109/110	-
53	FES	M	803	12	-	-	0/1/1/1
48	PLX	C	302	-	-	16/55/55/55	-
50	8Q1	X	201	-	-	17/41/41/41	-
55	CDL	V	202	-	-	55/110/110/110	-
46	FMN	A	502	-	-	6/18/18/18	0/3/3/3
47	PEE	W	201	-	-	27/44/44/54	-
48	PLX	r	503	-	-	30/55/55/55	-
55	CDL	l	703	-	-	41/110/110/110	-
48	PLX	J	403	-	-	28/55/55/55	-
55	CDL	a	201	-	-	62/110/110/110	-
47	PEE	l	704	-	-	27/53/53/54	-
55	CDL	V	201	-	-	63/104/104/110	-
47	PEE	b	201	-	-	24/49/49/54	-
48	PLX	a	202	-	-	31/55/55/55	-
55	CDL	s	402	-	-	40/99/99/110	-
45	SF4	B	302	2	-	-	0/6/5/5
53	FES	O	301	14	-	-	0/1/1/1
47	PEE	l	701	-	-	25/43/43/54	-
55	CDL	u	201	-	-	24/65/65/110	-
48	PLX	r	502	-	-	22/55/55/55	-
57	ADP	w	401	-	-	4/12/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	CDL	l	702	-	-	60/109/109/110	-
48	PLX	g	201	-	-	38/55/55/55	-
45	SF4	A	501	1	-	-	0/6/5/5
52	UQ	J	402	-	-	16/27/51/87	0/1/1/1
55	CDL	N	201	-	-	26/61/61/110	-
47	PEE	Q	501	-	-	18/50/50/54	-
47	PEE	r	501	-	-	26/54/54/54	-
45	SF4	C	301	3	-	-	0/6/5/5
45	SF4	M	802	12	-	-	0/6/5/5
55	CDL	m	201	-	-	55/105/105/110	-
47	PEE	j	201	-	-	30/44/44/54	-

All (220) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
49	C	303	970	O16-C17	18.59	1.58	1.37
51	J	401	NDP	C3B-C2B	-12.53	1.25	1.52
51	J	401	NDP	C6N-C5N	12.25	1.55	1.33
49	C	303	970	C14-C23	-12.08	1.41	1.52
51	J	401	NDP	O4D-C4D	10.60	1.68	1.45
51	J	401	NDP	C3D-C4D	-10.06	1.27	1.53
52	s	403	UQ	C18-C19	9.64	1.56	1.33
52	J	402	UQ	C18-C19	9.55	1.55	1.33
52	s	403	UQ	C13-C14	9.29	1.55	1.33
52	J	402	UQ	C13-C14	9.23	1.55	1.33
52	s	403	UQ	C23-C24	9.10	1.54	1.33
52	J	402	UQ	C8-C9	8.97	1.54	1.33
52	s	403	UQ	C8-C9	8.95	1.54	1.33
57	w	401	ADP	C3'-C4'	-8.93	1.30	1.53
51	J	401	NDP	O4B-C1B	8.33	1.52	1.41
51	J	401	NDP	O4B-C4B	-8.15	1.26	1.45
52	J	402	UQ	C23-C24	7.82	1.54	1.32
49	C	303	970	O13-C12	7.80	1.49	1.37
52	s	403	UQ	C28-C29	7.69	1.54	1.32
57	w	401	ADP	O4'-C4'	7.66	1.62	1.45
50	G	201	8Q1	P24-O27	7.60	1.84	1.60
50	X	201	8Q1	P24-O27	7.56	1.84	1.60
51	J	401	NDP	C2N-C3N	7.30	1.55	1.34
57	w	401	ADP	O4'-C1'	-6.90	1.31	1.41
49	C	303	970	O08-C07	6.84	1.48	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
51	J	401	NDP	P2B-O2B	5.19	1.69	1.59
51	J	401	NDP	C3B-C4B	5.15	1.66	1.53
49	C	303	970	C23-C24	-5.14	1.47	1.52
49	C	303	970	C22-C23	-5.02	1.44	1.51
51	J	401	NDP	O4D-C1D	-4.99	1.30	1.42
51	J	401	NDP	C6N-N1N	4.87	1.49	1.37
46	A	502	FMN	C9A-C5A	4.63	1.48	1.41
55	N	201	CDL	OB8-CB7	4.34	1.46	1.33
55	s	402	CDL	OA6-CA5	4.32	1.46	1.34
55	l	703	CDL	OA8-CA7	4.30	1.45	1.33
55	u	201	CDL	OA8-CA7	4.28	1.45	1.33
51	J	401	NDP	O2D-C2D	-4.26	1.32	1.43
55	s	402	CDL	OA8-CA7	4.25	1.45	1.33
55	N	201	CDL	OA8-CA7	4.24	1.45	1.33
55	l	703	CDL	OB6-CB5	4.21	1.46	1.34
55	N	201	CDL	OA6-CA5	4.17	1.46	1.34
55	l	703	CDL	OB8-CB7	4.17	1.45	1.33
55	u	201	CDL	OB6-CB5	4.16	1.46	1.34
55	u	201	CDL	OB8-CB7	4.15	1.45	1.33
51	J	401	NDP	C7N-N7N	4.15	1.44	1.33
55	l	703	CDL	OA6-CA5	4.14	1.46	1.34
55	s	402	CDL	OB6-CB5	4.12	1.45	1.34
55	s	402	CDL	OB8-CB7	4.12	1.45	1.33
55	u	201	CDL	OA6-CA5	4.06	1.45	1.34
51	J	401	NDP	C6A-N6A	4.01	1.48	1.34
55	N	201	CDL	OB6-CB5	3.95	1.45	1.34
49	C	303	970	C05-C04	-3.93	1.48	1.54
57	w	401	ADP	C6-N6	3.84	1.48	1.34
50	X	201	8Q1	C1-S44	3.80	1.85	1.76
50	G	201	8Q1	C1-S44	3.73	1.85	1.76
47	l	701	PEE	C18-C19	3.73	1.53	1.31
47	b	201	PEE	C18-C19	3.72	1.53	1.31
47	U	101	PEE	C18-C19	3.72	1.53	1.31
47	s	401	PEE	C18-C19	3.72	1.53	1.31
47	r	501	PEE	C18-C19	3.72	1.53	1.31
47	W	201	PEE	C18-C19	3.71	1.53	1.31
47	B	303	PEE	C18-C19	3.71	1.53	1.31
47	l	704	PEE	C18-C19	3.70	1.53	1.31
47	j	201	PEE	C18-C19	3.69	1.53	1.31
47	Q	501	PEE	C18-C19	3.69	1.53	1.31
47	r	501	PEE	C39-C38	3.67	1.53	1.31
47	l	701	PEE	C39-C38	3.66	1.53	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
47	B	303	PEE	C39-C38	3.65	1.52	1.31
47	s	401	PEE	C39-C38	3.65	1.52	1.31
47	b	201	PEE	C39-C38	3.64	1.52	1.31
50	X	201	8Q1	C34-N36	3.63	1.41	1.33
47	Q	501	PEE	C39-C38	3.62	1.52	1.31
47	U	101	PEE	C39-C38	3.61	1.52	1.31
47	l	704	PEE	C39-C38	3.60	1.52	1.31
55	m	201	CDL	OA8-CA7	3.52	1.43	1.33
55	V	202	CDL	OA8-CA7	3.46	1.43	1.33
55	a	201	CDL	OA8-CA7	3.45	1.43	1.33
55	l	702	CDL	OA8-CA7	3.44	1.43	1.33
55	V	201	CDL	OA8-CA7	3.43	1.43	1.33
55	r	504	CDL	OA8-CA7	3.40	1.43	1.33
50	X	201	8Q1	O27-C28	-3.39	1.32	1.43
50	G	201	8Q1	O27-C28	-3.34	1.33	1.43
50	G	201	8Q1	C34-N36	3.30	1.40	1.33
55	m	201	CDL	OA6-CA5	3.29	1.43	1.34
46	A	502	FMN	C8-C7	3.27	1.49	1.40
57	w	401	ADP	O2'-C2'	-3.26	1.35	1.43
49	C	303	970	O13-C14	3.21	1.49	1.45
49	C	303	970	O16-C15	3.18	1.52	1.44
57	w	401	ADP	O3'-C3'	3.12	1.50	1.43
55	V	201	CDL	OA6-CA5	3.07	1.43	1.34
55	a	201	CDL	OB8-CB7	3.07	1.42	1.33
55	V	201	CDL	OB8-CB7	3.06	1.42	1.33
55	l	702	CDL	OB8-CB7	3.05	1.42	1.33
50	G	201	8Q1	C6-C1	3.04	1.53	1.50
55	a	201	CDL	OB6-CB5	3.03	1.42	1.34
55	r	504	CDL	OB8-CB7	3.03	1.42	1.33
55	V	201	CDL	OB6-CB5	3.03	1.42	1.34
55	r	504	CDL	OB6-CB5	3.01	1.42	1.34
55	m	201	CDL	OB8-CB7	3.00	1.42	1.33
55	m	201	CDL	OB6-CB5	3.00	1.42	1.34
55	V	202	CDL	OB8-CB7	2.99	1.42	1.33
55	V	202	CDL	OA6-CA5	2.97	1.42	1.34
55	l	702	CDL	OB6-CB5	2.96	1.42	1.34
55	a	201	CDL	OA6-CA5	2.96	1.42	1.34
55	V	202	CDL	OB6-CB5	2.95	1.42	1.34
55	l	702	CDL	OA6-CA5	2.95	1.42	1.34
51	J	401	NDP	O3D-C3D	2.93	1.49	1.43
50	X	201	8Q1	C6-C1	2.91	1.53	1.50
55	r	504	CDL	OA6-CA5	2.89	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
50	G	201	8Q1	C39-N41	2.82	1.39	1.33
48	g	201	PLX	O6-C4	-2.82	1.40	1.44
50	X	201	8Q1	C39-N41	2.81	1.39	1.33
51	J	401	NDP	C7N-C3N	2.81	1.54	1.48
46	A	502	FMN	C4-N3	-2.75	1.33	1.38
52	J	402	UQ	C6-C1	2.73	1.54	1.46
52	s	403	UQ	C6-C1	2.72	1.54	1.46
49	C	303	970	O25-C24	-2.69	1.18	1.22
48	a	202	PLX	O6-C4	-2.64	1.41	1.44
48	r	502	PLX	O6-C4	-2.63	1.41	1.44
47	l	704	PEE	O2-C2	-2.63	1.40	1.46
47	B	303	PEE	O2-C2	-2.61	1.40	1.46
48	r	503	PLX	O6-C4	-2.61	1.41	1.44
49	C	303	970	C10-C11	2.60	1.44	1.39
52	s	403	UQ	C7-C8	2.55	1.54	1.50
48	j	202	PLX	O6-C4	-2.49	1.41	1.44
47	s	401	PEE	O2-C2	-2.49	1.40	1.46
47	j	201	PEE	O3-C30	2.49	1.40	1.33
47	Q	501	PEE	O2-C2	-2.46	1.40	1.46
47	U	101	PEE	O3-C30	2.46	1.40	1.33
47	l	701	PEE	O3-C30	2.46	1.40	1.33
47	s	401	PEE	O3-C30	2.46	1.40	1.33
51	J	401	NDP	O2B-C2B	2.46	1.53	1.44
52	J	402	UQ	C7-C8	2.44	1.54	1.50
47	b	201	PEE	O3-C30	2.44	1.40	1.33
47	l	701	PEE	O2-C2	-2.43	1.40	1.46
48	j	202	PLX	C7-C6	2.43	1.55	1.50
47	r	501	PEE	O2-C2	-2.43	1.40	1.46
55	r	504	CDL	OA6-CA4	-2.43	1.40	1.46
47	j	201	PEE	O2-C2	-2.41	1.40	1.46
47	W	201	PEE	O2-C2	-2.41	1.40	1.46
49	C	303	970	C12-C06	2.40	1.43	1.39
55	a	201	CDL	OA6-CA4	-2.40	1.40	1.46
55	l	702	CDL	OA6-CA4	-2.39	1.40	1.46
47	U	101	PEE	O2-C2	-2.39	1.40	1.46
47	r	501	PEE	O3-C30	2.38	1.40	1.33
48	r	502	PLX	C7-C6	2.38	1.55	1.50
48	r	503	PLX	C7-C6	2.38	1.55	1.50
55	V	202	CDL	OA6-CA4	-2.37	1.40	1.46
47	b	201	PEE	O2-C2	-2.37	1.40	1.46
48	J	403	PLX	C7-C6	2.37	1.55	1.50
47	l	704	PEE	O3-C30	2.36	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
47	B	303	PEE	O3-C30	2.36	1.40	1.33
48	a	202	PLX	C7-C6	2.35	1.55	1.50
48	J	403	PLX	O6-C4	-2.34	1.41	1.44
47	Q	501	PEE	O3-C30	2.33	1.40	1.33
47	W	201	PEE	O3-C30	2.33	1.40	1.33
48	g	201	PLX	C7-C6	2.32	1.55	1.50
47	r	501	PEE	O2-C10	2.30	1.40	1.34
49	C	303	970	C05-C06	-2.27	1.48	1.51
47	l	701	PEE	O2-C10	2.27	1.40	1.34
47	U	101	PEE	O2-C10	2.27	1.40	1.34
55	r	504	CDL	PB2-OB2	2.26	1.68	1.59
47	j	201	PEE	O2-C10	2.25	1.40	1.34
47	b	201	PEE	O2-C10	2.25	1.40	1.34
46	A	502	FMN	C5A-N5	-2.25	1.35	1.39
55	V	201	CDL	PB2-OB2	2.25	1.68	1.59
47	W	201	PEE	O2-C10	2.24	1.40	1.34
55	V	202	CDL	PB2-OB2	2.24	1.68	1.59
55	V	201	CDL	PB2-OB5	2.24	1.68	1.59
47	l	704	PEE	O3-C3	-2.24	1.40	1.45
52	s	403	UQ	O4-C4	-2.24	1.18	1.23
51	J	401	NDP	O7N-C7N	-2.23	1.19	1.24
46	A	502	FMN	C4A-N5	2.22	1.35	1.30
55	m	201	CDL	PB2-OB2	2.21	1.68	1.59
47	Q	501	PEE	O2-C10	2.21	1.40	1.34
55	a	201	CDL	PB2-OB2	2.21	1.68	1.59
52	J	402	UQ	O4-C4	-2.20	1.18	1.23
55	V	201	CDL	OB6-CB4	-2.20	1.41	1.46
47	W	201	PEE	O3-C3	-2.18	1.40	1.45
47	b	201	PEE	O3-C3	-2.18	1.40	1.45
55	V	202	CDL	OB6-CB4	-2.18	1.41	1.46
47	r	501	PEE	O3-C3	-2.18	1.40	1.45
55	a	201	CDL	PB2-OB5	2.18	1.68	1.59
55	r	504	CDL	PB2-OB5	2.18	1.68	1.59
55	m	201	CDL	PB2-OB5	2.17	1.68	1.59
55	m	201	CDL	OB6-CB4	-2.17	1.41	1.46
55	V	202	CDL	PB2-OB5	2.17	1.68	1.59
55	a	201	CDL	OB6-CB4	-2.17	1.41	1.46
48	r	502	PLX	P1-O4	2.16	1.68	1.59
55	l	702	CDL	PB2-OB5	2.16	1.68	1.59
47	s	401	PEE	O2-C10	2.16	1.40	1.34
55	l	702	CDL	PB2-OB2	2.15	1.68	1.59
48	j	202	PLX	P1-O4	2.15	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	l	702	CDL	OB6-CB4	-2.14	1.41	1.46
48	a	202	PLX	P1-O4	2.14	1.68	1.59
47	B	303	PEE	O3-C3	-2.14	1.40	1.45
47	Q	501	PEE	O3-C3	-2.13	1.40	1.45
48	r	503	PLX	P1-O4	2.13	1.67	1.59
48	g	201	PLX	P1-O4	2.12	1.67	1.59
55	V	201	CDL	OA6-CA4	-2.12	1.41	1.46
55	r	504	CDL	OB6-CB4	-2.11	1.41	1.46
47	l	704	PEE	O2-C10	2.11	1.40	1.34
47	U	101	PEE	O3-C3	-2.11	1.40	1.45
48	J	403	PLX	P1-O4	2.10	1.67	1.59
47	B	303	PEE	O2-C10	2.09	1.40	1.34
51	J	401	NDP	C2D-C3D	2.09	1.59	1.53
47	l	701	PEE	O3-C3	-2.09	1.40	1.45
48	r	502	PLX	P1-O1	2.08	1.67	1.59
52	s	403	UQ	O1-C1	-2.05	1.18	1.23
48	j	202	PLX	P1-O1	2.05	1.67	1.59
52	s	403	UQ	C21-C19	2.04	1.55	1.51
48	a	202	PLX	P1-O1	2.04	1.67	1.59
55	V	201	CDL	C11-CA5	2.04	1.56	1.50
46	A	502	FMN	C2-N3	-2.04	1.34	1.39
48	J	403	PLX	P1-O1	2.03	1.67	1.59
48	r	503	PLX	P1-O1	2.03	1.67	1.59
48	g	201	PLX	P1-O1	2.03	1.67	1.59
47	s	401	PEE	O3-C3	-2.02	1.40	1.45
55	V	202	CDL	C11-CA5	2.01	1.56	1.50
52	J	402	UQ	O3-CM3	-2.01	1.40	1.45

All (165) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	J	402	UQ	C7-C8-C9	-8.37	112.86	126.79
51	J	401	NDP	C3N-C2N-N1N	-8.15	111.47	123.10
52	s	403	UQ	C7-C8-C9	-7.84	113.74	126.79
49	C	303	970	O08-C07-C06	-7.69	108.31	113.00
51	J	401	NDP	C1D-N1N-C2N	-7.33	108.91	121.11
52	J	402	UQ	C17-C18-C19	-6.16	112.82	127.66
52	J	402	UQ	C12-C13-C14	-6.16	112.84	127.66
52	s	403	UQ	C22-C23-C24	-5.97	113.28	127.66
51	J	401	NDP	C1D-N1N-C6N	-5.84	108.26	120.83
52	s	403	UQ	C12-C13-C14	-5.78	113.73	127.66
52	s	403	UQ	C17-C18-C19	-5.72	113.89	127.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	C	303	970	C15-C14-C23	5.60	115.16	110.62
49	C	303	970	C05-C04-C02	-5.17	108.05	115.62
50	G	201	8Q1	C6-C1-S44	5.05	119.33	113.46
50	X	201	8Q1	C6-C1-S44	4.70	118.92	113.46
55	l	703	CDL	OA6-CA5-C11	4.49	121.17	111.50
52	s	403	UQ	C10-C9-C8	-4.49	112.17	123.68
57	w	401	ADP	N3-C2-N1	-4.49	121.67	128.68
47	r	501	PEE	O2-C10-C11	4.48	121.15	111.50
52	J	402	UQ	C22-C23-C24	-4.39	112.76	127.75
52	s	403	UQ	C21-C19-C18	-4.26	112.49	121.12
52	s	403	UQ	C25-C24-C23	-4.26	112.74	123.68
52	s	403	UQ	C27-C28-C29	-4.25	113.23	127.75
52	J	402	UQ	C10-C9-C8	-4.24	112.79	123.68
52	J	402	UQ	C20-C19-C18	-4.23	112.82	123.68
47	l	704	PEE	O2-C10-C11	4.22	120.60	111.50
52	J	402	UQ	C15-C14-C13	-4.22	112.86	123.68
47	U	101	PEE	O2-C10-C11	4.21	120.57	111.50
55	N	201	CDL	OA6-CA5-C11	4.19	120.53	111.50
55	N	201	CDL	OB6-CB5-C51	4.19	120.52	111.50
52	s	403	UQ	C11-C9-C8	-4.18	112.66	121.12
52	s	403	UQ	C16-C14-C13	-4.17	112.68	121.12
49	C	303	970	O08-C07-C09	4.17	132.35	123.89
52	J	402	UQ	C11-C9-C8	-4.16	112.69	121.12
55	l	703	CDL	OB6-CB5-C51	4.16	120.46	111.50
55	l	702	CDL	OB6-CB5-C51	4.15	120.44	111.50
55	a	201	CDL	OB6-CB5-C51	4.13	120.40	111.50
47	j	201	PEE	O2-C10-C11	4.12	120.38	111.50
52	J	402	UQ	C16-C14-C13	-4.09	112.83	121.12
55	m	201	CDL	OB6-CB5-C51	4.09	120.31	111.50
55	s	402	CDL	OB6-CB5-C51	4.07	120.27	111.50
47	W	201	PEE	O2-C10-C11	4.06	120.25	111.50
52	J	402	UQ	C21-C19-C18	-4.05	112.92	121.12
47	l	701	PEE	O2-C10-C11	4.05	120.22	111.50
47	B	303	PEE	O2-C10-C11	4.04	120.21	111.50
49	C	303	970	C22-C23-C14	4.03	115.20	109.56
55	V	202	CDL	OA6-CA5-C11	4.00	120.13	111.50
47	b	201	PEE	O2-C10-C11	3.99	120.09	111.50
55	u	201	CDL	OB6-CB5-C51	3.97	120.06	111.50
55	V	202	CDL	OB6-CB5-C51	3.96	120.05	111.50
47	s	401	PEE	O2-C10-C11	3.96	120.04	111.50
51	J	401	NDP	N3A-C2A-N1A	-3.94	122.52	128.68
52	s	403	UQ	C20-C19-C18	-3.93	113.61	123.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
47	Q	501	PEE	O2-C10-C11	3.92	119.95	111.50
55	r	504	CDL	OA6-CA5-C11	3.92	119.95	111.50
55	u	201	CDL	OA6-CA5-C11	3.91	119.93	111.50
52	s	403	UQ	C26-C24-C23	-3.90	113.23	121.12
52	s	403	UQ	C15-C14-C13	-3.89	113.70	123.68
55	l	702	CDL	OA6-CA5-C11	3.88	119.87	111.50
55	s	402	CDL	OA6-CA5-C11	3.88	119.86	111.50
55	a	201	CDL	OA6-CA5-C11	3.87	119.85	111.50
55	V	201	CDL	OA6-CA5-C11	3.84	119.77	111.50
55	V	201	CDL	OB6-CB5-C51	3.76	119.61	111.50
50	G	201	8Q1	C43-S44-C1	3.74	113.50	101.87
55	r	504	CDL	OB6-CB5-C51	3.73	119.54	111.50
50	X	201	8Q1	C43-S44-C1	3.65	113.23	101.87
49	C	303	970	C09-C07-C06	-3.61	119.34	123.20
55	u	201	CDL	OA8-CA7-C31	3.48	120.50	111.38
50	G	201	8Q1	O35-C34-N36	-3.47	115.55	122.99
52	J	402	UQ	C25-C24-C23	-3.42	112.78	122.65
52	s	403	UQ	C30-C29-C28	-3.41	112.78	122.65
55	m	201	CDL	OA6-CA5-C11	3.40	118.83	111.50
52	J	402	UQ	C26-C24-C23	-3.39	112.86	122.65
50	X	201	8Q1	O35-C34-N36	-3.32	115.87	122.99
52	s	403	UQ	C31-C29-C28	-3.24	113.29	122.65
50	G	201	8Q1	O2-P24-O27	-3.19	98.25	106.73
49	C	303	970	C06-C05-C04	3.12	104.25	101.45
49	C	303	970	O26-C20-C19	3.12	119.75	115.41
49	C	303	970	C07-C06-C12	3.07	121.75	118.74
49	C	303	970	O28-C19-C20	3.03	119.63	115.41
50	X	201	8Q1	O2-P24-O27	-2.87	99.09	106.73
47	B	303	PEE	O3-C30-C31	2.87	120.90	111.91
47	l	704	PEE	O3-C30-C31	2.87	120.90	111.91
50	G	201	8Q1	C37-C38-C39	2.86	117.13	112.36
55	s	402	CDL	OA8-CA7-C31	2.86	120.88	111.91
55	l	703	CDL	OA8-CA7-C31	2.85	120.86	111.91
55	N	201	CDL	OB8-CB7-C71	2.84	120.81	111.91
55	N	201	CDL	OA8-CA7-C31	2.82	120.77	111.91
46	A	502	FMN	C4A-C10-N1	-2.79	118.26	124.73
47	r	501	PEE	O3-C30-C31	2.78	120.64	111.91
50	G	201	8Q1	C32-C34-N36	2.74	122.04	116.58
55	V	201	CDL	OB8-CB7-C71	2.73	120.48	111.91
52	J	402	UQ	CM5-C5-C6	-2.72	119.96	124.40
47	j	201	PEE	O3-C30-C31	2.70	120.39	111.91
55	V	202	CDL	OB8-CB7-C71	2.69	120.36	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	l	702	CDL	OA8-CA7-C31	2.69	120.34	111.91
47	U	101	PEE	O3-C30-C31	2.68	120.33	111.91
55	u	201	CDL	OB8-CB7-C71	2.67	120.29	111.91
55	l	703	CDL	OB8-CB7-C71	2.66	120.25	111.91
57	w	401	ADP	PA-O3A-PB	-2.65	123.72	132.83
55	N	201	CDL	CB4-OB6-CB5	-2.64	111.28	117.79
55	a	201	CDL	OB8-CB7-C71	2.62	120.14	111.91
55	l	702	CDL	OB8-CB7-C71	2.62	120.13	111.91
55	m	201	CDL	OB8-CB7-C71	2.61	120.11	111.91
47	W	201	PEE	O3-C30-C31	2.60	120.06	111.91
55	m	201	CDL	OA8-CA7-C31	2.60	120.06	111.91
47	b	201	PEE	O3-C30-C31	2.60	120.06	111.91
55	r	504	CDL	OB8-CB7-C71	2.59	120.05	111.91
47	s	401	PEE	O3-C30-C31	2.58	120.00	111.91
47	l	701	PEE	O3-C30-C31	2.57	119.97	111.91
50	X	201	8Q1	C32-C34-N36	2.56	121.68	116.58
48	g	201	PLX	C1A-N1-C1	2.54	120.31	109.92
55	s	402	CDL	OB8-CB7-C71	2.54	119.87	111.91
55	V	202	CDL	OA8-CA7-C31	2.54	119.86	111.91
49	C	303	970	C15-O16-C17	-2.54	110.01	115.30
49	C	303	970	O13-C14-C23	2.51	114.94	112.40
55	r	504	CDL	OA8-CA7-C31	2.50	119.77	111.91
50	X	201	8Q1	O40-C39-N41	-2.50	118.30	123.01
55	a	201	CDL	OA8-CA7-C31	2.49	119.72	111.91
47	Q	501	PEE	O3-C30-C31	2.48	119.68	111.91
55	l	703	CDL	CA4-OA6-CA5	-2.47	111.71	117.79
55	V	201	CDL	OA8-CA7-C31	2.47	119.66	111.91
50	G	201	8Q1	O40-C39-N41	-2.46	118.36	123.01
50	X	201	8Q1	O1-P24-O2	2.41	116.85	107.64
51	J	401	NDP	C4A-C5A-N7A	-2.41	106.89	109.40
48	a	202	PLX	C1A-N1-C1	2.40	119.74	109.92
46	A	502	FMN	O4-C4-C4A	-2.40	120.24	126.60
50	G	201	8Q1	O4-C1-C6	-2.40	121.16	123.99
50	G	201	8Q1	O1-P24-O2	2.40	116.80	107.64
50	G	201	8Q1	O4-C1-S44	-2.39	119.51	122.61
48	j	202	PLX	C1A-N1-C1	2.36	119.58	109.92
49	C	303	970	C27-O26-C20	-2.36	113.97	117.53
50	X	201	8Q1	O4-C1-S44	-2.34	119.57	122.61
48	r	502	PLX	C1A-N1-C1	2.34	119.49	109.92
46	A	502	FMN	C4-C4A-N5	2.29	121.50	118.23
55	l	703	CDL	CB6-CB4-CB3	-2.29	106.37	111.79
49	C	303	970	C11-C24-C23	2.27	119.19	115.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	C	303	970	O26-C20-C21	-2.26	120.22	124.12
48	J	403	PLX	C1A-N1-C1	2.26	119.17	109.92
55	s	402	CDL	CA6-CA4-CA3	-2.24	106.48	111.79
49	C	303	970	O28-C19-C18	-2.23	120.28	124.12
49	C	303	970	C11-C12-C06	-2.23	119.56	123.16
46	A	502	FMN	O2-C2-N1	-2.20	118.18	121.83
46	A	502	FMN	C10-N1-C2	2.18	121.27	116.90
52	s	403	UQ	CM5-C5-C6	-2.18	120.84	124.40
49	C	303	970	C05-C06-C12	-2.18	127.41	131.59
48	C	302	PLX	C5-C4-C3	-2.17	106.66	111.79
50	X	201	8Q1	C37-C38-C39	2.17	115.97	112.36
51	J	401	NDP	PN-O3-PA	-2.15	125.44	132.83
48	r	503	PLX	C1A-N1-C1	2.13	118.63	109.92
46	A	502	FMN	C4A-C4-N3	2.13	118.60	113.19
57	w	401	ADP	C4-C5-N7	-2.11	107.20	109.40
46	A	502	FMN	C4'-C3'-C2'	-2.10	108.99	113.36
50	X	201	8Q1	O4-C1-C6	-2.10	121.51	123.99
55	s	402	CDL	CB4-OB6-CB5	-2.10	112.62	117.79
49	C	303	970	O13-C14-C15	-2.08	103.92	106.65
48	C	302	PLX	C6-O6-C4	-2.08	111.05	115.20
46	A	502	FMN	C4-N3-C2	-2.07	121.82	125.64
47	j	201	PEE	C2-O2-C10	-2.07	112.70	117.79
55	u	201	CDL	CA6-CA4-CA3	-2.05	106.94	111.79
55	N	201	CDL	CA6-CA4-CA3	-2.04	106.97	111.79
57	w	401	ADP	O4'-C1'-C2'	-2.04	103.95	106.93
49	C	303	970	C29-O28-C19	-2.03	114.46	117.53
50	X	201	8Q1	C38-C39-N41	2.01	119.81	116.42
55	l	703	CDL	OA6-CA5-OA7	-2.01	118.84	123.70

There are no chirality outliers.

All (1009) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
46	A	502	FMN	N10-C1'-C2'-O2'
46	A	502	FMN	N10-C1'-C2'-C3'
47	B	303	PEE	C11-C10-O2-C2
47	B	303	PEE	C4-O4P-P-O2P
47	Q	501	PEE	C11-C10-O2-C2
47	Q	501	PEE	O4-C10-O2-C2
47	Q	501	PEE	C4-O4P-P-O1P
47	U	101	PEE	C17-C18-C19-C20
47	U	101	PEE	C1-O3P-P-O1P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	W	201	PEE	C1-O3P-P-O2P
47	W	201	PEE	C1-O3P-P-O1P
47	W	201	PEE	C4-O4P-P-O2P
47	W	201	PEE	O4P-C4-C5-N
47	b	201	PEE	C37-C38-C39-C40
47	j	201	PEE	C11-C10-O2-C2
47	j	201	PEE	O4-C10-O2-C2
47	j	201	PEE	C4-O4P-P-O2P
47	j	201	PEE	C4-O4P-P-O1P
47	l	701	PEE	C11-C10-O2-C2
47	l	701	PEE	C1-O3P-P-O2P
47	l	701	PEE	C1-O3P-P-O1P
47	l	701	PEE	C1-O3P-P-O4P
47	l	701	PEE	C4-O4P-P-O2P
47	l	701	PEE	C4-O4P-P-O1P
47	l	704	PEE	C11-C10-O2-C2
47	l	704	PEE	C4-O4P-P-O3P
47	l	704	PEE	C4-O4P-P-O2P
47	l	704	PEE	C4-O4P-P-O1P
47	r	501	PEE	C11-C10-O2-C2
47	r	501	PEE	C1-O3P-P-O1P
48	C	302	PLX	C3-O4-P1-O3
48	J	403	PLX	O7-C6-C7-C8
48	J	403	PLX	O7-C6-O6-C4
48	J	403	PLX	C3-C4-O6-C6
48	a	202	PLX	O7-C6-O6-C4
48	a	202	PLX	C5-C4-O6-C6
48	a	202	PLX	C3-O4-P1-O3
48	a	202	PLX	C2-O1-P1-O4
48	a	202	PLX	C2-O1-P1-O2
48	a	202	PLX	C2-O1-P1-O3
48	a	202	PLX	O9-C24-C25-C26
48	g	201	PLX	O7-C6-O6-C4
48	g	201	PLX	C5-C4-O6-C6
48	g	201	PLX	C3-O4-P1-O2
48	g	201	PLX	C2-O1-P1-O4
48	g	201	PLX	C2-O1-P1-O2
48	g	201	PLX	C2-O1-P1-O3
48	g	201	PLX	O9-C24-C25-C26
48	j	202	PLX	O7-C6-C7-C8
48	j	202	PLX	C7-C6-O6-C4
48	j	202	PLX	C3-O4-P1-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	j	202	PLX	C2-O1-P1-O2
48	j	202	PLX	O9-C24-O8-C5
48	r	502	PLX	O6-C6-C7-C8
48	r	502	PLX	O9-C24-C25-C26
48	r	503	PLX	O7-C6-O6-C4
48	r	503	PLX	O9-C24-O8-C5
49	C	303	970	C03-C02-C04-C05
49	C	303	970	C03-C02-C04-O08
50	G	201	8Q1	C1-C6-C7-C8
50	G	201	8Q1	O27-C28-C29-C32
50	G	201	8Q1	C28-C29-C32-C34
50	G	201	8Q1	C30-C29-C32-O33
50	G	201	8Q1	C31-C29-C32-C34
50	X	201	8Q1	C28-C29-C32-C34
50	X	201	8Q1	C30-C29-C32-O33
50	X	201	8Q1	C31-C29-C32-C34
50	X	201	8Q1	N36-C37-C38-C39
50	X	201	8Q1	C28-O27-P24-O2
50	X	201	8Q1	C28-O27-P24-O1
51	J	401	NDP	C5D-O5D-PN-O1N
51	J	401	NDP	C5D-O5D-PN-O2N
51	J	401	NDP	C2N-C3N-C7N-N7N
52	J	402	UQ	C1-C6-C7-C8
52	J	402	UQ	C5-C6-C7-C8
52	J	402	UQ	C7-C8-C9-C10
52	J	402	UQ	C7-C8-C9-C11
52	J	402	UQ	C12-C11-C9-C8
52	s	403	UQ	C7-C8-C9-C10
52	s	403	UQ	C7-C8-C9-C11
55	N	201	CDL	CA2-OA2-PA1-OA3
55	N	201	CDL	CA2-OA2-PA1-OA4
55	N	201	CDL	CA6-CA4-OA6-CA5
55	N	201	CDL	C11-CA5-OA6-CA4
55	N	201	CDL	CB3-OB5-PB2-OB4
55	V	201	CDL	O1-C1-CA2-OA2
55	V	201	CDL	CA2-OA2-PA1-OA4
55	V	201	CDL	CB2-OB2-PB2-OB3
55	V	201	CDL	CB2-OB2-PB2-OB4
55	V	201	CDL	CB3-OB5-PB2-OB3
55	V	201	CDL	CB3-OB5-PB2-OB4
55	V	202	CDL	CA2-C1-CB2-OB2
55	V	202	CDL	CB2-OB2-PB2-OB3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	V	202	CDL	CB3-OB5-PB2-OB3
55	V	202	CDL	CB3-OB5-PB2-OB4
55	V	202	CDL	OB6-CB4-CB6-OB8
55	a	201	CDL	CA2-C1-CB2-OB2
55	a	201	CDL	CA2-OA2-PA1-OA3
55	a	201	CDL	CB2-OB2-PB2-OB3
55	a	201	CDL	CB2-OB2-PB2-OB4
55	a	201	CDL	CB3-OB5-PB2-OB3
55	a	201	CDL	CB3-OB5-PB2-OB4
55	a	201	CDL	OB7-CB5-OB6-CB4
55	l	702	CDL	O1-C1-CA2-OA2
55	l	702	CDL	OA9-CA7-OA8-CA6
55	l	702	CDL	C31-CA7-OA8-CA6
55	l	702	CDL	CB2-OB2-PB2-OB4
55	l	702	CDL	CB3-OB5-PB2-OB3
55	l	702	CDL	CB3-OB5-PB2-OB4
55	l	703	CDL	CA3-OA5-PA1-OA3
55	l	703	CDL	CB2-OB2-PB2-OB4
55	m	201	CDL	O1-C1-CB2-OB2
55	m	201	CDL	CA2-C1-CB2-OB2
55	m	201	CDL	CA2-OA2-PA1-OA3
55	m	201	CDL	CA3-OA5-PA1-OA2
55	m	201	CDL	CA3-OA5-PA1-OA3
55	m	201	CDL	CA3-OA5-PA1-OA4
55	m	201	CDL	OA6-CA4-CA6-OA8
55	m	201	CDL	CB2-OB2-PB2-OB3
55	m	201	CDL	CB2-OB2-PB2-OB4
55	m	201	CDL	CB2-OB2-PB2-OB5
55	m	201	CDL	CB3-OB5-PB2-OB3
55	m	201	CDL	CB3-OB5-PB2-OB4
55	r	504	CDL	CB2-C1-CA2-OA2
55	r	504	CDL	C51-CB5-OB6-CB4
55	s	402	CDL	CA2-OA2-PA1-OA3
55	s	402	CDL	CA2-OA2-PA1-OA4
55	s	402	CDL	CA2-OA2-PA1-OA5
55	s	402	CDL	CB2-OB2-PB2-OB4
55	u	201	CDL	CA2-OA2-PA1-OA4
55	u	201	CDL	CA3-OA5-PA1-OA2
55	u	201	CDL	CB2-OB2-PB2-OB5
55	u	201	CDL	CB3-OB5-PB2-OB2
55	u	201	CDL	CB3-OB5-PB2-OB3
57	w	401	ADP	PA-O3A-PB-O2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
57	w	401	ADP	C5'-O5'-PA-O1A
57	w	401	ADP	C5'-O5'-PA-O2A
57	w	401	ADP	C5'-O5'-PA-O3A
52	J	402	UQ	C22-C23-C24-C25
47	B	303	PEE	O4-C10-O2-C2
47	l	701	PEE	O4-C10-O2-C2
47	l	704	PEE	O4-C10-O2-C2
55	N	201	CDL	OA7-CA5-OA6-CA4
55	V	201	CDL	OA7-CA5-OA6-CA4
55	V	201	CDL	C11-CA5-OA6-CA4
55	a	201	CDL	C51-CB5-OB6-CB4
52	J	402	UQ	C12-C11-C9-C10
52	s	403	UQ	C18-C19-C21-C22
48	r	502	PLX	C7-C8-C9-C10
52	J	402	UQ	C12-C13-C14-C15
47	r	501	PEE	O4-C10-O2-C2
55	r	504	CDL	OB7-CB5-OB6-CB4
52	J	402	UQ	C17-C18-C19-C21
52	s	403	UQ	C17-C18-C19-C21
52	s	403	UQ	C22-C23-C24-C26
55	V	202	CDL	O1-C1-CB2-OB2
55	l	702	CDL	O1-C1-CB2-OB2
55	l	703	CDL	O1-C1-CB2-OB2
55	r	504	CDL	O1-C1-CA2-OA2
55	u	201	CDL	O1-C1-CA2-OA2
47	U	101	PEE	C31-C30-O3-C3
55	V	201	CDL	C31-CA7-OA8-CA6
51	J	401	NDP	C2D-C1D-N1N-C6N
48	r	502	PLX	C9-C10-C11-C12
55	m	201	CDL	C73-C74-C75-C76
48	J	403	PLX	C25-C26-C27-C28
48	J	403	PLX	C27-C28-C29-C30
55	V	201	CDL	C62-C63-C64-C65
55	V	202	CDL	C37-C38-C39-C40
47	l	704	PEE	C33-C34-C35-C36
48	g	201	PLX	C11-C10-C9-C8
47	U	101	PEE	O5-C30-O3-C3
52	J	402	UQ	C15-C14-C16-C17
47	U	101	PEE	C30-C31-C32-C33
52	J	402	UQ	C14-C16-C17-C18
48	j	202	PLX	C13-C14-C15-C16
55	l	703	CDL	C71-CB7-OB8-CB6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	l	704	PEE	C40-C41-C42-C43
55	V	201	CDL	OA9-CA7-OA8-CA6
47	U	101	PEE	C11-C10-O2-C2
47	s	401	PEE	C11-C10-O2-C2
52	s	403	UQ	C27-C28-C29-C31
48	g	201	PLX	C10-C11-C12-C13
52	s	403	UQ	C22-C23-C24-C25
47	b	201	PEE	C10-C11-C12-C13
55	l	702	CDL	CA2-C1-CB2-OB2
48	C	302	PLX	C25-C26-C27-C28
47	Q	501	PEE	C31-C30-O3-C3
47	W	201	PEE	C31-C30-O3-C3
55	a	201	CDL	C71-CB7-OB8-CB6
55	r	504	CDL	C71-CB7-OB8-CB6
55	s	402	CDL	C31-CA7-OA8-CA6
48	r	502	PLX	C31-C32-C33-C34
55	l	702	CDL	C81-C82-C83-C84
55	l	703	CDL	C17-C18-C19-C20
47	Q	501	PEE	C11-C12-C13-C14
47	r	501	PEE	C41-C42-C43-C44
48	j	202	PLX	C32-C33-C34-C35
55	s	402	CDL	O1-C1-CA2-OA2
55	l	703	CDL	OB9-CB7-OB8-CB6
55	r	504	CDL	OB9-CB7-OB8-CB6
55	s	402	CDL	OA9-CA7-OA8-CA6
47	W	201	PEE	C10-C11-C12-C13
47	Q	501	PEE	O5-C30-O3-C3
55	l	703	CDL	C41-C42-C43-C44
47	l	701	PEE	C31-C30-O3-C3
55	V	201	CDL	CA7-C31-C32-C33
55	a	201	CDL	CA5-C11-C12-C13
55	l	703	CDL	C39-C40-C41-C42
55	m	201	CDL	C43-C44-C45-C46
55	V	201	CDL	CB7-C71-C72-C73
55	V	202	CDL	CB7-C71-C72-C73
55	l	702	CDL	CB7-C71-C72-C73
55	r	504	CDL	CB7-C71-C72-C73
55	s	402	CDL	CB5-C51-C52-C53
47	U	101	PEE	C32-C33-C34-C35
48	g	201	PLX	C17-C18-C19-C20
55	V	201	CDL	C34-C35-C36-C37
55	V	202	CDL	C39-C40-C41-C42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	W	201	PEE	O5-C30-O3-C3
55	a	201	CDL	OB9-CB7-OB8-CB6
52	s	403	UQ	C14-C16-C17-C18
55	a	201	CDL	O1-C1-CB2-OB2
47	U	101	PEE	O4-C10-O2-C2
47	s	401	PEE	O4-C10-O2-C2
55	l	702	CDL	C71-CB7-OB8-CB6
47	B	303	PEE	C34-C35-C36-C37
47	l	701	PEE	C17-C18-C19-C20
55	r	504	CDL	C51-C52-C53-C54
47	l	701	PEE	O5-C30-O3-C3
47	b	201	PEE	C11-C10-O2-C2
55	a	201	CDL	C34-C35-C36-C37
47	U	101	PEE	C1-O3P-P-O4P
47	W	201	PEE	C1-O3P-P-O4P
47	W	201	PEE	C4-O4P-P-O3P
47	j	201	PEE	C1-O3P-P-O4P
47	j	201	PEE	C4-O4P-P-O3P
47	l	701	PEE	C4-O4P-P-O3P
47	r	501	PEE	C1-O3P-P-O4P
48	C	302	PLX	C3-O4-P1-O1
48	a	202	PLX	C3-O4-P1-O1
55	N	201	CDL	CA2-OA2-PA1-OA5
55	N	201	CDL	CB3-OB5-PB2-OB2
55	V	201	CDL	CA2-OA2-PA1-OA5
55	V	201	CDL	CB2-OB2-PB2-OB5
55	V	201	CDL	CB3-OB5-PB2-OB2
55	V	202	CDL	CB3-OB5-PB2-OB2
55	a	201	CDL	CB2-OB2-PB2-OB5
55	a	201	CDL	CB3-OB5-PB2-OB2
55	l	702	CDL	CA2-OA2-PA1-OA5
55	l	702	CDL	CB2-OB2-PB2-OB5
55	l	702	CDL	CB3-OB5-PB2-OB2
55	l	703	CDL	CB2-OB2-PB2-OB5
55	m	201	CDL	CB3-OB5-PB2-OB2
55	r	504	CDL	CA3-OA5-PA1-OA2
55	s	402	CDL	CB2-OB2-PB2-OB5
55	u	201	CDL	CA2-OA2-PA1-OA5
55	s	402	CDL	CA5-C11-C12-C13
55	V	201	CDL	C71-CB7-OB8-CB6
55	l	702	CDL	C58-C59-C60-C61
55	V	201	CDL	CB2-C1-CA2-OA2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	b	201	PEE	O4-C10-O2-C2
48	g	201	PLX	C2-C1-N1-C1C
48	g	201	PLX	C2-C1-N1-C1B
48	g	201	PLX	C2-C1-N1-C1A
47	b	201	PEE	C31-C30-O3-C3
48	j	202	PLX	O6-C6-C7-C8
55	m	201	CDL	C36-C37-C38-C39
55	r	504	CDL	C32-C33-C34-C35
55	V	201	CDL	C51-CB5-OB6-CB4
55	V	202	CDL	C51-CB5-OB6-CB4
47	s	401	PEE	C11-C12-C13-C14
48	J	403	PLX	C31-C32-C33-C34
48	r	503	PLX	C28-C29-C30-C31
50	G	201	8Q1	C12-C13-C14-C15
55	V	202	CDL	C52-C53-C54-C55
55	V	202	CDL	C55-C56-C57-C58
55	a	201	CDL	C62-C63-C64-C65
55	l	702	CDL	C59-C60-C61-C62
55	r	504	CDL	C14-C15-C16-C17
55	r	504	CDL	C80-C81-C82-C83
50	G	201	8Q1	O27-C28-C29-C30
50	G	201	8Q1	O27-C28-C29-C31
47	l	704	PEE	C31-C30-O3-C3
47	b	201	PEE	C31-C32-C33-C34
48	g	201	PLX	C25-C26-C27-C28
48	j	202	PLX	C11-C12-C13-C14
48	r	503	PLX	C13-C14-C15-C16
50	X	201	8Q1	C11-C12-C13-C14
55	V	201	CDL	C37-C38-C39-C40
55	V	201	CDL	C59-C60-C61-C62
55	V	202	CDL	C17-C18-C19-C20
55	a	201	CDL	C17-C18-C19-C20
55	r	504	CDL	C31-C32-C33-C34
55	r	504	CDL	C52-C53-C54-C55
55	V	201	CDL	OB7-CB5-OB6-CB4
55	u	201	CDL	CB5-C51-C52-C53
47	j	201	PEE	C12-C13-C14-C15
48	J	403	PLX	C34-C35-C36-C37
48	a	202	PLX	C28-C29-C30-C31
48	g	201	PLX	C9-C10-C11-C12
48	r	502	PLX	C11-C10-C9-C8
47	s	401	PEE	C37-C38-C39-C40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	J	403	PLX	C26-C27-C28-C29
55	V	202	CDL	C14-C15-C16-C17
55	V	202	CDL	C61-C62-C63-C64
55	a	201	CDL	C76-C77-C78-C79
55	m	201	CDL	C17-C18-C19-C20
55	m	201	CDL	C56-C57-C58-C59
55	V	202	CDL	O1-C1-CA2-OA2
47	B	303	PEE	C11-C12-C13-C14
48	j	202	PLX	C18-C19-C20-C21
48	j	202	PLX	C25-C26-C27-C28
48	j	202	PLX	C33-C34-C35-C36
55	l	702	CDL	OA6-CA4-CA6-OA8
47	l	704	PEE	C34-C35-C36-C37
48	a	202	PLX	C9-C10-C11-C12
55	l	702	CDL	C75-C76-C77-C78
47	W	201	PEE	C22-C23-C24-C25
48	J	403	PLX	C9-C10-C11-C12
48	a	202	PLX	C13-C14-C15-C16
48	g	201	PLX	C32-C33-C34-C35
48	r	503	PLX	C10-C11-C12-C13
50	G	201	8Q1	C10-C11-C12-C13
55	l	702	CDL	C52-C53-C54-C55
52	s	403	UQ	C23-C24-C26-C27
55	l	702	CDL	CA7-C31-C32-C33
47	B	303	PEE	C31-C32-C33-C34
47	s	401	PEE	C34-C35-C36-C37
48	g	201	PLX	C7-C8-C9-C10
48	r	502	PLX	C14-C15-C16-C17
55	V	201	CDL	C55-C56-C57-C58
55	V	202	CDL	C82-C83-C84-C85
55	a	201	CDL	C23-C24-C25-C26
55	m	201	CDL	C14-C15-C16-C17
55	r	504	CDL	C12-C13-C14-C15
55	r	504	CDL	C73-C74-C75-C76
47	W	201	PEE	C11-C12-C13-C14
48	j	202	PLX	C16-C17-C18-C19
48	r	503	PLX	C14-C15-C16-C17
55	V	201	CDL	C56-C57-C58-C59
55	m	201	CDL	C52-C53-C54-C55
55	m	201	CDL	C71-C72-C73-C74
55	V	202	CDL	OB7-CB5-OB6-CB4
47	B	303	PEE	C23-C24-C25-C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	V	202	CDL	C12-C13-C14-C15
55	l	702	CDL	C16-C17-C18-C19
55	l	702	CDL	C62-C63-C64-C65
55	m	201	CDL	C32-C33-C34-C35
47	B	303	PEE	C35-C36-C37-C38
47	j	201	PEE	C19-C20-C21-C22
47	l	701	PEE	C10-C11-C12-C13
47	W	201	PEE	C12-C13-C14-C15
47	b	201	PEE	C33-C34-C35-C36
47	j	201	PEE	C20-C21-C22-C23
47	r	501	PEE	C13-C14-C15-C16
48	a	202	PLX	C25-C26-C27-C28
48	a	202	PLX	C33-C34-C35-C36
48	g	201	PLX	C14-C15-C16-C17
48	j	202	PLX	C7-C8-C9-C10
48	r	503	PLX	C25-C26-C27-C28
55	V	201	CDL	C52-C53-C54-C55
55	V	201	CDL	C74-C75-C76-C77
55	a	201	CDL	C75-C76-C77-C78
55	l	702	CDL	C56-C57-C58-C59
55	l	703	CDL	C11-C12-C13-C14
47	r	501	PEE	C40-C41-C42-C43
48	J	403	PLX	C28-C29-C30-C31
55	V	201	CDL	C17-C18-C19-C20
55	V	201	CDL	C78-C79-C80-C81
55	V	202	CDL	C60-C61-C62-C63
55	r	504	CDL	C43-C44-C45-C46
48	a	202	PLX	C30-C31-C32-C33
48	j	202	PLX	C14-C15-C16-C17
55	V	202	CDL	C74-C75-C76-C77
55	a	201	CDL	C32-C33-C34-C35
55	l	702	CDL	C35-C36-C37-C38
55	l	702	CDL	C82-C83-C84-C85
55	m	201	CDL	C37-C38-C39-C40
47	l	704	PEE	C30-C31-C32-C33
55	V	201	CDL	OB9-CB7-OB8-CB6
47	j	201	PEE	C22-C23-C24-C25
48	r	502	PLX	C12-C13-C14-C15
55	V	201	CDL	C38-C39-C40-C41
55	a	201	CDL	C35-C36-C37-C38
55	l	702	CDL	C71-C72-C73-C74
47	j	201	PEE	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	V	202	CDL	C11-C12-C13-C14
55	a	201	CDL	C31-C32-C33-C34
55	V	202	CDL	C36-C37-C38-C39
55	m	201	CDL	C19-C20-C21-C22
55	l	702	CDL	OB9-CB7-OB8-CB6
48	g	201	PLX	C28-C29-C30-C31
55	l	702	CDL	C74-C75-C76-C77
47	B	303	PEE	C1-C2-C3-O3
47	W	201	PEE	C1-C2-C3-O3
48	g	201	PLX	C3-C4-C5-O8
47	l	701	PEE	C37-C38-C39-C40
48	J	403	PLX	C13-C14-C15-C16
55	V	201	CDL	C35-C36-C37-C38
47	r	501	PEE	C12-C13-C14-C15
48	a	202	PLX	C11-C12-C13-C14
55	m	201	CDL	C75-C76-C77-C78
47	j	201	PEE	C11-C12-C13-C14
48	g	201	PLX	C18-C19-C20-C21
48	r	502	PLX	O7-C6-C7-C8
55	a	201	CDL	C60-C61-C62-C63
55	l	702	CDL	C73-C74-C75-C76
47	b	201	PEE	O5-C30-O3-C3
48	g	201	PLX	C27-C28-C29-C30
55	l	702	CDL	C31-C32-C33-C34
55	s	402	CDL	O1-C1-CB2-OB2
55	V	202	CDL	C75-C76-C77-C78
55	V	202	CDL	C59-C60-C61-C62
47	l	704	PEE	O5-C30-O3-C3
55	l	702	CDL	CB2-C1-CA2-OA2
48	r	503	PLX	C32-C33-C34-C35
55	V	202	CDL	C15-C16-C17-C18
55	a	201	CDL	C51-C52-C53-C54
55	a	201	CDL	C71-C72-C73-C74
47	W	201	PEE	C33-C34-C35-C36
47	l	704	PEE	C21-C22-C23-C24
55	a	201	CDL	C54-C55-C56-C57
48	g	201	PLX	C30-C31-C32-C33
55	a	201	CDL	C22-C23-C24-C25
55	l	702	CDL	C17-C18-C19-C20
55	r	504	CDL	C55-C56-C57-C58
55	s	402	CDL	C12-C13-C14-C15
55	V	202	CDL	CA7-C31-C32-C33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	J	403	PLX	C30-C31-C32-C33
55	a	201	CDL	C82-C83-C84-C85
55	N	201	CDL	C51-CB5-OB6-CB4
48	g	201	PLX	C16-C17-C18-C19
55	l	702	CDL	C11-C12-C13-C14
55	u	201	CDL	CB7-C71-C72-C73
48	r	503	PLX	C11-C12-C13-C14
55	r	504	CDL	C41-C42-C43-C44
52	s	403	UQ	C27-C28-C29-C30
55	V	201	CDL	C14-C15-C16-C17
55	V	201	CDL	C75-C76-C77-C78
55	l	702	CDL	C37-C38-C39-C40
47	l	704	PEE	C37-C38-C39-C40
47	l	704	PEE	C42-C43-C44-C45
50	G	201	8Q1	C11-C12-C13-C14
55	r	504	CDL	C15-C16-C17-C18
47	Q	501	PEE	C35-C36-C37-C38
47	W	201	PEE	C15-C16-C17-C18
47	l	704	PEE	C39-C40-C41-C42
47	r	501	PEE	C39-C40-C41-C42
47	r	501	PEE	C31-C30-O3-C3
55	m	201	CDL	C71-CB7-OB8-CB6
55	V	202	CDL	C41-C42-C43-C44
55	r	504	CDL	C37-C38-C39-C40
55	s	402	CDL	C36-C37-C38-C39
47	W	201	PEE	C20-C21-C22-C23
55	m	201	CDL	C55-C56-C57-C58
55	m	201	CDL	C82-C83-C84-C85
47	Q	501	PEE	C34-C35-C36-C37
55	s	402	CDL	C51-C52-C53-C54
47	l	701	PEE	C11-C12-C13-C14
48	C	302	PLX	C10-C11-C12-C13
55	V	201	CDL	C44-C45-C46-C47
55	V	202	CDL	C35-C36-C37-C38
47	l	701	PEE	C32-C33-C34-C35
48	J	403	PLX	C11-C12-C13-C14
48	J	403	PLX	C33-C34-C35-C36
48	a	202	PLX	C10-C11-C12-C13
48	r	503	PLX	C30-C31-C32-C33
55	m	201	CDL	C20-C21-C22-C23
47	l	704	PEE	C31-C32-C33-C34
47	l	704	PEE	C32-C33-C34-C35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	a	201	CDL	C38-C39-C40-C41
55	l	702	CDL	C11-CA5-OA6-CA4
48	C	302	PLX	O4-C3-C4-O6
48	J	403	PLX	C16-C17-C18-C19
48	r	502	PLX	C16-C17-C18-C19
55	s	402	CDL	C78-C79-C80-C81
55	N	201	CDL	OB7-CB5-OB6-CB4
55	V	201	CDL	OB6-CB4-CB6-OB8
55	V	202	CDL	OA6-CA4-CA6-OA8
55	m	201	CDL	C11-C12-C13-C14
47	B	303	PEE	C22-C23-C24-C25
47	B	303	PEE	C14-C15-C16-C17
48	J	403	PLX	C7-C8-C9-C10
55	l	702	CDL	C18-C19-C20-C21
55	l	703	CDL	C31-C32-C33-C34
47	s	401	PEE	C15-C16-C17-C18
55	m	201	CDL	C79-C80-C81-C82
47	b	201	PEE	C13-C14-C15-C16
48	j	202	PLX	C27-C28-C29-C30
47	B	303	PEE	C17-C18-C19-C20
47	W	201	PEE	C13-C14-C15-C16
47	s	401	PEE	C32-C33-C34-C35
55	l	702	CDL	OA7-CA5-OA6-CA4
48	a	202	PLX	C7-C8-C9-C10
55	V	201	CDL	C43-C44-C45-C46
47	B	303	PEE	C4-O4P-P-O3P
48	g	201	PLX	C3-O4-P1-O1
55	V	202	CDL	CB2-OB2-PB2-OB5
55	m	201	CDL	CA2-OA2-PA1-OA5
55	r	504	CDL	CB2-OB2-PB2-OB5
48	r	503	PLX	C27-C28-C29-C30
55	V	202	CDL	C38-C39-C40-C41
48	C	302	PLX	O4-C3-C4-C5
48	J	403	PLX	O4-C3-C4-C5
55	V	201	CDL	OA5-CA3-CA4-CA6
55	a	201	CDL	OA5-CA3-CA4-CA6
55	a	201	CDL	OB5-CB3-CB4-CB6
47	b	201	PEE	C22-C23-C24-C25
47	s	401	PEE	C13-C14-C15-C16
47	s	401	PEE	C33-C34-C35-C36
55	l	702	CDL	C53-C54-C55-C56
48	r	502	PLX	C27-C28-C29-C30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	s	401	PEE	C19-C20-C21-C22
47	r	501	PEE	C32-C33-C34-C35
48	J	403	PLX	C11-C10-C9-C8
48	g	201	PLX	C13-C14-C15-C16
55	V	201	CDL	C53-C54-C55-C56
47	W	201	PEE	C24-C25-C26-C27
48	g	201	PLX	C11-C12-C13-C14
55	m	201	CDL	OB9-CB7-OB8-CB6
47	Q	501	PEE	C1-C2-C3-O3
47	b	201	PEE	C1-C2-C3-O3
47	j	201	PEE	C1-C2-C3-O3
48	J	403	PLX	C14-C15-C16-C17
55	V	201	CDL	CA3-CA4-CA6-OA8
55	V	201	CDL	CB3-CB4-CB6-OB8
55	V	202	CDL	CB3-CB4-CB6-OB8
55	m	201	CDL	CB3-CB4-CB6-OB8
47	r	501	PEE	C17-C18-C19-C20
55	a	201	CDL	C52-C53-C54-C55
48	r	503	PLX	C9-C10-C11-C12
47	B	303	PEE	C44-C45-C46-C47
50	G	201	8Q1	C13-C14-C15-C16
55	l	703	CDL	C73-C74-C75-C76
48	r	502	PLX	O8-C24-C25-C26
55	r	504	CDL	C17-C18-C19-C20
47	U	101	PEE	C36-C37-C38-C39
47	j	201	PEE	C24-C25-C26-C27
55	r	504	CDL	C59-C60-C61-C62
47	B	303	PEE	C15-C16-C17-C18
47	j	201	PEE	C15-C16-C17-C18
47	l	701	PEE	C35-C36-C37-C38
47	l	701	PEE	C33-C34-C35-C36
55	l	702	CDL	C34-C35-C36-C37
55	s	402	CDL	C72-C73-C74-C75
47	r	501	PEE	O5-C30-O3-C3
55	m	201	CDL	CA7-C31-C32-C33
47	B	303	PEE	C21-C22-C23-C24
55	V	201	CDL	C51-C52-C53-C54
55	a	201	CDL	C84-C85-C86-C87
55	m	201	CDL	C59-C60-C61-C62
55	s	402	CDL	C54-C55-C56-C57
55	V	201	CDL	CA6-CA4-OA6-CA5
50	X	201	8Q1	C28-O27-P24-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	l	702	CDL	OA5-CA3-CA4-OA6
48	j	202	PLX	C31-C32-C33-C34
48	r	503	PLX	C16-C17-C18-C19
55	a	201	CDL	C73-C74-C75-C76
55	r	504	CDL	C82-C83-C84-C85
47	r	501	PEE	O2-C2-C3-O3
48	g	201	PLX	O6-C4-C5-O8
55	m	201	CDL	OB6-CB4-CB6-OB8
48	g	201	PLX	C12-C13-C14-C15
55	V	201	CDL	C22-C23-C24-C25
50	G	201	8Q1	C31-C29-C32-O33
50	X	201	8Q1	C31-C29-C32-O33
47	U	101	PEE	C44-C45-C46-C47
55	s	402	CDL	C80-C81-C82-C83
55	V	201	CDL	C40-C41-C42-C43
55	V	201	CDL	C64-C65-C66-C67
55	u	201	CDL	C52-C53-C54-C55
52	J	402	UQ	C3-C2-O2-CM2
55	V	201	CDL	C33-C34-C35-C36
55	a	201	CDL	C42-C43-C44-C45
55	a	201	CDL	C61-C62-C63-C64
55	m	201	CDL	C34-C35-C36-C37
48	r	503	PLX	C33-C34-C35-C36
55	r	504	CDL	C21-C22-C23-C24
55	m	201	CDL	C84-C85-C86-C87
47	Q	501	PEE	C24-C25-C26-C27
48	g	201	PLX	C33-C34-C35-C36
47	B	303	PEE	C31-C30-O3-C3
55	a	201	CDL	C31-CA7-OA8-CA6
47	s	401	PEE	C40-C41-C42-C43
47	U	101	PEE	C19-C20-C21-C22
47	r	501	PEE	C42-C43-C44-C45
47	r	501	PEE	C36-C37-C38-C39
48	j	202	PLX	C9-C10-C11-C12
55	N	201	CDL	OA5-CA3-CA4-CA6
55	r	504	CDL	OB5-CB3-CB4-CB6
55	s	402	CDL	OA5-CA3-CA4-CA6
52	J	402	UQ	C19-C21-C22-C23
55	V	201	CDL	C15-C16-C17-C18
47	s	401	PEE	C30-C31-C32-C33
47	l	701	PEE	O4P-C4-C5-N
55	l	702	CDL	C24-C25-C26-C27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	a	202	PLX	C14-C15-C16-C17
48	r	503	PLX	C11-C10-C9-C8
55	r	504	CDL	C62-C63-C64-C65
55	s	402	CDL	C14-C15-C16-C17
48	r	502	PLX	C10-C11-C12-C13
47	j	201	PEE	C23-C24-C25-C26
48	r	503	PLX	C31-C32-C33-C34
55	r	504	CDL	C13-C14-C15-C16
55	V	201	CDL	C32-C31-CA7-OA8
55	V	202	CDL	CB5-C51-C52-C53
55	a	201	CDL	C14-C15-C16-C17
47	W	201	PEE	C21-C22-C23-C24
48	a	202	PLX	C27-C28-C29-C30
46	A	502	FMN	C2'-C1'-N10-C10
48	r	503	PLX	C35-C36-C37-C38
55	N	201	CDL	C11-C12-C13-C14
47	l	704	PEE	C15-C16-C17-C18
47	Q	501	PEE	C14-C15-C16-C17
48	r	502	PLX	C25-C26-C27-C28
47	j	201	PEE	C31-C30-O3-C3
48	a	202	PLX	C26-C27-C28-C29
55	V	201	CDL	C73-C74-C75-C76
47	s	401	PEE	C1-C2-C3-O3
48	r	503	PLX	C3-C4-C5-O8
55	V	202	CDL	CA3-CA4-CA6-OA8
55	l	702	CDL	CA3-CA4-CA6-OA8
55	m	201	CDL	CA3-CA4-CA6-OA8
55	l	703	CDL	C75-C76-C77-C78
48	j	202	PLX	C17-C18-C19-C20
55	V	201	CDL	C32-C33-C34-C35
55	V	201	CDL	C54-C55-C56-C57
55	u	201	CDL	C57-C58-C59-C60
47	s	401	PEE	C44-C45-C46-C47
55	a	201	CDL	C15-C16-C17-C18
47	Q	501	PEE	C4-O4P-P-O3P
48	j	202	PLX	C2-O1-P1-O4
48	r	502	PLX	C3-C4-O6-C6
48	r	502	PLX	C5-C4-O6-C6
48	r	503	PLX	C5-C4-O6-C6
55	l	703	CDL	CA5-C11-C12-C13
55	V	202	CDL	C54-C55-C56-C57
55	V	202	CDL	C57-C58-C59-C60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	a	202	PLX	C34-C35-C36-C37
55	N	201	CDL	C51-C52-C53-C54
47	b	201	PEE	O3P-C1-C2-O2
48	r	503	PLX	O4-C3-C4-O6
55	V	201	CDL	OA5-CA3-CA4-OA6
55	V	202	CDL	OA5-CA3-CA4-OA6
55	a	201	CDL	OB5-CB3-CB4-OB6
47	j	201	PEE	C10-C11-C12-C13
47	r	501	PEE	C14-C15-C16-C17
55	u	201	CDL	C73-C74-C75-C76
47	j	201	PEE	O2-C2-C3-O3
48	C	302	PLX	O6-C4-C5-O8
48	j	202	PLX	O6-C4-C5-O8
48	r	503	PLX	O6-C4-C5-O8
55	N	201	CDL	OB6-CB4-CB6-OB8
52	J	402	UQ	C9-C11-C12-C13
55	u	201	CDL	CB2-C1-CA2-OA2
47	B	303	PEE	C20-C21-C22-C23
47	r	501	PEE	C24-C25-C26-C27
55	a	201	CDL	C44-C45-C46-C47
55	l	702	CDL	C33-C34-C35-C36
47	j	201	PEE	C32-C33-C34-C35
55	m	201	CDL	CA4-CA3-OA5-PA1
47	B	303	PEE	C36-C37-C38-C39
50	X	201	8Q1	O4-C1-S44-C43
55	N	201	CDL	CB7-C71-C72-C73
55	s	402	CDL	C32-C33-C34-C35
55	l	702	CDL	C38-C39-C40-C41
48	g	201	PLX	O4-C3-C4-C5
55	l	702	CDL	OA5-CA3-CA4-CA6
47	l	704	PEE	C13-C14-C15-C16
48	r	503	PLX	C18-C19-C20-C21
55	m	201	CDL	C74-C75-C76-C77
47	B	303	PEE	C38-C39-C40-C41
47	U	101	PEE	C38-C39-C40-C41
48	j	202	PLX	C30-C31-C32-C33
55	s	402	CDL	C55-C56-C57-C58
47	B	303	PEE	O5-C30-O3-C3
55	V	202	CDL	C31-C32-C33-C34
55	a	201	CDL	OA9-CA7-OA8-CA6
50	X	201	8Q1	C6-C1-S44-C43
55	s	402	CDL	CA6-CA4-OA6-CA5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	Q	501	PEE	C22-C23-C24-C25
47	r	501	PEE	C21-C22-C23-C24
48	a	202	PLX	C3-C4-C5-O8
48	j	202	PLX	C3-C4-C5-O8
48	r	502	PLX	C3-C4-C5-O8
48	a	202	PLX	C32-C33-C34-C35
55	l	703	CDL	C15-C16-C17-C18
47	j	201	PEE	O3P-C1-C2-O2
47	r	501	PEE	O3P-C1-C2-O2
48	J	403	PLX	O4-C3-C4-O6
48	g	201	PLX	O4-C3-C4-O6
55	V	201	CDL	OB5-CB3-CB4-OB6
55	a	201	CDL	OA5-CA3-CA4-OA6
55	l	703	CDL	OA5-CA3-CA4-OA6
55	r	504	CDL	OB5-CB3-CB4-OB6
55	s	402	CDL	OA5-CA3-CA4-OA6
55	u	201	CDL	OA5-CA3-CA4-OA6
55	l	703	CDL	CA2-C1-CB2-OB2
50	X	201	8Q1	C30-C29-C32-C34
47	j	201	PEE	O5-C30-O3-C3
47	b	201	PEE	O2-C2-C3-O3
48	J	403	PLX	O6-C4-C5-O8
48	r	502	PLX	O6-C4-C5-O8
55	V	201	CDL	OA6-CA4-CA6-OA8
55	a	201	CDL	C11-C12-C13-C14
51	J	401	NDP	C5D-O5D-PN-O3
55	l	702	CDL	C51-CB5-OB6-CB4
55	r	504	CDL	C39-C40-C41-C42
55	l	702	CDL	OB7-CB5-OB6-CB4
48	C	302	PLX	C15-C16-C17-C18
48	j	202	PLX	C19-C20-C21-C22
55	m	201	CDL	C31-CA7-OA8-CA6
55	V	202	CDL	C51-C52-C53-C54
55	l	702	CDL	C54-C55-C56-C57
55	l	703	CDL	CA3-OA5-PA1-OA2
55	a	201	CDL	C21-C22-C23-C24
55	V	201	CDL	CA4-CA3-OA5-PA1
55	r	504	CDL	C1-CB2-OB2-PB2
47	B	303	PEE	C4-O4P-P-O1P
47	U	101	PEE	C1-O3P-P-O2P
47	W	201	PEE	C4-O4P-P-O1P
47	j	201	PEE	C1-O3P-P-O2P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	j	201	PEE	C1-O3P-P-O1P
47	r	501	PEE	C1-O3P-P-O2P
48	a	202	PLX	C3-O4-P1-O2
48	g	201	PLX	C3-O4-P1-O3
48	j	202	PLX	C2-O1-P1-O3
48	r	502	PLX	C2-O1-P1-O3
52	s	403	UQ	C6-C7-C8-C9
55	V	202	CDL	CB2-OB2-PB2-OB4
55	l	702	CDL	CA2-OA2-PA1-OA3
55	l	703	CDL	CB2-OB2-PB2-OB3
55	r	504	CDL	CA3-OA5-PA1-OA3
55	r	504	CDL	CB2-OB2-PB2-OB3
55	r	504	CDL	CB2-OB2-PB2-OB4
55	r	504	CDL	CB3-OB5-PB2-OB4
55	u	201	CDL	CA2-OA2-PA1-OA3
55	u	201	CDL	CA3-OA5-PA1-OA3
55	u	201	CDL	CB2-OB2-PB2-OB4
47	B	303	PEE	C33-C34-C35-C36
47	U	101	PEE	C20-C21-C22-C23
47	B	303	PEE	O3P-C1-C2-C3
47	b	201	PEE	O3P-C1-C2-C3
47	j	201	PEE	O3P-C1-C2-C3
47	r	501	PEE	O3P-C1-C2-C3
48	r	503	PLX	O4-C3-C4-C5
55	l	703	CDL	OA5-CA3-CA4-CA6
55	u	201	CDL	OA5-CA3-CA4-CA6
48	j	202	PLX	C28-C29-C30-C31
55	s	402	CDL	C74-C75-C76-C77
48	a	202	PLX	C35-C36-C37-C38
46	A	502	FMN	C1'-C2'-C3'-O3'
48	J	403	PLX	C1-C2-O1-P1
48	J	403	PLX	C25-C24-O8-C5
48	a	202	PLX	C25-C24-O8-C5
48	g	201	PLX	C25-C24-O8-C5
47	j	201	PEE	C33-C34-C35-C36
55	a	201	CDL	C16-C17-C18-C19
55	r	504	CDL	C74-C75-C76-C77
47	W	201	PEE	C19-C20-C21-C22
47	l	704	PEE	C19-C20-C21-C22
47	s	401	PEE	C39-C40-C41-C42
55	V	201	CDL	C11-C12-C13-C14
55	V	202	CDL	CB2-C1-CA2-OA2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	s	402	CDL	CB2-C1-CA2-OA2
47	W	201	PEE	O4-C10-O2-C2
47	B	303	PEE	O3P-C1-C2-O2
47	l	701	PEE	O3P-C1-C2-O2
55	N	201	CDL	OA5-CA3-CA4-OA6
55	l	702	CDL	OB5-CB3-CB4-OB6
47	b	201	PEE	C34-C35-C36-C37
47	W	201	PEE	C11-C10-O2-C2
55	l	703	CDL	C32-C33-C34-C35
55	l	703	CDL	C56-C57-C58-C59
47	B	303	PEE	C13-C14-C15-C16
55	V	202	CDL	C78-C79-C80-C81
55	s	402	CDL	C16-C17-C18-C19
48	J	403	PLX	N1-C1-C2-O1
50	G	201	8Q1	C28-C29-C32-O33
50	X	201	8Q1	C28-C29-C32-O33
51	J	401	NDP	C2N-C3N-C7N-O7N
47	B	303	PEE	O2-C2-C3-O3
47	Q	501	PEE	O2-C2-C3-O3
47	W	201	PEE	O2-C2-C3-O3
47	s	401	PEE	O2-C2-C3-O3
47	s	401	PEE	C20-C21-C22-C23
55	u	201	CDL	C51-C52-C53-C54
55	s	402	CDL	C38-C39-C40-C41
55	V	202	CDL	C76-C77-C78-C79
55	m	201	CDL	OA9-CA7-OA8-CA6
47	s	401	PEE	C42-C43-C44-C45
48	g	201	PLX	O7-C6-C7-C8
47	b	201	PEE	C14-C15-C16-C17
55	a	201	CDL	C58-C59-C60-C61
55	l	703	CDL	C71-C72-C73-C74
47	b	201	PEE	C30-C31-C32-C33
55	l	703	CDL	C61-C62-C63-C64
55	l	703	CDL	C64-C65-C66-C67
55	l	703	CDL	O1-C1-CA2-OA2
55	r	504	CDL	C42-C43-C44-C45
55	l	703	CDL	C40-C41-C42-C43
48	j	202	PLX	C26-C27-C28-C29
48	a	202	PLX	C11-C10-C9-C8
55	m	201	CDL	CA3-CA4-OA6-CA5
47	l	701	PEE	O3P-C1-C2-C3
55	V	202	CDL	OA5-CA3-CA4-CA6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	l	703	CDL	CB5-C51-C52-C53
48	J	403	PLX	C10-C11-C12-C13
55	a	201	CDL	C53-C54-C55-C56
47	l	701	PEE	C2-C1-O3P-P
47	l	704	PEE	C22-C23-C24-C25
55	s	402	CDL	C31-C32-C33-C34
55	m	201	CDL	OA5-CA3-CA4-OA6
47	r	501	PEE	C37-C38-C39-C40
47	U	101	PEE	C21-C22-C23-C24
55	s	402	CDL	C57-C58-C59-C60
55	a	201	CDL	C18-C19-C20-C21
47	b	201	PEE	C16-C17-C18-C19
47	b	201	PEE	C4-O4P-P-O3P
48	C	302	PLX	C2-O1-P1-O4
48	r	503	PLX	C2-O1-P1-O4
55	N	201	CDL	CA3-OA5-PA1-OA2
55	N	201	CDL	CB2-OB2-PB2-OB5
55	l	703	CDL	CA2-OA2-PA1-OA5
55	s	402	CDL	CB3-OB5-PB2-OB2
50	X	201	8Q1	C10-C11-C12-C13
55	l	702	CDL	C32-C33-C34-C35
47	r	501	PEE	C1-C2-C3-O3
48	C	302	PLX	C3-C4-C5-O8
48	r	502	PLX	C30-C31-C32-C33
55	V	201	CDL	C71-C72-C73-C74
52	J	402	UQ	C4-C3-O3-CM3
47	s	401	PEE	C12-C13-C14-C15
55	V	202	CDL	C13-C14-C15-C16
47	U	101	PEE	C40-C41-C42-C43
47	b	201	PEE	C18-C19-C20-C21
50	X	201	8Q1	C6-C7-C8-C9
47	s	401	PEE	C17-C18-C19-C20
55	l	703	CDL	CA7-C31-C32-C33
55	r	504	CDL	CA7-C31-C32-C33
47	Q	501	PEE	C18-C19-C20-C21
47	r	501	PEE	C38-C39-C40-C41
55	V	201	CDL	C72-C73-C74-C75
48	a	202	PLX	C12-C13-C14-C15
55	l	703	CDL	C74-C75-C76-C77
55	r	504	CDL	C36-C37-C38-C39
55	r	504	CDL	C76-C77-C78-C79
55	u	201	CDL	O1-C1-CB2-OB2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	U	101	PEE	C42-C43-C44-C45
55	r	504	CDL	C61-C62-C63-C64
55	r	504	CDL	C72-C73-C74-C75
47	l	701	PEE	C39-C40-C41-C42
55	m	201	CDL	C77-C78-C79-C80
48	g	201	PLX	O8-C24-C25-C26
47	B	303	PEE	C12-C13-C14-C15
47	Q	501	PEE	C38-C39-C40-C41
47	l	704	PEE	C18-C19-C20-C21
48	J	403	PLX	C12-C13-C14-C15
55	a	201	CDL	C40-C41-C42-C43
48	g	201	PLX	C6-C7-C8-C9
55	r	504	CDL	C11-C12-C13-C14
55	V	202	CDL	C22-C23-C24-C25
55	N	201	CDL	O1-C1-CB2-OB2
47	j	201	PEE	C30-C31-C32-C33
47	l	704	PEE	C3-C2-O2-C10
55	r	504	CDL	CB3-OB5-PB2-OB2
47	W	201	PEE	C23-C24-C25-C26
55	l	702	CDL	C55-C56-C57-C58
55	m	201	CDL	C33-C34-C35-C36
48	C	302	PLX	C11-C12-C13-C14
55	l	703	CDL	OA7-CA5-OA6-CA4
50	G	201	8Q1	C42-C43-S44-C1
50	X	201	8Q1	C42-C43-S44-C1
48	a	202	PLX	O6-C4-C5-O8
55	r	504	CDL	OA6-CA4-CA6-OA8
55	V	202	CDL	C64-C65-C66-C67
55	r	504	CDL	C54-C55-C56-C57
55	a	201	CDL	C64-C65-C66-C67
55	s	402	CDL	C59-C60-C61-C62
55	V	202	CDL	C62-C63-C64-C65
55	a	201	CDL	C37-C38-C39-C40
55	a	201	CDL	C41-C42-C43-C44
55	l	703	CDL	C11-CA5-OA6-CA4
55	V	202	CDL	C32-C31-CA7-OA8
55	a	201	CDL	C13-C14-C15-C16
55	l	703	CDL	C80-C81-C82-C83
47	Q	501	PEE	C16-C17-C18-C19
47	r	501	PEE	C16-C17-C18-C19
47	s	401	PEE	C38-C39-C40-C41
48	C	302	PLX	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
48	C	302	PLX	C9-C10-C11-C12
55	V	202	CDL	C81-C82-C83-C84
47	l	704	PEE	C41-C42-C43-C44
48	a	202	PLX	O6-C6-C7-C8
55	N	201	CDL	O1-C1-CA2-OA2
55	s	402	CDL	C40-C41-C42-C43
55	l	702	CDL	C19-C20-C21-C22
46	A	502	FMN	O2'-C2'-C3'-O3'
47	l	704	PEE	C2-C1-O3P-P
55	l	702	CDL	CB4-CB3-OB5-PB2
55	m	201	CDL	C78-C79-C80-C81
55	N	201	CDL	OA9-CA7-OA8-CA6
55	N	201	CDL	C31-CA7-OA8-CA6
55	l	702	CDL	CB5-C51-C52-C53
47	b	201	PEE	C2-C3-O3-C30
50	X	201	8Q1	O27-C28-C29-C31
55	l	703	CDL	C52-C51-CB5-OB6
47	j	201	PEE	C18-C19-C20-C21
47	l	704	PEE	C36-C37-C38-C39
55	m	201	CDL	C53-C54-C55-C56
55	s	402	CDL	OB7-CB5-OB6-CB4
55	V	201	CDL	C39-C40-C41-C42
55	u	201	CDL	C72-C71-CB7-OB8
55	V	201	CDL	C32-C31-CA7-OA9
47	j	201	PEE	C31-C32-C33-C34
55	a	201	CDL	C78-C79-C80-C81
52	J	402	UQ	C20-C19-C21-C22
55	a	201	CDL	C12-C11-CA5-OA6
47	B	303	PEE	C18-C19-C20-C21
47	W	201	PEE	C16-C17-C18-C19
48	J	403	PLX	C3-C4-C5-O8
55	N	201	CDL	CB3-CB4-CB6-OB8
55	u	201	CDL	C1-CB2-OB2-PB2
48	j	202	PLX	C15-C16-C17-C18
55	l	703	CDL	C52-C53-C54-C55
55	u	201	CDL	OB5-CB3-CB4-OB6
48	g	201	PLX	C36-C37-C38-C39
50	G	201	8Q1	C9-C10-C11-C12
55	l	703	CDL	C51-C52-C53-C54
55	r	504	CDL	C72-C71-CB7-OB8
47	U	101	PEE	C16-C17-C18-C19
47	b	201	PEE	C38-C39-C40-C41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
47	U	101	PEE	C11-C12-C13-C14
50	G	201	8Q1	C30-C29-C32-C34
52	s	403	UQ	C12-C13-C14-C16
55	m	201	CDL	C31-C32-C33-C34
55	V	201	CDL	OB5-CB3-CB4-CB6
55	l	702	CDL	OB5-CB3-CB4-CB6
47	l	701	PEE	O2-C10-C11-C12
55	a	201	CDL	C32-C31-CA7-OA8
47	Q	501	PEE	C36-C37-C38-C39
47	U	101	PEE	O3-C30-C31-C32
48	C	302	PLX	O7-C6-C7-C8
48	C	302	PLX	O9-C24-C25-C26
55	s	402	CDL	C75-C76-C77-C78
55	s	402	CDL	C51-CB5-OB6-CB4
55	N	201	CDL	C52-C51-CB5-OB6
47	j	201	PEE	C16-C17-C18-C19
48	r	503	PLX	C24-C25-C26-C27
55	l	702	CDL	C84-C85-C86-C87
55	s	402	CDL	C15-C16-C17-C18
55	m	201	CDL	C51-C52-C53-C54
51	J	401	NDP	O4B-C4B-C5B-O5B
55	s	402	CDL	C72-C71-CB7-OB8
48	r	503	PLX	C12-C13-C14-C15
55	V	202	CDL	C24-C25-C26-C27
47	B	303	PEE	C32-C33-C34-C35
48	r	503	PLX	C7-C8-C9-C10
55	a	201	CDL	C55-C56-C57-C58
47	s	401	PEE	O3-C30-C31-C32
47	s	401	PEE	C36-C37-C38-C39
46	A	502	FMN	O2'-C2'-C3'-C4'
47	U	101	PEE	C14-C15-C16-C17
55	r	504	CDL	C75-C76-C77-C78
55	l	703	CDL	C52-C51-CB5-OB7
55	V	202	CDL	C77-C78-C79-C80
47	b	201	PEE	C1-O3P-P-O1P
48	r	502	PLX	C3-O4-P1-O2
48	r	503	PLX	C2-C1-N1-C1C
55	l	702	CDL	CA3-OA5-PA1-OA3
55	l	702	CDL	CB2-OB2-PB2-OB3
55	l	703	CDL	CA2-OA2-PA1-OA3
55	r	504	CDL	CA2-OA2-PA1-OA4
47	b	201	PEE	C24-C25-C26-C27

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
47	l	701	PEE	O4-C10-C11-C12
55	a	201	CDL	C12-C11-CA5-OA7
47	U	101	PEE	C41-C42-C43-C44
47	U	101	PEE	O5-C30-C31-C32
55	r	504	CDL	C72-C71-CB7-OB9
48	r	502	PLX	C29-C30-C31-C32
55	u	201	CDL	C71-C72-C73-C74
55	N	201	CDL	C72-C71-CB7-OB8
55	V	201	CDL	C57-C58-C59-C60
47	l	704	PEE	C1-C2-O2-C10
48	j	202	PLX	C25-C24-O8-C5
55	l	703	CDL	C54-C55-C56-C57
55	s	402	CDL	C53-C54-C55-C56
55	l	703	CDL	C12-C11-CA5-OA6
48	r	503	PLX	C2-C1-N1-C1B
48	r	503	PLX	C2-C1-N1-C1A
55	m	201	CDL	C12-C11-CA5-OA6
55	l	702	CDL	C63-C64-C65-C66
55	m	201	CDL	C1-CA2-OA2-PA1
48	a	202	PLX	C6-C7-C8-C9
47	W	201	PEE	O3P-C1-C2-O2
52	s	403	UQ	C13-C14-C16-C17
47	s	401	PEE	O5-C30-C31-C32
47	U	101	PEE	O2-C10-C11-C12
47	l	701	PEE	O3-C30-C31-C32
55	V	202	CDL	C32-C33-C34-C35
55	s	402	CDL	C60-C61-C62-C63
55	a	201	CDL	C56-C57-C58-C59
55	N	201	CDL	C52-C51-CB5-OB7
55	a	201	CDL	C32-C31-CA7-OA9
55	m	201	CDL	C12-C11-CA5-OA7
48	J	403	PLX	C6-C7-C8-C9
48	j	202	PLX	C6-C7-C8-C9
48	C	302	PLX	C11-C10-C9-C8


There are no ring outliers.




No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31649. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 108



Y Index: 106




Z Index: 123

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0257. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 370 nm³; this corresponds to an approximate mass of 334 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.345\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-31649 and PDB model 7V31. Per-residue inclusion information can be found in section 3 on page 20.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0257 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0257).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (0.0257) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8406	 0.5920
A	 0.8362	 0.5820
B	 0.9375	 0.6330
C	 0.9294	 0.6280
E	 0.8439	 0.5970
F	 0.7305	 0.5350
G	 0.6413	 0.4910
H	 0.8425	 0.5900
I	 0.8069	 0.5760
J	 0.8543	 0.5950
K	 0.6310	 0.5230
L	 0.8581	 0.6080
M	 0.8754	 0.6010
N	 0.7993	 0.5910
O	 0.7782	 0.5600
P	 0.9415	 0.6340
Q	 0.9098	 0.6240
S	 0.8931	 0.6060
T	 0.7645	 0.5790
U	 0.8132	 0.5810
V	 0.7464	 0.5750
W	 0.8498	 0.5880
X	 0.7706	 0.5600
Y	 0.7188	 0.5300
Z	 0.6768	 0.5180
a	 0.8480	 0.6070
b	 0.7440	 0.5470
c	 0.8233	 0.5830
d	 0.7823	 0.5730
e	 0.8014	 0.5790
f	 0.6459	 0.5090
g	 0.8550	 0.6000
h	 0.8357	 0.5820
i	 0.9289	 0.6230
j	 0.8467	 0.6110



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
k	 0.8935	 0.6160
l	 0.8517	 0.6020
m	 0.7593	 0.5550
n	 0.7112	 0.5450
o	 0.8017	 0.5770
p	 0.8287	 0.5910
r	 0.8884	 0.6160
s	 0.8866	 0.6150
u	 0.8487	 0.5850
v	 0.7294	 0.5270
w	 0.8040	 0.5760