

Full wwPDB X-ray Structure Validation Report (i)

Dec 9, 2024 – 04:09 PM EST

PDB ID	:	8V4Z
Title	:	Crystal structure of a HLA-B*35:01-NP7 with D1 TCR
Authors	:	Littler, D.R.; Rossjohn, J.
Deposited on	:	2023-11-29
Resolution	:	2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution				
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$				
R _{free}	164625	4642 (2.40-2.40)				
Clashscore	180529	5218 (2.40-2.40)				
Ramachandran outliers	177936	5158(2.40-2.40)				
Sidechain outliers	177891	5159 (2.40-2.40)				
RSRZ outliers	164620	4642 (2.40-2.40)				

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
			5%								
1	A	276		84%		14%	••				
			6%								
1	F	276		82%		13%	• •				
			2%								
1	K	276		84%		13%	• •				
			8%								
1	Р	276		84%		12%	• ••				
			20%								
2	В	100		62%	31%		5% ••				



Mol	Chain	Length	Quality of chain	
2	G	100	6% 27%	6% •
2	L	100	5% 70% 28%	••
2	Q	100	11% 72% 23%	
3	С	9	89%	11%
3	Н	9	89%	11%
3	М	9	89%	11%
3	R	9	89%	11%
4	D	197	92%	8%
4	Ι	197	91%	9% •
4	Ν	197	89%	10% •
4	\mathbf{S}	197	91%	8% •
5	Ε	242	3% 95%	• •
5	J	242	2% 95%	5%
5	О	242	93%	6% •
5	Т	242	93%	6% •

Continued from previous page...



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 27408 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1 A	072	Total	С	Ν	0	\mathbf{S}	0	2	0
		213	2252	1403	413	429	7		Z	0
1	ı E	973	Total	С	Ν	0	S	0	3	0
	Г	213	2260	1408	414	430	8	0		0
1	K	274	Total	С	Ν	0	S	0	4	0
		274	2277	1418	416	434	9	0	4	0
1	1 P	974	Total	С	Ν	0	S	0	2	0
		214	2269	1413	415	433	8		5	0

• Molecule 1 is a protein called MHC class I antigen.

• Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	В	00	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	2 D	99	829	528	140	158	3	0	0	0
0	С	00	Total	С	Ν	0	S	0	0	0
	2 G	99	829	528	140	158	3	0		
0	т	00	Total	С	Ν	0	S	0	0	0
		99	829	528	140	158	3	0	0	0
0	2 Q	00	Total	С	Ν	0	S	0	0	0
		99	829	528	140	158	3	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	0	MET	-	initiating methionine	UNP P61769
G	0	MET	-	initiating methionine	UNP P61769
L	0	MET	-	initiating methionine	UNP P61769
Q	0	MET	-	initiating methionine	UNP P61769

• Molecule 3 is a protein called LEU-PRO-PHE-GLU-LYS-SER-THR-ILE-MET.



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
3 C	С	0	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	9	74	49	10	14	1	0	0	0	
2	3 H	0	Total	С	Ν	Ο	S	0	0	0
5		9	74	49	10	14	1	0	0	
2	М	9	Total	С	Ν	Ο	S	0	0	0
5	3 M		74	49	10	14	1	0	0	U
3 R	0	Total	С	Ν	Ο	S	0	0	0	
	n	9	74	49	10	14	1	0	U	U

• Molecule 4 is a protein called D1 TCR alpha chain.

Mol	Chain	Residues		\mathbf{A}	toms			ZeroOcc	AltConf	Trace
4	а	107	Total	С	Ν	0	\mathbf{S}	0	2	0
4	4 D	197	1545	970	249	316	10	0		0
4	4 I	107	Total	С	Ν	0	S	0	2	0
4		197	1545	970	249	316	10	0	2	
4	N	107	Total	С	Ν	0	S	0	0	0
4	4	197	1545	970	249	316	10	0		
4 S	197	Total	С	Ν	0	S	0	0	0	
		1545	970	249	316	10			0	

• Molecule 5 is a protein called D1 TCR beta chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
E E	Б	242	Total	С	Ν	0	\mathbf{S}	0	9	0
0	E		1942	1221	339	375	7	0	0	0
5	T	242	Total	С	Ν	0	S	0	3	0
5	J	242	1942	1221	339	375	7	0		0
5	0	242	Total	С	Ν	0	S	0	9	0
5	3 0	242	1942	1221	339	375	7	0	0	
5 T	242	Total	С	Ν	0	S	0	9	0	
5		242	1942	1221	339	375	7	0	5	0

• Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
6	Ι	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
6	Ν	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0
6	S	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{P} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	56	$\begin{array}{cc} \text{Total} & \text{O} \\ 56 & 56 \end{array}$	0	0
7	В	5	Total O 5 5	0	0
7	С	4	Total O 4 4	0	0
7	D	64	$\begin{array}{cc} \text{Total} & \text{O} \\ 64 & 64 \end{array}$	0	0
7	Е	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0
7	F	89	Total O 89 89	0	0
7	G	11	Total O 11 11	0	0
7	Н	2	Total O 2 2	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	Ι	33	Total O 33 33	0	0
7	J	63	Total O 63 63	0	0
7	K	121	Total O 121 121	0	0
7	L	19	Total O 19 19	0	0
7	М	6	Total O 6 6	0	0
7	Ν	62	$\begin{array}{cc} \text{Total} & \text{O} \\ 62 & 62 \end{array}$	0	0
7	О	106	Total O 106 106	0	0
7	Р	15	Total O 15 15	0	0
7	Q	1	Total O 1 1	0	0
7	R	2	Total O 2 2	0	0
7	S	40	Total O 40 40	0	0
7	Т	19	Total O 19 19	0	0

Continued from previous page...



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: MHC class I antigen





2 <mark>2 2</mark>		
• Molecule 3: LEU-Pl	RO-PHE-GLU-LYS-SER-THR-ILE-I	MET
Chain M:	89%	11%
11 <mark>82 - 6</mark>		
• Molecule 3: LEU-Pl	RO-PHE-GLU-LYS-SER-THR-ILE-	MET
Chain R:	89%	11%
• Molecule 4: D1 TC	R alpha chain	
Chain D:	92%	8%
82 11 118 118 118 118 118 118 118 118 11	q128 V134 V134 V134 P135 P138 P138 P138 V145 P152 P152 V159 V159 V159 V159 V159 V159 V159 V159	V188 V188 A199 A201 F202 N204 N204 T207 F210 F211 F211 F211 F211 F213
• Molecule 4: D1 TCl	R alpha chain	
Chain I:	91%	9% •
82 83 118 118 118 118 218 828 828 820 828 840 840 828 828 828 828 828 828 828 828 828 82	M100 M100 M134 V134 N134 M141 M144 M144 M144 M144 M145 M144 M145 M145	4187 4187 4199 4199 4201 7201 7203 1206 7205 7205 7205 7206 7206 7206 7200
7211 7212 7213 7214		
• Molecule 4: D1 TC	R alpha chain	
Chain N:	89%	10% •
118 118 118 118 118 118 118 118 118 116 116	P132 A133 A133 A133 A133 A133 A134 B139 S144 B139 S144 S144 S144 S144 S144 S144 S144 S145 S146 V147 V175 S17 S17	M180 A187 A197 A197 A198 A198 A198 A201 F202 F202 F203 F203 F203 F203 F203 F203
7211 F212 F213 P214		
• Molecule 4: D1 TCl	R alpha chain	
Chain S:	91%	8% •







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	78.99Å 190.21Å 250.43Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	49.06 - 2.40	Depositor
Resolution (A)	49.06 - 2.40	EDS
% Data completeness	99.9 (49.06-2.40)	Depositor
(in resolution range)	99.9 (49.06-2.40)	EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.94 (at 2.39 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
P. P.	0.218 , 0.252	Depositor
n, n_{free}	0.219 , 0.253	DCC
R_{free} test set	7344 reflections $(4.96%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	38.4	Xtriage
Anisotropy	0.580	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 56.7	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	27408	wwPDB-VP
Average B, all atoms $(Å^2)$	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 26.48 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6128e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	Bond lengths		Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5		
1	А	0.38	0/2314	0.62	0/3146		
1	F	0.37	0/2322	0.60	0/3156		
1	Κ	0.38	0/2339	0.60	0/3178		
1	Р	0.39	0/2331	0.70	4/3168~(0.1%)		
2	В	0.50	0/852	0.75	1/1152~(0.1%)		
2	G	0.41	0/852	0.70	0/1152		
2	L	0.43	0/852	0.89	5/1152~(0.4%)		
2	Q	0.39	0/852	0.65	0/1152		
3	С	0.37	0/75	0.59	0/98		
3	Н	0.38	0/75	0.59	0/98		
3	М	0.36	0/75	0.60	0/98		
3	R	0.37	0/75	0.58	0/98		
4	D	0.37	0/1579	0.56	0/2139		
4	Ι	0.37	0/1579	0.55	0/2139		
4	Ν	0.37	0/1579	0.58	0/2139		
4	S	0.37	0/1579	0.57	0/2139		
5	Е	0.36	0/1994	0.56	0/2712		
5	J	0.35	0/1994	0.56	0/2712		
5	0	0.42	0/1994	0.60	2/2712~(0.1%)		
5	Т	0.37	0/1994	0.56	0/2712		
All	All	0.38	0/27306	0.62	12/37052~(0.0%)		

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Р	219	ARG	CB-CA-C	17.56	145.51	110.40
2	L	17	ASN	N-CA-C	14.16	149.23	111.00
2	L	16	GLU	CB-CA-C	8.20	126.80	110.40
1	Р	219	ARG	N-CA-C	-7.98	89.46	111.00



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Р	220	ASP	N-CA-CB	-7.87	96.44	110.60
2	L	16	GLU	N-CA-C	-7.23	91.47	111.00
2	В	77	GLU	N-CA-C	6.65	128.96	111.00
2	L	17	ASN	CB-CA-C	-6.61	97.19	110.40
5	0	80	ARG	NE-CZ-NH2	-5.43	117.58	120.30
5	0	81	PRO	N-CA-C	5.34	125.98	112.10
1	Р	274	TRP	N-CA-C	-5.11	97.19	111.00
2	L	71	THR	C-N-CD	5.08	139.07	128.40

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2252	0	2113	13	0
1	F	2260	0	2123	21	0
1	K	2277	0	2135	19	0
1	Р	2269	0	2129	28	0
2	В	829	0	794	40	0
2	G	829	0	794	32	0
2	L	829	0	794	11	0
2	Q	829	0	794	11	0
3	С	74	0	80	0	0
3	Н	74	0	80	0	0
3	М	74	0	80	0	0
3	R	74	0	80	0	0
4	D	1545	0	1437	7	0
4	Ι	1545	0	1437	10	0
4	N	1545	0	1437	11	0
4	S	1545	0	1438	11	0
5	Е	1942	0	1837	9	0
5	J	1942	0	1837	5	0
5	0	1942	0	1837	8	0
5	Т	1942	0	1839	10	0
6	D	5	0	0	0	0



8V4	Ζ
-----	---

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	Ι	5	0	0	0	0
6	Ν	5	0	0	0	0
6	S	5	0	0	0	0
7	А	56	0	0	0	0
7	В	5	0	0	1	0
7	С	4	0	0	0	0
7	D	64	0	0	0	0
7	Ε	52	0	0	0	0
7	F	89	0	0	0	0
7	G	11	0	0	0	0
7	Н	2	0	0	0	0
7	Ι	33	0	0	0	0
7	J	63	0	0	0	0
7	Κ	121	0	0	1	0
7	L	19	0	0	0	0
7	М	6	0	0	0	0
7	Ν	62	0	0	0	0
7	0	106	0	0	0	0
7	Р	15	0	0	0	0
7	Q	1	0	0	0	0
7	R	2	0	0	0	0
7	S	40	0	0	0	0
7	Т	19	0	0	0	0
All	All	27408	0	25095	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:17:ASN:ND2	2:B:75:LYS:HB2	1.13	1.46
2:B:17:ASN:ND2	2:B:75:LYS:CB	2.02	1.23
2:B:17:ASN:HD21	2:B:75:LYS:CB	1.55	1.18
1:P:255:GLN:O	1:P:273:ARG:NH1	1.81	1.12
2:B:71:THR:O	2:B:73:THR:HG23	1.49	1.10
2:B:16:GLU:CD	2:B:19:LYS:HD3	1.85	0.96
1:A:82:ARG:HG2	1:A:82:ARG:HH11	1.29	0.94
2:B:17:ASN:HD21	2:B:75:LYS:CG	1.80	0.94
2:B:71:THR:OG1	2:B:73:THR:HG22	1.71	0.91
2:G:17:ASN:HB3	2:G:74:GLU:HG3	1.55	0.89



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:16:GLU:OE1	2:B:19:LYS:HD3	1.73	0.88
2:G:17:ASN:CB	2:G:74:GLU:HG3	2.05	0.86
2:G:17:ASN:CG	2:G:74:GLU:HG3	1.95	0.86
2:B:16:GLU:HB2	2:B:19:LYS:HD2	1.59	0.84
2:B:17:ASN:HD21	2:B:75:LYS:HB2	1.03	0.84
1:K:49:ALA:HA	1:K:239:ARG:HH12	1.44	0.82
2:B:17:ASN:HD22	2:B:75:LYS:HB2	1.02	0.82
1:P:191:HIS:HB2	1:P:275:GLU:C	2.01	0.81
2:B:17:ASN:HD21	2:B:75:LYS:HG3	1.46	0.80
2:G:17:ASN:CG	2:G:74:GLU:CG	2.49	0.80
1:A:82:ARG:HG2	1:A:82:ARG:NH1	1.95	0.79
4:N:132:PRO:HB2	4:N:210:ASP:OD1	1.83	0.78
2:B:19:LYS:O	2:B:72:PRO:HG2	1.87	0.73
2:L:77:GLU:OE1	2:L:94:LYS:NZ	2.22	0.72
2:L:4:THR:HA	2:L:86:THR:HG21	1.72	0.71
2:G:19:LYS:O	2:G:72:PRO:HD2	1.92	0.70
4:S:173:CYS:HB2	5:T:183[A]:CYS:SG	2.33	0.69
4:S:173:CYS:HB2	5:T:183[B]:CYS:SG	2.33	0.69
2:B:4:THR:HA	2:B:86:THR:HG21	1.74	0.68
2:Q:4:THR:HA	2:Q:86:THR:HG21	1.74	0.68
1:F:191:HIS:HB2	1:F:274:TRP:CH2	2.29	0.68
1:F:202:ARG:NH2	2:G:98:ASP:HB3	2.10	0.67
2:G:20:SER:HA	2:G:71:THR:HA	1.76	0.67
2:B:71:THR:OG1	2:B:73:THR:CG2	2.43	0.66
1:P:218:GLN:HG2	1:P:260:HIS:CE1	2.29	0.66
2:G:4:THR:HA	2:G:86:THR:HG21	1.76	0.66
4:I:175:LEU:HB3	5:J:183[A]:CYS:HB2	1.77	0.66
2:B:76:ASP:N	2:B:76:ASP:OD2	2.30	0.65
2:B:44:GLU:HG2	4:I:179:SER:HB3	1.76	0.65
1:A:204:TRP:HZ2	2:B:98:ASP:O	1.79	0.65
4:I:175:LEU:HB3	5:J:183[B]:CYS:HB2	1.77	0.65
2:B:74:GLU:HB2	2:B:76:ASP:OD2	1.98	0.63
1:P:218:GLN:C	1:P:219:ARG:O	2.33	0.63
2:Q:19:LYS:H	2:Q:19:LYS:HD2	1.62	0.63
1:P:272:LEU:HD22	1:P:272:LEU:O	1.99	0.63
2:G:40:LEU:HD23	2:G:43:GLY:HA2	1.81	0.62
1:P:272:LEU:HD13	1:P:272:LEU:N	2.15	0.61
2:B:15:ALA:HB3	2:B:97:ARG:HG3	1.81	0.61
1:P:187:THR:HG21	1:P:261:VAL:HG11	1.81	0.61
1:P:201:LEU:HD11	1:P:254:GLU:HB2	1.82	0.61
1:K:187:THR:HG21	1:K:261:VAL:HG11	1.81	0.61



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
4:N:175:LEU:HB3	5:O:183[B]:CYS:HB2	1.83	0.61
4:N:175:LEU:HB3	5:O:183[A]:CYS:HB2	1.83	0.60
1:A:187:THR:HG21	1:A:261:VAL:HG11	1.83	0.60
1:F:187:THR:HB	1:F:272:LEU:HD11	1.82	0.59
2:G:17:ASN:HB3	2:G:74:GLU:CG	2.30	0.59
2:L:15:ALA:HB3	2:L:97:ARG:HG3	1.86	0.58
5:T:132:VAL:HG23	5:T:242:PRO:HG2	1.85	0.58
2:L:17:ASN:OD1	2:L:17:ASN:N	2.37	0.58
1:F:187:THR:HG21	1:F:261:VAL:HG11	1.84	0.58
1:K:249:VAL:HG13	1:K:257:TYR:CE1	2.40	0.57
1:P:218:GLN:HG2	1:P:260:HIS:HE1	1.69	0.57
2:L:15:ALA:HB3	2:L:97:ARG:CG	2.34	0.57
2:Q:42:ASN:OD1	2:Q:76:ASP:HB2	2.03	0.57
2:G:17:ASN:OD1	2:G:74:GLU:CB	2.53	0.56
2:B:71:THR:O	2:B:73:THR:CG2	2.40	0.56
2:G:17:ASN:CB	2:G:74:GLU:CG	2.81	0.56
2:L:17:ASN:O	2:L:72:PRO:O	2.23	0.56
4:N:144:ASP:OD1	4:N:145:LYS:HD3	2.04	0.56
1:P:195:SER:HB3	1:P:197:HIS:CE1	2.41	0.55
2:B:16:GLU:HB2	2:B:19:LYS:CD	2.33	0.55
1:K:35:ARG:HG2	1:K:48:ARG:HD3	1.88	0.55
1:P:195:SER:HB2	1:P:198:GLU:HB2	1.88	0.55
2:G:17:ASN:OD1	2:G:74:GLU:HG3	2.07	0.54
2:G:21:ASN:O	2:G:70:PHE:HB3	2.06	0.54
5:E:195:LEU:HA	5:O:194:ALA:O	2.08	0.54
1:P:273:ARG:O	1:P:273:ARG:HG3	2.07	0.54
1:F:220:ASP:HB3	1:P:273:ARG:HH22	1.73	0.53
5:O:21:LEU:HD22	5:O:121:THR:HG21	1.90	0.53
1:K:50:PRO:HD3	1:K:239:ARG:NH1	2.23	0.53
2:B:44:GLU:HG2	4:I:179:SER:CB	2.39	0.53
5:T:21:LEU:HD22	5:T:121:THR:HG21	1.92	0.52
2:G:17:ASN:OD1	2:G:74:GLU:HB3	2.10	0.52
1:P:5:MET:HB2	1:P:168:LEU:HD13	1.90	0.52
1:F:219:ARG:HH21	1:F:256:ARG:NH2	2.08	0.51
4:S:175:LEU:HB3	5:T:183[A]:CYS:HB2	1.91	0.51
4:S:175:LEU:HB3	5:T:183[B]:CYS:HB2	1.91	0.51
1:A:219:ARG:HH21	1:A:256:ARG:HH22	1.58	0.51
2:B:17:ASN:ND2	2:B:75:LYS:CG	2.57	0.51
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.91	0.51
2:B:44:GLU:HA	4:I:179:SER:O	2.10	0.51
1:F:5:MET:HB2	1:F:168:LEU:HD13	1.91	0.51



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:P:49:ALA:HA	1:P:239:ARG:HH12	1.76	0.51
1:K:50:PRO:HD3	1:K:239:ARG:HH12	1.76	0.51
4:D:175:LEU:HB3	5:E:183[A]:CYS:HB2	1.93	0.50
1:P:197:HIS:HA	1:P:251:SER:HB2	1.93	0.50
1:K:49:ALA:HA	1:K:239:ARG:NH1	2.20	0.50
1:P:274:TRP:HE3	1:P:275:GLU:H	1.59	0.50
2:Q:16:GLU:HB3	2:Q:19:LYS:HD3	1.94	0.50
1:A:49:ALA:HA	1:A:239:ARG:HH12	1.77	0.49
2:B:44:GLU:HB3	4:I:179:SER:OG	2.12	0.49
2:B:40:LEU:HD23	2:B:43:GLY:HA2	1.94	0.49
1:K:219:ARG:HH11	1:K:257:TYR:HE1	1.59	0.49
5:J:21:LEU:HD22	5:J:121:THR:HG21	1.94	0.49
2:Q:24:ASN:HB3	2:Q:65:LEU:HD11	1.95	0.49
4:D:175:LEU:HB3	5:E:183[B]:CYS:HB2	1.93	0.48
4:N:133:ALA:HB2	4:N:211:THR:HG22	1.94	0.48
4:N:18:ILE:HG22	4:N:92:GLN:HA	1.95	0.48
1:F:221:GLY:O	1:P:271:THR:HG21	2.14	0.48
1:F:98[B]:MET:HG3	2:G:56:PHE:HE2	1.78	0.48
2:G:70:PHE:HE1	2:G:78:TYR:CZ	2.31	0.48
2:B:73:THR:OG1	2:B:74:GLU:N	2.46	0.48
1:A:219:ARG:HH21	1:A:256:ARG:NH2	2.12	0.48
4:I:18:ILE:HG22	4:I:92:GLN:HA	1.96	0.48
2:G:37:VAL:HG22	2:G:82:VAL:HG22	1.96	0.48
2:G:39:LEU:HB3	2:G:46:ILE:HD12	1.95	0.48
1:K:219:ARG:HD3	1:K:257:TYR:CZ	2.48	0.48
2:L:24:ASN:HB3	2:L:65:LEU:HD11	1.96	0.48
4:D:18:ILE:HG22	4:D:92:GLN:HA	1.95	0.48
2:L:37:VAL:HG22	2:L:82:VAL:HG22	1.95	0.48
1:P:272:LEU:HD22	1:P:272:LEU:C	2.34	0.48
2:B:37:VAL:HG22	2:B:82:VAL:HG22	1.97	0.47
1:K:141:GLN:O	1:K:145:ARG:HD3	2.15	0.47
2:Q:37:VAL:HG22	2:Q:82:VAL:HG22	1.95	0.47
4:S:18:ILE:HG22	4:S:92:GLN:HA	1.96	0.47
2:G:24:ASN:HB3	2:G:65:LEU:HD11	1.95	0.47
2:B:24:ASN:HB3	2:B:65:LEU:HD11	1.96	0.47
5:E:21:LEU:HD22	5:E:121:THR:HG21	1.96	0.47
4:N:4:LEU:HD11	4:N:116:GLY:HA3	1.96	0.47
5:O:58:ASN:O	5:O:80:ARG:HD3	2.14	0.47
4:N:4:LEU:HD11	4:N:116:GLY:CA	2.45	0.47
1:A:88:SER:HB2	4:S:26:GLN:OE1	2.15	0.47
1:A:204:TRP:CZ2	2:B:98:ASP:O	2.63	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:K:103:LEU:HD11	1:K:165:VAL:HG13	1.97	0.47
4:D:4:LEU:HD11	4:D:116:GLY:CA	2.46	0.46
4:D:4:LEU:HD11	4:D:116:GLY:HA3	1.96	0.46
1:F:274:TRP:HA	1:F:274:TRP:CE3	2.51	0.46
1:F:249:VAL:HG11	1:F:254:GLU:HG3	1.97	0.46
1:K:224:GLN:HB3	1:K:227:ASP:HB2	1.98	0.46
1:F:10:THR:HG23	1:F:23:ILE:HB	1.98	0.46
1:F:220:ASP:HB3	1:P:273:ARG:NH2	2.30	0.46
1:P:218:GLN:OE1	1:P:221:GLY:HA2	2.16	0.46
2:Q:19:LYS:HD2	2:Q:19:LYS:N	2.30	0.46
2:Q:96:ASP:HB3	2:Q:99:MET:HG2	1.98	0.46
1:K:113:HIS:HD2	7:K:301:HOH:O	1.99	0.46
2:L:96:ASP:HB3	2:L:99:MET:HG2	1.98	0.46
1:F:49:ALA:HA	1:F:239:ARG:HH12	1.81	0.45
4:I:137:LEU:HD22	5:J:142:PRO:HA	1.98	0.45
1:F:103:LEU:HD11	1:F:165:VAL:HG13	1.98	0.45
2:B:64:LEU:HD13	2:B:66:TYR:HE1	1.80	0.45
2:B:73:THR:HG21	7:B:104:HOH:O	2.15	0.45
2:G:19:LYS:O	2:G:72:PRO:CD	2.61	0.45
1:K:218:GLN:HA	1:K:222:GLU:O	2.16	0.45
2:G:17:ASN:HD21	2:G:97:ARG:HH12	1.65	0.45
4:I:20:GLN:HB2	4:S:18:ILE:HD13	1.99	0.44
1:P:272:LEU:C	1:P:272:LEU:CD2	2.86	0.44
1:K:5:MET:HB2	1:K:168:LEU:HD13	1.98	0.44
2:B:96:ASP:HB3	2:B:99:MET:HG2	1.99	0.44
4:D:137:LEU:HD22	5:E:142:PRO:HA	1.98	0.44
5:E:236:THR:HG21	2:G:4:THR:HG21	2.00	0.44
2:G:15:ALA:HB1	2:G:72:PRO:HG2	1.99	0.44
1:F:271:THR:HG21	1:P:221:GLY:O	2.17	0.44
2:G:64:LEU:HD13	2:G:66:TYR:HE1	1.83	0.44
2:G:96:ASP:HB3	2:G:99:MET:HG2	2.00	0.44
5:T:21:LEU:HD12	5:T:89:LEU:HD23	1.99	0.44
1:F:224:GLN:HB3	1:F:227:ASP:HB2	2.00	0.43
2:B:39:LEU:HB3	2:B:46:ILE:HD12	2.00	0.43
5:E:194:ALA:O	5:O:195:LEU:HA	2.18	0.43
2:G:17:ASN:OD1	2:G:74:GLU:CG	2.64	0.43
2:G:20:SER:HA	2:G:72:PRO:HD3	1.99	0.43
5:E:194:ALA:HB1	5:O:195:LEU:HG	1.99	0.43
1:K:35:ARG:HE	1:K:35:ARG:HB2	1.69	0.43
4:S:4:LEU:HD11	4:S:116:GLY:HA3	2.01	0.43
5:T:192:GLN:HE21	5:T:195:LEU:HD13	1.84	0.43



	1.5	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:G:17:ASN:CG	2:G:74:GLU:HG2	2.35	0.43
2:Q:64:LEU:HD13	2:Q:66:TYR:HE1	1.83	0.43
4:I:45:HIS:CD2	4:I:100:ALA:HB2	2.55	0.42
1:P:191:HIS:CB	1:P:275:GLU:C	2.82	0.42
2:Q:74:GLU:O	2:Q:75:LYS:HD2	2.18	0.42
1:A:103:LEU:HD11	1:A:165:VAL:HG13	2.00	0.42
2:G:27:VAL:HG21	2:G:37:VAL:HG21	2.01	0.42
2:L:15:ALA:CB	2:L:97:ARG:HG3	2.49	0.42
4:N:207:ILE:O	4:N:210:ASP:OD2	2.37	0.42
5:T:57:GLN:O	5:T:58:ASN:HB2	2.20	0.42
1:P:103:LEU:HD11	1:P:165:VAL:HG13	2.01	0.42
1:P:249:VAL:HG13	1:P:257:TYR:CE1	2.54	0.42
2:B:27:VAL:HG11	2:B:82:VAL:HG21	2.01	0.42
1:K:189:VAL:HG11	1:K:273:ARG:O	2.20	0.41
1:A:202:ARG:HE	1:A:246:ALA:HB2	1.85	0.41
1:K:202:ARG:HD3	1:K:246:ALA:HB2	2.02	0.41
1:K:219:ARG:HD3	1:K:257:TYR:CE1	2.55	0.41
4:S:173:CYS:HB2	5:T:183[A]:CYS:HG	1.85	0.41
2:B:12:ARG:HB3	2:B:13:HIS:ND1	2.36	0.41
2:B:77:GLU:H	2:B:77:GLU:HG2	1.39	0.41
1:F:202:ARG:CZ	2:G:98:ASP:O	2.69	0.41
1:P:201:LEU:HD21	1:P:275:GLU:HA	2.01	0.41
1:F:219:ARG:HB2	1:F:257:TYR:CE1	2.55	0.41
2:L:40:LEU:HD23	2:L:43:GLY:HA2	2.03	0.41
4:N:139:ASP:HB2	5:O:140:PHE:CE2	2.55	0.41
2:B:75:LYS:HD3	2:B:75:LYS:O	2.21	0.41
4:N:4:LEU:HD13	4:N:104[A]:CYS:SG	2.61	0.41
5:J:14:LYS:HG3	5:J:128:ASP:HA	2.03	0.40
4:S:4:LEU:HD11	4:S:116:GLY:CA	2.51	0.40
4:D:4:LEU:HD13	4:D:104[A]:CYS:SG	2.61	0.40
2:G:20:SER:HB2	2:G:70:PHE:O	2.20	0.40
2:Q:17:ASN:O	2:Q:72:PRO:O	2.39	0.40
1:F:236:ALA:HB3	1:F:238:ASP:OD1	2.21	0.40
1:A:103:LEU:HD13	1:A:168:LEU:HD23	2.04	0.40
5:E:191:GLU:HB2	5:E:192:GLN:HE21	1.86	0.40
1:F:133:TRP:HB2	1:F:144:GLN:HG3	2.03	0.40
4:S:4:LEU:HD13	4:S:104[A]:CYS:SG	2.62	0.40
2:B:16:GLU:CB	2:B:19:LYS:HD2	2.41	0.40
1:P:10:THR:HG22	1:P:96:GLN:HG2	2.02	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	273/276~(99%)	264 (97%)	9~(3%)	0	100	100
1	F	274/276~(99%)	262~(96%)	12 (4%)	0	100	100
1	Κ	276/276~(100%)	270 (98%)	6 (2%)	0	100	100
1	Р	275/276~(100%)	263~(96%)	12 (4%)	0	100	100
2	В	97/100~(97%)	94 (97%)	3(3%)	0	100	100
2	G	97/100~(97%)	91 (94%)	6 (6%)	0	100	100
2	L	97/100~(97%)	93~(96%)	4 (4%)	0	100	100
2	Q	97/100~(97%)	91 (94%)	4 (4%)	2(2%)	5	7
3	С	7/9~(78%)	6 (86%)	1 (14%)	0	100	100
3	Н	7/9~(78%)	6 (86%)	1 (14%)	0	100	100
3	М	7/9~(78%)	6 (86%)	1 (14%)	0	100	100
3	R	7/9~(78%)	6 (86%)	1 (14%)	0	100	100
4	D	197/197~(100%)	189 (96%)	8 (4%)	0	100	100
4	Ι	197/197~(100%)	186 (94%)	11 (6%)	0	100	100
4	Ν	197/197~(100%)	188 (95%)	9~(5%)	0	100	100
4	S	197/197~(100%)	187~(95%)	10 (5%)	0	100	100
5	Ε	243/242~(100%)	234 (96%)	9 (4%)	0	100	100
5	J	243/242 (100%)	234 (96%)	9 (4%)	0	100	100
5	Ο	243/242 (100%)	234 (96%)	9 (4%)	0	100	100
5	Т	243/242~(100%)	232 (96%)	11 (4%)	0	100	100
All	All	3274/3296~(99%)	3136 (96%)	136 (4%)	2(0%)	48	65

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Q	72	PRO
Continued on next nage			



Continued from previous page...

Mol	Chain	Res	Type
2	Q	17	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	234/234~(100%)	206~(88%)	28 (12%)	4 5
1	F	235/234~(100%)	206~(88%)	29~(12%)	4 5
1	Κ	237/234~(101%)	212~(90%)	25 (10%)	5 8
1	Р	236/234~(101%)	216~(92%)	20 (8%)	8 14
2	В	94/95~(99%)	82~(87%)	12 (13%)	3 4
2	G	94/95~(99%)	83~(88%)	11 (12%)	4 6
2	L	94/95~(99%)	82~(87%)	12 (13%)	3 4
2	Q	94/95~(99%)	83~(88%)	11 (12%)	4 6
3	С	9/9~(100%)	8 (89%)	1 (11%)	5 7
3	Н	9/9~(100%)	8 (89%)	1 (11%)	5 7
3	М	9/9~(100%)	8 (89%)	1 (11%)	5 7
3	R	9/9~(100%)	8 (89%)	1 (11%)	5 7
4	D	173/171~(101%)	165~(95%)	8 (5%)	23 39
4	Ι	173/171~(101%)	162 (94%)	11 (6%)	14 24
4	Ν	173/171~(101%)	165~(95%)	8 (5%)	23 39
4	S	173/171~(101%)	161~(93%)	12 (7%)	13 22
5	Ε	211/208~(101%)	207~(98%)	4 (2%)	52 72
5	J	211/208~(101%)	206~(98%)	5 (2%)	44 64
5	Ο	211/208~(101%)	203~(96%)	8 (4%)	28 47
5	Т	211/208~(101%)	202 (96%)	9 (4%)	25 42
All	All	2890/2868~(101%)	2673~(92%)	217 (8%)	11 18

All (217) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	35	ARG
1	А	39	ASP
1	А	44	ARG
1	А	89	GLU
1	А	98	MET
1	А	103	LEU
1	А	106	ASP
1	А	131	SER
1	А	141	GLN
1	А	189	VAL
1	А	196	ASP
1	А	197	HIS
1	А	220	ASP
1	А	222	GLU
1	А	223	ASP
1	А	224	GLN
1	А	225	THR
1	А	226	GLN
1	А	227	ASP
1	А	228	THR
1	А	231	VAL
1	А	247	VAL
1	А	248	VAL
1	А	249	VAL
1	А	256	ARG
1	А	266	LEU
1	А	268	LYS
1	А	272	LEU
2	В	6	LYS
2	В	19	LYS
2	В	20	SER
2	В	48	LYS
2	В	58	LYS
2	В	64	LEU
2	В	69	GLU
2	В	70	PHE
2	В	71	THR
2	В	75	LYS
2	В	76	ASP
2	В	77	GLU
3	С	6	SER
4	D	46	ASP
4	D	96	MET



Mol	Chain	Res	Type
4	D	141	LYS
4	D	145	LYS
4	D	152	ASP
4	D	163	LYS
4	D	204	ASN
4	D	210	ASP
5	Е	92	GLN
5	Е	192	GLN
5	Е	195	LEU
5	Е	205	ARG
1	F	10	THR
1	F	35	ARG
1	F	44	ARG
1	F	88	SER
1	F	89	GLU
1	F	98[A]	MET
1	F	98[B]	MET
1	F	103	LEU
1	F	106	ASP
1	F	141	GLN
1	F	191	HIS
1	F	196	ASP
1	F	197	HIS
1	F	222	GLU
1	F	224	GLN
1	F	225	THR
1	F	226	GLN
1	F	227	ASP
1	F	228	THR
1	F	231	VAL
1	F	238	ASP
1	F	242	GLN
1	F	247	VAL
1	F	248	VAL
1	F	249	VAL
1	F	256	ARG
1	F	268	LYS
1	F	272	LEU
1	F	273	ARG
2	G	4	THR
2	G	6	LYS
2	G	16	GLU



Mol	Chain	Res	Type
2	G	19	LYS
2	G	21	ASN
2	G	27	VAL
2	G	48	LYS
2	G	58	LYS
2	G	64	LEU
2	G	69	GLU
2	G	74	GLU
3	Н	6	SER
4	Ι	4	LEU
4	Ι	40	SER
4	Ι	96	MET
4	Ι	141	LYS
4	Ι	145	LYS
4	Ι	152	ASP
4	Ι	163	LYS
4	Ι	179	SER
4	Ι	180	MET
4	Ι	204	ASN
4	Ι	210	ASP
5	J	92	GLN
5	J	192	GLN
5	J	195	LEU
5	J	205	ARG
5	J	234	GLU
1	K	35	ARG
1	K	44	ARG
1	Κ	58	GLU
1	K	88	SER
1	K	89	GLU
1	K	98[A]	MET
1	K	98[B]	MET
1	K	106	ASP
1	K	145	ARG
1	K	194	VAL
1	K	196	ASP
1	K	218	GLN
1	K	219	ARG
1	K	222	GLU
1	K	225	THR
1	K	226	GLN
1	K	227	ASP



Mol	Chain	Res	Type
1	K	228	THR
1	K	231	VAL
1	K	239	ARG
1	K	242	GLN
1	K	255	GLN
1	K	268	LYS
1	K	272	LEU
1	K	274	TRP
2	L	6	LYS
2	L	12	ARG
2	L	17	ASN
2	L	19	LYS
2	L	27	VAL
2	L	38	ASP
2	L	45	ARG
2	L	47	GLU
2	L	48	LYS
2	L	58	LYS
2	L	69	GLU
2	L	70	PHE
3	М	6	SER
4	Ν	51	THR
4	Ν	96	MET
4	Ν	145	LYS
4	Ν	152	ASP
4	Ν	163	LYS
4	Ν	173	CYS
4	Ν	204	ASN
4	N	209	GLU
5	0	83	GLU
5	Ο	92	GLN
5	0	192	GLN
5	0	195	LEU
5	Ο	205	ARG
5	0	217	ARG
5	O	234	GLU
5	0	242	PRO
1	Р	35	ARG
1	Р	44	ARG
1	Р	88	SER
1	Р	89	GLU
1	Р	98[A]	MET



Mol	Chain	Res	Type
1	P	98[B]	MET
1	P	106	ASP
1	P	116	SER
1	P	141	GLN
1	P	197	HIS
1	P	219	ARG
1	P	226	GLN
1	P	231	VAL
1	P	254	GLU
1	P	255	GLN
1	P	268	LYS
1	P	272	LEU
1	P	273	ARG
1	P	274	TRP
1	P	275	GLU
2	0	6	LYS
$\frac{-}{2}$	<u> </u>	12	ARG
2	n n	16	GLU
2	0	27	VAL
$\frac{2}{2}$	<u> </u>	38	ASP
2	<u>q</u>	48	LYS
$\frac{2}{2}$	<u> </u>	58	LYS
2	<u>q</u>	64	LEU
2	Q 0	69	GLU
2	Q Q	70	PHE
2	Q Q	73	THR
3	R	6	SER
4	S	5	GLU
4	S	26	GLN
4	S	96	MET
4	S	141	LYS
4	S	145	LYS
4	S	152	ASP
4	S	163	LYS
4	S	173	CYS
4	S	204	ASN
4	S	210	ASP
4	S	211	THR
4	S	212	PHE
5	Т	63	GLU
5	T	74	ASP
5	Т	92	GLN
~	-		



Continued from previous page...

Mol	Chain	Res	Type
5	Т	143	SER
5	Т	192	GLN
5	Т	195	LEU
5	Т	205	ARG
5	Т	234	GLU
5	Т	254	ARG

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such side chains are listed below:

Mol	Chain	Res	Type
1	А	72	GLN
2	В	17	ASN
2	В	42	ASN
5	Е	58	ASN
1	Κ	72	GLN
1	Κ	218	GLN
5	0	58	ASN
5	0	96	GLN
1	Р	197	HIS
1	Р	255	GLN
1	Р	260	HIS
4	S	26	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.



8V4Z

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec Link		Bond lengths		Bond angles			
	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	PO4	Ν	301	-	4,4,4	2.06	2 (50%)	6,6,6	0.45	0
6	PO4	Ι	301	-	4,4,4	2.55	2 (50%)	6,6,6	0.50	0
6	PO4	S	301	-	4,4,4	2.06	3 (75%)	6,6,6	0.43	0
6	PO4	D	301	-	4,4,4	2.55	1 (25%)	6,6,6	0.44	0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	Ι	301	PO4	P-01	4.24	1.60	1.50
6	D	301	PO4	P-01	4.24	1.60	1.50
6	N	301	PO4	P-01	2.27	1.55	1.50
6	S	301	PO4	P-01	2.24	1.55	1.50
6	Ι	301	PO4	P-O2	2.03	1.60	1.54
6	S	301	PO4	P-O3	2.01	1.60	1.54
6	N	301	PO4	P-O2	2.01	1.60	1.54
6	S	301	PO4	P-04	2.00	1.60	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	А	273/276~(98%)	0.42	15 (5%) 32 29	20, 56, 123, 169	3(1%)
1	F	273/276~(98%)	0.39	16 (5%) 29 27	18, 55, 120, 169	3(1%)
1	Κ	274/276~(99%)	0.10	5 (1%) 67 63	12, 47, 93, 126	5(1%)
1	Р	274/276~(99%)	0.71	21 (7%) 21 19	32, 74, 115, 137	3 (1%)
2	В	99/100~(99%)	1.20	20 (20%) 3 3	37, 88, 132, 168	1 (1%)
2	G	99/100~(99%)	0.63	6 (6%) 28 26	33, 68, 115, 136	1 (1%)
2	L	99/100~(99%)	0.59	5 (5%) 34 32	28, 66, 109, 130	1 (1%)
2	Q	99/100~(99%)	0.93	11 (11%) 12 10	56, 77, 111, 124	1 (1%)
3	С	9/9~(100%)	-0.34	0 100 100	27, 29, 40, 42	0
3	Н	9/9~(100%)	-0.21	0 100 100	30, 33, 46, 51	0
3	М	9/9~(100%)	-0.49	0 100 100	18, 23, 36, 37	0
3	R	9/9~(100%)	0.07	0 100 100	46, 52, 62, 62	0
4	D	197/197~(100%)	0.55	20 (10%) 13 12	14, 57, 158, 206	2(1%)
4	Ι	197/197~(100%)	0.62	23 (11%) 10 9	18, 67, 168, 225	3 (1%)
4	Ν	197/197~(100%)	0.48	19 (9%) 15 13	13, 53, 144, 209	2(1%)
4	S	197/197~(100%)	0.67	28 (14%) 7 6	17, 65, 146, 205	2(1%)
5	Е	242/242~(100%)	0.40	8 (3%) 49 46	17, 66, 123, 166	3 (1%)
5	J	242/242~(100%)	0.29	4 (1%) 69 65	16, 63, 133, 160	3 (1%)
5	Ο	242/242 (100%)	0.21	14 (5%) 30 27	13, 51, 112, 158	3 (1%)
5	Т	242/242 (100%)	0.65	7 (2%) 54 50	29, 73, 115, 167	3 (1%)
All	All	3282/3296~(99%)	0.49	222 (6%) 25 22	12, 65, 133, 225	39 (1%)

All (222) RSRZ outliers are listed below:



Mol	Chain	Res	Type	RSRZ
1	F	199	ALA	5.3
2	Q	1	ILE	5.2
1	F	254	GLU	4.5
1	F	252	GLY	4.4
1	А	199	ALA	4.1
2	В	22	PHE	4.1
2	L	73	THR	3.9
4	D	213	PHE	3.8
2	В	69	GLU	3.8
2	Q	58	LYS	3.8
1	Κ	258	THR	3.8
5	О	210	ALA	3.7
4	D	134	VAL	3.6
4	D	186	SER	3.4
4	S	137	LEU	3.4
1	Р	12	MET	3.4
2	В	39	LEU	3.3
2	Q	73	THR	3.3
1	А	201	LEU	3.2
4	S	197	ALA	3.2
5	Т	255	ALA	3.2
2	Q	54	LEU	3.2
1	А	107	GLY	3.2
2	G	73	THR	3.2
4	S	180	MET	3.2
1	Р	274	TRP	3.2
2	G	1	ILE	3.1
5	Е	155	LEU	3.1
1	F	249	VAL	3.1
4	Ι	202	PHE	3.1
4	S	214	PRO	3.1
4	Ι	207	ILE	3.1
4	Ι	179	SER	3.1
4	N	199	ALA	3.1
4	Ι	134	VAL	3.0
4	S	213	PHE	3.0
4	Ι	204	ASN	3.0
4	Ι	206	ILE	3.0
1	K	270	LEU	3.0
5	0	255	ALA	3.0
4	S	148	CYS	2.9
1	Р	88	SER	2.9
4	S	140	SER	2.9



Mol	Chain	Res	Type	RSRZ
5	Т	133	PHE	2.9
4	S	199	ALA	2.9
4	N	137	LEU	2.9
1	Р	92	SER	2.9
2	В	1	ILE	2.9
4	S	179	SER	2.9
4	S	202	PHE	2.9
1	F	255	GLN	2.9
2	В	20	SER	2.8
1	Р	89	GLU	2.8
1	А	61[A]	ASP	2.8
2	В	4	THR	2.8
4	D	214	PRO	2.8
1	А	254	GLU	2.8
4	Ν	179	SER	2.8
1	F	203	CYS	2.8
4	S	161	GLN	2.8
2	G	71	THR	2.8
1	F	35	ARG	2.8
2	В	78	TYR	2.8
2	В	40	LEU	2.8
4	S	47	GLY	2.8
1	Р	232	GLU	2.8
2	В	70	PHE	2.8
4	Ι	213	PHE	2.8
5	0	140	PHE	2.8
4	S	160	SER	2.8
5	Е	92	GLN	2.8
1	Р	61[A]	ASP	2.7
1	F	274	TRP	2.7
2	В	18	GLY	2.7
1	А	251	SER	2.7
1	А	230	LEU	2.7
4	Ι	187	ALA	2.7
5	J	189	LEU	2.7
2	В	43	GLY	2.7
4	Ν	187	ALA	2.7
4	Ν	198	CYS	2.7
1	Р	221	GLY	2.7
5	Т	192	GLN	2.7
1	Р	98[A]	MET	2.6
4	N	167	VAL	2.6



Mol	Chain	Res	Type	RSRZ
4	S	198	CYS	2.6
1	А	200	THR	2.6
1	Р	220	ASP	2.6
2	В	53	ASP	2.6
4	S	157	THR	2.6
4	N	213	PHE	2.6
5	Е	143	SER	2.6
1	F	200	THR	2.6
5	0	214	GLN	2.6
1	А	192	HIS	2.6
5	Е	201	ALA	2.6
5	0	209	SER	2.5
4	Ι	208	PRO	2.5
1	F	225	THR	2.5
1	А	193	PRO	2.5
2	Q	4	THR	2.5
2	В	21	ASN	2.5
1	А	274	TRP	2.5
4	D	201	ALA	2.5
4	N	146	SER	2.5
4	Ι	205	SER	2.5
2	Q	7	ILE	2.5
5	0	211	THR	2.5
4	D	180	MET	2.4
5	Е	165	ASP	2.4
5	J	195	LEU	2.4
2	В	95	TRP	2.4
4	D	158	ASN	2.4
4	S	196	PHE	2.4
4	S	147	VAL	2.4
2	В	75	LYS	2.4
1	Р	108	ARG	2.4
4	S	142	SER	2.4
4	S	211	THR	2.4
1	Р	270	LEU	2.4
2	Q	64	LEU	2.4
5	J	197	ASP	2.4
4	S	158	ASN	2.4
4	N	148	CYS	2.4
1	А	104	GLY	2.4
2	L	40	LEU	2.3
4	N	202	PHE	2.3

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
5	0	232	ASN	2.3
1	Р	257	TYR	2.3
1	А	108	ARG	2.3
4	S	174	VAL	2.3
4	S	143	SER	2.3
4	D	137	LEU	2.3
4	N	4	LEU	2.3
2	Q	44	GLU	2.3
4	N	173	CYS	2.3
4	S	133	ALA	2.3
1	К	230	LEU	2.3
5	Т	46	LEU	2.3
4	D	202	PHE	2.3
4	Ι	46	ASP	2.3
2	Q	75	LYS	2.3
1	Р	46	GLU	2.3
2	В	44	GLU	2.3
4	D	159	VAL	2.3
5	Т	139	VAL	2.3
5	Е	194	ALA	2.3
5	0	148	SER	2.3
2	В	19	LYS	2.3
4	Ι	190	TRP	2.3
5	0	254	ARG	2.3
4	D	156	GLN	2.3
2	G	40	LEU	2.2
2	В	41	LYS	2.2
1	F	253	GLU	2.2
1	Р	2	SER	2.2
4	D	139	ASP	2.2
1	Κ	274	TRP	2.2
2	Q	69	GLU	2.2
4	Ι	159	VAL	2.2
1	F	41	ALA	2.2
4	Ι	199	ALA	2.2
4	Ι	142	SER	2.2
2	G	72	PRO	2.2
4	D	207	ILE	2.2
1	Р	90	ALA	2.2
4	Ι	212	PHE	2.2
4	N	214	PRO	2.2
1	F	66	ILE	2.2

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
4	N	197	ALA	2.2
5	Т	201	ALA	2.2
1	А	181	ARG	2.1
1	Р	181	ARG	2.1
2	L	71	THR	2.1
1	Р	203	CYS	2.1
1	F	250	PRO	2.1
4	N	200	ASN	2.1
2	В	9	VAL	2.1
4	D	187	ALA	2.1
5	Е	195	LEU	2.1
5	0	46	LEU	2.1
5	Т	9	ARG	2.1
5	0	192	GLN	2.1
2	G	58	LYS	2.1
4	Ι	200	ASN	2.1
4	N	203	ASN	2.1
4	D	188	VAL	2.1
5	0	217	ARG	2.1
4	D	212	PHE	2.1
4	D	128	GLN	2.1
1	K	61[A]	ASP	2.1
2	L	17	ASN	2.1
4	S	164	ASP	2.1
4	S	207	ILE	2.1
4	N	180	MET	2.1
1	Р	104	GLY	2.1
2	В	58	LYS	2.1
4	Ι	2	GLN	2.1
5	J	192	GLN	2.1
4	D	203	ASN	2.1
4	S	139	ASP	2.1
4	Ι	201	ALA	2.0
4	Ι	28	SER	2.0
4	N	140	SER	2.0
4	N	142	SER	2.0
4	S	155	SER	2.0
5	Е	209	SER	2.0
5	0	197	ASP	2.0
1	А	194	VAL	2.0
1	Р	261	VAL	2.0
2	Q	3	ARG	2.0

Continued from previous page...



Mol	Chain	Res	Type	RSRZ	
4	D	138	ARG	2.0	
2	L	79	ALA	2.0	
4	D	199	ALA	2.0	
1	Р	16	GLY	2.0	
5	0	252	TRP	2.0	
1	F	98[A]	MET	2.0	
4	Ι	140	SER	2.0	
4	Ι	143	SER	2.0	
1	F	273	ARG	2.0	
4	Ι	158	ASN	2.0	
4	S	203	ASN	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
6	PO4	Ι	301	5/5	0.86	0.10	70,71,75,77	0
6	PO4	S	301	5/5	0.87	0.09	68,74,79,86	0
6	PO4	D	301	5/5	0.89	0.10	$56,\!60,\!65,\!75$	0
6	PO4	N	301	5/5	0.92	0.08	61,62,65,70	0

6.5 Other polymers (i)

There are no such residues in this entry.

