



# Full wwPDB X-ray Structure Validation Report i

May 25, 2024 – 08:21 AM EDT

PDB ID : 8V8M  
Title : Switchgrass Chalcone Synthase  
Authors : Lewis, J.A.; Kang, C.  
Deposited on : 2023-12-05  
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	7484 (1.84-1.80)
Clashscore	141614	8401 (1.84-1.80)
Ramachandran outliers	138981	8290 (1.84-1.80)
Sidechain outliers	138945	8290 (1.84-1.80)
RSRZ outliers	127900	7371 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)


There are 4 unique types of molecules in this entry. The entry contains 12924 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chalcone synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	389	Total 2970	C 1872	N 524	O 555	S 19	0	1	0
1	B	388	Total 2963	C 1868	N 523	O 553	S 19	0	0	0
1	C	389	Total 2970	C 1872	N 524	O 555	S 19	0	1	0
1	D	388	Total 2963	C 1867	N 523	O 554	S 19	0	0	0

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	1
2	C	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	1

- Molecule 3 is NARINGENIN (three-letter code: NAR) (formula: C<sub>15</sub>H<sub>12</sub>O<sub>5</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 20 15 5	0	0
3	A	1	Total C O 20 15 5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	229	Total O 229 229	0	0
4	B	247	Total O 247 247	0	0
4	C	214	Total O 214 214	0	0
4	D	232	Total O 232 232	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chalcone synthase



- Molecule 1: Chalcone synthase




- Molecule 1: Chalcone synthase





- Molecule 1: Chalcone synthase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.05 Å    83.08 Å    106.45 Å 79.43°    76.25°    77.21°	Depositor
Resolution (Å)	48.72 – 1.82 48.72 – 1.82	Depositor EDS
% Data completeness (in resolution range)	71.9 (48.72-1.82) 69.7 (48.72-1.82)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	0.77 (at 1.82 Å)	Xtriage
Refinement program	PHENIX (1.20_4459: ???)	Depositor
$R$ , $R_{free}$	0.264 , 0.289 0.265 , 0.290	Depositor DCC
$R_{free}$ test set	1688 reflections (1.43%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	0.7	Xtriage
Anisotropy	3.906	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 41.7	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50$ , $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.80	EDS
Total number of atoms	12924	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAR, COA, CSD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/3020	0.56	0/4095
1	B	0.31	0/3013	0.58	0/4085
1	C	0.29	0/3020	0.56	0/4095
1	D	0.30	0/3013	0.56	0/4085
All	All	0.30	0/12066	0.56	0/16360

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	382	GLY	Mainchain

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2970	0	2981	51	0
1	B	2963	0	2974	46	0
1	C	2970	0	2981	37	0
1	D	2963	0	2972	32	0
2	A	48	0	3	1	0
2	C	48	0	3	1	0
3	A	40	0	19	0	0
4	A	229	0	0	2	0
4	B	247	0	0	0	0
4	C	214	0	0	2	0
4	D	232	0	0	3	0
All	All	12924	0	11933	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:ARG:O	1:A:240:ARG:NH1	2.12	0.83
1:A:14:ARG:HH21	1:A:17:GLN:HE21	1.34	0.74
1:D:18:ARG:NH2	4:D:501:HOH:O	2.20	0.73
1:C:115:GLN:HE21	1:C:125:ARG:HH22	1.39	0.67
1:C:13:LYS:HA	1:C:13:LYS:HE2	1.76	0.67
1:A:358:ARG:NH2	4:A:603:HOH:O	2.26	0.66
1:A:376:LEU:HB2	1:A:390:LEU:HD21	1.78	0.64
1:B:148:TYR:CZ	1:B:152:LYS:HD2	2.32	0.63
1:A:261:ASP:HB2	1:A:272:HIS:HB2	1.83	0.61
1:B:24:THR:HG21	1:B:241:PRO:HB3	1.82	0.61
1:D:213:ASP:HB2	1:D:273:LEU:HD12	1.83	0.59
1:D:256:SER:HB2	1:D:383:LEU:HB2	1.84	0.58
1:D:125:GLN:NE2	4:D:504:HOH:O	2.36	0.58
1:C:321:VAL:HG13	1:C:323:LEU:HD13	1.85	0.58
1:A:24:THR:HG21	1:A:241:PRO:HB3	1.85	0.58
1:C:12:ARG:NH1	4:C:606:HOH:O	2.36	0.58
1:C:22:THR:HG21	1:C:239:PRO:HB3	1.85	0.57
1:A:122:GLU:OE2	1:A:240:ARG:NH2	2.37	0.57
1:B:323:VAL:HG23	1:B:325:LEU:HG	1.87	0.57
1:A:381:PRO:O	1:A:384:THR:HG23	2.05	0.57
1:A:17:GLN:HE22	1:B:181:LYS:HZ1	1.53	0.57
1:C:255:GLU:H	1:C:255:GLU:CD	2.08	0.57
1:A:257:GLU:HG2	1:B:148:TYR:OH	2.05	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:168:CSD:OD2	2:C:501[B]:COA:S1P	2.62	0.56
1:B:354:GLU:OE2	1:B:358:ARG:NH2	2.39	0.56
1:C:261:HIS:HD2	1:D:142:ASP:OD1	1.88	0.56
1:A:58:LEU:HD22	1:A:209:GLU:HG3	1.88	0.56
1:B:13:VAL:O	1:B:17:GLN:HB2	2.07	0.55
1:A:333:THR:HA	1:A:351:ILE:HG12	1.89	0.55
1:A:118:LYS:HA	1:A:118:LYS:HE3	1.89	0.54
1:D:121:LYS:HD2	1:D:122:GLU:N	2.22	0.54
1:A:306:TRP:CE2	1:A:325:LEU:HD11	2.42	0.54
1:C:8:VAL:HG12	1:C:10:GLU:H	1.73	0.54
1:D:11:GLU:O	1:D:15:LYS:HD3	2.07	0.54
1:C:169:PHE:HD2	1:C:378:GLY:HA3	1.72	0.53
1:A:240:ARG:NH1	1:A:242:LEU:HG	2.23	0.53
1:B:15:LYS:N	1:B:15:LYS:HD2	2.23	0.53
1:B:61:LYS:O	1:B:65:MET:HG3	2.07	0.53
1:B:52:SER:HB3	1:B:55:LEU:HD23	1.91	0.53
1:C:277:GLY:O	1:C:281:LYS:HG3	2.09	0.53
1:B:28:ILE:HG12	1:B:228:VAL:HG22	1.90	0.53
1:C:115:GLN:HE21	1:C:125:ARG:NH2	2.06	0.52
1:B:253:LEU:HD12	1:B:383:LEU:HD13	1.92	0.52
1:C:233:ASP:OD2	1:C:235:ARG:HB2	2.10	0.52
1:A:240:ARG:HH12	1:A:242:LEU:HG	1.73	0.52
1:B:212:LEU:O	1:B:216:VAL:HG23	2.10	0.52
1:A:17:GLN:HE22	1:B:181:LYS:NZ	2.07	0.51
1:C:260:GLY:HA3	1:D:143:MET:HE3	1.92	0.51
1:A:322:LYS:HA	1:A:322:LYS:HE2	1.92	0.51
1:D:151:THR:HG23	1:D:156:LEU:HB2	1.93	0.51
1:B:30:THR:HB	1:B:350:PHE:CZ	2.46	0.51
1:A:357:LYS:O	1:A:361:GLU:HG3	2.10	0.50
2:A:501[A]:COA:S1P	4:A:646:HOH:O	2.51	0.50
1:B:279:GLY:O	1:B:283:LYS:HB2	2.11	0.50
1:A:8:VAL:HG13	1:A:9:THR:HG23	1.94	0.50
1:C:16:ARG:HE	1:D:18:ARG:HH21	1.60	0.50
1:A:18:ARG:HE	1:B:18:ARG:HH21	1.60	0.49
1:A:35:ASN:HB3	1:A:76:MET:O	2.13	0.49
1:B:97:LEU:HD22	1:B:101:GLN:HG2	1.94	0.49
1:B:162:ARG:O	1:B:163:LEU:HD23	2.13	0.49
1:B:235:ASP:OD1	1:B:238:ALA:HB3	2.12	0.49
1:C:12:ARG:NE	1:C:12:ARG:HA	2.26	0.49
1:D:25:VAL:HG13	1:D:228:VAL:HG13	1.93	0.49
1:D:11:GLU:HB3	1:D:15:LYS:HE2	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:323:VAL:HG23	1:D:325:LEU:HG	1.93	0.49
1:B:60:GLU:HA	1:B:63:LYS:HD2	1.94	0.49
1:D:9:THR:OG1	1:D:12:GLU:HG3	2.12	0.49
1:D:104:VAL:HG11	1:D:202:VAL:HG23	1.95	0.49
1:D:171:PHE:HD2	1:D:380:GLY:HA3	1.78	0.49
1:C:8:VAL:HG12	1:C:10:GLU:N	2.27	0.48
1:C:16:ARG:HB2	4:D:501:HOH:O	2.11	0.48
1:C:166:GLN:HB3	1:C:170:ALA:HB2	1.95	0.48
1:A:194:VAL:HB	1:A:228:VAL:HG22	1.96	0.48
1:D:28:ILE:HG21	1:D:353:ASP:HB2	1.94	0.48
1:D:61:LYS:O	1:D:65:MET:HG3	2.14	0.48
1:B:235:ASP:OD1	1:B:239:GLU:HG3	2.13	0.47
1:D:277:VAL:O	1:D:281:ILE:HG13	2.14	0.47
1:D:82:PHE:CZ	1:D:103:ILE:HD11	2.49	0.47
1:A:164:MET:HB3	1:B:168:GLN:HE22	1.80	0.47
1:B:170:CSD:HB2	1:B:309:HIS:NE2	2.29	0.47
1:C:244:VAL:HG21	1:C:371:TRP:HZ3	1.79	0.47
1:B:71:ILE:HG12	1:B:341:GLY:HA2	1.96	0.47
1:A:55:LEU:HD22	1:A:209:GLU:OE2	2.14	0.47
1:C:70:ARG:NH2	1:C:337:GLU:OE1	2.47	0.47
1:C:190:VAL:HG13	1:C:228:VAL:HB	1.96	0.47
1:A:78:LEU:HD13	1:A:83:LEU:HD21	1.96	0.47
1:B:170:CSD:HB2	1:B:309:HIS:CE1	2.50	0.47
1:B:25:VAL:HG13	1:B:228:VAL:HG13	1.97	0.47
1:B:256:SER:HB2	1:B:383:LEU:HB2	1.96	0.47
1:B:287:ARG:NH2	1:B:288:ALA:HB2	2.30	0.47
1:A:18:ARG:HE	1:B:18:ARG:NH2	2.12	0.47
1:A:28:ILE:HG12	1:A:228:VAL:HG12	1.96	0.47
1:C:288:GLU:HG3	1:C:289:ALA:N	2.28	0.47
1:A:170:CSD:HB2	1:A:309:HIS:CE1	2.50	0.46
1:A:240:ARG:HG2	1:A:240:ARG:HH11	1.80	0.46
1:D:170:CSD:HB2	1:D:309:HIS:NE2	2.31	0.46
1:C:80:PHE:CZ	1:C:101:ILE:HD11	2.50	0.46
1:C:375:PHE:HE1	1:C:385:THR:HG1	1.64	0.46
1:C:238:ARG:NE	4:C:620:HOH:O	2.49	0.46
1:A:37:VAL:HG11	1:A:42:TYR:CD1	2.50	0.45
1:D:78:LEU:HD11	1:D:201:ALA:HA	1.97	0.45
1:D:348:VAL:HB	1:D:376:LEU:HD11	1.98	0.45
1:D:162:ARG:O	1:D:163:LEU:HD23	2.17	0.45
1:A:100:ARG:O	1:A:104:VAL:HG22	2.16	0.45
1:A:353:ASP:O	1:A:357:LYS:HG3	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:VAL:HA	1:C:164:TYR:CE1	2.52	0.45
1:D:141:VAL:HA	1:D:166:TYR:CE1	2.52	0.45
1:A:97:LEU:HD22	1:B:97:LEU:HD12	1.99	0.45
1:D:81:GLU:H	1:D:81:GLU:CD	2.20	0.45
1:B:113:LYS:HB3	1:B:113:LYS:HE3	1.67	0.44
1:D:24:THR:HG21	1:D:241:PRO:HB3	1.98	0.44
1:A:260:ILE:HB	1:A:381:PRO:HA	1.99	0.44
1:A:194:VAL:O	1:A:227:ALA:HA	2.18	0.44
1:A:149:GLN:O	1:A:153:LEU:HD13	2.18	0.44
1:C:192:VAL:O	1:C:225:ALA:HA	2.18	0.44
1:A:125:GLN:HE21	1:A:129:ARG:HH11	1.65	0.44
1:B:331:ARG:NE	1:B:331:ARG:HA	2.32	0.44
1:A:60:GLU:OE2	1:A:63:LYS:HE3	2.18	0.43
1:C:242:GLN:HB2	1:C:389:HIS:HB3	2.00	0.43
1:D:93:MET:SD	1:D:267:VAL:HG21	2.58	0.43
1:A:113:LYS:HE2	1:A:117:GLN:OE1	2.17	0.43
1:B:213:ASP:HB2	1:B:273:LEU:HD12	2.00	0.43
1:D:240:ARG:HH11	1:D:240:ARG:HG3	1.82	0.43
1:C:244:VAL:HG21	1:C:371:TRP:CZ3	2.53	0.43
1:B:78:LEU:HD11	1:B:201:ALA:HA	2.01	0.43
1:B:287:ARG:HH22	1:B:288:ALA:HB2	1.82	0.43
1:A:9:THR:O	1:A:13:VAL:HG23	2.18	0.42
1:A:257:GLU:OE1	1:B:152:LYS:HE3	2.20	0.42
1:B:57:ASP:O	1:B:61:LYS:HG3	2.19	0.42
1:C:45:PHE:CG	1:C:57:LYS:HG3	2.55	0.42
1:A:62:PHE:CE1	1:A:219:ALA:HB2	2.55	0.42
1:A:340:TYR:HB3	1:A:343:MET:SD	2.60	0.42
1:C:33:ASN:HB3	1:C:74:MET:O	2.21	0.41
1:B:11:GLU:O	1:B:15:LYS:HD3	2.20	0.41
1:C:21:ALA:HB2	1:C:183:GLU:HG3	2.01	0.41
1:C:28:THR:HB	1:C:348:PHE:CZ	2.55	0.41
1:A:305:PHE:CE2	1:A:374:GLY:HA3	2.56	0.41
1:A:325:LEU:HD22	1:A:329:ARG:HG3	2.02	0.41
1:A:172:ALA:HA	1:A:175:THR:OG1	2.20	0.41
1:B:58:LEU:HD22	1:B:209:GLU:HG2	2.01	0.41
1:C:374:LEU:HB3	1:C:386:VAL:HB	2.03	0.41
1:D:357:LYS:O	1:D:361:GLU:HG3	2.21	0.41
1:B:16:ALA:C	1:B:188:ARG:HH12	2.22	0.41
1:D:270:THR:OG1	1:D:272:HIS:HE1	2.04	0.41
1:A:125:GLN:NE2	1:A:129:ARG:HH11	2.19	0.41
1:A:279:GLY:O	1:A:283:LYS:HB2	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:306:TRP:CE2	1:B:325:LEU:HD11	2.55	0.41
1:C:131:LEU:HD13	1:C:191:LEU:HD23	2.02	0.41
1:B:133:LEU:HD13	1:B:193:LEU:HD23	2.03	0.40
1:B:16:ALA:O	1:B:188:ARG:NH1	2.42	0.40
1:A:14:ARG:HH21	1:A:17:GLN:HB3	1.87	0.40
1:C:356:ARG:HD3	1:C:356:ARG:HA	1.85	0.40
1:D:88:ASN:HD22	1:D:88:ASN:HA	1.62	0.40
1:A:257:GLU:HG2	1:B:148:TYR:HH	1.85	0.40
1:B:305:PHE:CE2	1:B:374:GLY:HA3	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	386/402 (96%)	374 (97%)	10 (3%)	2 (0%)	29 15
1	B	385/402 (96%)	371 (96%)	14 (4%)	0	100 100
1	C	386/402 (96%)	376 (97%)	9 (2%)	1 (0%)	41 27
1	D	385/402 (96%)	368 (96%)	15 (4%)	2 (0%)	29 15
All	All	1542/1608 (96%)	1489 (97%)	48 (3%)	5 (0%)	41 27

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	94	SER
1	A	18	ARG
1	A	96	SER
1	D	383	LEU
1	D	254	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	314/315 (100%)	306 (98%)	8 (2%)	47 33
1	B	313/315 (99%)	304 (97%)	9 (3%)	42 28
1	C	314/315 (100%)	307 (98%)	7 (2%)	52 39
1	D	313/315 (99%)	302 (96%)	11 (4%)	36 20
All	All	1254/1260 (100%)	1219 (97%)	35 (3%)	43 29

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	LYS
1	A	127	ARG
1	A	139	SER
1	A	188	ARG
1	A	210	SER
1	A	287	ARG
1	A	356	ARG
1	A	384	THR
1	B	15	LYS
1	B	64	ARG
1	B	97	LEU
1	B	136	CYS
1	B	235	ASP
1	B	236	GLU
1	B	237	ARG
1	B	240	ARG
1	B	356	ARG
1	C	13	LYS
1	C	18	SER
1	C	55	ASP
1	C	137	SER
1	C	234	GLU
1	C	323	LEU
1	C	354	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	17	GLN
1	D	20	SER
1	D	110	LYS
1	D	121	LYS
1	D	158	PRO
1	D	210	SER
1	D	272	HIS
1	D	322	LYS
1	D	356	ARG
1	D	383	LEU
1	D	396	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	125	GLN
1	A	167	GLN
1	B	117	GLN
1	B	168	GLN
1	C	36	HIS
1	C	115	GLN
1	C	123	GLN
1	C	165	GLN
1	C	166	GLN
1	C	261	HIS
1	D	88	ASN
1	D	125	GLN
1	D	167	GLN
1	D	272	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSD	D	170	1	3,7,8	0.92	0	1,8,10	0.17	0
1	CSD	B	170	1	3,7,8	0.95	0	1,8,10	1.27	0
1	CSD	C	168	1	3,7,8	0.89	0	1,8,10	0.12	0
1	CSD	A	170	1	3,7,8	0.87	0	1,8,10	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSD	D	170	1	-	1/2/6/8	-
1	CSD	B	170	1	-	1/2/6/8	-
1	CSD	C	168	1	-	1/2/6/8	-
1	CSD	A	170	1	-	1/2/6/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	170	CSD	CA-CB-SG-OD1
1	B	170	CSD	CA-CB-SG-OD1
1	C	168	CSD	CA-CB-SG-OD1
1	D	170	CSD	CA-CB-SG-OD1

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	170	CSD	1	0
1	B	170	CSD	2	0
1	C	168	CSD	1	0
1	A	170	CSD	1	0

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAR	A	502	-	22,22,22	0.68	1 (4%)	32,32,32	0.53	0
3	NAR	A	503	-	22,22,22	0.74	1 (4%)	32,32,32	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAR	A	502	-	-	0/4/16/16	0/3/3/3
3	NAR	A	503	-	-	0/4/16/16	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	NAR	O1-C6	-2.69	1.34	1.38
3	A	502	NAR	O1-C6	-2.45	1.34	1.38

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	388/402 (96%)	0.30	5 (1%) 77 74	3, 11, 26, 42	0
1	B	387/402 (96%)	0.37	7 (1%) 68 64	4, 13, 26, 60	0
1	C	388/402 (96%)	0.35	9 (2%) 60 56	4, 10, 27, 49	0
1	D	387/402 (96%)	0.37	10 (2%) 56 51	4, 13, 24, 67	0
All	All	1550/1608 (96%)	0.35	31 (2%) 65 61	3, 12, 26, 67	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	237	ARG	5.5
1	C	394	THR	5.4
1	A	396	THR	4.6
1	D	16	ALA	4.2
1	C	235	ARG	3.8
1	D	9	THR	3.6
1	B	237	ARG	3.3
1	B	236	GLU	3.2
1	B	16	ALA	3.1
1	A	8	VAL	2.9
1	D	10	VAL	2.9
1	C	6	VAL	2.9
1	D	236	GLU	2.8
1	C	7	THR	2.8
1	C	9	GLU	2.7
1	C	14	ALA	2.6
1	C	8	VAL	2.5
1	B	271	PHE	2.4
1	D	395	ILE	2.3
1	B	235	ASP	2.2
1	C	270	HIS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	237	ARG	2.2
1	C	12	ARG	2.2
1	D	240	ARG	2.2
1	D	383	LEU	2.1
1	D	13	VAL	2.1
1	B	361	GLU	2.1
1	A	13	VAL	2.1
1	D	271	PHE	2.1
1	A	84	ALA	2.0
1	B	9	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSD	D	170	8/9	0.89	0.15	9,10,23,23	0
1	CSD	B	170	8/9	0.91	0.13	8,9,20,23	0
1	CSD	C	168	8/9	0.91	0.14	6,7,21,22	0
1	CSD	A	170	8/9	0.91	0.13	6,10,18,19	0

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	COA	A	501[A]	48/48	0.79	0.19	10,29,50,57	1
2	COA	C	501[B]	48/48	0.80	0.20	13,29,53,64	0
3	NAR	A	503	20/20	0.82	0.13	7,9,12,14	0
3	NAR	A	502	20/20	0.85	0.13	6,9,11,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.