



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 5, 2023 – 08:42 PM EDT

PDB ID : 6VB9  
Title : Covalent adduct of cis-2,3-epoxysuccinic acid with Isocitrate Lyase-1 from Mycobacterium tuberculosis  
Authors : Krieger, I.V.; Pham, T.V.; Meek, T.D.; Sacchettini, J.C.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : 2019-12-18  
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	431	 2% 90% 9%
1	B	431	 2% 91% 7%
1	C	431	 2% 92% 7%
1	D	431	 2% 89% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXD	A	503[A]	-	X	-	-
3	OXD	A	503[B]	-	X	-	-
3	OXD	B	503	-	X	-	-
3	OXD	C	504[A]	-	X	-	-
3	OXD	C	504[B]	-	X	-	-
3	OXD	D	503[A]	-	X	-	-
3	OXD	D	503[B]	-	X	-	-
4	ACY	B	505	-	-	X	-
5	PEG	B	502[B]	-	-	X	-
5	PEG	C	503	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14419 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	427	Total 3340	C 2098	N 579	O 654	S 9	0	4	0
1	B	427	Total 3335	C 2096	N 579	O 651	S 9	0	3	0
1	C	427	Total 3333	C 2092	N 581	O 651	S 9	0	2	0
1	D	427	Total 3337	C 2096	N 581	O 651	S 9	0	3	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A0A045H6H0
A	-1	SER	-	expression tag	UNP A0A045H6H0
A	0	HIS	-	expression tag	UNP A0A045H6H0
B	-2	GLY	-	expression tag	UNP A0A045H6H0
B	-1	SER	-	expression tag	UNP A0A045H6H0
B	0	HIS	-	expression tag	UNP A0A045H6H0
C	-2	GLY	-	expression tag	UNP A0A045H6H0
C	-1	SER	-	expression tag	UNP A0A045H6H0
C	0	HIS	-	expression tag	UNP A0A045H6H0
D	-2	GLY	-	expression tag	UNP A0A045H6H0
D	-1	SER	-	expression tag	UNP A0A045H6H0
D	0	HIS	-	expression tag	UNP A0A045H6H0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	Mg 2	0	0
2	B	1	Total 1	Mg 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	2	Total Mg 2 2	0	0
2	D	2	Total Mg 2 2	0	0

- Molecule 3 is OXALIC ACID (three-letter code: OXD) (formula: C<sub>2</sub>H<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 11 4 7	0	1
3	B	1	Total C O 6 2 4	0	0
3	C	1	Total C O 11 4 7	0	1
3	D	1	Total C O 11 4 7	0	1

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 14 8 6	0	1
5	C	1	Total C O 7 4 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	257	Total O 257 257	0	0
6	B	249	Total O 249 249	0	0
6	C	244	Total O 244 244	0	0
6	D	221	Total O 221 221	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate lyase




- Molecule 1: Isocitrate lyase



- Molecule 1: Isocitrate lyase



- Molecule 1: Isocitrate lyase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.06Å 129.06Å 167.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.94 – 1.88 48.94 – 1.88	Depositor EDS
% Data completeness (in resolution range)	89.9 (48.94-1.88) 90.7 (48.94-1.88)	Depositor EDS
$R_{merge}$	0.30	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.23 (at 1.88Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, $R_{free}$	0.179 , 0.228 0.180 , 0.228	Depositor DCC
$R_{free}$ test set	5970 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.2	Xtrriage
Anisotropy	0.400	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 42.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14419	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: QVA, ACY, MG, OXD, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/3407	0.56	0/4631
1	B	0.40	0/3399	0.55	0/4619
1	C	0.41	0/3394	0.54	0/4612
1	D	0.39	0/3401	0.53	0/4622
All	All	0.40	0/13601	0.55	0/18484

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3340	0	3219	32	0
1	B	3335	0	3220	26	0
1	C	3333	0	3211	26	0
1	D	3337	0	3220	25	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	11	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	6	0	0	0	0
3	C	11	0	0	0	0
3	D	11	0	0	0	0
4	A	8	0	6	0	0
4	B	12	0	9	4	0
4	C	4	0	3	0	0
4	D	12	0	9	2	0
5	B	14	0	19	5	0
5	C	7	0	10	7	0
6	A	257	0	0	6	0
6	B	249	0	0	2	0
6	C	244	0	0	2	0
6	D	221	0	0	1	0
All	All	14419	0	12926	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:ARG:HD3	4:B:505:ACY:O	1.50	1.08
1:B:204:GLN:HE22	5:B:502[B]:PEG:H22	1.39	0.88
1:C:82:ARG:HE	5:C:503:PEG:H41	1.46	0.81
1:C:24:LYS:HE3	1:C:25:ASP:HB2	1.76	0.67
1:A:334:LYS:NZ	6:A:603:HOH:O	2.26	0.65
1:C:64:GLU:HG2	1:C:65:TRP:HE3	1.61	0.65
1:C:64:GLU:HG2	1:C:65:TRP:CE3	2.31	0.65
1:A:1:MET:N	6:A:605:HOH:O	2.30	0.63
1:B:207:ARG:CD	4:B:505:ACY:O	2.38	0.63
1:A:264:GLY:HA3	6:A:607:HOH:O	2.00	0.61
1:C:82:ARG:HH21	5:C:503:PEG:H41	1.66	0.60
1:C:82:ARG:NE	5:C:503:PEG:H41	2.15	0.58
1:D:90:LEU:HD22	1:D:124:ILE:HD12	1.86	0.58
1:B:204:GLN:HE22	5:B:502[B]:PEG:C2	2.14	0.57
1:C:264:GLY:O	1:C:267:PRO:HD2	2.04	0.56
1:B:226:ILE:HG12	1:B:281:LEU:HB2	1.87	0.56
1:C:371:SER:O	1:C:375:GLU:HG3	2.07	0.55
4:B:505:ACY:H3	1:D:410:ASP:OD2	2.06	0.55
1:C:396:GLU:CD	5:C:503:PEG:H32	2.26	0.55
1:B:9:SER:OG	1:B:12:GLN:HG3	2.07	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:388:TYR:CZ	1:C:390:ALA:HB3	2.42	0.54
1:A:90:LEU:HD23	1:A:121:VAL:HG22	1.88	0.54
1:C:24:LYS:HE2	6:C:815:HOH:O	2.09	0.53
1:B:185:LEU:CD1	5:B:502[B]:PEG:H21	2.39	0.53
1:B:207:ARG:NH1	4:B:505:ACY:O	2.42	0.53
1:A:252:GLU:HG2	1:A:260:ARG:HB2	1.91	0.52
1:A:369:GLN:OE1	1:B:334:LYS:NZ	2.32	0.52
1:A:101:LEU:HD11	1:A:119:GLN:HG3	1.91	0.52
1:A:253:ARG:HD3	1:A:259:TYR:CE2	2.45	0.52
1:A:266:GLU:H	1:A:266:GLU:CD	2.15	0.50
1:B:67:ASN:HA	1:B:344:GLN:O	2.12	0.50
1:A:157:GLY:HA3	1:A:164:VAL:HG22	1.93	0.50
1:C:82:ARG:HE	5:C:503:PEG:C4	2.22	0.50
1:A:363:TYR:CZ	1:B:386:ARG:HG2	2.47	0.49
1:C:82:ARG:NH2	5:C:503:PEG:H41	2.27	0.49
1:C:93:TRP:CD1	1:C:108:ASP:HB2	2.47	0.49
1:A:252:GLU:OE1	6:A:601:HOH:O	2.20	0.49
1:D:363:TYR:O	1:D:367:GLN:HG2	2.13	0.49
1:C:24:LYS:HE3	1:C:25:ASP:CB	2.42	0.49
1:D:253:ARG:NH2	6:D:602:HOH:O	2.25	0.49
1:A:9:SER:OG	1:A:12:GLN:HG3	2.12	0.48
1:B:24:LYS:NZ	1:B:307:ASP:OD2	2.45	0.48
1:A:289:PRO:HD3	1:A:318:PHE:CG	2.48	0.48
1:C:90:LEU:HD22	1:C:117:VAL:HG13	1.94	0.48
1:C:255:ARG:N	1:C:255:ARG:HD2	2.29	0.48
1:D:133:GLN:HB3	1:D:401:TYR:CE1	2.48	0.48
1:A:253:ARG:HD3	1:A:259:TYR:CD2	2.49	0.48
1:D:23:TRP:HZ2	4:D:504:ACY:H2	1.79	0.47
1:C:67:ASN:HA	1:C:344:GLN:O	2.14	0.47
1:C:67:ASN:HB2	1:D:365:TYR:OH	2.13	0.47
1:D:388:TYR:CZ	1:D:390:ALA:HB3	2.50	0.47
1:A:331:LYS:NZ	6:A:604:HOH:O	2.30	0.47
1:B:90:LEU:HD23	1:B:121:VAL:HG22	1.97	0.47
1:B:191:QVA:O09	1:B:317:SER:OG	2.32	0.47
1:B:204:GLN:NE2	5:B:502[B]:PEG:H22	2.20	0.46
1:C:342:LYS:HE3	6:C:718:HOH:O	2.14	0.46
1:D:321:LYS:NZ	1:D:326:ASP:OD1	2.45	0.46
1:B:101:LEU:HD11	1:B:119:GLN:HG3	1.98	0.46
1:B:276:ALA:HA	1:B:282:ILE:HD11	1.97	0.45
1:C:33:GLU:CD	1:C:33:GLU:H	2.19	0.45
1:D:9:SER:OG	1:D:12:GLN:HG3	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:276:ALA:HA	1:D:282:ILE:HD11	1.98	0.45
1:D:231:ALA:HB1	1:D:267:PRO:HB2	1.99	0.45
1:D:180:HIS:HB3	1:D:226:ILE:HB	1.99	0.45
1:A:190:LYS:HB2	1:A:197:LYS:HG2	1.98	0.44
1:A:252:GLU:N	6:A:601:HOH:O	2.47	0.44
1:B:133:GLN:HB3	1:B:401:TYR:CE1	2.52	0.44
1:A:264:GLY:O	1:A:267:PRO:HD2	2.17	0.44
1:A:9:SER:H	1:A:12:GLN:HE21	1.65	0.44
1:A:9:SER:H	1:A:12:GLN:NE2	2.15	0.44
1:C:315:SER:OG	1:C:317:SER:HB2	2.18	0.44
1:C:131:ALA:HB1	5:C:503:PEG:H12	2.00	0.43
1:A:328:THR:HA	1:A:331:LYS:HE2	2.00	0.43
1:B:276:ALA:O	6:B:601:HOH:O	2.21	0.43
1:A:67:ASN:HA	1:A:344:GLN:O	2.18	0.43
1:C:417:ALA:HB1	1:D:194:LEU:HD13	2.01	0.43
1:B:316:PRO:HG2	1:B:348:LEU:HB2	2.01	0.43
1:D:43:VAL:HG21	4:D:505:ACY:H2	2.01	0.43
1:D:90:LEU:HB3	1:D:152:ALA:HA	2.00	0.43
1:D:328:THR:HA	1:D:331:LYS:HE2	2.00	0.43
1:D:200:ILE:HD11	1:D:205:HIS:HB2	2.02	0.42
1:D:67:ASN:HA	1:D:344:GLN:O	2.19	0.42
1:A:130:ARG:HD3	1:A:133:GLN:OE1	2.20	0.42
1:D:340:GLY:HA2	1:D:342:LYS:HZ3	1.85	0.42
1:A:240:ASP:HB3	1:A:249:ILE:HD12	2.00	0.42
1:B:185:LEU:HD13	5:B:502[B]:PEG:H21	2.01	0.42
1:D:302:LYS:HE2	1:D:306:PRO:O	2.19	0.42
1:C:133:GLN:HB3	1:C:401:TYR:CE1	2.55	0.41
1:D:315:SER:OG	1:D:317:SER:HB2	2.20	0.41
1:B:308:GLN:NE2	6:B:601:HOH:O	2.20	0.41
1:A:67:ASN:HB2	1:B:365:TYR:OH	2.20	0.41
1:A:252:GLU:HG3	1:A:260:ARG:HG3	2.02	0.41
1:C:86:LYS:O	1:C:149:PRO:HD2	2.20	0.41
1:A:90:LEU:HB3	1:A:152:ALA:HA	2.02	0.40
1:A:93:TRP:CD1	1:A:108:ASP:HB2	2.56	0.40
1:A:393:HIS:HB2	1:B:93:TRP:CH2	2.57	0.40
1:D:335:GLU:O	1:D:339:MET:HG3	2.21	0.40
1:A:276:ALA:HA	1:A:282:ILE:HD11	2.03	0.40
1:B:190:LYS:HB2	1:B:197:LYS:HG2	2.03	0.40
1:B:264:GLY:O	1:B:267:PRO:HD2	2.20	0.40
1:D:418:LEU:HD23	1:D:418:LEU:HA	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	428/431 (99%)	421 (98%)	7 (2%)	0	100	100
1	B	427/431 (99%)	420 (98%)	7 (2%)	0	100	100
1	C	426/431 (99%)	416 (98%)	10 (2%)	0	100	100
1	D	427/431 (99%)	417 (98%)	10 (2%)	0	100	100
All	All	1708/1724 (99%)	1674 (98%)	34 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/340 (100%)	337 (99%)	3 (1%)	78	76
1	B	339/340 (100%)	337 (99%)	2 (1%)	86	86
1	C	338/340 (99%)	336 (99%)	2 (1%)	86	86
1	D	339/340 (100%)	336 (99%)	3 (1%)	78	76
All	All	1356/1360 (100%)	1346 (99%)	10 (1%)	84	83

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	LEU
1	A	397[A]	VAL

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	A	397[B]	VAL
1	B	72	LEU
1	B	334	LYS
1	C	2	SER
1	C	72	LEU
1	D	72	LEU
1	D	90	LEU
1	D	302	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	367	GLN
1	B	204	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	QVA	B	191	1	11,14,15	2.26	2 (18%)	9,18,20	2.30	4 (44%)
1	QVA	A	191	1	11,14,15	2.25	3 (27%)	9,18,20	2.27	4 (44%)
1	QVA	D	191	1	11,14,15	2.19	2 (18%)	9,18,20	2.74	5 (55%)
1	QVA	C	191	1	11,14,15	2.38	2 (18%)	9,18,20	2.40	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	QVA	B	191	1	-	3/17/19/21	-
1	QVA	A	191	1	-	3/17/19/21	-
1	QVA	D	191	1	-	4/17/19/21	-
1	QVA	C	191	1	-	3/17/19/21	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	191	QVA	O03-C02	6.40	1.41	1.22
1	D	191	QVA	O03-C02	6.09	1.40	1.22
1	B	191	QVA	O03-C02	6.01	1.40	1.22
1	A	191	QVA	O03-C02	5.88	1.40	1.22
1	C	191	QVA	O01-C02	3.27	1.41	1.30
1	D	191	QVA	O01-C02	3.03	1.40	1.30
1	A	191	QVA	O01-C02	2.94	1.40	1.30
1	B	191	QVA	O01-C02	2.91	1.40	1.30
1	A	191	QVA	C04-C02	2.16	1.55	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	191	QVA	O01-C02-O03	-5.51	111.58	124.09
1	B	191	QVA	O01-C02-O03	-4.93	112.90	124.09
1	A	191	QVA	O01-C02-O03	-4.89	112.99	124.09
1	C	191	QVA	O03-C02-C04	-4.57	112.86	122.44
1	D	191	QVA	O03-C02-C04	-3.91	114.24	122.44
1	C	191	QVA	O06-C05-C07	-3.34	103.67	110.66
1	A	191	QVA	O09-C07-C05	2.87	121.02	113.27
1	B	191	QVA	O09-C07-C05	2.78	120.78	113.27
1	C	191	QVA	O01-C02-O03	-2.71	117.94	124.09
1	D	191	QVA	O09-C07-C05	2.62	120.36	113.27
1	A	191	QVA	O03-C02-C04	-2.48	117.25	122.44
1	B	191	QVA	O09-C07-O08	-2.27	118.93	124.09
1	B	191	QVA	O03-C02-C04	-2.26	117.70	122.44
1	C	191	QVA	O09-C07-C05	2.12	119.01	113.27
1	A	191	QVA	O09-C07-O08	-2.05	119.44	124.09
1	D	191	QVA	O06-C05-C07	-2.00	106.46	110.66
1	D	191	QVA	O01-C02-C04	-2.00	108.83	113.15

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	191	QVA	C02-C04-SG-CB
1	C	191	QVA	C02-C04-SG-CB
1	D	191	QVA	C02-C04-SG-CB
1	D	191	QVA	O03-C02-C04-C05
1	D	191	QVA	C02-C04-C05-C07
1	C	191	QVA	O03-C02-C04-C05
1	B	191	QVA	O01-C02-C04-C05
1	A	191	QVA	C02-C04-C05-C07
1	B	191	QVA	C02-C04-C05-C07
1	C	191	QVA	C02-C04-C05-C07
1	B	191	QVA	C02-C04-SG-CB
1	D	191	QVA	O03-C02-C04-SG
1	A	191	QVA	O01-C02-C04-C05

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	191	QVA	1	0
1	D	191	QVA	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 7 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	PEG	B	502[A]	-	6,6,6	0.48	0	5,5,5	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	OXD	D	503[A]	2	5,5,5	3.41	2 (40%)	6,6,6	2.74	3 (50%)
5	PEG	C	503	-	6,6,6	0.48	0	5,5,5	0.41	0
3	OXD	D	503[B]	2	5,5,5	3.42	2 (40%)	6,6,6	2.74	3 (50%)
3	OXD	C	504[A]	2	5,5,5	3.40	2 (40%)	6,6,6	2.45	3 (50%)
4	ACY	D	505	-	3,3,3	0.94	0	3,3,3	1.07	0
5	PEG	B	502[B]	-	6,6,6	0.89	0	5,5,5	0.94	0
4	ACY	A	505	-	3,3,3	0.94	0	3,3,3	0.75	0
4	ACY	B	504	-	3,3,3	1.06	0	3,3,3	0.88	0
4	ACY	D	506	-	3,3,3	0.88	0	3,3,3	0.81	0
3	OXD	C	504[B]	2	5,5,5	3.40	2 (40%)	6,6,6	2.45	3 (50%)
4	ACY	D	504	-	3,3,3	1.03	0	3,3,3	0.78	0
4	ACY	B	505	-	3,3,3	0.88	0	3,3,3	1.28	0
3	OXD	A	503[A]	2	5,5,5	3.40	2 (40%)	6,6,6	2.44	3 (50%)
3	OXD	B	503	2	5,5,5	3.31	2 (40%)	6,6,6	2.18	2 (33%)
4	ACY	A	504	-	3,3,3	0.90	0	3,3,3	0.58	0
4	ACY	B	506	-	3,3,3	0.95	0	3,3,3	0.75	0
4	ACY	C	505	-	3,3,3	0.93	0	3,3,3	0.67	0
3	OXD	A	503[B]	2	5,5,5	3.40	2 (40%)	6,6,6	2.44	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OXD	D	503[B]	2	-	2/4/4/4	-
3	OXD	C	504[A]	2	-	2/4/4/4	-
5	PEG	B	502[B]	-	-	3/4/4/4	-
5	PEG	B	502[A]	-	-	3/4/4/4	-
3	OXD	A	503[A]	2	-	2/4/4/4	-
3	OXD	B	503	2	-	2/4/4/4	-
3	OXD	D	503[A]	2	-	2/4/4/4	-
3	OXD	A	503[B]	2	-	2/4/4/4	-
5	PEG	C	503	-	-	4/4/4/4	-
3	OXD	C	504[B]	2	-	2/4/4/4	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	503[A]	OXD	O3-C1	6.57	1.40	1.22
3	D	503[B]	OXD	O3-C1	6.57	1.40	1.22
3	A	503[A]	OXD	O3-C1	6.57	1.40	1.22
3	A	503[B]	OXD	O3-C1	6.57	1.40	1.22
3	C	504[A]	OXD	O3-C1	6.53	1.39	1.22
3	C	504[B]	OXD	O3-C1	6.53	1.39	1.22
3	B	503	OXD	O4-C2	6.26	1.39	1.22
3	D	503[B]	OXD	O5-C1	3.37	1.40	1.30
3	D	503[A]	OXD	O5-C1	3.37	1.40	1.30
3	C	504[A]	OXD	O5-C1	3.27	1.40	1.30
3	C	504[B]	OXD	O5-C1	3.27	1.40	1.30
3	A	503[A]	OXD	O5-C1	3.25	1.40	1.30
3	A	503[B]	OXD	O5-C1	3.25	1.40	1.30
3	B	503	OXD	O6-C2	3.21	1.40	1.30

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	503[B]	OXD	O5-C1-O3	-4.61	113.05	123.61
3	D	503[A]	OXD	O5-C1-O3	-4.59	113.10	123.61
3	C	504[A]	OXD	O5-C1-O3	-4.10	114.22	123.61
3	C	504[B]	OXD	O5-C1-O3	-4.10	114.22	123.61
3	A	503[A]	OXD	O5-C1-O3	-3.90	114.68	123.61
3	A	503[B]	OXD	O5-C1-O3	-3.90	114.68	123.61
3	D	503[A]	OXD	O3-C1-C2	-3.65	109.08	120.78
3	D	503[B]	OXD	O3-C1-C2	-3.65	109.08	120.78
3	B	503	OXD	O6-C2-O4	-3.37	115.90	123.61
3	A	503[A]	OXD	O3-C1-C2	-3.32	110.13	120.78
3	A	503[B]	OXD	O3-C1-C2	-3.32	110.13	120.78
3	B	503	OXD	O4-C2-C1	-3.26	110.32	120.78
3	C	504[A]	OXD	O3-C1-C2	-3.16	110.63	120.78
3	C	504[B]	OXD	O3-C1-C2	-3.16	110.64	120.78
3	C	504[B]	OXD	O6-C2-C1	2.40	120.30	113.16
3	C	504[A]	OXD	O6-C2-C1	2.40	120.29	113.16
3	D	503[B]	OXD	O6-C2-C1	2.33	120.09	113.16
3	D	503[A]	OXD	O6-C2-C1	2.33	120.07	113.16
3	A	503[A]	OXD	O6-C2-C1	2.22	119.76	113.16
3	A	503[B]	OXD	O6-C2-C1	2.22	119.76	113.16

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	503[A]	OXD	O3-C1-C2-O6
3	A	503[B]	OXD	O3-C1-C2-O6
3	A	503[A]	OXD	O3-C1-C2-O4
3	A	503[B]	OXD	O3-C1-C2-O4
3	B	503	OXD	O3-C1-C2-O4
3	B	503	OXD	O5-C1-C2-O4
5	C	503	PEG	O2-C3-C4-O4
5	B	502[A]	PEG	O2-C3-C4-O4
5	B	502[A]	PEG	C4-C3-O2-C2
5	C	503	PEG	O1-C1-C2-O2
3	C	504[A]	OXD	O5-C1-C2-O4
3	C	504[B]	OXD	O5-C1-C2-O4
5	B	502[B]	PEG	O1-C1-C2-O2
5	B	502[B]	PEG	C1-C2-O2-C3
3	C	504[A]	OXD	O5-C1-C2-O6
3	C	504[B]	OXD	O5-C1-C2-O6
5	B	502[A]	PEG	C1-C2-O2-C3
5	B	502[B]	PEG	O2-C3-C4-O4
3	D	503[A]	OXD	O3-C1-C2-O4
3	D	503[B]	OXD	O3-C1-C2-O4
3	D	503[A]	OXD	O3-C1-C2-O6
3	D	503[B]	OXD	O3-C1-C2-O6
5	C	503	PEG	C4-C3-O2-C2
5	C	503	PEG	C1-C2-O2-C3

There are no ring outliers.

5 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	503	PEG	7	0
4	D	505	ACY	1	0
5	B	502[B]	PEG	5	0
4	D	504	ACY	1	0
4	B	505	ACY	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	426/431 (98%)	-0.02	8 (1%) 66 68	15, 24, 38, 62	0
1	B	426/431 (98%)	-0.07	8 (1%) 66 68	14, 25, 39, 64	0
1	C	426/431 (98%)	-0.09	8 (1%) 66 68	14, 25, 38, 63	0
1	D	426/431 (98%)	0.00	8 (1%) 66 68	15, 26, 41, 63	0
All	All	1704/1724 (98%)	-0.04	32 (1%) 66 68	14, 25, 39, 64	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	4.6
1	D	101	LEU	4.2
1	B	101	LEU	4.0
1	C	1	MET	3.9
1	B	1	MET	3.9
1	A	101	LEU	3.8
1	D	1	MET	3.5
1	C	101	LEU	3.3
1	B	120	VAL	3.0
1	D	328	THR	2.7
1	D	19	THR	2.6
1	A	120	VAL	2.5
1	B	102	SER	2.5
1	D	120	VAL	2.4
1	C	117	VAL	2.4
1	A	113	PRO	2.3
1	C	3	VAL	2.3
1	B	72	LEU	2.3
1	D	112	TYR	2.2
1	D	15	GLN	2.2
1	D	65	TRP	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	116	SER	2.2
1	A	99	ALA	2.2
1	C	118	PRO	2.2
1	B	115	ASN	2.1
1	B	112	TYR	2.1
1	A	95	VAL	2.1
1	C	120	VAL	2.1
1	C	95	VAL	2.0
1	A	144	GLU	2.0
1	B	171	LEU	2.0
1	A	24	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	QVA	A	191	15/16	0.96	0.09	13,20,24,25	0
1	QVA	B	191	15/16	0.96	0.09	17,22,26,26	0
1	QVA	D	191	15/16	0.96	0.09	20,25,29,30	0
1	QVA	C	191	15/16	0.97	0.07	19,23,26,28	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	PEG	B	502[A]	7/7	0.74	0.33	38,40,49,51	7
5	PEG	B	502[B]	7/7	0.74	0.33	38,40,49,51	7
4	ACY	B	505	4/4	0.76	0.30	40,42,45,45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	ACY	B	504	4/4	0.78	0.15	36,43,46,48	0
4	ACY	D	505	4/4	0.80	0.19	31,36,40,42	0
4	ACY	A	504	4/4	0.86	0.17	33,45,45,50	0
4	ACY	A	505	4/4	0.87	0.30	46,46,49,58	0
5	PEG	C	503	7/7	0.91	0.34	34,34,39,41	0
4	ACY	B	506	4/4	0.92	0.11	42,48,49,51	0
4	ACY	C	505	4/4	0.92	0.21	37,44,47,48	0
4	ACY	D	504	4/4	0.93	0.09	31,37,40,47	0
4	ACY	D	506	4/4	0.94	0.11	35,43,45,48	0
3	OXD	C	504[A]	6/6	0.96	0.10	21,23,23,24	6
3	OXD	C	504[B]	6/6	0.96	0.10	21,23,23,24	6
2	MG	A	502	1/1	0.98	0.07	28,28,28,28	0
2	MG	C	502	1/1	0.98	0.10	29,29,29,29	0
3	OXD	D	503[A]	6/6	0.98	0.08	23,23,23,25	6
3	OXD	D	503[B]	6/6	0.98	0.08	23,23,23,25	6
2	MG	D	501	1/1	0.98	0.04	30,30,30,30	0
3	OXD	A	503[A]	6/6	0.98	0.09	17,18,20,20	6
3	OXD	A	503[B]	6/6	0.98	0.09	17,18,20,20	6
3	OXD	B	503	6/6	0.98	0.12	21,23,24,26	1
2	MG	D	502	1/1	0.99	0.10	24,24,24,24	0
2	MG	C	501	1/1	0.99	0.09	21,21,21,21	0
2	MG	A	501	1/1	0.99	0.07	18,18,18,18	0
2	MG	B	501	1/1	0.99	0.12	19,19,19,19	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.