



# Full wwPDB X-ray Structure Validation Report

Dec 3, 2023 – 05:43 pm GMT

PDB ID : 2VD9  
Title : The crystal structure of alanine racemase from Bacillus anthracis (BA0252) with bound L-Ala-P  
Authors : Au, K.; Ren, J.; Walter, T.S.; Harlos, K.; Nettleship, J.E.; Owens, R.J.; Stuart, D.I.; Esnouf, R.M.; Oxford Protein Production Facility (OPPF); Structural Proteomics in Europe (SPINE)  
Deposited on : 2007-10-01  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	 87% 11% ..
1	B	391	 86% 11% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MG	A	1391	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7161 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALANINE RACEMASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	386	3098	2021	511	560	6	0	0	0
1	B	386	3098	2021	511	560	6	0	0	0


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	Mg 2	0	0
2	B	1	Total 1	Mg 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 2	Cl 2	0	0
3	B	1	Total 1	Cl 1	0	0

- Molecule 4 is {1-[(3-HYDROXY-METHYL-5-PHOSPHONOXY-METHYL-PYRIDIN-4-YLMETHYL)-AMINO]-ETHYL}-PHOSPHONIC ACID (three-letter code: IN5) (formula: C<sub>10</sub>H<sub>18</sub>N<sub>2</sub>O<sub>8</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	Total	C	N	O	P	0	0
			22	10	2	8	2		
4	B	1	Total	C	N	O	P	0	0
			22	10	2	8	2		

- Molecule 5 is (1S)-1-[[[(1E)-{3-HYDROXY-2-METHYL-5-[(PHOSPHONOOXY)METHYL]PYRIDIN-4-YL}METHYLENE)AMINO]ETHYLPHOSPHONIC ACID (three-letter code: EPC) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>2</sub>O<sub>8</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	A	1	Total	C	N	O	P	0	0
			22	10	2	8	2		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	B	1	22	10	2	8	2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	424	Total	O	0	0
			424	424		
6	B	447	Total	O	0	0
			447	447		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ALANINE RACEMASE



- Molecule 1: ALANINE RACEMASE





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.69Å 96.50Å 140.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.64 – 2.10 45.64 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.64-2.10) 99.7 (45.64-2.10)	Depositor EDS
$R_{merge}$	0.23	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.47 (at 2.10Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.188 , 0.239 0.191 , 0.244	Depositor DCC
$R_{free}$ test set	2434 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.1	Xtrriage
Anisotropy	0.093	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 56.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7161	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.50 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7772e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MLY, MG, EPC, IN5, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/2973	0.58	0/4065
1	B	0.39	0/2973	0.58	0/4065
All	All	0.40	0/5946	0.58	0/8130

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3098	0	3119	20	0
1	B	3098	0	3121	33	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	22	0	7	4	0
4	B	22	0	8	2	0
5	A	22	0	6	5	0
5	B	22	0	6	0	0
6	A	424	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	447	0	0	4	0
All	All	7161	0	6267	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:ASN:O	1:B:212:THR:HG23	1.70	0.91
1:A:4:ALA:HB1	1:A:5:PRO:HD2	1.71	0.73
1:B:86:VAL:O	1:B:106:THR:HG23	1.90	0.70
1:B:4:ALA:CB	1:B:5:PRO:CD	2.69	0.70
1:B:86:VAL:O	1:B:106:THR:CG2	2.41	0.67
1:B:4:ALA:HB3	1:B:5:PRO:CD	2.26	0.65
1:A:267:GLY:HA3	1:A:272:VAL:HG13	1.78	0.65
1:B:4:ALA:CB	1:B:5:PRO:HD3	2.27	0.65
1:B:145:MLY:HB2	1:B:145:MLY:HH23	1.80	0.63
1:A:194:LEU:HD22	1:A:199:VAL:HB	1.83	0.60
1:B:302:VAL:HG12	6:B:2385:HOH:O	2.01	0.59
1:A:270:TYR:OH	4:B:1392:IN5:O7	2.16	0.58
1:B:41:LYS:NZ	4:B:1392:IN5:O8	2.38	0.56
1:B:106:THR:HG21	1:B:166:TYR:OH	2.05	0.56
1:B:207:ALA:CB	1:B:212:THR:HG22	2.37	0.54
1:B:207:ALA:HB1	1:B:212:THR:HG22	1.88	0.54
1:B:267:GLY:HA3	1:B:272:VAL:HG13	1.89	0.54
1:A:303:LEU:CD2	1:A:308:ARG:HD2	2.38	0.54
1:A:357:ILE:HD12	1:A:359:TYR:CD1	2.43	0.53
1:A:47:HIS:O	1:A:48:ASP:HB2	2.09	0.52
1:A:293:TRP:CE2	1:A:297:LEU:HD13	2.45	0.52
1:B:4:ALA:HB1	1:B:5:PRO:HD3	1.91	0.51
1:B:38:ALA:HB3	1:B:64:LEU:HD23	1.92	0.51
1:B:212:THR:HG21	1:B:223:VAL:HB	1.93	0.50
1:A:188:LEU:HD12	6:A:2234:HOH:O	2.12	0.50
1:B:47:HIS:O	1:B:48:ASP:HB2	2.12	0.49
1:B:293:TRP:CE2	1:B:297:LEU:HD13	2.47	0.48
1:A:41:LYS:HZ1	5:A:1395:EPC:C	2.26	0.48
1:A:51:PRO:HG2	1:A:373:PHE:CZ	2.50	0.47
1:A:180:PHE:HZ	1:A:218:ILE:HG21	1.79	0.47
1:B:218:ILE:C	1:B:218:ILE:HD12	2.34	0.47
1:A:303:LEU:HD23	1:A:308:ARG:HD2	1.96	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152:MLY:HH13	6:B:2197:HOH:O	2.15	0.47
1:B:195:MLY:HH13	6:B:2245:HOH:O	2.14	0.46
1:B:4:ALA:HB3	1:B:5:PRO:HD3	1.93	0.46
5:A:1395:EPC:O6	1:B:270:TYR:OH	2.16	0.46
1:A:224:ARG:HB2	4:A:1394:IN5:H1	1.97	0.46
1:A:277:MLY:HG3	1:A:277:MLY:HH12	1.98	0.46
1:B:4:ALA:HB3	1:B:5:PRO:HD2	1.99	0.45
1:A:37:PHE:HB2	1:A:224:ARG:HA	1.99	0.45
1:B:290:ALA:HB3	1:B:368:ARG:NH2	2.32	0.45
1:B:37:PHE:HB2	1:B:224:ARG:HA	1.99	0.45
4:A:1394:IN5:N2	5:A:1395:EPC:O1	2.39	0.44
1:B:86:VAL:O	1:B:106:THR:HG22	2.18	0.44
1:B:300:PHE:CE2	1:B:350:VAL:HG22	2.53	0.43
1:A:359:TYR:OH	5:A:1395:EPC:O4	2.25	0.43
1:A:41:LYS:NZ	4:A:1394:IN5:O6	2.48	0.42
1:B:177:THR:O	1:B:177:THR:HG23	2.18	0.42
1:B:290:ALA:HB2	1:B:317:MET:HG2	1.99	0.42
1:A:41:LYS:NZ	5:A:1395:EPC:H1C1	2.35	0.42
1:B:207:ALA:HB2	1:B:218:ILE:HD13	2.02	0.42
1:B:195:MLY:HH21	6:B:2246:HOH:O	2.20	0.41
1:A:213:LEU:HD13	1:A:242:LEU:HD22	2.02	0.41
4:A:1394:IN5:O6	1:B:317:MET:HB3	2.21	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/391 (94%)	353 (96%)	12 (3%)	1 (0%)	41	41
1	B	366/391 (94%)	352 (96%)	13 (4%)	1 (0%)	41	41
All	All	732/782 (94%)	705 (96%)	25 (3%)	2 (0%)	41	41

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	ASP
1	B	48	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/312 (99%)	306 (99%)	2 (1%)	86	90
1	B	308/312 (99%)	302 (98%)	6 (2%)	57	63
All	All	616/624 (99%)	608 (99%)	8 (1%)	69	75

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	ILE
1	A	123	SER
1	B	95	ILE
1	B	106	THR
1	B	176	GLU
1	B	177	THR
1	B	212	THR
1	B	279	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

36 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	MLY	A	148	1	9,10,11	0.42	0	6,11,13	2.14	3 (50%)
1	MLY	A	152	1	9,10,11	0.44	0	6,11,13	2.29	3 (50%)
1	MLY	A	195	1	9,10,11	0.45	0	6,11,13	2.45	4 (66%)
1	MLY	A	245	1	9,10,11	0.50	0	6,11,13	2.10	3 (50%)
1	MLY	B	245	1	9,10,11	0.48	0	6,11,13	2.33	4 (66%)
1	MLY	B	110	1	9,10,11	0.50	0	6,11,13	2.24	3 (50%)
1	MLY	A	110	1	9,10,11	0.46	0	6,11,13	2.14	3 (50%)
1	MLY	B	127	1	9,10,11	0.55	0	6,11,13	2.04	2 (33%)
1	MLY	A	118	1	9,10,11	0.43	0	6,11,13	2.32	4 (66%)
1	MLY	B	118	1	9,10,11	0.39	0	6,11,13	2.17	3 (50%)
1	MLY	A	255	1	9,10,11	0.50	0	6,11,13	2.10	2 (33%)
1	MLY	B	148	1	9,10,11	0.38	0	6,11,13	2.27	3 (50%)
1	MLY	B	255	1	9,10,11	0.49	0	6,11,13	2.08	2 (33%)
1	MLY	B	152	1	9,10,11	0.40	0	6,11,13	2.26	3 (50%)
1	MLY	A	182	1	9,10,11	0.43	0	6,11,13	2.39	4 (66%)
1	MLY	A	145	1	9,10,11	0.39	0	6,11,13	2.12	3 (50%)
1	MLY	B	277	1	9,10,11	0.40	0	6,11,13	2.19	2 (33%)
1	MLY	B	27	1	9,10,11	0.44	0	6,11,13	2.42	4 (66%)
1	MLY	B	145	1	9,10,11	0.48	0	6,11,13	2.18	3 (50%)
1	MLY	B	307	1	9,10,11	0.48	0	6,11,13	2.07	3 (50%)
1	MLY	A	333	1	9,10,11	0.55	0	6,11,13	2.45	3 (50%)
1	MLY	A	277	1	9,10,11	0.35	0	6,11,13	2.37	4 (66%)
1	MLY	A	307	1	9,10,11	0.38	0	6,11,13	2.23	3 (50%)
1	MLY	A	27	1	9,10,11	0.44	0	6,11,13	2.20	3 (50%)
1	MLY	B	264	1	9,10,11	0.51	0	6,11,13	2.85	3 (50%)
1	MLY	A	264	1	9,10,11	0.45	0	6,11,13	2.32	4 (66%)
1	MLY	B	182	1	9,10,11	0.50	0	6,11,13	2.21	3 (50%)
1	MLY	A	54	1	9,10,11	0.41	0	6,11,13	2.20	3 (50%)
1	MLY	A	127	1	9,10,11	0.53	0	6,11,13	2.17	3 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	MLY	B	54	1	9,10,11	0.43	0	6,11,13	2.09	2 (33%)
1	MLY	B	378	1	9,10,11	0.40	0	6,11,13	2.41	4 (66%)
1	MLY	B	195	1	9,10,11	0.41	0	6,11,13	2.38	3 (50%)
1	MLY	A	378	1	9,10,11	0.43	0	6,11,13	2.15	3 (50%)
1	MLY	B	333	1	9,10,11	0.46	0	6,11,13	2.35	4 (66%)
1	MLY	A	202	1	9,10,11	0.38	0	6,11,13	2.20	2 (33%)
1	MLY	B	202	1	9,10,11	0.34	0	6,11,13	2.30	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MLY	A	148	1	-	3/8/9/11	-
1	MLY	A	152	1	-	2/8/9/11	-
1	MLY	A	195	1	-	4/8/9/11	-
1	MLY	A	245	1	-	4/8/9/11	-
1	MLY	B	245	1	-	2/8/9/11	-
1	MLY	B	110	1	-	1/8/9/11	-
1	MLY	A	110	1	-	2/8/9/11	-
1	MLY	B	127	1	-	3/8/9/11	-
1	MLY	A	118	1	-	3/8/9/11	-
1	MLY	B	118	1	-	3/8/9/11	-
1	MLY	A	255	1	-	1/8/9/11	-
1	MLY	B	148	1	-	3/8/9/11	-
1	MLY	B	255	1	-	2/8/9/11	-
1	MLY	B	152	1	-	2/8/9/11	-
1	MLY	A	182	1	-	1/8/9/11	-
1	MLY	A	145	1	-	4/8/9/11	-
1	MLY	B	277	1	-	1/8/9/11	-
1	MLY	B	27	1	-	4/8/9/11	-
1	MLY	B	145	1	-	5/8/9/11	-
1	MLY	B	307	1	-	4/8/9/11	-
1	MLY	A	333	1	-	2/8/9/11	-
1	MLY	A	277	1	-	3/8/9/11	-
1	MLY	A	307	1	-	2/8/9/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MLY	A	27	1	-	4/8/9/11	-
1	MLY	B	264	1	-	1/8/9/11	-
1	MLY	A	264	1	-	1/8/9/11	-
1	MLY	B	182	1	-	2/8/9/11	-
1	MLY	A	54	1	-	1/8/9/11	-
1	MLY	A	127	1	-	4/8/9/11	-
1	MLY	B	54	1	-	2/8/9/11	-
1	MLY	B	378	1	-	1/8/9/11	-
1	MLY	B	195	1	-	4/8/9/11	-
1	MLY	A	378	1	-	2/8/9/11	-
1	MLY	B	333	1	-	2/8/9/11	-
1	MLY	A	202	1	-	3/8/9/11	-
1	MLY	B	202	1	-	3/8/9/11	-

There are no bond length outliers.

All (111) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	264	MLY	CH2-NZ-CH1	4.72	121.94	109.73
1	B	195	MLY	CH2-NZ-CH1	4.46	121.27	109.73
1	B	27	MLY	CH2-NZ-CH1	4.23	120.66	109.73
1	A	195	MLY	CH2-NZ-CH1	4.18	120.53	109.73
1	A	333	MLY	CH2-NZ-CH1	4.15	120.45	109.73
1	A	277	MLY	CH2-NZ-CH1	4.11	120.36	109.73
1	B	202	MLY	CH2-NZ-CH1	4.10	120.32	109.73
1	A	152	MLY	CH2-NZ-CH1	4.04	120.17	109.73
1	B	110	MLY	CH2-NZ-CH1	4.00	120.07	109.73
1	B	148	MLY	CH2-NZ-CH1	3.99	120.04	109.73
1	A	202	MLY	CH2-NZ-CH1	3.97	119.99	109.73
1	A	118	MLY	CH2-NZ-CH1	3.97	119.99	109.73
1	A	182	MLY	CH2-NZ-CH1	3.95	119.95	109.73
1	A	54	MLY	CH2-NZ-CH1	3.95	119.94	109.73
1	B	264	MLY	CD-CE-NZ	-3.93	103.16	113.79
1	A	307	MLY	CH2-NZ-CH1	3.92	119.87	109.73
1	B	152	MLY	CH2-NZ-CH1	3.91	119.84	109.73
1	B	245	MLY	CH2-NZ-CH1	3.89	119.79	109.73
1	A	264	MLY	CH2-NZ-CH1	3.86	119.72	109.73
1	A	27	MLY	CH2-NZ-CH1	3.81	119.57	109.73
1	B	378	MLY	CH2-NZ-CH1	3.80	119.56	109.73
1	A	127	MLY	CH2-NZ-CH1	3.78	119.51	109.73

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	333	MLY	CH2-NZ-CH1	3.77	119.48	109.73
1	B	118	MLY	CH2-NZ-CH1	3.69	119.28	109.73
1	B	277	MLY	CH2-NZ-CH1	3.68	119.25	109.73
1	B	182	MLY	CH2-NZ-CH1	3.68	119.25	109.73
1	A	148	MLY	CH2-NZ-CH1	3.64	119.14	109.73
1	A	145	MLY	CH2-NZ-CH1	3.53	118.85	109.73
1	B	54	MLY	CH2-NZ-CH1	3.53	118.84	109.73
1	A	245	MLY	CH2-NZ-CH1	3.50	118.78	109.73
1	A	110	MLY	CH2-NZ-CH1	3.46	118.69	109.73
1	B	307	MLY	CH2-NZ-CH1	3.45	118.66	109.73
1	A	255	MLY	CH2-NZ-CH1	3.44	118.63	109.73
1	A	378	MLY	CH2-NZ-CH1	3.44	118.61	109.73
1	B	145	MLY	CH2-NZ-CH1	3.41	118.54	109.73
1	B	255	MLY	CH2-NZ-CH1	3.40	118.52	109.73
1	B	127	MLY	CH1-NZ-CE	3.27	123.70	110.74
1	A	255	MLY	CH1-NZ-CE	3.25	123.60	110.74
1	B	54	MLY	CH1-NZ-CE	3.18	123.34	110.74
1	B	127	MLY	CH2-NZ-CH1	3.17	117.92	109.73
1	B	255	MLY	CH1-NZ-CE	3.12	123.08	110.74
1	B	277	MLY	CH2-NZ-CE	3.09	122.96	110.74
1	A	378	MLY	CH1-NZ-CE	3.02	122.69	110.74
1	A	145	MLY	CH1-NZ-CE	2.89	122.17	110.74
1	A	202	MLY	CH2-NZ-CE	2.88	122.15	110.74
1	A	245	MLY	CH2-NZ-CE	2.87	122.12	110.74
1	A	333	MLY	CH1-NZ-CE	2.83	121.95	110.74
1	A	148	MLY	CH2-NZ-CE	2.82	121.89	110.74
1	B	378	MLY	CD-CE-NZ	-2.78	106.26	113.79
1	B	182	MLY	CH2-NZ-CE	2.76	121.69	110.74
1	A	110	MLY	CH1-NZ-CE	2.70	121.45	110.74
1	A	195	MLY	CD-CE-NZ	-2.67	106.56	113.79
1	B	145	MLY	CH2-NZ-CE	2.67	121.30	110.74
1	A	27	MLY	CH1-NZ-CE	2.60	121.03	110.74
1	A	182	MLY	CD-CE-NZ	-2.58	106.80	113.79
1	B	307	MLY	CH1-NZ-CE	2.56	120.90	110.74
1	B	148	MLY	CH1-NZ-CE	2.56	120.89	110.74
1	A	118	MLY	CH1-NZ-CE	2.55	120.84	110.74
1	B	333	MLY	CD-CE-NZ	-2.54	106.91	113.79
1	B	202	MLY	CH2-NZ-CE	2.53	120.77	110.74
1	B	110	MLY	CH2-NZ-CE	2.53	120.77	110.74
1	A	127	MLY	CH1-NZ-CE	2.49	120.62	110.74
1	B	152	MLY	CH1-NZ-CE	2.49	120.59	110.74
1	B	118	MLY	CH2-NZ-CE	2.48	120.57	110.74

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	333	MLY	CH1-NZ-CE	2.48	120.56	110.74
1	A	54	MLY	CH1-NZ-CE	2.48	120.55	110.74
1	A	277	MLY	CD-CE-NZ	-2.47	107.11	113.79
1	A	264	MLY	CH1-NZ-CE	2.46	120.49	110.74
1	B	307	MLY	CH2-NZ-CE	2.44	120.41	110.74
1	B	245	MLY	CH2-NZ-CE	2.43	120.38	110.74
1	B	27	MLY	CD-CE-NZ	-2.43	107.21	113.79
1	A	307	MLY	CH2-NZ-CE	2.41	120.29	110.74
1	B	378	MLY	CH2-NZ-CE	2.41	120.29	110.74
1	B	145	MLY	CH1-NZ-CE	2.38	120.16	110.74
1	B	378	MLY	CH1-NZ-CE	2.38	120.15	110.74
1	B	118	MLY	CH1-NZ-CE	2.37	120.15	110.74
1	B	27	MLY	CH2-NZ-CE	2.37	120.14	110.74
1	A	182	MLY	CH1-NZ-CE	2.36	120.10	110.74
1	A	277	MLY	CH1-NZ-CE	2.35	120.06	110.74
1	A	152	MLY	CH2-NZ-CE	2.35	120.03	110.74
1	B	245	MLY	CD-CE-NZ	-2.34	107.46	113.79
1	A	264	MLY	CD-CE-NZ	-2.33	107.49	113.79
1	B	333	MLY	CH2-NZ-CE	2.33	119.96	110.74
1	A	182	MLY	CH2-NZ-CE	2.33	119.95	110.74
1	A	127	MLY	CH2-NZ-CE	2.31	119.87	110.74
1	A	110	MLY	CH2-NZ-CE	2.30	119.86	110.74
1	A	307	MLY	CH1-NZ-CE	2.30	119.84	110.74
1	B	245	MLY	CH1-NZ-CE	2.29	119.82	110.74
1	A	152	MLY	CH1-NZ-CE	2.29	119.79	110.74
1	A	195	MLY	CH2-NZ-CE	2.28	119.79	110.74
1	A	264	MLY	CH2-NZ-CE	2.28	119.79	110.74
1	A	195	MLY	CH1-NZ-CE	2.26	119.68	110.74
1	A	277	MLY	CH2-NZ-CE	2.23	119.58	110.74
1	B	152	MLY	CH2-NZ-CE	2.23	119.56	110.74
1	A	54	MLY	CH2-NZ-CE	2.21	119.50	110.74
1	B	195	MLY	CH1-NZ-CE	2.20	119.46	110.74
1	B	264	MLY	CH2-NZ-CE	2.19	119.40	110.74
1	A	27	MLY	CH2-NZ-CE	2.19	119.40	110.74
1	B	195	MLY	CH2-NZ-CE	2.15	119.26	110.74
1	B	27	MLY	CH1-NZ-CE	2.14	119.20	110.74
1	A	118	MLY	CH2-NZ-CE	2.13	119.18	110.74
1	A	118	MLY	CD-CE-NZ	-2.13	108.03	113.79
1	B	110	MLY	CH1-NZ-CE	2.12	119.15	110.74
1	A	245	MLY	CH1-NZ-CE	2.11	119.10	110.74
1	B	182	MLY	CH1-NZ-CE	2.10	119.06	110.74
1	B	148	MLY	CH2-NZ-CE	2.10	119.05	110.74

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	333	MLY	CD-CE-NZ	-2.09	108.13	113.79
1	A	145	MLY	CH2-NZ-CE	2.08	118.97	110.74
1	A	148	MLY	CH1-NZ-CE	2.07	118.96	110.74
1	B	202	MLY	CH1-NZ-CE	2.06	118.90	110.74
1	A	378	MLY	CH2-NZ-CE	2.01	118.70	110.74

There are no chirality outliers.

All (91) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	118	MLY	O-C-CA-CB
1	A	245	MLY	N-CA-CB-CG
1	A	245	MLY	C-CA-CB-CG
1	A	277	MLY	N-CA-CB-CG
1	A	277	MLY	C-CA-CB-CG
1	A	378	MLY	C-CA-CB-CG
1	B	145	MLY	N-CA-CB-CG
1	B	145	MLY	C-CA-CB-CG
1	B	195	MLY	C-CA-CB-CG
1	B	307	MLY	N-CA-CB-CG
1	B	307	MLY	C-CA-CB-CG
1	B	307	MLY	O-C-CA-CB
1	A	152	MLY	CD-CE-NZ-CH1
1	A	27	MLY	CD-CE-NZ-CH2
1	A	54	MLY	CD-CE-NZ-CH2
1	A	110	MLY	CD-CE-NZ-CH2
1	A	145	MLY	CD-CE-NZ-CH2
1	A	182	MLY	CD-CE-NZ-CH2
1	A	195	MLY	CD-CE-NZ-CH1
1	A	202	MLY	CD-CE-NZ-CH2
1	A	264	MLY	CD-CE-NZ-CH2
1	A	307	MLY	CD-CE-NZ-CH2
1	B	27	MLY	CD-CE-NZ-CH2
1	B	54	MLY	CD-CE-NZ-CH1
1	B	110	MLY	CD-CE-NZ-CH1
1	B	145	MLY	CD-CE-NZ-CH1
1	B	148	MLY	CD-CE-NZ-CH2
1	B	152	MLY	CD-CE-NZ-CH2
1	B	182	MLY	CD-CE-NZ-CH1
1	B	195	MLY	CD-CE-NZ-CH2
1	B	202	MLY	CD-CE-NZ-CH2
1	B	307	MLY	CD-CE-NZ-CH1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	B	333	MLY	CD-CE-NZ-CH2
1	B	378	MLY	CD-CE-NZ-CH2
1	A	27	MLY	CG-CD-CE-NZ
1	A	195	MLY	CG-CD-CE-NZ
1	B	27	MLY	CG-CD-CE-NZ
1	B	148	MLY	CG-CD-CE-NZ
1	B	195	MLY	CG-CD-CE-NZ
1	B	202	MLY	CG-CD-CE-NZ
1	A	127	MLY	CD-CE-NZ-CH1
1	B	245	MLY	CD-CE-NZ-CH1
1	B	255	MLY	CD-CE-NZ-CH1
1	B	277	MLY	CD-CE-NZ-CH2
1	B	145	MLY	CG-CD-CE-NZ
1	B	54	MLY	CG-CD-CE-NZ
1	A	148	MLY	CD-CE-NZ-CH2
1	A	245	MLY	CD-CE-NZ-CH2
1	A	255	MLY	CD-CE-NZ-CH1
1	A	333	MLY	CD-CE-NZ-CH1
1	A	378	MLY	CD-CE-NZ-CH1
1	B	127	MLY	CD-CE-NZ-CH1
1	A	127	MLY	CG-CD-CE-NZ
1	A	148	MLY	CD-CE-NZ-CH1
1	B	182	MLY	CG-CD-CE-NZ
1	A	202	MLY	CE-CD-CG-CB
1	A	118	MLY	CD-CE-NZ-CH1
1	B	145	MLY	CE-CD-CG-CB
1	A	245	MLY	CE-CD-CG-CB
1	B	333	MLY	CE-CD-CG-CB
1	A	118	MLY	CG-CD-CE-NZ
1	A	152	MLY	CG-CD-CE-NZ
1	A	202	MLY	CG-CD-CE-NZ
1	A	27	MLY	CE-CD-CG-CB
1	A	27	MLY	CA-CB-CG-CD
1	B	245	MLY	CE-CD-CG-CB
1	A	127	MLY	CA-CB-CG-CD
1	A	307	MLY	C-CA-CB-CG
1	A	127	MLY	CE-CD-CG-CB
1	A	145	MLY	CD-CE-NZ-CH1
1	B	148	MLY	CD-CE-NZ-CH1
1	B	118	MLY	CG-CD-CE-NZ
1	A	110	MLY	CD-CE-NZ-CH1
1	B	264	MLY	CD-CE-NZ-CH2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	A	145	MLY	CE-CD-CG-CB
1	B	152	MLY	CG-CD-CE-NZ
1	A	277	MLY	CD-CE-NZ-CH1
1	A	145	MLY	CG-CD-CE-NZ
1	A	195	MLY	CE-CD-CG-CB
1	B	127	MLY	CG-CD-CE-NZ
1	B	202	MLY	CA-CB-CG-CD
1	A	333	MLY	CE-CD-CG-CB
1	B	118	MLY	CD-CE-NZ-CH1
1	B	27	MLY	CA-CB-CG-CD
1	B	27	MLY	CE-CD-CG-CB
1	B	255	MLY	CD-CE-NZ-CH2
1	B	118	MLY	CD-CE-NZ-CH2
1	A	148	MLY	CG-CD-CE-NZ
1	A	195	MLY	N-CA-CB-CG
1	B	127	MLY	N-CA-CB-CG
1	B	195	MLY	N-CA-CB-CG

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	152	MLY	1	0
1	B	145	MLY	1	0
1	A	277	MLY	1	0
1	B	195	MLY	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	EPC	A	1395	-	21,22,22	2.43	8 (38%)	26,33,33	1.39	3 (11%)
5	EPC	B	1393	-	21,22,22	2.42	7 (33%)	26,33,33	1.32	1 (3%)
4	IN5	B	1392	-	22,22,22	3.13	8 (36%)	24,33,33	1.59	4 (16%)
4	IN5	A	1394	-	22,22,22	3.07	7 (31%)	24,33,33	1.56	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EPC	A	1395	-	-	4/15/17/17	0/1/1/1
5	EPC	B	1393	-	-	6/15/17/17	0/1/1/1
4	IN5	B	1392	-	-	5/17/17/17	0/1/1/1
4	IN5	A	1394	-	-	8/17/17/17	0/1/1/1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1392	IN5	C8-C4	-9.44	1.39	1.51
4	A	1394	IN5	C8-C4	-9.01	1.40	1.51
5	B	1393	EPC	P2-O7	6.65	1.60	1.49
5	A	1395	EPC	P2-O7	6.52	1.60	1.49
4	A	1394	IN5	P2-O6	6.36	1.60	1.49
4	B	1392	IN5	P2-O6	6.14	1.59	1.49
4	B	1392	IN5	C8-N2	-4.85	1.32	1.46
4	A	1394	IN5	P2-O7	-4.83	1.47	1.54
4	A	1394	IN5	C8-N2	-4.76	1.32	1.46
4	A	1394	IN5	P2-O8	4.06	1.61	1.54
4	B	1392	IN5	P2-O8	-4.06	1.48	1.54
5	B	1393	EPC	P2-O6	-4.04	1.48	1.54
4	B	1392	IN5	P2-O7	4.00	1.61	1.54
5	A	1395	EPC	P2-O8	3.89	1.61	1.54
5	A	1395	EPC	P2-O6	-3.77	1.48	1.54
5	B	1393	EPC	C4-C4A	-3.67	1.39	1.46
5	A	1395	EPC	P1-O3	3.66	1.62	1.50
5	A	1395	EPC	C4-C4A	-3.64	1.39	1.46
5	B	1393	EPC	P1-O3	3.28	1.61	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1393	EPC	P2-O8	3.13	1.59	1.54
4	B	1392	IN5	P1-O4	3.05	1.60	1.50
5	B	1393	EPC	C4A-N2	2.92	1.32	1.27
5	A	1395	EPC	C4A-N2	2.65	1.32	1.27
4	A	1394	IN5	C9-N2	2.55	1.48	1.45
5	A	1395	EPC	C2A-C2	2.27	1.54	1.50
4	B	1392	IN5	C9-N2	2.22	1.48	1.45
4	A	1394	IN5	C6-C2	2.22	1.54	1.50
5	B	1393	EPC	C2A-C2	2.08	1.53	1.50
4	B	1392	IN5	C6-C2	2.08	1.53	1.50
5	A	1395	EPC	C4-C5	-2.02	1.39	1.42

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1392	IN5	C4-C8-N2	4.31	123.66	111.78
4	A	1394	IN5	C4-C8-N2	3.55	121.57	111.78
5	A	1395	EPC	O8-P2-O7	-3.24	105.32	113.45
5	B	1393	EPC	O8-P2-O7	-3.23	105.33	113.45
4	B	1392	IN5	O3-P1-O2	3.14	115.08	106.73
4	A	1394	IN5	O2-P1-O4	2.89	114.59	106.47
4	A	1394	IN5	C8-C4-C3	2.66	122.90	120.04
4	B	1392	IN5	O7-P2-O6	-2.59	106.95	113.45
4	A	1394	IN5	O8-P2-O6	-2.54	107.06	113.45
5	A	1395	EPC	O2-C5A-C5	2.42	113.96	109.35
5	A	1395	EPC	C-N2-C4A	2.19	121.77	117.87
4	B	1392	IN5	O2-C7-C5	2.19	113.52	109.35

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1394	IN5	C5-C4-C8-N2
4	A	1394	IN5	C10-C9-N2-C8
4	B	1392	IN5	P2-C9-N2-C8
4	B	1392	IN5	C10-C9-P2-O6
4	B	1392	IN5	N2-C9-P2-O6
5	A	1395	EPC	CA-C-N2-C4A
5	A	1395	EPC	C5-C4-C4A-N2
5	B	1393	EPC	CA-C-P2-O7
5	B	1393	EPC	C5A-O2-P1-O3
5	B	1393	EPC	C5A-O2-P1-O4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	B	1393	EPC	C5A-O2-P1-O5
5	B	1393	EPC	C4-C4A-N2-C
5	A	1395	EPC	C4-C4A-N2-C
4	A	1394	IN5	C4-C8-N2-C9
5	A	1395	EPC	C3-C4-C4A-N2
4	B	1392	IN5	N2-C9-P2-O8
4	A	1394	IN5	N2-C9-P2-O6
4	A	1394	IN5	C3-C4-C8-N2
4	A	1394	IN5	C10-C9-P2-O6
4	A	1394	IN5	N2-C9-P2-O8
4	B	1392	IN5	C10-C9-N2-C8
5	B	1393	EPC	C3-C4-C4A-N2
4	A	1394	IN5	C10-C9-P2-O8



There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1395	EPC	5	0
4	B	1392	IN5	2	0
4	A	1394	IN5	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	368/391 (94%)	-0.41	3 (0%) 86 88	10, 17, 26, 29	0
1	B	368/391 (94%)	-0.48	0 100 100	11, 17, 25, 30	0
All	All	736/782 (94%)	-0.44	3 (0%) 92 93	10, 17, 25, 30	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	124	SER	2.9
1	A	4	ALA	2.6
1	A	342	ASP	2.4

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	MLY	B	195	11/12	0.71	0.29	24,27,33,33	0
1	MLY	A	277	11/12	0.74	0.36	25,28,33,33	0
1	MLY	B	145	11/12	0.77	0.25	20,24,30,30	0
1	MLY	A	152	11/12	0.80	0.20	21,24,29,29	0
1	MLY	A	27	11/12	0.81	0.18	23,26,30,30	0
1	MLY	A	378	11/12	0.81	0.28	27,29,33,34	0
1	MLY	A	182	11/12	0.82	0.28	20,23,29,29	0
1	MLY	B	277	11/12	0.82	0.20	24,26,30,31	0
1	MLY	A	195	11/12	0.83	0.21	25,28,33,33	0
1	MLY	B	307	11/12	0.83	0.24	20,22,27,27	0
1	MLY	B	378	11/12	0.83	0.24	25,28,34,34	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	MLY	A	245	11/12	0.84	0.24	22,25,31,31	0
1	MLY	B	182	11/12	0.84	0.23	18,22,27,28	0
1	MLY	B	202	11/12	0.85	0.17	22,24,29,29	0
1	MLY	B	152	11/12	0.85	0.18	21,23,29,29	0
1	MLY	B	118	11/12	0.85	0.28	24,26,32,32	0
1	MLY	A	118	11/12	0.85	0.25	25,27,32,32	0
1	MLY	A	54	11/12	0.86	0.17	19,22,27,27	0
1	MLY	B	245	11/12	0.87	0.19	22,25,31,31	0
1	MLY	B	127	11/12	0.87	0.17	17,19,24,24	0
1	MLY	B	110	11/12	0.87	0.18	16,20,26,27	0
1	MLY	A	127	11/12	0.87	0.16	18,21,25,26	0
1	MLY	A	264	11/12	0.89	0.18	21,23,27,27	0
1	MLY	A	202	11/12	0.89	0.19	23,25,29,29	0
1	MLY	A	148	11/12	0.89	0.20	20,22,27,28	0
1	MLY	A	110	11/12	0.90	0.19	18,20,26,26	0
1	MLY	B	148	11/12	0.90	0.17	19,22,27,28	0
1	MLY	A	145	11/12	0.91	0.13	20,23,28,28	0
1	MLY	B	27	11/12	0.91	0.17	23,25,30,30	0
1	MLY	A	333	11/12	0.91	0.12	15,18,22,22	0
1	MLY	B	333	11/12	0.92	0.11	16,18,22,22	0
1	MLY	A	307	11/12	0.92	0.15	20,22,26,27	0
1	MLY	B	54	11/12	0.93	0.14	19,21,27,28	0
1	MLY	B	264	11/12	0.94	0.11	20,21,23,23	0
1	MLY	B	255	11/12	0.95	0.11	12,13,15,16	0
1	MLY	A	255	11/12	0.95	0.10	12,13,17,17	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	A	1391	1/1	0.25	0.41	73,73,73,73	0
2	MG	B	1390	1/1	0.57	0.28	81,81,81,81	0
3	CL	A	1393	1/1	0.90	0.11	53,53,53,53	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	IN5	A	1394	22/22	0.96	0.12	10,11,12,13	22
4	IN5	B	1392	22/22	0.96	0.12	10,13,16,17	22
5	EPC	A	1395	22/22	0.96	0.13	11,12,14,14	22
5	EPC	B	1393	22/22	0.97	0.11	11,12,13,14	22
2	MG	A	1390	1/1	0.99	0.10	24,24,24,24	0
3	CL	B	1391	1/1	0.99	0.07	11,11,11,11	0
3	CL	A	1392	1/1	0.99	0.04	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around IN5 B 1392:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around EPC A 1395:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.