

Nov 13, 2022 - 02:17 AM EST

: PDB ID **6VEN** EMDB ID : EMD-21157 Yeast COMPASS in complex with a ubiquitinated nucleosome Title : Authors : Worden, E.J.; Wolberger, C. Deposited on 2020-01-02 : 3.37 Å(reported) Resolution : Based on initial models 6BX3, 6NJ9, 6CHG :

This is a Full wwPDB EM Validation Report for a publicly released PDB entry. We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis		0 0 1 dev43
Mogul	:	1.8.5 (274361), CSD as541be(2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	EM structures	
Metric	$(\# { m Entries})$	$(\# {\rm Entries})$	
Clashscore	158937	4297	
Ramachandran outliers	154571	4023	
Sidechain outliers	154315	3826	

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	А	135	<b>6</b> 9%	10%	21%				
1	Е	135	58%	14%	28%				
2	В	102	65%	15%	21%				
2	F	102	67%	12%	22%				
3	С	129	71%	9%	20%				
3	G	129	72%	10%	18%				
4	D	122	66%	10%	24%				
4	Н	122	70%	7%	23%				



Mol	Chain	Length	Quality of chain						
5	Ι	146	<b>•</b> 52%		48%				
6	J	146	47%		53%				
7	Κ	80	18%		30%	6%			
8	L	315	• 68%	, 0	30%	·			
9	М	426	65%		28%	7%			
10	Ν	358	8%	12%	39%				
11	О	505	44%	18%	38%				
12	Р	175	17% 21%	76%					
12	Q	175	10%	83%					
13	R	391	13% 25% 8%	67	7%				



# 2 Entry composition (i)

There are 15 unique types of molecules in this entry. The entry contains 24028 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	А	106	Total 871	C 548	N 171	0 151	S 1	0	0
1	Е	97	Total 802	$\begin{array}{c} \mathrm{C} \\ 508 \end{array}$	N 155	0 138	S 1	0	0

• Molecule 1 is a protein called Histone H3.2.

There are 8	3 discrepancie	s between	the modelled	and	reference	sequences:
<b>T</b> HOLO 010 0	, and or openiore	5 6 6 6 H 6 6 4 4	one monones	our or	1010101100	009000000

Chain	Residue	Modelled	Actual	Comment	Reference
А	4	NLE	LYS	engineered mutation	UNP P84233
А	90	NLE	MET	engineered mutation	UNP P84233
А	102	ALA	GLY	engineered mutation	UNP P84233
А	120	NLE	MET	engineered mutation	UNP P84233
Е	4	NLE	LYS	engineered mutation	UNP P84233
Е	90	NLE	MET	engineered mutation	UNP P84233
Е	102	ALA	GLY	engineered mutation	UNP P84233
Е	120	NLE	MET	engineered mutation	UNP P84233

• Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms				AltConf	Trace	
2	В	81	Total	С	Ν	Ο	$\mathbf{S}$	0	0
	01	646	407	126	112	1	0		
2	Б	80	Total	С	Ν	0	$\mathbf{S}$	0	0
	Г	80	644	408	125	110	1	0	0

• Molecule 3 is a protein called Histone H2A type 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	С	103	Total 795	C 501	N 155	O 139	0	0
3	G	106	Total 818	C 516	N 160	O 142	0	0



Chain	Residue	Modelled	Actual	Comment	Reference
С	99	ARG	GLY	engineered mutation	UNP P06897
С	123	SER	ALA	engineered mutation	UNP P06897
G	99	ARG	GLY	engineered mutation	UNP P06897
G	123	SER	ALA	engineered mutation	UNP P06897

There are 4 discrepancies between the modelled and reference sequences:

• Molecule 4 is a protein called Histone H2B 1.1.

Mol	Chain	Residues	Atoms				AltConf	Trace	
4	Л	03	Total	С	Ν	0	S	0	0
4	4 D	95	727	457	130	137	3	0	0
4	ц	04	Total	С	Ν	0	S	0	0
4	11	94	732	460	131	138	3	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	32	THR	SER	engineered mutation	UNP P02281
D	120	CYS	LYS	engineered mutation	UNP P02281
Н	32	THR	SER	engineered mutation	UNP P02281
Н	120	CYS	LYS	engineered mutation	UNP P02281

• Molecule 5 is a DNA chain called 601 DNA (146-MER).

Mol	Chain	Residues		A	AltConf	Trace			
5	Ι	146	Total 2975	C 1413	N 540	O 876	Р 146	0	0

• Molecule 6 is a DNA chain called 601 DNA (146-MER).

Mol	Chain	Residues		At	AltConf	Trace			
6	J	146	Total 3011	C 1425	N 564	0 876	Р 146	0	0

• Molecule 7 is a protein called Ubiquitin.

Mol	Chain	Residues		At	AltConf	Trace			
7	K	75	Total 597	C 376	N 104	0 116	S 1	0	0

There are 5 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
K	-3	GLY	-	expression tag	UNP P0CG48
K	-2	SER	-	expression tag	UNP P0CG48
K	-1	HIS	-	expression tag	UNP P0CG48
K	0	MET	-	expression tag	UNP P0CG48
К	76	CYS	GLY	engineered mutation	UNP P0CG48

• Molecule 8 is a protein called COMPASS component SWD3.

Mol	Chain	Residues		At	AltConf	Trace			
8	L	308	Total 2367	C 1500	N 394	0 454	S 19	0	0

• Molecule 9 is a protein called COMPASS component SWD1.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	М	395	Total 3183	C 2032	N 523	0 614	S 14	0	0

• Molecule 10 is a protein called Histone-lysine N-methyltransferase, H3 lysine-4 specific.

Mol	Chain	Residues		Ate	AltConf	Trace			
10	Ν	218	Total 1710	C 1072	N 315	0 314	${ m S}$ 9	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	723	MET	-	expression tag	UNP P38827
N	724	HIS	-	expression tag	UNP P38827
N	725	HIS	-	expression tag	UNP P38827
N	726	HIS	-	expression tag	UNP P38827
N	727	HIS	-	expression tag	UNP P38827
N	728	HIS	-	expression tag	UNP P38827
N	729	HIS	-	expression tag	UNP P38827
N	730	GLY	-	expression tag	UNP P38827
N	731	SER	-	expression tag	UNP P38827
N	732	SER	-	expression tag	UNP P38827
N	733	ASP	-	expression tag	UNP P38827
N	734	TYR	-	expression tag	UNP P38827
N	735	LYS	-	expression tag	UNP P38827
N	736	ASP	-	expression tag	UNP P38827
N	737	HIS	-	expression tag	UNP P38827
N	738	ASP	-	expression tag	UNP P38827



Chain	Residue	Modelled	Actual	Comment	Reference
N	739	GLY	-	expression tag	UNP P38827
N	740	ASP	-	expression tag	UNP P38827
N	741	TYR	-	expression tag	UNP P38827
N	742	LYS	-	expression tag	UNP P38827
N	743	ASP	-	expression tag	UNP P38827
N	744	HIS	-	expression tag	UNP P38827
N	745	ASP	-	expression tag	UNP P38827
N	746	ILE	-	expression tag	UNP P38827
N	747	ASP	-	expression tag	UNP P38827
N	748	TYR	-	expression tag	UNP P38827
N	749	LYS	-	expression tag	UNP P38827
N	750	ASP	-	expression tag	UNP P38827
N	751	ASP	-	expression tag	UNP P38827
N	752	ASP	-	expression tag	UNP P38827
N	753	ASP	-	expression tag	UNP P38827
N	754	LYS	-	expression tag	UNP P38827
N	755	GLU	-	expression tag	UNP P38827
N	756	ASN	-	expression tag	UNP P38827
N	757	LEU	-	expression tag	UNP P38827
N	758	TYR	-	expression tag	UNP P38827
N	759	PHE	-	expression tag	UNP P38827
N	760	GLN	-	expression tag	UNP P38827
N	761	GLY	-	expression tag	UNP P38827

• Molecule 11 is a protein called COMPASS component BRE2.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	0	315	Total 2595	C 1667	N 428	0 491	S 9	0	0

• Molecule 12 is a protein called COMPASS component SDC1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Р	42	Total	С	N	0	S	0	0
	_		336	212	60	63	1	Ŭ	Ŭ
19	0	20	Total	С	Ν	Ο	$\mathbf{S}$	0	0
12	Q	Q 29	225	142	40	42	1	0	0

• Molecule 13 is a protein called COMPASS component SPP1.



Mol	Chain	Residues		At	AltConf	Trace			
13	R	129	Total 966	$\begin{array}{c} \mathrm{C} \\ 605 \end{array}$	N 164	O 189	S 8	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-37	MET	-	expression tag	UNP Q03012
R	-36	TRP	-	expression tag	UNP Q03012
R	-35	SER	-	expression tag	UNP Q03012
R	-34	HIS	-	expression tag	UNP Q03012
R	-33	PRO	-	expression tag	UNP Q03012
R	-32	GLN	-	expression tag	UNP Q03012
R	-31	PHE	-	expression tag	UNP Q03012
R	-30	GLU	-	expression tag	UNP Q03012
R	-29	LYS	-	expression tag	UNP Q03012
R	-28	GLY	-	expression tag	UNP Q03012
R	-27	GLY	-	expression tag	UNP Q03012
R	-26	GLY	-	expression tag	UNP Q03012
R	-25	SER	-	expression tag	UNP Q03012
R	-24	GLY	-	expression tag	UNP Q03012
R	-23	GLY	-	expression tag	UNP Q03012
R	-22	GLY	-	expression tag	UNP Q03012
R	-21	SER	-	expression tag	UNP Q03012
R	-20	GLY	-	expression tag	UNP Q03012
R	-19	GLY	-	expression tag	UNP Q03012
R	-18	SER	-	expression tag	UNP Q03012
R	-17	SER	-	expression tag	UNP Q03012
R	-16	ALA	-	expression tag	UNP Q03012
R	-15	TRP	-	expression tag	UNP Q03012
R	-14	SER	-	expression tag	UNP Q03012
R	-13	HIS	-	expression tag	UNP Q03012
R	-12	PRO	-	expression tag	UNP Q03012
R	-11	GLN	-	expression tag	UNP Q03012
R	-10	PHE	-	expression tag	UNP Q03012
R	-9	GLU	-	expression tag	UNP Q03012
R	-8	LYS	-	expression tag	UNP Q03012
R	-7	GLY	-	expression tag	UNP Q03012
R	-6	SER	-	expression tag	UNP Q03012
R	-5	GLU	-	expression tag	UNP Q03012
R	-4	ASN	-	expression tag	UNP Q03012
R	-3	LEU	-	expression tag	UNP Q03012
R	-2	TYR	-	expression tag	UNP Q03012
R	-1	PHE	-	expression tag	UNP Q03012



Chain	Residue	Modelled	Actual	Comment	Reference
R	0	GLN	-	expression tag	UNP Q03012
R	1	GLY	-	expression tag	UNP Q03012

• Molecule 14 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
14	Ν	1	Total Zn 1 1	0

• Molecule 15 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula:  $C_{15}H_{22}N_6O_5S$ ).



Mol	Chain	Residues		Ato	$\mathbf{ms}$			AltConf
15	Ν	1	Total 27	C 15	N 6	O 5	S 1	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Histone H3.2 Chain A: 69% 10% 21% • Molecule 1: Histone H3.2 Chain E: 58% 28% 14% • Molecule 2: Histone H4 Chain B: 65% 15% 21% • Molecule 2: Histone H4 Chain F: 67% 12% 22% • Molecule 3: Histone H2A type 1 Chain C: 71% 9% 20% 

• Molecule 3:	Histone H2A ty	vpe 1				
Chain G:		72%		10%	18%	I
SER GLY GLY GLY CLYS GLN GLY CLYS THR	AKG ALA K13 K17 R17 R17 S18 A21 H31	A47 P48 V49 V50 G67 G67 I78 I78 I78	P80 P80 LLYS SER SER SER	LYS SER ALA LYS SER LYS LYS		
• Molecule 4:	Histone H2B 1.	1				
Chain D:		66%	109	%	24%	I
ALA LYS SER ALA ALA ALA PRO LYS GLY GLY	SER LYS LYS LYS ALA VAL THR LYS GLN LYS LYS	GLY GLY LYS LYS ARG ARG ARG H49 P50 D51	155 154 158 158 165 188 188	E93 V111 T115	V118 S123 ALA LYS	
• Molecule 4:	Histone H2B 1.	1				
Chain H:		70%		7%	23%	I
ALA LYS SER ALA PRO PRO LYS GLY GLY	SEK LYS LYS ALA VAL THR LYS CLN CYS LYS CSN	GLY LYS LYS ARG ARG K31 H49 H49 C53	T90 <b>591</b> 192 192 192 101 111	Y121 A124 LYS		
• Molecule 5:	601 DNA (146-	MER)				
Chain I:	52%			48%		
C3 C3 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1	C18 C19 C26 T27 T31 T33 C36 C36 C36 C36 C36 C36 C36 C36 C36 C	C47 148 A49 C50 C56 A59 A61	C66 C66 C67 C70 C71 C72 C72 C72 C73	T75 T77 C78 C78 C82	683 685 685 789 490 491	A98 G99 G100 G101
6102 A103 C107 C100 C110 C111 T112	<mark>A12</mark> 6121 6122 6125 6125 6128 6127 6128 6128	A131 6132 A133 A135 A135 A137 A137 A137 A138	<b>A146</b> <b>T147</b>			
• Molecule 6:	601 DNA (146-	MER)				
Chain J:	47%		5:	3%		
A1 12 64 65 65 A5 A10 A10	113 114 117 117 117 117 117 117 117 117 117	124 125 125 126 133 133 133 133 133 133 133 133 133 13	133 139 139 150 150 150 150	A60 A61 A62 C65 C65	G78 T79 A80 T83	187 188 189 <b>A</b> 90
C93 694 695 695 7199 6101 6101 6103 6103 6103 7104	1105 6106 6108 6111 6111 7119 7119 7119	6125 6125 6125 6126 6127 6131 6131 6133 6133 6133				
• Molecule 7:	Ubiquitin					
Chain K:	10 /0	64%		30%	6%	I
GLY SER MIT Q2 13 13 13 13 13 13 13 13 13 13 13 13 13	19 20 123 123 123 123 123 123 123 123 123 123	<b>K 33 4</b> E 33 4 1 4 3 1 4 4 1 4 3 1	G47 C47 E51 D52 C53 €53	Y59 NGO L61 Q62 K63	E64 S65 T66 R72 L73	R74 G75 CYS









• Molecule 11: COMPASS component BRE2







# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	650847	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	50	Depositor
Minimum defocus (nm)	-1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 $(6k \ge 4k)$	Depositor
Maximum map value	0.104	Depositor
Minimum map value	-0.055	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.0128	Depositor
Map size (Å)	432.00003, 432.00003, 432.00003	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles $(^{\circ})$	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor



# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NLE, SAM, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Bond lengths		Bond angles		
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.30	0/855	0.43	0/1140
1	Е	0.31	0/796	0.43	0/1065
2	В	0.33	0/653	0.46	0/873
2	F	0.32	0/651	0.45	0/873
3	С	0.31	0/805	0.43	0/1088
3	G	0.30	0/828	0.44	0/1117
4	D	0.30	0/738	0.44	0/994
4	Н	0.30	0/743	0.44	0/1001
5	Ι	0.57	0/3333	0.95	0/5137
6	J	0.56	0/3381	0.92	0/5221
7	Κ	0.25	0/603	0.50	0/811
8	L	0.26	0/2417	0.51	0/3281
9	М	0.28	0/3259	0.48	0/4438
10	Ν	0.26	0/1732	0.44	0/2317
11	0	0.27	0/2651	0.52	0/3575
12	Р	0.25	0/341	0.51	0/463
12	Q	0.32	0/227	0.62	0/307
13	R	0.29	0/983	0.56	0/1335
All	All	0.38	0/24996	0.65	0/35036

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	871	0	918	9	0
1	Ε	802	0	843	14	0
2	В	646	0	687	8	0
2	F	644	0	690	12	0
3	С	795	0	846	10	0
3	G	818	0	877	10	0
4	D	727	0	747	10	0
4	Н	732	0	752	9	0
5	Ι	2975	0	1639	47	0
6	J	3011	0	1639	55	0
7	Κ	597	0	626	17	0
8	L	2367	0	2330	63	0
9	М	3183	0	3085	87	0
10	Ν	1710	0	1723	32	0
11	0	2595	0	2506	68	0
12	Р	336	0	345	6	0
12	Q	225	0	226	9	0
13	R	966	0	827	28	0
14	N	1	0	0	0	0
15	Ν	27	0	22	2	0
All	All	24028	0	21328	445	0

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (445) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:O:130:GLU:HA	11:O:241:LEU:HB2	1.67	0.76
8:L:9:GLY:HA3	8:L:309:CYS:HB3	1.72	0.71
11:O:66:TYR:HA	11:O:323:PHE:O	1.91	0.70
8:L:97:ALA:HB1	8:L:116:MET:HB2	1.73	0.69
8:L:290:VAL:HA	8:L:304:ALA:HA	1.73	0.69
5:I:133:DA:H2"	5:I:134:DT:H5"	1.77	0.66
9:M:123:LEU:HB2	9:M:129:LEU:O	1.96	0.65
9:M:241:TYR:HD1	9:M:256:LEU:HA	1.62	0.64
5:I:67:DG:H2"	5:I:68:DT:H72	1.80	0.63
11:O:65:VAL:HG23	11:O:325:ALA:HB3	1.80	0.63
9:M:321:ASP:O	9:M:325:MET:HA	1.99	0.63



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
9:M:286:THR:HG23	9:M:291:ALA:HB1	1.81	0.62
3:G:21:ALA:HB2	4:H:121:TYR:HB2	1.82	0.62
5:I:121:DG:H2"	5:I:122:DG:C8	2.36	0.61
5:I:89:DT:H2"	5:I:90:DA:C8	2.36	0.60
5:I:129:DT:H2"	5:I:130:DC:C5	2.36	0.60
8:L:64:SER:HA	8:L:104:PHE:HE2	1.65	0.60
5:I:82:DC:H2"	5:I:83:DG:C8	2.37	0.59
9:M:45:CYS:HB2	9:M:49:ALA:HB3	1.85	0.59
5:I:109:DC:H2"	5:I:110:DC:C5	2.37	0.59
9:M:145:PHE:HA	9:M:149:PRO:HD2	1.84	0.58
5:I:17:DC:H2"	5:I:18:DC:C5	2.38	0.58
6:J:79:DT:H2"	6:J:80:DA:C8	2.39	0.58
5:I:100:DG:H2"	5:I:101:DG:C8	2.39	0.57
6:J:94:DG:H2"	6:J:95:DG:O5'	2.04	0.57
8:L:114:SER:OG	8:L:141:VAL:O	2.22	0.57
12:P:161:SER:HB2	12:Q:150:LEU:HD21	1.86	0.57
6:J:3:DC:H2"	6:J:4:DG:C8	2.40	0.57
9:M:28:ARG:HB2	9:M:46:ALA:HB2	1.87	0.57
11:O:130:GLU:HB2	11:O:242:PRO:O	2.05	0.57
5:I:98:DA:H2"	5:I:99:DG:C8	2.40	0.56
5:I:4:DG:H2"	5:I:5:DA:C8	2.40	0.56
6:J:93:DC:H2"	6:J:94:DG:H8	1.71	0.56
9:M:19:LEU:HA	9:M:340:TRP:HA	1.86	0.56
6:J:15:DT:H4'	6:J:16:DC:OP1	2.05	0.56
7:K:23:ILE:HG13	7:K:24:GLU:N	2.21	0.56
11:O:85:TYR:CD1	11:O:86:PRO:HD2	2.41	0.56
13:R:206:LYS:O	13:R:207:LEU:HD23	2.06	0.56
3:C:16:THR:HA	6:J:31:DA:H5"	1.88	0.55
7:K:2:GLN:O	7:K:3:ILE:HD13	2.07	0.55
8:L:80:GLU:OE1	8:L:91:THR:HG22	2.07	0.55
2:F:78:ARG:NH2	2:F:85:ASP:OD2	2.40	0.55
10:N:956:ASP:OD1	10:N:957:SER:N	2.40	0.55
9:M:88:LEU:HD21	9:M:145:PHE:HZ	1.71	0.55
9:M:183:ILE:HD11	9:M:249:ASN:HB3	1.89	0.55
11:O:101:LEU:HD21	11:O:122:ALA:HB2	1.89	0.55
3:G:67:GLY:HA3	4:H:49:HIS:CD2	2.43	0.54
10:N:805:ARG:O	10:N:809:GLU:HG2	2.07	0.54
11:O:490:ILE:O	11:O:494:ILE:HG12	2.06	0.54
13:R:265:TYR:CB	13:R:297:THR:H	2.20	0.54
10:N:1072:ALA:HB3	10:N:1075:CYS:HB3	1.90	0.54
6:J:65:DC:H2"	6:J:66:DG:C8	2.42	0.54



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
6:J:94:DG:H2'	6:J:95:DG:H8	1.72	0.54
3:C:67:GLY:HA3	4:D:49:HIS:CD2	2.43	0.54
9:M:100:ASP:HB2	9:M:108:LEU:HD22	1.89	0.54
9:M:143:ILE:HG13	9:M:150:VAL:HG13	1.88	0.54
11:O:97:ARG:HH12	11:O:103:ILE:HD13	1.72	0.54
9:M:67:MET:HG3	13:R:325:MET:HE2	1.89	0.54
1:E:88:ALA:O	1:E:91:ALA:HB3	2.06	0.54
1:E:71:VAL:HG23	2:F:66:ILE:HD11	1.90	0.53
8:L:239:HIS:HD2	10:N:838:GLU:HB3	1.73	0.53
11:O:134:TYR:HD1	11:O:238:LEU:HB2	1.73	0.53
8:L:95:HIS:CE1	8:L:121:LYS:HG3	2.43	0.53
6:J:89:DT:H2"	6:J:90:DA:C8	2.44	0.53
9:M:275:SER:HB3	9:M:279:ALA:HA	1.89	0.53
9:M:305:VAL:O	10:N:909:ARG:NH2	2.41	0.53
5:I:60:DA:H2"	5:I:61:DA:H8	1.73	0.53
9:M:241:TYR:CD1	9:M:256:LEU:HA	2.44	0.53
9:M:298:GLU:OE1	9:M:301:SER:OG	2.26	0.53
11:O:60:ASN:HB3	11:O:96:ASP:HA	1.90	0.53
11:O:374:LEU:HB3	11:O:434:LEU:HD22	1.90	0.53
3:G:31:HIS:ND1	3:G:48:PRO:HG3	2.24	0.53
4:H:90:THR:HG23	4:H:92:ARG:H	1.74	0.53
1:A:79:LYS:HD3	1:A:82:LEU:HD21	1.91	0.53
8:L:92:PHE:HE1	8:L:128:GLY:HA2	1.74	0.53
13:R:203:PHE:CE1	13:R:336:ARG:HG2	2.44	0.52
13:R:266:CYS:SG	13:R:307:TRP:N	2.82	0.52
3:C:90:ASP:OD1	3:C:91:GLU:N	2.40	0.52
6:J:22:DC:H2"	6:J:23:DG:C8	2.44	0.52
9:M:197:LYS:O	9:M:204:THR:HG23	2.10	0.52
10:N:947:ILE:HG21	10:N:1016:ASN:HB3	1.92	0.52
11:O:109:ASP:N	11:O:109:ASP:OD1	2.42	0.52
1:E:40:ARG:NH2	6:J:83:DT:O2	2.43	0.52
8:L:76:ASP:HB2	10:N:821:ASN:HD21	1.74	0.52
9:M:234:SER:O	9:M:268:GLN:NE2	2.43	0.52
11:O:308:VAL:HG11	11:O:432:ASN:HB2	1.90	0.52
13:R:307:TRP:NE1	13:R:311:ASN:OD1	2.43	0.52
5:I:66:DC:H2"	5:I:67:DG:C8	2.44	0.52
10:N:1024:THR:HG23	10:N:1041:LEU:HB2	1.92	0.52
2:F:78:ARG:NH2	2:F:82:THR:OG1	2.43	0.52
5:I:47:DC:H2"	5:I:48:DT:H72	1.90	0.52
9:M:387:GLU:HG2	9:M:388:GLU:H	1.73	0.52
1:A:81:ASP:OD1	1:A:81:ASP:N	2.41	0.52



A + a 1	At arra 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:G:16:THR:HG22	3:G:18:SER:H	1.75	0.52
8:L:230:GLN:HG2	8:L:231:PRO:HD3	1.91	0.52
13:R:324:SER:O	13:R:327:GLU:HG3	2.10	0.52
5:I:5:DA:H2"	5:I:6:DG:C8	2.45	0.52
10:N:899:SER:O	10:N:903:ASN:ND2	2.43	0.51
11:O:134:TYR:HA	11:O:237:PHE:O	2.10	0.51
6:J:2:DT:H2"	6:J:3:DC:H5"	1.92	0.51
6:J:123:DC:H2"	6:J:124:DG:C8	2.45	0.51
9:M:236:ARG:HG3	9:M:268:GLN:HA	1.92	0.51
11:O:93:SER:HB3	11:O:95:MET:SD	2.51	0.51
11:O:457:LEU:HG	11:O:460:LEU:HB3	1.91	0.51
2:B:35:ARG:O	2:B:39:ARG:HG2	2.09	0.51
6:J:126:DC:H2"	6:J:127:DC:O5'	2.09	0.51
12:P:150:LEU:HD12	12:Q:161:SER:HB3	1.92	0.51
8:L:279:LEU:HD13	8:L:312:TRP:CE2	2.46	0.51
9:M:23:ILE:HG21	9:M:53:TYR:HE2	1.74	0.51
13:R:317:GLN:HA	13:R:320:ASP:HB3	1.93	0.51
8:L:202:ARG:HH21	8:L:219:ILE:HD11	1.76	0.51
11:O:305:TYR:HB3	11:O:375:LEU:HD21	1.92	0.51
13:R:202:LEU:O	13:R:206:LYS:HG3	2.10	0.51
10:N:927:LEU:O	10:N:928:LEU:HD23	2.11	0.51
2:F:47:SER:OG	2:F:48:GLY:N	2.44	0.51
9:M:277:ASN:OD1	9:M:278:THR:N	2.42	0.51
5:I:36:DC:H2"	5:I:37:DG:C8	2.46	0.50
11:O:135:TRP:HE1	11:O:137:VAL:HG13	1.76	0.50
11:O:233:ASP:OD1	11:O:234:LYS:N	2.44	0.50
10:N:952:LEU:HD23	10:N:1050:LEU:HD12	1.94	0.50
5:I:59:DA:H2"	5:I:60:DA:C8	2.46	0.50
7:K:31:GLN:O	7:K:35:GLY:N	2.31	0.50
5:I:18:DC:H2"	5:I:19:DG:N7	2.27	0.50
9:M:170:TYR:HB2	9:M:189:SER:HB3	1.94	0.50
6:J:49:DC:H2"	6:J:50:DT:H71	1.93	0.50
9:M:32:LEU:HD13	9:M:328:VAL:HG12	1.93	0.50
9:M:43:LEU:O	9:M:50:LEU:HD12	2.12	0.50
9:M:294:LEU:HB2	9:M:308:LEU:HB2	1.94	0.50
13:R:213:TYR:CZ	13:R:325:MET:HB3	2.47	0.50
5:I:102:DG:H1'	5:I:103:DA:H5"	1.94	0.49
13:R:307:TRP:CE2	13:R:311:ASN:HA	2.46	0.49
8:L:79:VAL:HG13	8:L:92:PHE:HB2	1.94	0.49
8:L:225:ARG:NH2	8:L:271:ASP:O	2.45	0.49
5:I:72:DC:H2"	5:I:73:DG:C8	2.48	0.49



Atom-1	Atom-2	Interatomic	Clash
		distance (Å)	overlap (Å)
8:L:239:HIS:CD2	10:N:838:GLU:HB3	2.47	0.49
11:O:480:THR:O	11:O:484:GLU:HG3	2.12	0.49
8:L:265:ILE:HD11	8:L:290:VAL:HG11	1.93	0.49
11:O:242:PRO:HB3	11:O:351:GLU:O	2.13	0.49
11:O:482:TYR:CZ	11:O:486:ILE:HD11	2.47	0.49
6:J:60:DA:H2"	6:J:61:DA:H8	1.78	0.49
8:L:233:GLU:HG2	8:L:234:LYS:N	2.28	0.49
9:M:15:HIS:CE1	9:M:306:ARG:HG3	2.48	0.49
3:C:41:GLU:HB3	4:D:87:SER:HB2	1.95	0.49
5:I:3:DC:H2"	5:I:4:DG:C8	2.48	0.49
8:L:14:LEU:HD12	8:L:15:LYS:H	1.77	0.49
9:M:317:ASP:OD1	9:M:318:ILE:N	2.45	0.49
8:L:73:ALA:HB2	8:L:102:LEU:HD23	1.94	0.48
10:N:977:ALA:HB2	10:N:1002:VAL:HG21	1.95	0.48
3:C:50:TYR:OH	4:D:111:VAL:HG23	2.13	0.48
3:G:77:ARG:HA	4:H:53:GLY:O	2.13	0.48
11:O:113:VAL:O	11:O:445:GLY:HA2	2.13	0.48
13:R:204:LYS:O	13:R:208:GLU:HB2	2.14	0.48
6:J:5:DG:H2"	6:J:6:DA:C8	2.48	0.48
9:M:192:TRP:CD2	9:M:211:LYS:HB2	2.47	0.48
11:O:60:ASN:N	11:O:95:MET:O	2.44	0.48
6:J:87:DT:H2'	6:J:88:DT:C6	2.48	0.48
6:J:93:DC:H2"	6:J:94:DG:C8	2.48	0.48
8:L:146:VAL:HG12	8:L:154:LEU:HB3	1.95	0.48
8:L:296:PHE:HB3	8:L:299:ILE:HG12	1.95	0.48
9:M:173:VAL:HG23	9:M:220:LEU:HD12	1.94	0.48
11:O:380:GLU:N	11:O:380:GLU:OE1	2.47	0.48
1:E:127:ALA:O	1:E:131:ARG:HG2	2.14	0.48
6:J:132:DC:H2"	6:J:133:DA:C8	2.48	0.48
7:K:72:ARG:O	7:K:74:ARG:NH1	2.47	0.48
6:J:99:DT:H2"	6:J:100:DA:C8	2.49	0.48
15:N:1102:SAM:H8	15:N:1102:SAM:H5'2	1.96	0.48
11:O:331:THR:HG22	11:O:332:THR:H	1.77	0.48
13:R:217:LEU:HA	13:R:220:VAL:HG22	1.96	0.48
6:J:111:DC:H2"	6:J:112:DG:C8	2.49	0.48
11:O:135:TRP:CZ3	11:O:239:LEU:HD13	2.49	0.48
5:I:56:DC:H5'	5:I:56:DC:C6	2.48	0.48
5:I:135:DA:H1'	5:I:136:DT:H5'	1.96	0.48
9:M:53:TYR:CE1	9:M:60:PRO:HG3	2.49	0.48
2:B:82:THR:HG22	2:B:83:ALA:H	1.78	0.47
13:R:203:PHE:CZ	13:R:336:ARG:HG2	2.48	0.47



A 4 1	A t a ma 0	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
6:J:33:DA:H1'	6:J:34:DC:H5'	1.96	0.47	
9:M:134:ILE:HB	9:M:137:GLU:HG3	1.95	0.47	
1:A:2:ARG:NH1	10:N:1056:PHE:O	2.47	0.47	
8:L:79:VAL:CG1	8:L:92:PHE:HB2	2.45	0.47	
8:L:81:ILE:CG2	8:L:90:HIS:HB2	2.44	0.47	
8:L:217:ASP:O	8:L:221:GLY:N	2.47	0.47	
9:M:196:TYR:HB3	9:M:204:THR:HG21	1.97	0.47	
10:N:912:GLN:O	10:N:915:GLU:HG2	2.14	0.47	
8:L:53:SER:O	8:L:53:SER:OG	2.31	0.47	
11:O:75:PHE:HD1	11:O:497:GLU:HG3	1.79	0.47	
7:K:27:LYS:HB3	7:K:38:PRO:HB3	1.97	0.47	
9:M:275:SER:OG	9:M:276:ASN:N	2.46	0.47	
11:O:492:TRP:HA	11:O:495:ILE:HG22	1.96	0.47	
1:E:118:THR:HA	2:F:45:ARG:O	2.14	0.47	
7:K:34:GLU:OE2	10:N:928:LEU:HD22	2.13	0.47	
9:M:189:SER:O	9:M:189:SER:OG	2.32	0.47	
9:M:193:LEU:HD11	9:M:231:ILE:HD11	1.95	0.47	
9:M:236:ARG:HD3	9:M:268:GLN:HE21	1.79	0.47	
9:M:286:THR:CG2	9:M:291:ALA:HB1	2.45	0.47	
10:N:947:ILE:HD11	10:N:1018:CYS:SG	2.55	0.47	
5:I:26:DC:H2"	5:I:27:DT:C6	2.49	0.47	
6:J:107:DT:H1'	6:J:108:DC:H5'	1.96	0.47	
11:O:125:ASP:OD1	11:O:125:ASP:N	2.47	0.47	
5:I:48:DT:H2"	5:I:49:DA:C8	2.50	0.47	
9:M:321:ASP:O	9:M:325:MET:CA	2.62	0.47	
11:O:186:VAL:CG2	11:O:436:TYR:HB3	2.45	0.47	
9:M:74:PRO:O	9:M:91:SER:OG	2.33	0.47	
13:R:216:TRP:O	13:R:220:VAL:HG13	2.15	0.47	
5:I:106:DA:H2"	5:I:107:DC:H5"	1.97	0.46	
6:J:20:DC:H2"	6:J:21:DA:C8	2.49	0.46	
8:L:64:SER:HA	8:L:104:PHE:CE2	2.48	0.46	
8:L:85:SER:OG	13:R:336:ARG:NH1	2.48	0.46	
10:N:1022:ASN:H	10:N:1051:THR:HG1	1.63	0.46	
11:O:225:ASN:ND2	11:O:364:LEU:HD22	2.30	0.46	
6:J:13:DT:H2"	6:J:14:DA:H8	1.80	0.46	
8:L:159:TYR:HA	8:L:191:PRO:HB3	1.97	0.46	
9:M:356:GLU:HG3	10:N:1008:LYS:HG2	1.96	0.46	
2:F:75:HIS:NE2	4:H:93:GLU:OE1	2.48	0.46	
9:M:3:ILE:HG23	9:M:11:VAL:HG21	1.96	0.46	
9:M:206:CYS:SG	9:M:207:ILE:N	2.88	0.46	
11:O:451:ILE:HG21	11:O:456:LYS:O	2.15	0.46	



	A. 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
11:O:253:GLU:HA	11:O:256:LYS:HG2	1.96	0.46
13:R:213:TYR:OH	13:R:322:LEU:HA	2.15	0.46
5:I:68:DT:H2"	5:I:69:DA:N7	2.30	0.46
9:M:228:ARG:NH1	9:M:279:ALA:O	2.48	0.46
11:O:87:PHE:CG	11:O:88:ASP:N	2.84	0.46
3:G:17:ARG:HG2	4:H:121:TYR:HE1	1.81	0.46
8:L:132:LYS:HE2	8:L:170:THR:HA	1.98	0.46
9:M:300:THR:OG1	9:M:301:SER:N	2.49	0.46
9:M:145:PHE:HB2	9:M:148:ASP:HA	1.98	0.46
13:R:291:LYS:NZ	13:R:292:ILE:HG23	2.31	0.46
6:J:104:DC:H2"	6:J:105:DT:H71	1.98	0.46
8:L:11:GLN:HA	8:L:307:GLY:HA3	1.98	0.46
8:L:206:VAL:HG11	8:L:216:TRP:HE1	1.81	0.46
9:M:208:HIS:CD2	9:M:252:VAL:HG13	2.51	0.46
10:N:1017:HIS:HA	10:N:1052:TYR:O	2.16	0.46
12:Q:149:PRO:O	12:Q:152:VAL:HG12	2.16	0.46
2:B:30:THR:OG1	2:B:31:LYS:N	2.49	0.46
5:I:111:DC:H2"	5:I:112:DT:H71	1.98	0.46
6:J:30:DG:H2"	6:J:31:DA:H8	1.80	0.46
8:L:104:PHE:HB3	8:L:111:LEU:HA	1.97	0.46
11:O:358:PHE:CE2	11:O:363:TYR:HB3	2.51	0.46
3:G:50:TYR:OH	4:H:111:VAL:HG23	2.16	0.45
6:J:94:DG:H2'	6:J:95:DG:C8	2.51	0.45
9:M:217:ILE:HG23	9:M:231:ILE:HG23	1.98	0.45
3:C:116:LEU:HA	1:E:48:LEU:HD21	1.98	0.45
6:J:48:DC:H2"	6:J:49:DC:C6	2.51	0.45
7:K:43:LEU:O	7:K:44:ILE:HD13	2.17	0.45
8:L:139:GLU:HG3	8:L:140:ALA:H	1.80	0.45
9:M:188:THR:HG1	9:M:192:TRP:H	1.62	0.45
4:D:115:THR:HA	4:D:118:VAL:HG12	1.96	0.45
5:I:4:DG:H2"	5:I:5:DA:H8	1.81	0.45
5:I:67:DG:H2"	5:I:68:DT:C7	2.44	0.45
11:O:124:SER:OG	11:O:438:PRO:HB2	2.16	0.45
5:I:71:DG:C2	6:J:78:DG:N2	2.84	0.45
1:E:81:ASP:OD1	1:E:81:ASP:N	2.46	0.45
11:O:75:PHE:HZ	11:O:494:ILE:HD13	1.80	0.45
11:O:183:ARG:HH21	11:O:207:ARG:HD2	1.81	0.45
8:L:162:LEU:HD21	8:L:180:ASP:HB3	1.99	0.45
10:N:808:LEU:O	10:N:811:GLU:HG3	2.16	0.45
11:O:55:GLU:N	11:O:55:GLU:OE1	2.50	0.45
11:O:253:GLU:OE1	11:O:257:ARG:NE	2.49	0.45



Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
13:R:213:TYR:HA	13:R:217:LEU:CD2	2.47	0.45
6:J:34:DC:H1'	6:J:35:DT:H5'	1.98	0.45
9:M:12:LEU:HD21	9:M:401:VAL:HG12	1.99	0.45
1:A:47:ALA:O	1:A:51:ILE:HG13	2.17	0.45
8:L:98:PRO:HB2	10:N:835:PHE:HE2	1.81	0.45
8:L:163:ILE:HD13	8:L:195:VAL:HG11	1.98	0.45
1:E:116:ARG:HD3	1:E:120:NLE:HE3	2.00	0.44
2:F:92:ARG:HH21	4:H:101:LEU:HA	1.82	0.44
3:G:79:ILE:HG12	3:G:80:PRO:HD2	1.98	0.44
5:I:126:DG:H2'	5:I:127:DT:H72	1.98	0.44
9:M:242:GLU:HB2	9:M:257:GLU:OE1	2.17	0.44
9:M:372:ASP:CG	11:O:183:ARG:HH22	2.20	0.44
3:C:42:ARG:O	4:D:88:THR:HA	2.16	0.44
11:O:223:LEU:HD22	11:O:364:LEU:HB3	1.99	0.44
7:K:40:GLN:HE21	7:K:74:ARG:NH2	2.15	0.44
9:M:265:ASN:OD1	9:M:265:ASN:N	2.50	0.44
13:R:213:TYR:CE2	13:R:325:MET:HB3	2.52	0.44
2:B:70:VAL:HA	2:B:73:THR:HG22	2.00	0.44
5:I:138:DT:H2"	5:I:139:DA:C8	2.53	0.44
6:J:128:DT:H2"	6:J:129:DC:C5	2.52	0.44
8:L:205:LEU:HD21	8:L:256:VAL:HG23	2.00	0.44
9:M:130:CYS:SG	9:M:143:ILE:HB	2.57	0.44
5:I:110:DC:H2"	5:I:111:DC:C5	2.52	0.44
7:K:59:TYR:O	7:K:60:ASN:ND2	2.50	0.44
9:M:372:ASP:OD2	11:O:183:ARG:NH2	2.50	0.44
11:O:336:TYR:CE2	11:O:346:ASP:HB3	2.53	0.44
1:E:99:TYR:OH	1:E:133:GLU:OE1	2.35	0.44
5:I:125:DC:H2"	5:I:126:DG:H5"	1.99	0.44
9:M:33:GLN:HA	9:M:319:ASN:ND2	2.32	0.44
12:Q:151:ARG:O	12:Q:155:GLU:HG2	2.17	0.44
5:I:3:DC:H2"	5:I:4:DG:N7	2.33	0.44
8:L:111:LEU:HD23	8:L:113:THR:HG23	2.00	0.44
9:M:75:ILE:HA	9:M:91:SER:HA	1.99	0.44
9:M:118:TRP:HE1	9:M:135:PHE:HA	1.83	0.44
9:M:238:ILE:O	9:M:259:LYS:HA	2.18	0.44
10:N:1017:HIS:HB2	10:N:1054:TYR:CG	2.52	0.44
3:C:100:VAL:HG12	2:F:96:THR:OG1	2.18	0.44
5:I:31:DT:H2'	5:I:32:DT:H72	1.99	0.44
6:J:17:DT:H2"	6:J:18:DG:N7	2.33	0.44
6:J:118:DT:H2"	6:J:119:DT:C5	2.52	0.44
8:L:152:SER:HB2	9:M:2:ASN:ND2	2.33	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
8:L:245:PHE:HZ	9:M:393:LEU:HD13	1.83	0.44
5:I:90:DA:H1'	5:I:91:DA:N7	2.33	0.44
11:O:183:ARG:HB2	11:O:441:SER:HB3	2.00	0.44
12:P:150:LEU:HD11	12:Q:133:HIS:ND1	2.33	0.44
6:J:32:DG:H1'	6:J:33:DA:H5'	1.99	0.43
8:L:14:LEU:HD23	8:L:33:GLY:HA3	2.01	0.43
9:M:192:TRP:HA	9:M:210:LEU:O	2.19	0.43
11:O:119:TRP:CE3	11:O:443:PHE:HB2	2.53	0.43
11:O:243:SER:O	11:O:247:GLN:HG3	2.18	0.43
6:J:46:DC:H2"	6:J:47:DC:C5	2.53	0.43
6:J:94:DG:H4'	6:J:95:DG:OP1	2.18	0.43
6:J:105:DT:H2"	6:J:106:DG:C8	2.53	0.43
8:L:75:ASP:OD2	10:N:834:SER:HA	2.18	0.43
8:L:227:PHE:CZ	8:L:270:SER:HA	2.54	0.43
11:O:242:PRO:HB2	11:O:246:THR:CG2	2.48	0.43
13:R:319:ILE:O	13:R:323:GLU:HG2	2.18	0.43
6:J:61:DA:H2"	6:J:62:DA:H8	1.84	0.43
12:P:158:ILE:HG12	12:Q:151:ARG:HG3	2.01	0.43
11:O:312:GLN:CD	11:O:323:PHE:HB3	2.38	0.43
6:J:124:DG:H2"	6:J:125:DG:H8	1.83	0.43
8:L:82:ILE:HA	8:L:88:LEU:HA	1.99	0.43
8:L:234:LYS:HG3	8:L:262:ASN:ND2	2.34	0.43
4:D:51:ASP:OD1	4:D:51:ASP:N	2.51	0.43
5:I:123:DC:H2"	5:I:124:DA:C8	2.54	0.43
6:J:101:DG:H1'	6:J:102:DA:C8	2.54	0.43
13:R:340:LEU:HA	13:R:343:GLN:HB2	1.99	0.43
5:I:13:DG:H2"	5:I:14:DG:H5'	2.00	0.43
11:O:130:GLU:HG2	11:O:244:ILE:HG23	2.00	0.43
5:I:13:DG:H2"	5:I:14:DG:H8	1.84	0.43
6:J:26:DC:H2"	6:J:27:DC:C5	2.52	0.43
8:L:22:SER:OG	8:L:27:PHE:HB2	2.18	0.43
8:L:64:SER:OG	8:L:66:ASP:OD1	2.27	0.43
9:M:143:ILE:HG22	9:M:145:PHE:HB3	2.00	0.43
9:M:210:LEU:HD13	9:M:212:ILE:HG23	2.00	0.43
9:M:232:ASN:HD21	9:M:269:TRP:HB2	1.83	0.43
11:O:328:TYR:HA	11:O:381:LEU:HA	1.99	0.43
6:J:126:DC:H5'	6:J:126:DC:H6	1.83	0.43
7:K:50:LEU:HD23	7:K:50:LEU:N	2.33	0.43
9:M:91:SER:OG	9:M:92:ARG:N	2.52	0.43
11:O:358:PHE:HA	11:O:363:TYR:HA	2.01	0.43
13:R:210:LEU:HD13	13:R:329:LEU:HB3	2.00	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:E:61:LEU:HD12	2:F:37:LEU:HD23	2.00	0.43
6:J:129:DC:H2"	6:J:130:DG:N7	2.34	0.43
9:M:185:ILE:HG23	9:M:195:PHE:CE1	2.54	0.43
11:O:95:MET:SD	11:O:95:MET:N	2.89	0.43
8:L:77:PHE:CD2	10:N:825:PHE:HE1	2.37	0.42
13:R:212:VAL:HA	13:R:216:TRP:CE3	2.54	0.42
6:J:138:DG:H2'	6:J:139:DA:C8	2.54	0.42
7:K:23:ILE:HG12	7:K:54:ARG:O	2.19	0.42
9:M:208:HIS:HD2	9:M:252:VAL:HG13	1.83	0.42
11:O:78:LEU:HD12	11:O:79:GLY:H	1.84	0.42
9:M:354:ASP:O	9:M:355:PHE:HD1	2.02	0.42
13:R:266:CYS:O	13:R:267:SER:OG	2.30	0.42
7:K:1:MET:HB2	7:K:63:LYS:HB3	2.00	0.42
7:K:7:THR:HG22	7:K:9:THR:H	1.83	0.42
9:M:368:GLU:HB2	11:O:119:TRP:HE1	1.84	0.42
11:O:357:ILE:HG13	11:O:364:LEU:HB2	2.01	0.42
9:M:8:PRO:HA	9:M:11:VAL:HG12	2.01	0.42
9:M:34:PHE:CZ	9:M:328:VAL:HG21	2.55	0.42
10:N:1043:ASP:OD1	10:N:1044:ILE:N	2.53	0.42
6:J:141:DT:H5'	6:J:141:DT:C6	2.54	0.42
8:L:256:VAL:CG1	8:L:268:TRP:HB2	2.50	0.42
11:O:331:THR:HG22	11:O:332:THR:N	2.34	0.42
13:R:329:LEU:HD12	13:R:329:LEU:HA	1.91	0.42
5:I:120:DA:H2"	5:I:121:DG:C8	2.55	0.42
6:J:123:DC:H2"	6:J:124:DG:H8	1.82	0.42
9:M:215:SER:HB2	9:M:234:SER:HB2	2.01	0.42
10:N:845:ASP:OD1	10:N:845:ASP:N	2.52	0.42
8:L:27:PHE:O	8:L:28:LEU:HD22	2.20	0.42
11:O:312:GLN:OE1	11:O:325:ALA:HB2	2.20	0.42
12:Q:129:ASN:CG	12:Q:130:VAL:HG23	2.39	0.42
2:B:59:LYS:O	2:B:63:GLU:HG3	2.20	0.42
6:J:144:DC:H2"	6:J:145:DG:C8	2.55	0.42
8:L:142:VAL:HG11	8:L:159:TYR:CE1	2.54	0.42
5:I:84:DC:H2"	5:I:85:DG:C8	2.55	0.42
8:L:125:THR:OG1	8:L:126:LEU:N	2.53	0.42
8:L:240:SER:O	8:L:240:SER:OG	2.34	0.42
9:M:213:THR:OG1	9:M:214:SER:N	2.53	0.42
12:Q:153:LEU:HD12	12:Q:154:GLY:N	2.34	0.42
2:B:22:LEU:C	2:B:23:ARG:HD2	2.41	0.41
4:D:93:GLU:OE1	4:D:93:GLU:N	2.53	0.41
6:J:31:DA:C2	6:J:32:DG:C5	3.08	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
6:J:49:DC:H2"	6:J:50:DT:C7	2.50	0.41
7:K:34:GLU:HG3	10:N:928:LEU:HD13	2.02	0.41
8:L:72:THR:O	8:L:79:VAL:HG23	2.20	0.41
8:L:172:HIS:CD2	9:M:346:PRO:HB3	2.55	0.41
9:M:32:LEU:HD11	9:M:330:ASN:HB3	2.02	0.41
9:M:274:PHE:CD1	9:M:279:ALA:HB1	2.55	0.41
11:O:110:LEU:HD23	11:O:110:LEU:HA	1.94	0.41
13:R:291:LYS:HZ3	13:R:292:ILE:HG23	1.85	0.41
3:C:81:ARG:HD3	1:E:58:THR:CG2	2.49	0.41
3:G:90:ASP:OD2	10:N:901:ARG:NH2	2.53	0.41
9:M:282:LEU:HD23	9:M:297:TRP:CE3	2.54	0.41
4:D:54:ILE:HG22	4:D:55:SER:O	2.19	0.41
5:I:49:DA:H1'	5:I:50:DG:C8	2.55	0.41
3:C:97:LEU:HD21	4:D:65:PHE:CE1	2.55	0.41
9:M:73:ARG:HB3	9:M:74:PRO:HD2	2.03	0.41
10:N:1028:ILE:HG22	10:N:1029:LYS:N	2.35	0.41
13:R:307:TRP:O	13:R:311:ASN:HB2	2.20	0.41
1:A:128:ARG:NH1	1:A:133:GLU:OE1	2.54	0.41
6:J:22:DC:H2"	6:J:23:DG:H8	1.85	0.41
8:L:289:PRO:HG2	8:L:305:LEU:HB2	2.01	0.41
11:O:70:SER:HB2	11:O:83:THR:HG22	2.02	0.41
11:O:253:GLU:O	11:O:256:LYS:HG2	2.21	0.41
2:B:62:LEU:O	2:B:66:ILE:HG13	2.21	0.41
6:J:9:DT:H2"	6:J:10:DA:C8	2.55	0.41
8:L:32:GLN:HB2	8:L:35:ASN:OD1	2.21	0.41
9:M:143:ILE:HG23	9:M:150:VAL:HG22	2.02	0.41
11:O:243:SER:O	11:O:246:THR:HG22	2.20	0.41
1:A:4:NLE:HB2	10:N:1056:PHE:HE1	1.85	0.41
1:A:100:LEU:HD23	1:A:100:LEU:HA	1.89	0.41
1:A:107:THR:HG21	1:A:124:ILE:HG12	2.01	0.41
4:D:54:ILE:HG23	4:D:58:ALA:HB3	2.03	0.41
1:E:93:GLN:O	1:E:97:GLU:HG2	2.20	0.41
8:L:264:ASP:HA	8:L:279:LEU:O	2.20	0.41
9:M:98:LEU:CD2	9:M:108:LEU:HD23	2.51	0.41
10:N:947:ILE:HG23	15:N:1102:SAM:N6	2.36	0.41
11:O:205:GLY:O	11:O:206:ILE:HD13	2.21	0.41
1:A:118:THR:HG22	2:B:45:ARG:HG2	2.03	0.41
7:K:40:GLN:HE21	7:K:74:ARG:HH22	1.68	0.41
7:K:47:GLY:O	9:M:401:VAL:HG22	2.21	0.41
8:L:8:VAL:HG21	8:L:39:TYR:CE2	2.55	0.41
8:L:111:LEU:CD2	8:L:113:THR:HG23	2.50	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
9:M:88:LEU:HD21	9:M:145:PHE:CZ	2.53	0.41
11:O:85:TYR:HB3	11:O:87:PHE:O	2.21	0.41
12:Q:141:ILE:CD1	12:Q:153:LEU:HD23	2.51	0.41
1:E:97:GLU:OE2	2:F:37:LEU:HD21	2.21	0.41
3:G:47:ALA:N	3:G:48:PRO:HD2	2.36	0.41
6:J:38:DG:H2"	6:J:39:DG:C8	2.56	0.41
11:O:211:LEU:HD13	11:O:364:LEU:CD1	2.50	0.41
5:I:74:DC:C6	5:I:75:DT:H72	2.56	0.40
9:M:67:MET:HE1	9:M:106:LYS:HD2	2.01	0.40
6:J:24:DT:H2"	6:J:25:DG:H5"	2.03	0.40
8:L:281:GLY:HA3	8:L:286:HIS:CE1	2.56	0.40
12:P:129:ASN:OD1	12:P:130:VAL:HG13	2.21	0.40
1:E:68:GLN:HG3	1:E:89:VAL:HG11	2.03	0.40
2:F:92:ARG:NH2	4:H:101:LEU:HA	2.37	0.40
5:I:132:DG:H2"	5:I:133:DA:C8	2.57	0.40
8:L:121:LYS:HD2	8:L:123:TRP:CZ2	2.56	0.40
9:M:236:ARG:HG2	9:M:267:LEU:O	2.21	0.40
2:F:82:THR:HG22	2:F:83:ALA:H	1.85	0.40
5:I:77:DT:H2"	5:I:78:DC:C6	2.56	0.40
7:K:39:ASP:OD1	7:K:40:GLN:HG3	2.21	0.40
9:M:334:SER:OG	9:M:335:GLY:N	2.55	0.40
11:O:223:LEU:HD13	11:O:225:ASN:OD1	2.21	0.40
11:O:459:TYR:HD1	11:O:462:GLN:NE2	2.19	0.40
12:P:129:ASN:CG	12:P:130:VAL:HG13	2.41	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	А	99/135~(73%)	92~(93%)	7 (7%)	0	100 100	



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	Ε	93/135~(69%)	86 (92%)	7 (8%)	0	100	100
2	В	79/102~(78%)	77~(98%)	2(2%)	0	100	100
2	F	78/102~(76%)	76 (97%)	2(3%)	0	100	100
3	С	101/129~(78%)	99~(98%)	2 (2%)	0	100	100
3	G	104/129~(81%)	104 (100%)	0	0	100	100
4	D	91/122~(75%)	87 (96%)	4 (4%)	0	100	100
4	Н	92/122~(75%)	89 (97%)	3 (3%)	0	100	100
7	K	73/80~(91%)	71 (97%)	2(3%)	0	100	100
8	L	302/315~(96%)	283 (94%)	19 (6%)	0	100	100
9	М	387/426 (91%)	356 (92%)	31 (8%)	0	100	100
10	Ν	210/358~(59%)	190 (90%)	20 (10%)	0	100	100
11	Ο	297/505~(59%)	281 (95%)	16 (5%)	0	100	100
12	Р	40/175~(23%)	36 (90%)	4 (10%)	0	100	100
12	Q	25/175~(14%)	24 (96%)	1 (4%)	0	100	100
13	R	125/391~(32%)	111 (89%)	14 (11%)	0	100	100
All	All	2196/3401~(65%)	2062 (94%)	134 (6%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	88/107~(82%)	88 (100%)	0	100	100
1	Ε	83/107~(78%)	83 (100%)	0	100	100
2	В	66/78~(85%)	66 (100%)	0	100	100
2	F	67/78~(86%)	67 (100%)	0	100	100
3	С	82/101 (81%)	82 (100%)	0	100	100
3	G	84/101 (83%)	84 (100%)	0	100	100



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
4	D	80/102~(78%)	80 (100%)	0	100	100
4	Η	80/102~(78%)	80 (100%)	0	100	100
7	Κ	68/72~(94%)	68~(100%)	0	100	100
8	L	272/279~(98%)	271 (100%)	1 (0%)	91	95
9	М	359/388~(92%)	358~(100%)	1 (0%)	92	96
10	Ν	179/318~(56%)	179~(100%)	0	100	100
11	Ο	282/449~(63%)	282 (100%)	0	100	100
12	Р	38/162~(24%)	38 (100%)	0	100	100
12	Q	25/162~(15%)	25~(100%)	0	100	100
13	R	91/355~(26%)	91 (100%)	0	100	100
All	All	1944/2961~(66%)	1942 (100%)	2 (0%)	93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	L	104	PHE
9	М	236	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
3	С	112	GLN
2	F	64	ASN
4	Н	84	ASN
7	Κ	40	GLN
7	Κ	60	ASN
8	L	172	HIS
8	L	239	HIS
8	L	306	ASN
9	М	15	HIS
9	М	168	HIS
9	М	216	ASN
9	М	268	GLN
9	М	292	HIS
9	М	319	ASN
9	М	361	ASN
10	N	821	ASN



Mol	Chain	$\operatorname{Res}$	Type						
10	Ν	903	ASN						
10	N	931	ASN						
11	0	116	GLN						
11	0	181	HIS						
11	0	359	GLN						
11	0	432	ASN						
12	Р	127	ASN						
13	R	304	HIS						

Continued from previous page...

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Chain	Ros Link		Bond lengths			Bond angles		
IVIOI	Type	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
1	NLE	A	120	1	6,7,8	0.46	0	2,7,9	0.43	0
1	NLE	Е	90	1	6,7,8	0.54	0	2,7,9	0.47	0
1	NLE	А	90	1	6,7,8	0.55	0	2,7,9	0.46	0
1	NLE	Е	120	1	6,7,8	0.44	0	2,7,9	0.40	0
1	NLE	А	4	1	6,7,8	0.49	0	2,7,9	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	NLE	А	120	1	-	0/5/6/8	-
1	NLE	Е	90	1	-	0/5/6/8	-
1	NLE	А	90	1	-	3/5/6/8	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	NLE	Ε	120	1	-	0/5/6/8	-
1	NLE	А	4	1	-	0/5/6/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	А	90	NLE	CA-CB-CG-CD
1	А	90	NLE	C-CA-CB-CG
1	А	90	NLE	N-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	Е	120	NLE	1	0
1	А	4	NLE	1	0

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain	Bos	Link	Bond lengths			Bond angles				
	туре	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
15	SAM	Ν	1102	-	24,29,29	0.66	0	$23,\!42,\!42$	0.85	1 (4%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	SAM	Ν	1102	-	-	5/12/33/33	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
15	Ν	1102	SAM	C5-C6-N6	2.26	123.79	120.35

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	N	1102	SAM	CA-CB-CG-SD
15	N	1102	SAM	CB-CG-SD-CE
15	N	1102	SAM	O-C-CA-CB
15	N	1102	SAM	OXT-C-CA-CB
15	N	1102	SAM	CB-CG-SD-C5'

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	Ν	1102	SAM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-21157. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

## 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



### 6.2 Central slices (i)

#### 6.2.1 Primary map



X Index: 200



Y Index: 200



Z Index: 200

#### 6.2.2 Raw map



X Index: 200

Y Index: 200

Z Index: 200  $\,$ 

The images above show central slices of the map in three orthogonal directions.



### 6.3 Largest variance slices (i)

#### 6.3.1 Primary map



X Index: 186



Y Index: 201



Z Index: 208

#### 6.3.2 Raw map



X Index: 201

Y Index: 202



The images above show the largest variance slices of the map in three orthogonal directions.



#### 6.4 Orthogonal surface views (i)

#### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0128. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

#### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.



#### Mask visualisation (i) 6.5

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

#### $emd_{21157}msk_{1.map}$ (i) 6.5.1





# 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

## 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



#### 7.2 Volume estimate (i)



The volume at the recommended contour level is 231  $\rm nm^3;$  this corresponds to an approximate mass of 209 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.297  ${\rm \AA^{-1}}$ 



## 8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

#### 8.1 FSC (i)



\*Reported resolution corresponds to spatial frequency of 0.297  $\mathrm{\AA^{-1}}$ 



#### 8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	3.37	-	-
Author-provided FSC curve	3.36	3.85	3.41
Unmasked-calculated*	3.93	4.45	3.98

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.93 differs from the reported value 3.37 by more than 10 %



## 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-21157 and PDB model 6VEN. Per-residue inclusion information can be found in section 3 on page 10.

## 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0128 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



#### 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

#### 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0128).



#### 9.4 Atom inclusion (i)



At the recommended contour level, 90% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

### 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.0128) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8566	0.4490
А	0.9581	0.5560
В	0.9629	0.5530
С	0.9558	0.5530
D	0.9535	0.5430
Ε	0.9559	0.5500
F	0.9579	0.5540
G	0.9470	0.5550
Н	0.9497	0.5490
Ι	0.9667	0.4590
J	0.9734	0.4620
Κ	0.6071	0.3220
L	0.9046	0.4550
Μ	0.9139	0.4920
Ν	0.7645	0.4600
0	0.6048	0.2620
Р	0.3354	0.2150
Q	0.3864	0.2430
R	0.5110	0.2680

