



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2018 – 08:29 am GMT

PDB ID : 2VHJ
Title : P4 PROTEIN FROM BACTERIOPHAGE PHI12 S252A mutant in complex with ADP
Authors : Kainov, D.E.; Mancini, E.J.; Telenius, J.; Lisal, J.; Grimes, J.M.; Bamford, D.H.; Stuart, D.I.; Tuma, R.
Deposited on : 2007-11-21
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30686


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	6075 (1.80-1.80)
Ramachandran outliers	120005	6009 (1.80-1.80)
Sidechain outliers	119972	6008 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	331	
1	B	331	
1	C	331	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ADP	B	1301	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7508 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NTPASE P4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	289	Total 2184	C 1372	N 381	O 424	S 7	0	1	1
1	B	289	Total 2178	C 1365	N 380	O 426	S 7	0	1	1
1	C	289	Total 2170	C 1361	N 379	O 423	S 7	0	0	1

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	252	ALA	SER	engineered mutation	UNP Q94M05
B	252	ALA	SER	engineered mutation	UNP Q94M05
C	252	ALA	SER	engineered mutation	UNP Q94M05

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	312	Total	O	0	0
			312	312		
3	B	288	Total	O	0	0
			288	288		
3	C	295	Total	O	0	0
			295	295		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: NTPASE P4



- Molecule 1: NTPASE P4



- Molecule 1: NTPASE P4



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	104.94Å 128.85Å 158.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 1.80	Depositor
% Data completeness (in resolution range)	99.7 (100.00-1.80)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.200 , 0.237	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	7508	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2223	0.59	0/3013
1	B	0.44	0/2215	0.60	0/3001
1	C	0.39	0/2207	0.59	0/2990
All	All	0.42	0/6645	0.59	0/9004

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	241	LYS	Peptide
1	B	241	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2184	0	2156	12	0
1	B	2178	0	2150	42	0
1	C	2170	0	2147	30	0
2	A	27	0	12	1	0
2	B	27	0	12	10	0
2	C	27	0	12	2	0
3	A	312	0	0	4	0
3	B	288	0	0	6	0
3	C	295	0	0	2	0
All	All	7508	0	6489	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:214:LEU:CD1	1:C:218:ILE:HD11	1.79	1.13
1:C:214:LEU:HD11	1:C:218:ILE:HD11	1.32	1.06
1:B:214:LEU:CD1	1:B:218:ILE:HD11	1.88	1.01
1:B:214:LEU:HD11	1:B:218:ILE:HD11	1.41	0.98
1:B:214:LEU:CG	1:B:218:ILE:HD11	2.04	0.88
1:C:214:LEU:CG	1:C:218:ILE:HD11	2.04	0.87
1:B:134:SER:HB2	2:B:1301:ADP:O3'	1.74	0.86
1:B:237:SER:HB2	1:B:242:ILE:HG21	1.62	0.82
1:B:117:GLY:HA2	1:B:298:THR:HG23	1.62	0.79
1:B:298:THR:HG22	1:B:299:SER:N	2.00	0.76
1:B:214:LEU:HG	1:B:218:ILE:CD1	2.16	0.75
1:B:237:SER:HB2	1:B:242:ILE:CG2	2.16	0.75
2:B:1301:ADP:O2A	3:B:2286:HOH:O	2.08	0.72
1:B:134:SER:CB	2:B:1301:ADP:O3'	2.38	0.71
1:B:241:LYS:O	1:B:241:LYS:HG3	1.90	0.71
2:C:1301:ADP:O2A	3:C:2294:HOH:O	2.07	0.71
1:B:214:LEU:HG	1:B:218:ILE:HD11	1.71	0.71
1:C:1:MET:CE	1:C:76:ALA:HB1	2.20	0.70
1:C:214:LEU:CD1	1:C:218:ILE:CD1	2.66	0.69
1:C:237:SER:HB2	1:C:242:ILE:HG21	1.73	0.69
1:C:214:LEU:HG	1:C:218:ILE:HD11	1.74	0.69
1:C:214:LEU:HG	1:C:218:ILE:CD1	2.25	0.67
1:B:133:ASN:HD22	1:B:133:ASN:H	1.42	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:THR:N	2:B:1301:ADP:O2B	2.23	0.66
1:C:214:LEU:HD11	1:C:218:ILE:CD1	2.18	0.65
1:C:194:VAL:CG2	1:C:195:ILE:HD12	2.26	0.65
1:C:75:LYS:HD2	1:C:81:VAL:HG22	1.78	0.64
1:B:40:VAL:CG1	1:B:44:THR:HB	2.28	0.64
1:C:214:LEU:O	1:C:218:ILE:HG13	1.97	0.63
1:A:117:GLY:HA2	1:A:298:THR:CG2	2.28	0.63
1:A:117:GLY:HA2	1:A:298:THR:HG23	1.79	0.62
1:B:214:LEU:CD1	1:B:218:ILE:CD1	2.73	0.62
1:C:1:MET:HE2	1:C:76:ALA:HB1	1.82	0.60
1:B:218:ILE:HA	1:B:221:MET:CE	2.31	0.60
1:C:117:GLY:HA2	1:C:298:THR:HG23	1.84	0.60
1:B:134:SER:HB2	2:B:1301:ADP:H4'	1.83	0.59
1:B:283:THR:HG23	3:B:2257:HOH:O	2.02	0.59
1:A:279:ARG:NH1	1:B:133:ASN:OD1	2.36	0.58
2:A:1301:ADP:O2A	3:A:2311:HOH:O	2.16	0.58
1:C:172:PHE:CZ	1:C:176:ILE:HD11	2.40	0.57
1:B:215:LEU:HD23	3:B:2110:HOH:O	2.07	0.55
1:B:237:SER:CB	1:B:242:ILE:HG21	2.35	0.55
1:C:237:SER:CB	1:C:242:ILE:HG21	2.37	0.54
1:B:218:ILE:HA	1:B:221:MET:HE2	1.89	0.53
1:B:292:SER:OG	2:B:1301:ADP:N7	2.37	0.52
1:C:194:VAL:HG23	1:C:195:ILE:HD12	1.91	0.51
1:C:240:ASP:CG	1:C:241:LYS:H	2.15	0.50
1:A:32:HIS:HE1	3:A:2141:HOH:O	1.94	0.49
1:B:134:SER:HB2	2:B:1301:ADP:C4'	2.42	0.49
1:B:134:SER:HB2	2:B:1301:ADP:C3'	2.43	0.49
1:A:73:SER:OG	1:A:83:VAL:HG22	2.14	0.48
1:B:32:HIS:HE1	3:B:2123:HOH:O	1.96	0.47
1:B:214:LEU:HD11	1:B:218:ILE:CD1	2.28	0.47
1:C:194:VAL:HG22	1:C:195:ILE:HD12	1.95	0.47
1:B:214:LEU:HG	1:B:218:ILE:HD12	1.97	0.46
1:B:134:SER:CB	2:B:1301:ADP:HO3'	2.27	0.46
1:B:218:ILE:HA	1:B:221:MET:HE3	1.97	0.46
1:B:40:VAL:HG11	1:B:44:THR:HB	1.97	0.46
1:C:67:VAL:HA	1:C:89:GLY:HA2	1.98	0.46
1:A:172:PHE:CZ	1:A:176:ILE:HD11	2.50	0.46
1:B:241:LYS:H	1:B:242:ILE:HB	1.82	0.45
1:A:291:HIS:HE1	3:A:2148:HOH:O	1.99	0.45
1:C:40:VAL:CG1	1:C:44:THR:HB	2.47	0.45
1:B:67:VAL:HA	1:B:89:GLY:HA2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:207:ILE:HD11	3:B:2215:HOH:O	2.16	0.44
1:C:136:LYS:N	2:C:1301:ADP:O2B	2.51	0.44
1:C:257:LEU:HG	1:C:259:ILE:HG23	2.00	0.44
1:A:67:VAL:HA	1:A:89:GLY:HA2	2.00	0.44
1:A:179:ALA:HB1	1:A:186:ILE:HG12	2.00	0.43
1:C:126:VAL:HG22	1:C:256:SER:HB2	1.98	0.43
1:B:133:ASN:HD22	1:B:133:ASN:N	2.14	0.43
1:B:172:PHE:CZ	1:B:176:ILE:HD11	2.53	0.43
1:C:291:HIS:HE1	3:C:2278:HOH:O	2.00	0.43
1:C:172:PHE:CE1	1:C:176:ILE:HD11	2.54	0.43
1:C:169:PHE:O	1:C:172:PHE:HB3	2.17	0.43
1:C:40:VAL:O	1:C:61:LYS:NZ	2.50	0.42
1:A:117:GLY:HA2	1:A:298:THR:HG21	2.01	0.41
1:B:135:GLY:H	2:B:1301:ADP:H4'	1.86	0.41
1:C:45:PRO:HD3	1:C:69:TYR:CE2	2.55	0.41
1:A:241:LYS:HB3	3:A:2250:HOH:O	2.20	0.41
1:B:195:ILE:HD13	3:B:2233:HOH:O	2.20	0.41
1:A:126:VAL:HG22	1:A:256:SER:HB2	2.03	0.40
1:B:169:PHE:O	1:B:172:PHE:HB3	2.21	0.40
1:B:137:THR:HB	1:B:138:PRO:HD3	2.03	0.40
1:C:240:ASP:CG	1:C:241:LYS:N	2.74	0.40
1:B:133:ASN:ND2	1:B:133:ASN:H	2.13	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	286/331 (86%)	276 (96%)	9 (3%)	1 (0%)	43 28
1	B	286/331 (86%)	276 (96%)	6 (2%)	4 (1%)	12 3
1	C	285/331 (86%)	276 (97%)	9 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	857/993 (86%)	828 (97%)	24 (3%)	5 (1%)	27 13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	LYS
1	B	241	LYS
1	B	242	ILE
1	B	240	ASP
1	B	238	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	234/264 (89%)	231 (99%)	3 (1%)	71 65
1	B	234/264 (89%)	233 (100%)	1 (0%)	92 91
1	C	233/264 (88%)	229 (98%)	4 (2%)	63 54
All	All	701/792 (88%)	693 (99%)	8 (1%)	76 71

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	MET
1	A	284	LEU
1	A	299	SER
1	B	133	ASN
1	C	191	LEU
1	C	194	VAL
1	C	237	SER
1	C	284	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	95	HIS
1	A	253	ASN
1	B	32	HIS
1	B	64	GLN
1	B	95	HIS
1	B	238	ASN
1	B	253	ASN
1	B	291	HIS
1	C	88	ASN
1	C	95	HIS
1	C	291	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	A	1301	-	25,29,29	1.11	2 (8%)	25,45,45	1.91	4 (16%)
2	ADP	B	1301	-	25,29,29	1.13	2 (8%)	25,45,45	1.93	5 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	C	1301	-	25,29,29	1.10	2 (8%)	25,45,45	1.93	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1301	-	-	0/12/32/32	0/3/3/3
2	ADP	B	1301	-	-	0/12/32/32	0/3/3/3
2	ADP	C	1301	-	-	0/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1301	ADP	C2-N3	2.08	1.35	1.32
2	A	1301	ADP	C2-N3	2.16	1.35	1.32
2	B	1301	ADP	C2-N3	2.28	1.35	1.32
2	C	1301	ADP	C5-C4	3.05	1.47	1.40
2	A	1301	ADP	C5-C4	3.06	1.47	1.40
2	B	1301	ADP	C5-C4	3.22	1.47	1.40

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1301	ADP	N3-C2-N1	-6.96	122.91	128.86
2	B	1301	ADP	N3-C2-N1	-6.94	122.92	128.86
2	A	1301	ADP	N3-C2-N1	-6.86	123.00	128.86
2	B	1301	ADP	PA-O3A-PB	-3.77	119.96	132.63
2	C	1301	ADP	PA-O3A-PB	-3.65	120.36	132.63
2	A	1301	ADP	PA-O3A-PB	-3.63	120.43	132.63
2	B	1301	ADP	C4-C5-N7	-2.84	106.66	109.41
2	A	1301	ADP	C4-C5-N7	-2.83	106.68	109.41
2	C	1301	ADP	C4-C5-N7	-2.76	106.75	109.41
2	B	1301	ADP	C2-N1-C6	2.02	122.17	118.75
2	B	1301	ADP	C2'-C3'-C4'	2.02	106.49	102.62
2	C	1301	ADP	C2'-C3'-C4'	2.07	106.59	102.62
2	A	1301	ADP	C2'-C3'-C4'	2.22	106.87	102.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1301	ADP	1	0
2	B	1301	ADP	10	0
2	C	1301	ADP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.