

Full wwPDB X-ray Structure Validation Report (i)

Jun 25, 2024 – 05:35 AM EDT

:	5VL3
:	CD22 d1-d3 in complex with the rapeutic Fab Epratuzumab
:	Sicard, T.; Ereno-Orbea, J.; Julien, J.P.
:	2017-04-24
:	3.10 Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$			
Metric	$(\# {\rm Entries})$				
R_{free}	130704	1094 (3.10-3.10)			
Clashscore	141614	1184 (3.10-3.10)			
Ramachandran outliers	138981	1141 (3.10-3.10)			
Sidechain outliers	138945	1141 (3.10-3.10)			
RSRZ outliers	127900	1067 (3.10-3.10)			

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	0	ากา			
	Q	323	67%	26%	• 6%
1	р	202	.76		
	ĸ	323	66%	24%	10%
1	G	909	4%		
1	5	323	72%	20%	• 7%
1	T	222	4%		_
	Т	323	64%	25%	• 11%
			.% ■		
2	A	222	79%	1	7% •



Mol	Chain	Length	Quality of chain					
2	С	222	% 77%	19% 5%				
2	Е	222	70%	22% • 7%				
2	Н	222	2% 79 %	17% •				
3	В	222	% • 86%	10% •				
3	D	222	86%	11% •				
3	F	222	2% 83%	13% •				
3	L	222	85%	11% •				
4	G	2	100%					
4	J	2	100%					
4	М	2	100%					
4	0	2	100%					
5	Ι	5	60%	40%				
6	K	4	100%					
6	Р	4	75%	25%				
7	N	3	33% 67%					



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 22912 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	0	202	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	Q	303	2439	1544	415	467	13	0	0	0
1	D	200	Total	С	Ν	0	S	0	0	0
	n	290	2332	1478	393	448	13	0		U
1	C	C 200	Total	С	Ν	0	S	0	0	0
	C C	299	2401	1518	409	461	13		0	0
1 T	280	Total	С	Ν	0	S	0	0	0	
	289	2324	1471	395	445	13		0	0	

• Molecule 1 is a protein called B-cell receptor CD22.

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual Comment		Reference
Q	18	THR	-	expression tag	UNP P20273
Q	19	GLY	-	expression tag	UNP P20273
Q	20	ASP	-	expression tag	UNP P20273
Q	21	SER	-	expression tag	UNP P20273
Q	67	GLN	ASN	engineered mutation	UNP P20273
Q	112	GLN	ASN	engineered mutation	UNP P20273
Q	135	GLN	ASN	engineered mutation	UNP P20273
Q	164	GLN	ASN	engineered mutation	UNP P20273
Q	331	GLY	-	expression tag	UNP P20273
Q	332	GLY	-	expression tag	UNP P20273
Q	333	THR	-	expression tag	UNP P20273
Q	334	LYS	-	expression tag	UNP P20273
Q	335	HIS	-	expression tag	UNP P20273
Q	336	HIS	-	expression tag	UNP P20273
Q	337	HIS	-	expression tag	UNP P20273
Q	338	HIS	-	expression tag	UNP P20273
Q	339	HIS	-	expression tag	UNP P20273
Q	340	HIS	-	expression tag	UNP P20273
R	18	THR	-	expression tag	UNP P20273
R	19	GLY	-	expression tag	UNP P20273
R	20	ASP	-	expression tag	UNP P20273



Chain	Residue	Modelled	Actual	Comment	Reference
R	21	SER	-	expression tag	UNP P20273
R	67	GLN	ASN	engineered mutation	UNP P20273
R	112	GLN	ASN	engineered mutation	UNP P20273
R	135	GLN	ASN	engineered mutation	UNP P20273
R	164	GLN	ASN	engineered mutation	UNP P20273
R	331	GLY	-	expression tag	UNP P20273
R	332	GLY	-	expression tag	UNP P20273
R	333	THR	-	expression tag	UNP P20273
R	334	LYS	-	expression tag	UNP P20273
R	335	HIS	-	expression tag	UNP P20273
R	336	HIS	-	expression tag	UNP P20273
R	337	HIS	-	expression tag	UNP P20273
R	338	HIS	-	expression tag	UNP P20273
R	339	HIS	-	expression tag	UNP P20273
R	340	HIS	-	expression tag	UNP P20273
S	18	THR	-	expression tag	UNP P20273
S	19	GLY	-	expression tag	UNP P20273
S	20	ASP	-	expression tag	UNP P20273
S	21	SER	-	expression tag	UNP P20273
S	67	GLN	ASN	engineered mutation	UNP P20273
S	112	GLN	ASN	engineered mutation	UNP P20273
S	135	GLN	ASN	engineered mutation	UNP P20273
S	164	GLN	ASN	engineered mutation	UNP P20273
S	331	GLY	-	expression tag	UNP P20273
S	332	GLY	-	expression tag	UNP P20273
S	333	THR	-	expression tag	UNP P20273
S	334	LYS	-	expression tag	UNP P20273
S	335	HIS	-	expression tag	UNP P20273
S	336	HIS	-	expression tag	UNP P20273
S	337	HIS	-	expression tag	UNP P20273
S	338	HIS	-	expression tag	UNP P20273
S	339	HIS	-	expression tag	UNP P20273
S	340	HIS	-	expression tag	UNP P20273
Т	18	THR	-	expression tag	UNP P20273
Т	19	GLY	-	expression tag	UNP P20273
Т	20	ASP	-	expression tag	UNP P20273
Т	21	SER	-	expression tag	UNP P20273
Т	67	GLN	ASN	engineered mutation	UNP P20273
Т	112	GLN	ASN	engineered mutation	UNP P20273
T	135	GLN	ASN	engineered mutation	UNP P20273
Т	164	GLN	ASN	engineered mutation	UNP P20273
Т	331	GLY	-	expression tag	UNP P20273

Continued from previous page...



Chain

Т

Т

Т

Т

Т

Т

Т

Т

Т

Comment

expression tag

expression tag

expression tag

expression tag

expression tag

Reference

UNP P20273

UNP P20273

UNP P20273

<u>UN</u>P P20273

UNP P20273

UNP P20273

UNP P20273

UNP P20273

UNP P20273

GLY	-	expression tag
THR	-	expression tag
LYS	-	expression tag
HIS	-	expression tag

-

-

-

_

-

Modelled Actual

HIS

HIS

HIS

HIS

HIS

Continued from previous page...

Residue

332

333

334

335

 $\overline{336}$

337

338

339

340

• Molecule 2 is a protein called Epratuzumab Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	Λ	214	Total	С	Ν	0	S	0	0	0
	A	214	1640	1038	274	323	5	0	0	0
0	C	919	Total	С	Ν	0	S	0	0	0
	U	212	1625	1029	271	320	5	0		0
0	Б	E 907	Total	С	Ν	0	S	0	0	0
	E	207	1595	1012	266	312	5	0	0	U
2 H	п	914	Total	С	Ν	0	S	0	0	0
	п	214	1640	1038	274	323	5		U	U

• Molecule 3 is a protein called Epratuzumab Fab Light Chain.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
9	D	019	Total	С	Ν	0	S	0	0	0
0	D	213	1642	1031	274	332	5	0	0	0
2	Л	216	Total	С	Ν	0	S	0	0	0
5	D	210	1672	1050	281	336	5	0	0	U
2	Б	F 213	Total	С	Ν	0	S	0	0	0
0	3 F		1642	1031	274	332	5	0	0	0
3 L	012	Total	С	Ν	0	S	0	0	0	
	Ц	213	1642	1031	274	332	5	0	0	0

• Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.





5VL	3
-----	---

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	G	2	Total C N O 28 16 2 10	0	0	0
4	J	2	Total C N O 28 16 2 10	0	0	0
4	М	2	Total C N O 28 16 2 10	0	0	0
4	О	2	Total C N O 28 16 2 10	0	0	0

• Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	Ι	5	Total 61	C 34	N 2	O 25	0	0	0

• Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluco pyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
6	K	4	Total 50	C 28	N 2	O 20	0	0	0
6	Р	4	Total 50	C 28	N 2	O 20	0	0	0

• Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
7	Ν	3	Total 39	C 22	N 2	O 15	0	0	0

• Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
8	S	1	Total 6	C 3	0 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: B-cell receptor CD22







			_
enain G:		100%	
• Molecule 4: 2-ac opyranose	cetamido-2-deoxy-beta	a-D-glucopyranose-(1-4)-2-acetamic	do-2-deoxy-beta-D-gluc
Chain J:		100%	•
NAG1 NAG2			
• Molecule 4: 2-ac opyranose	cetamido-2-deoxy-beta	a-D-glucopyranose-(1-4)-2-acetamic	do-2-deoxy-beta-D-gluc
Chain M:		100%	-
NAG2 NAG2			
• Molecule 4: 2-ac opyranose	cetamido-2-deoxy-beta	a-D-glucopyranose-(1-4)-2-acetamic	do-2-deoxy-beta-D-gluc
Chain O:		100%	•
NAG2 NAG2			
• Molecule 5: alph se-(1-4)-2-acetami nose	na-D-mannopyranose-(do-2-deoxy-beta-D-glu	(1-3)-[alpha-D-mannopyranose-(1-6 ucopyranose-(1-4)-2-acetamido-2-d	5)]beta-D-mannopyrano leoxy-beta-D-glucopyra
Chain I:	60%	40%	
NAG1 BMA3 MA43 MA14 MAN5 MAN5			
• Molecule 6: alph eta-D-glucopyranc	na-D-mannopyranose- ose-(1-4)-2-acetamido-2	(1-3)-beta-D-mannopyranose-(1-4)- 2-deoxy-beta-D-glucopyranose	-2-acetamido-2-deoxy-b
Chain K:		100%	-

NAG1 NAG2 BMA3 MAN4

 $\bullet \ Molecule \ 6: \ alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose \\ eta-D-glucopyranose \ (1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose \ (1-4)-2-acetamido-2-deoxy-beta-D-glucopyra$

Chain P:

75%

25%



NAG1 NAG2 BMA3 MAN4

• Molecule 7: beta-D
-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

67%

Chain N: 33%

NAG1 NAG2 BMA3



4 Data and refinement statistics (i)

Property	Value	Source		
Space group	P 1	Depositor		
Cell constants	87.11Å 90.22Å 136.63Å	Depositor		
a, b, c, α , β , γ	70.83° 80.81° 80.99°	Depositor		
Bosolution (Å)	39.34 - 3.10	Depositor		
Resolution (A)	39.34 - 3.10	Source Depositor Depositor EDS Depositor EDS Depositor Depositor Depositor Depositor Depositor Depositor MWPDB-VP Xtriage EDS Xtriage EDS		
% Data completeness	94.2 (39.34-3.10)	Depositor		
(in resolution range)	94.2 (39.34-3.10)	EDS		
R_{merge}	0.09	Depositor		
R _{sym}	(Not available)	Depositor		
$< I/\sigma(I) > 1$	$1.98 (at 3.12 \text{\AA})$	Xtriage		
Refinement program	PHENIX (1.12_2829: ???)	Depositor		
B B.	0.280 , 0.295	Depositor		
II, II, <i>free</i>	0.280 , 0.295	DCC		
R_{free} test set	2000 reflections $(3.04%)$	wwPDB-VP		
Wilson B-factor $(Å^2)$	65.7	Xtriage		
Anisotropy	0.442	Xtriage		
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.32 , 44.3	EDS		
L-test for twinning ²	$ < L >=0.44, < L^2>=0.27$	Xtriage		
Estimated twinning fraction	No twinning to report.	Xtriage		
F_o, F_c correlation	0.85	EDS		
Total number of atoms	22912	wwPDB-VP		
Average B, all atoms $(Å^2)$	73.0	wwPDB-VP		

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 14.12% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	Q	0.31	0/2498	0.58	0/3388
1	R	0.28	0/2388	0.58	0/3241
1	S	0.29	0/2458	0.58	1/3335~(0.0%)
1	Т	0.29	0/2378	0.57	0/3223
2	А	0.28	0/1682	0.52	0/2293
2	С	0.28	0/1667	0.54	0/2274
2	Ε	0.28	0/1635	0.55	0/2226
2	Н	0.28	0/1682	0.54	0/2293
3	В	0.27	0/1680	0.52	0/2282
3	D	0.26	0/1711	0.50	0/2323
3	F	0.26	0/1680	0.50	1/2282~(0.0%)
3	L	0.28	0/1680	0.52	0/2282
All	All	0.28	0/23139	0.55	2/31442~(0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	F	38	GLN	C-N-CA	5.33	135.03	121.70
1	S	229	LEU	CA-CB-CG	5.06	126.94	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Q	2439	0	2387	62	1
1	R	2332	0	2266	51	0
1	S	2401	0	2345	42	2
1	Т	2324	0	2259	65	1
2	А	1640	0	1591	27	0
2	С	1625	0	1573	22	0
2	Е	1595	0	1542	45	0
2	Н	1640	0	1591	26	0
3	В	1642	0	1598	18	0
3	D	1672	0	1626	17	0
3	F	1642	0	1598	22	0
3	L	1642	0	1598	17	0
4	G	28	0	25	0	0
4	J	28	0	25	0	0
4	М	28	0	25	1	0
4	0	28	0	25	0	0
5	Ι	61	0	52	4	0
6	Κ	50	0	43	2	0
6	Р	50	0	43	4	0
7	N	39	0	34	2	0
8	S	6	0	8	1	0
All	All	22912	0	22254	382	2

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (382) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance $(Å)$	Clash overlap (Å)
1.O.CE.ACN.ND9	1.0.79.ACD.0D9		1.00
1:Q:05:A5N:ND2	1:Q:72:A5P:OD2	1.95	1.00
1:R:65:ASN:ND2	1:R:72:ASP:OD2	1.99	0.95
1:R:147:LEU:HD11	1:R:234:VAL:HG11	1.52	0.89
2:E:50:TYR:HE2	2:E:58:GLU:HB2	1.47	0.78
2:H:130:LYS:HB3	3:L:208:LYS:NZ	1.99	0.78
1:Q:147:LEU:HD21	1:Q:234:VAL:HG11	1.67	0.76
1:T:256:ARG:N	1:T:259:ASP:OD2	2.17	0.76
3:L:108:ARG:HD2	3:L:172:SER:HB2	1.68	0.76
2:H:66:LYS:NZ	2:H:86:ASP:OD2	2.19	0.76
1:R:32:LEU:HD22	1:R:42:ILE:HG12	1.69	0.75



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:T:301:LYS:HA	1:T:327:VAL:HG21	1.69	0.74
1:Q:103:THR:HG21	5:I:1:NAG:HN2	1.52	0.73
1:Q:248:VAL:HG22	1:Q:250:PRO:HD2	1.70	0.73
1:S:32:LEU:HD22	1:S:42:ILE:HG12	1.70	0.73
1:T:148:PRO:HD2	1:T:151:ILE:HD11	1.71	0.72
1:Q:187:ALA:HB2	1:Q:204:LEU:HD12	1.71	0.72
1:R:255:VAL:HG23	1:R:259:ASP:HB2	1.71	0.72
8:S:1006:GOL:H31	3:D:1:ASP:HB2	1.72	0.72
1:Q:204:LEU:HD23	1:Q:206:PHE:CD2	2.24	0.71
2:C:5:VAL:HG23	2:C:23:LYS:HB3	1.72	0.71
1:T:32:LEU:HD22	1:T:42:ILE:HG12	1.72	0.71
1:R:242:PRO:HD3	1:R:313:ASN:HB2	1.74	0.70
2:E:50:TYR:CE2	2:E:58:GLU:HB2	2.28	0.69
2:E:66:LYS:CE	2:E:83:ARG:HH12	2.07	0.68
1:T:248:VAL:HG23	1:T:263:MET:HG2	1.76	0.68
1:Q:27:GLU:HB3	1:Q:195:ILE:HG21	1.73	0.68
1:Q:242:PRO:HD3	1:Q:313:ASN:HB2	1.74	0.68
1:S:148:PRO:HD2	1:S:151:ILE:HD11	1.74	0.67
2:E:66:LYS:NZ	2:E:83:ARG:HH12	1.92	0.67
2:H:120:PRO:HB3	2:H:146:TYR:HB3	1.76	0.67
2:E:120:PRO:HB3	2:E:146:TYR:HB3	1.76	0.67
1:R:148:PRO:HD2	1:R:151:ILE:HD11	1.77	0.66
1:S:103:THR:HG21	7:N:1:NAG:HN2	1.59	0.66
2:C:38:ARG:HB2	2:C:48:ILE:HD11	1.78	0.66
1:R:139:ARG:HH11	1:R:140:PRO:HD2	1.61	0.66
1:Q:44:CYS:H	1:Q:103:THR:HG22	1.61	0.65
1:R:27:GLU:HB3	1:R:195:ILE:HG21	1.79	0.65
1:T:159:LEU:HD22	1:T:206:PHE:HZ	1.60	0.65
2:H:130:LYS:HB3	3:L:208:LYS:HZ1	1.59	0.65
1:R:44:CYS:H	1:R:103:THR:HG22	1.61	0.65
1:R:185:GLN:HG2	1:R:206:PHE:HB2	1.79	0.64
2:H:47:TRP:CD1	3:L:96:TRP:HB2	2.32	0.64
1:T:103:THR:HG21	6:P:1:NAG:HN2	1.62	0.64
1:S:58:LEU:HD22	1:S:104:LEU:HD23	1.78	0.64
2:A:164:VAL:HG22	2:A:183:VAL:HG22	1.79	0.63
2:A:38:ARG:HB2	2:A:48:ILE:HD11	1.79	0.63
2:C:120:PRO:HB3	2:C:146:TYR:HB3	1.80	0.63
1:S:191:THR:HG22	1:S:200:THR:HG23	1.79	0.63
1:Q:255:VAL:HG21	1:Q:325:LEU:HD11	1.79	0.62
1:R:122:GLU:HG2	1:R:127:LYS:HG2	1.81	0.62
1:R:211:SER:HB2	3:B:27(D):TYR:HE1	1.64	0.62



Atom 1	Atom 2	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance (\AA)		
2:E:82(C):LEU:HD22	2:E:111:VAL:HG11	1.80	0.62	
1:Q:220:GLN:OE1	1:Q:222:GLN:NE2	2.33	0.62	
1:R:151:ILE:HG12	1:R:157:VAL:HG11	1.80	0.62	
1:T:273:GLU:HB2	2:E:64:LYS:HZ3	1.64	0.62	
2:A:130:LYS:HB3	3:B:208:LYS:NZ	2.15	0.62	
1:T:273:GLU:HB2	2:E:64:LYS:NZ	2.14	0.62	
2:A:120:PRO:HB3	2:A:146:TYR:HB3	1.82	0.62	
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.82	0.62	
1:Q:256:ARG:N	1:Q:259:ASP:OD2	2.32	0.62	
2:H:38:ARG:HB2	2:H:48:ILE:HD11	1.82	0.62	
1:R:191:THR:HG22	1:R:200:THR:HG23	1.82	0.61	
1:R:103:THR:HG21	6:K:1:NAG:HN2	1.65	0.61	
2:E:17:SER:OG	2:E:81:GLU:OE2	2.17	0.61	
1:T:257:GLU:OE2	1:T:301:LYS:HB2	2.01	0.61	
2:C:47:TRP:CD1	3:D:96:TRP:HB2	2.36	0.61	
2:H:164:VAL:HG22	2:H:183:VAL:HG22	1.83	0.61	
1:Q:77:TYR:HE1	1:Q:90:LYS:HZ1	1.47	0.60	
1:Q:159:LEU:HD22	1:Q:206:PHE:HZ	1.66	0.60	
2:E:13:LYS:O	2:E:16:SER:HB3	2.01	0.60	
2:H:50:TYR:CE2	2:H:58:GLU:HB2	2.37	0.60	
1:T:122:GLU:HG2	1:T:127:LYS:HG2	1.85	0.59	
2:H:38:ARG:HH22	2:H:40:ALA:HB2	1.66	0.59	
1:R:120:ARG:NH2	1:R:127:LYS:HD3	2.18	0.59	
1:S:256:ARG:N	1:S:259:ASP:OD2	2.36	0.59	
1:T:178:LEU:HB2	1:T:183:MET:HE2	1.84	0.59	
2:A:47:TRP:CD1	3:B:96:TRP:HB2	2.38	0.59	
1:Q:23:LYS:HG2	1:Q:126:GLU:OE1	2.03	0.58	
1:T:211:SER:HB2	3:F:27(D):TYR:HE1	1.68	0.58	
3:D:110:VAL:HG22	3:D:142:PRO:HD3	1.86	0.58	
2:H:60:ASN:HB3	2:H:63:PHE:HD2	1.69	0.58	
2:E:66:LYS:HE2	2:E:83:ARG:HH12	1.68	0.57	
1:R:300:THR:HG22	1:R:302:ASP:H	1.68	0.57	
2:E:117:THR:HA	2:E:147:PHE:O	2.04	0.57	
3:D:37:GLN:HB2	3:D:47:LEU:HD11	1.86	0.57	
1:R:105:SER:OG	1:R:107:HIS:NE2	2.37	0.56	
3:B:154:ALA:O	3:B:156:GLN:NE2	2.33	0.56	
1:T:221:LEU:HG	1:T:229:LEU:HD12	1.87	0.56	
2:C:50:TYR:CE2	2:C:58:GLU:HB2	2.41	0.56	
2:E:12:LYS:HE2	2:E:17:SER:O	2.05	0.56	
2:A:50:TYR:CE2	2:A:58:GLU:HB2	2.41	0.56	
1:S:225:ASP:O	1:S:227:LYS:N	2.39	0.55	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
6:K:1:NAG:O6	6:K:2:NAG:N2	2.37	0.55	
1:T:248:VAL:O	1:T:251:SER:HB3	2.05	0.55	
2:C:36:TRP:CE2	2:C:80:MET:HB2	2.41	0.55	
3:B:37:GLN:HB2	3:B:47:LEU:HD11	1.88	0.55	
1:S:213:HIS:CE1	3:D:93:SER:HB2	2.40	0.55	
1:Q:32:LEU:HD22	1:Q:42:ILE:HG12	1.89	0.55	
1:T:242:PRO:HD3	1:T:313:ASN:HB2	1.88	0.55	
1:T:324:PHE:CE2	1:T:326:GLN:HG3	2.42	0.55	
2:C:164:VAL:HG22	2:C:183:VAL:HG22	1.89	0.54	
3:F:46:LEU:HD23	3:F:55:GLU:OE2	2.07	0.54	
1:T:114:SER:HB3	1:T:136:VAL:HB	1.89	0.54	
1:S:242:PRO:HD3	1:S:313:ASN:HB2	1.89	0.54	
1:T:65:ASN:ND2	1:T:72:ASP:OD2	2.41	0.54	
2:C:32:TYR:HB2	2:C:94:ARG:HD2	1.90	0.54	
3:F:108:ARG:HD2	3:F:172:SER:HB2	1.90	0.53	
2:E:130:LYS:HB3	3:F:208:LYS:NZ	2.24	0.53	
2:H:130:LYS:HB3	3:L:208:LYS:HZ3	1.72	0.53	
1:Q:76:LEU:HD22	1:Q:92:VAL:HG21	1.90	0.53	
1:T:324:PHE:CZ	1:T:326:GLN:HG3	2.43	0.53	
1:R:139:ARG:NH1	1:R:140:PRO:HD2	2.23	0.53	
1:T:312:SER:HA	1:T:317:PRO:HA	1.89	0.53	
3:D:31:ASN:O	3:D:50:TRP:HA	2.09	0.53	
1:S:312:SER:HA	1:S:317:PRO:HA	1.91	0.53	
2:E:85:GLU:OE1	2:E:85:GLU:N	2.36	0.53	
1:R:36:GLU:OE2	1:R:110:HIS:ND1	2.33	0.53	
2:A:87:THR:HA	2:A:109:VAL:O	2.09	0.53	
2:C:70:THR:HG23	2:C:79:TYR:HB2	1.90	0.53	
5:I:3:BMA:H4	5:I:5:MAN:H2	1.89	0.53	
2:E:16:SER:OG	2:E:17:SER:N	2.41	0.53	
1:Q:97:ASP:OD1	1:Q:101:ASN:N	2.38	0.52	
1:T:27:GLU:HB3	1:T:195:ILE:CG2	2.39	0.52	
1:T:300:THR:H	1:T:303:GLN:HG3	1.73	0.52	
1:T:300:THR:H	1:T:303:GLN:CG	2.21	0.52	
2:E:101:PHE:HE1	3:F:89:HIS:HE1	1.56	0.52	
2:E:166:THR:HG23	2:E:179:LEU:HD21	1.92	0.52	
1:R:58:LEU:HB3	1:R:77:TYR:HB3	1.91	0.52	
1:T:65:ASN:HB2	1:T:68:THR:HG22	1.92	0.52	
1:Q:250:PRO:HG3	1:Q:261:VAL:HG22	1.92	0.52	
1:S:248:VAL:HG23	1:S:263:MET:HG2	1.91	0.52	
1:T:300:THR:HG22	1:T:302:ASP:H	1.75	0.52	
2:H:87:THR:HA	2:H:109:VAL:O	2.08	0.52	



Atom 1	Atom 1 Atom 2		Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:Q:234:VAL:HG22	2:H:53:ARG:NH2	2.25	0.52	
1:T:27:GLU:HB3	1:T:195:ILE:HG21	1.91	0.52	
1:S:102:CYS:O	1:S:104:LEU:HD12	2.10	0.52	
2:H:184:THR:OG1	3:L:138:ASN:ND2	2.43	0.52	
1:T:249:THR:HA	1:T:251:SER:H	1.74	0.52	
1:S:46:TYR:HE1	1:S:48:ALA:HB2	1.75	0.51	
3:F:4:LEU:HD11	3:F:90:GLN:HG2	1.92	0.51	
2:E:2:VAL:HG11	2:E:94:ARG:HH22	1.76	0.51	
1:Q:54:GLU:N	1:Q:122:GLU:O	2.23	0.51	
1:Q:143:PRO:HG3	1:Q:163:LEU:HD13	1.92	0.51	
1:R:143:PRO:HG3	1:R:163:LEU:HD13	1.93	0.51	
1:Q:82:ASP:OD1	1:Q:83:GLY:N	2.44	0.51	
3:F:118:ILE:HG22	3:F:208:LYS:HG3	1.92	0.51	
3:L:26:SER:OG	3:L:27:GLN:OE1	2.17	0.51	
2:C:16:SER:OG	2:C:17:SER:N	2.44	0.51	
1:T:310:GLN:HG2	1:T:319:ARG:HB3	1.93	0.50	
1:T:273:GLU:CB	2:E:64:LYS:NZ	2.74	0.50	
2:A:16:SER:OG	2:A:17:SER:N	2.44	0.50	
2:E:24:ALA:HB1	2:E:27:TYR:CE1	2.46	0.50	
1:Q:240:HIS:O	1:Q:313:ASN:ND2	2.44	0.50	
1:R:39:CYS:HB2	1:R:107:HIS:ND1	2.26	0.50	
1:S:268:SER:O	3:D:2:ILE:HD11	2.11	0.50	
2:A:130:LYS:HB3	3:B:208:LYS:HZ1	1.77	0.49	
2:A:213:GLU:OE1	2:A:215:LYS:NZ	2.31	0.49	
1:T:168:TYR:HE1	6:P:3:BMA:H3	1.76	0.49	
1:Q:176:TRP:CD1	1:Q:204:LEU:HD13	2.47	0.49	
1:T:65:ASN:CB	1:T:68:THR:HG22	2.43	0.49	
2:C:207:LYS:HB3	2:H:23:LYS:HE2	1.93	0.49	
3:B:31:ASN:O	3:B:50:TRP:HA	2.12	0.49	
3:L:55:GLU:HG2	3:L:56:SER:H	1.78	0.49	
1:S:62:PRO:HG3	1:S:118:GLY:HA3	1.93	0.49	
2:A:60:ASN:HB3	2:A:63:PHE:HD2	1.77	0.49	
2:H:16:SER:OG	2:H:17:SER:N	2.46	0.49	
1:Q:77:TYR:HE1	1:Q:90:LYS:NZ	2.09	0.49	
1:R:97:ASP:OD2	1:R:100:LYS:HG2	2.12	0.49	
1:T:152:GLN:HG3	1:T:155:GLN:OE1	2.13	0.49	
2:E:40:ALA:HB3	2:E:43:GLN:HG3	1.93	0.49	
1:R:44:CYS:N	1:R:103:THR:HG22	2.27	0.49	
1:T:53:LEU:HD12	1:T:123:SER:HB3	1.95	0.49	
2:E:18:VAL:O	2:E:81:GLU:HG3	2.13	0.49	
1:Q:168:TYR:CZ	1:Q:193:LEU:HD13	2.48	0.49	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:S:44:CYS:H	1:S:103:THR:HG22	1.77	0.49
1:T:104:LEU:HD11	1:T:119:LEU:HD21	1.95	0.49
1:R:177:LEU:HD23	1:R:182:PRO:HA	1.95	0.48
1:Q:47:ARG:NH1	1:Q:47:ARG:HB3	2.27	0.48
1:Q:128:TRP:HE1	1:Q:130:GLU:HB2	1.78	0.48
3:D:114:PRO:HB3	3:D:140:PHE:CD2	2.48	0.48
1:R:223:ASP:OD2	1:R:227:LYS:HB3	2.13	0.48
1:T:153:GLU:OE2	1:T:243:LYS:NZ	2.40	0.48
1:Q:42:ILE:HD12	1:Q:104:LEU:HB2	1.94	0.48
1:T:103:THR:CG2	6:P:1:NAG:HN2	2.26	0.48
1:T:273:GLU:CB	2:E:64:LYS:HZ1	2.27	0.48
1:T:281:LYS:O	1:T:284:THR:HG22	2.13	0.48
2:H:13:LYS:HG2	2:H:113:SER:HA	1.96	0.48
1:T:28:HIS:CE1	1:T:132:ILE:HG12	2.49	0.48
2:A:13:LYS:HG2	2:A:113:SER:HA	1.95	0.48
2:H:192:THR:HG22	2:H:193:GLN:H	1.79	0.48
3:B:26:SER:OG	3:B:27:GLN:OE1	2.18	0.48
2:H:192:THR:HG22	2:H:193:GLN:N	2.29	0.48
3:F:107:LYS:HA	3:F:141:TYR:OH	2.14	0.48
1:Q:44:CYS:N	1:Q:103:THR:HG22	2.26	0.48
1:Q:60:HIS:HB3	1:Q:74:THR:OG1	2.13	0.48
1:S:41:TRP:CZ3	1:S:193:LEU:HG	2.47	0.48
1:T:301:LYS:HG3	1:T:327:VAL:HG21	1.96	0.48
2:C:83:ARG:O	2:C:111:VAL:HG11	2.14	0.48
3:L:33:LEU:HD22	3:L:71:PHE:CG	2.49	0.47
3:F:55:GLU:HG2	3:F:56:SER:H	1.79	0.47
3:F:208:LYS:HD2	3:F:208:LYS:HA	1.67	0.47
1:Q:163:LEU:HD22	1:Q:221:LEU:HD13	1.97	0.47
1:R:60:HIS:HB3	1:R:74:THR:OG1	2.14	0.47
2:E:2:VAL:HG11	2:E:94:ARG:NH2	2.29	0.47
1:Q:58:LEU:O	1:Q:76:LEU:N	2.41	0.47
1:Q:91:ARG:HG3	1:Q:108:PRO:HD2	1.95	0.47
1:R:141:PHE:HZ	1:R:165:PHE:HB2	1.79	0.47
1:R:234:VAL:HG22	2:A:53:ARG:NH2	2.29	0.47
1:R:248:VAL:O	1:R:251:SER:HB3	2.14	0.47
1:T:258:GLY:O	1:T:298:GLU:HA	2.14	0.47
2:E:38:ARG:HB2	2:E:48:ILE:HD11	1.96	0.47
3:L:114:PRO:HB3	3:L:140:PHE:HB3	1.96	0.47
1:R:45:THR:HG23	1:R:195:ILE:HD11	1.97	0.47
1:R:183:MET:HG3	1:R:185:GLN:OE1	2.14	0.47
1:R:312:SER:HA	1:R:317:PRO:HA	1.97	0.47



Atom 1	Atom 2	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance (\AA)		
1:T:307:TYR:CE1	1:T:325:LEU:HD12	2.49	0.47	
2:A:13:LYS:O	2:A:16:SER:HB3	2.14	0.47	
3:D:198:THR:HG22	3:D:205:PRO:HB3	1.96	0.47	
1:T:44:CYS:H	1:T:103:THR:HG22	1.78	0.47	
2:A:29:PHE:CE2	2:A:52(A):PRO:HB3	2.50	0.47	
1:Q:267:VAL:HG22	3:L:1:ASP:HB3	1.97	0.47	
1:S:281:LYS:O	1:S:284:THR:HG22	2.14	0.47	
1:T:237:ASN:OD1	1:T:271:ASN:ND2	2.44	0.47	
3:B:48:ILE:HD13	3:B:54:ARG:HA	1.97	0.47	
1:R:281:LYS:O	1:R:284:THR:HG22	2.15	0.47	
1:S:178:LEU:HD13	1:S:183:MET:HE2	1.97	0.47	
1:S:183:MET:HE1	1:S:217:VAL:HG22	1.97	0.47	
2:E:47:TRP:CD1	3:F:96:TRP:HB2	2.49	0.47	
3:B:27(B):VAL:HA	3:B:92:LEU:HD11	1.96	0.47	
1:S:46:TYR:HD2	1:S:102:CYS:SG	2.39	0.46	
1:Q:213:HIS:HB2	1:Q:238:VAL:HB	1.95	0.46	
1:T:41:TRP:HZ3	1:T:43:PRO:HG3	1.80	0.46	
1:S:40:VAL:HG12	1:S:106:ILE:HB	1.98	0.46	
1:Q:161:CYS:HB2	1:Q:176:TRP:CZ2	2.51	0.46	
1:Q:225:ASP:O	1:Q:227:LYS:N	2.47	0.46	
1:Q:103:THR:CG2	5:I:1:NAG:HN2	2.25	0.46	
1:Q:272:PRO:HD2	1:Q:315:VAL:HG23	1.98	0.46	
1:S:177:LEU:HD23	1:S:182:PRO:HA	1.98	0.46	
1:T:143:PRO:HG3	1:T:163:LEU:HD13	1.98	0.46	
1:Q:291:THR:HG22	1:Q:292:PHE:H	1.79	0.46	
1:T:255:VAL:O	1:T:328:GLN:N	2.40	0.46	
2:E:87:THR:HG23	2:E:110:THR:HA	1.97	0.46	
1:S:97:ASP:OD2	1:S:100:LYS:HG2	2.15	0.46	
2:C:144:LYS:HG2	2:C:145:ASP:OD2	2.15	0.46	
2:E:16:SER:O	2:E:82(C):LEU:HD12	2.16	0.46	
3:L:118:ILE:HG22	3:L:208:LYS:HG3	1.98	0.46	
2:E:82(C):LEU:HD23	2:E:86:ASP:HB2	1.98	0.45	
1:S:46:TYR:CE1	1:S:48:ALA:HB2	2.51	0.45	
2:A:12:LYS:HG3	2:A:18:VAL:HB	1.97	0.45	
1:S:97:ASP:OD2	1:S:100:LYS:CG	2.65	0.45	
1:Q:47:ARG:HB3	1:Q:47:ARG:CZ	2.46	0.45	
1:S:39:CYS:HB3	1:S:107:HIS:ND1	2.32	0.45	
1:T:288:LYS:HD3	1:T:288:LYS:HA	1.70	0.45	
1:T:60:HIS:HB3	1:T:74:THR:OG1	2.16	0.45	
2:A:70:THR:HG23	2:A:79:TYR:HB2	1.97	0.45	
2:A:130:LYS:HB3	3:B:208:LYS:HZ2	1.80	0.45	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:E:101:PHE:HE1	3:F:89:HIS:CE1	2.34	0.45	
1:Q:40:VAL:HG12	1:Q:106:ILE:HB	1.98	0.45	
2:E:66:LYS:HE2	2:E:83:ARG:NH1	2.32	0.45	
2:H:38:ARG:NH2	2:H:40:ALA:HB2	2.30	0.45	
2:E:60:ASN:OD1	2:E:61:GLN:N	2.50	0.45	
2:H:12:LYS:HG3	2:H:18:VAL:HB	1.98	0.45	
1:Q:187:ALA:CB	1:Q:204:LEU:HD12	2.45	0.45	
1:S:41:TRP:CE3	1:S:193:LEU:HG	2.51	0.45	
1:T:300:THR:HB	1:T:303:GLN:HG2	1.99	0.45	
2:C:60:ASN:HB3	2:C:63:PHE:HD2	1.82	0.45	
1:Q:27:GLU:HB3	1:Q:195:ILE:CG2	2.44	0.45	
2:E:184:THR:OG1	3:F:138:ASN:ND2	2.50	0.44	
2:H:36:TRP:CE2	2:H:80:MET:HB2	2.52	0.44	
2:C:29:PHE:CE2	2:C:52(A):PRO:HB3	2.53	0.44	
2:E:149:GLU:OE1	2:E:169:ALA:HB3	2.17	0.44	
1:T:122:GLU:HG2	1:T:127:LYS:CG	2.47	0.44	
2:C:120:PRO:HD2	2:C:206:THR:HG21	1.99	0.44	
2:E:70:THR:HG23	2:E:79:TYR:HB2	2.00	0.44	
2:C:40:ALA:HB3	2:C:43:GLN:HG3	2.00	0.44	
3:D:192:VAL:HG12	3:D:211:ASN:OD1	2.18	0.44	
2:E:29:PHE:CE2	2:E:52(A):PRO:HB3	2.53	0.44	
1:T:301:LYS:HG3	1:T:327:VAL:CG2	2.47	0.44	
2:E:94:ARG:NH1	2:E:96:ASP:OD1	2.51	0.44	
1:R:40:VAL:HG12	1:R:106:ILE:HB	1.99	0.43	
1:S:211:SER:HB2	3:D:27(D):TYR:HE1	1.83	0.43	
7:N:1:NAG:O3	7:N:2:NAG:O5	2.33	0.43	
1:T:44:CYS:HB3	1:T:102:CYS:C	2.39	0.43	
1:T:58:LEU:HD11	1:T:117:LEU:HB3	2.00	0.43	
1:T:159:LEU:HD22	1:T:206:PHE:CZ	2.47	0.43	
1:T:168:TYR:OH	6:P:2:NAG:H61	2.17	0.43	
1:Q:159:LEU:HD13	1:Q:206:PHE:CZ	2.54	0.43	
1:R:161:CYS:HB2	1:R:176:TRP:CZ2	2.53	0.43	
1:S:49:LEU:HB3	1:S:50:ASP:H	1.51	0.43	
1:S:53:LEU:HD13	1:S:98:LYS:O	2.19	0.43	
1:S:122:GLU:HG3	1:S:127:LYS:HG2	1.99	0.43	
1:S:151:ILE:CG2	1:S:208:PRO:HG3	2.49	0.43	
3:B:118:ILE:HG22	3:B:208:LYS:HG3	2.00	0.43	
1:Q:148:PRO:HG2	1:Q:157:VAL:HB	2.00	0.43	
1:R:152:GLN:HB3	1:R:239:LYS:HB2	2.01	0.43	
4:M:1:NAG:H61	4:M:2:NAG:C7	2.49	0.43	
1:Q:281:LYS:O	1:Q:284:THR:HG22	2.18	0.43	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:R:85:VAL:N	3:L:109:THR:HG23	2.33	0.43
1:S:41:TRP:CZ3	1:S:43:PRO:HB3	2.54	0.43
1:S:60:HIS:HB3	1:S:74:THR:OG1	2.19	0.43
3:D:211:ASN:O	3:D:212:ARG:HG3	2.18	0.43
1:Q:45:THR:HG23	1:Q:195:ILE:HD11	2.01	0.43
2:E:196:ILE:HA	2:E:210:LYS:O	2.19	0.43
2:A:36:TRP:CE2	2:A:80:MET:HB2	2.54	0.43
5:I:1:NAG:O6	5:I:2:NAG:N2	2.52	0.43
1:R:53:LEU:HD23	1:R:53:LEU:HA	1.86	0.42
1:S:45:THR:HG23	1:S:195:ILE:HD11	2.01	0.42
1:T:41:TRP:CZ3	1:T:43:PRO:HG3	2.54	0.42
3:F:125:GLN:HG2	3:F:130:THR:O	2.18	0.42
2:E:123:PHE:CE2	3:F:125:GLN:HG3	2.54	0.42
3:B:208:LYS:HA	3:B:208:LYS:HD2	1.68	0.42
1:Q:56:PHE:HD1	1:Q:121:MET:HG2	1.84	0.42
1:R:85:VAL:HA	1:R:86:PRO:HD3	1.85	0.42
1:S:193:LEU:HD12	1:S:193:LEU:HA	1.78	0.42
2:C:59:TYR:HE1	2:C:69:ILE:HG13	1.84	0.42
1:S:288:LYS:HA	1:S:288:LYS:HD3	1.78	0.42
1:R:148:PRO:HG2	1:R:157:VAL:HB	2.01	0.42
1:Q:58:LEU:HD11	1:Q:117:LEU:HB3	2.01	0.42
1:Q:62:PRO:HG3	1:Q:118:GLY:HA3	2.02	0.42
1:Q:235:GLN:HB3	2:H:33:TRP:CD1	2.54	0.42
1:R:75:ARG:H	3:L:79:GLN:CD	2.22	0.42
1:T:43:PRO:HA	1:T:103:THR:HG22	2.02	0.42
2:A:101:PHE:HZ	3:B:91:TYR:CD1	2.36	0.42
2:E:130:LYS:HB3	3:F:208:LYS:HZ2	1.84	0.42
3:D:55:GLU:HG2	3:D:56:SER:H	1.84	0.42
1:Q:46:TYR:HD2	1:Q:102:CYS:SG	2.43	0.42
3:B:55:GLU:HG2	3:B:56:SER:H	1.83	0.42
1:R:41:TRP:CE3	1:R:193:LEU:HD23	2.55	0.42
2:E:18:VAL:O	2:E:81:GLU:HA	2.20	0.42
2:A:24:ALA:HB1	2:A:27:TYR:CE1	2.55	0.42
2:E:87:THR:HA	2:E:109:VAL:O	2.20	0.42
3:F:170:LYS:HD2	3:F:170:LYS:HA	1.87	0.42
1:R:288:LYS:HD3	1:R:288:LYS:HA	1.76	0.42
2:C:11:VAL:HA	2:C:110:THR:O	2.19	0.42
2:H:6:GLN:H	2:H:105:GLN:HE22	1.66	0.42
3:L:61:ARG:NE	3:L:82:ASP:OD2	2.52	0.42
1:R:234:VAL:HG22	2:A:53:ARG:HH21	1.85	0.41
1:R:256:ARG:N	1:R:259:ASP:OD2	2.53	0.41



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
2:A:139:LEU:HD21	2:A:195:TYR:CD2	2.55	0.41	
3:F:78:LEU:HD11	3:F:104:LEU:HD21	2.01	0.41	
1:R:306:LYS:HD3	1:R:322:GLU:OE1	2.19	0.41	
1:T:249:THR:HA	1:T:251:SER:N	2.35	0.41	
2:C:167:PHE:HB3	3:D:163:SER:OG	2.20	0.41	
1:Q:25:VAL:HG11	1:Q:47:ARG:HH12	1.85	0.41	
2:A:85:GLU:OE1	2:A:85:GLU:N	2.40	0.41	
2:E:124:PRO:HD3	2:E:210:LYS:HE2	2.01	0.41	
3:D:114:PRO:CA	3:D:140:PHE:HB3	2.50	0.41	
1:Q:23:LYS:O	1:Q:23:LYS:HG3	2.21	0.41	
1:T:313:ASN:HB3	1:T:315:VAL:H	1.86	0.41	
3:F:31:ASN:O	3:F:50:TRP:HA	2.19	0.41	
1:S:310:GLN:CD	1:S:319:ARG:HH21	2.23	0.41	
3:B:114:PRO:HB3	3:B:140:PHE:HB3	2.03	0.41	
1:Q:141:PHE:HZ	1:Q:165:PHE:HB2	1.85	0.41	
1:R:213:HIS:HB2	1:R:238:VAL:HB	2.02	0.41	
1:R:240:HIS:O	1:R:313:ASN:ND2	2.54	0.41	
1:T:163:LEU:HD22	1:T:221:LEU:HD13	2.03	0.41	
2:H:29:PHE:CE2	2:H:52(A):PRO:HB3	2.55	0.41	
3:D:34:ALA:HB2	3:D:91:TYR:HE1	1.86	0.41	
3:F:27(D):TYR:CE2	3:F:27(F):ALA:HB3	2.56	0.41	
3:F:114:PRO:HB3	3:F:140:PHE:CD2	2.56	0.41	
1:Q:42:ILE:O	1:Q:103:THR:HA	2.21	0.41	
1:Q:44:CYS:HB3	1:Q:102:CYS:C	2.41	0.41	
1:Q:177:LEU:HD21	1:Q:220:GLN:HB2	2.03	0.41	
1:S:210:TRP:HB3	1:S:243:LYS:HE3	2.02	0.41	
2:C:60:ASN:OD1	2:C:61:GLN:N	2.53	0.41	
2:E:164:VAL:HA	2:E:182:VAL:O	2.20	0.41	
3:L:8:PRO:HG2	3:L:11:LEU:HG	2.02	0.41	
1:R:220:GLN:HE21	1:R:228:PHE:HD1	1.69	0.41	
1:S:58:LEU:HD22	1:S:104:LEU:CD2	2.49	0.41	
2:A:60:ASN:OD1	2:A:61:GLN:N	2.54	0.41	
2:A:213:GLU:HB2	2:A:215:LYS:HE2	2.03	0.41	
2:H:24:ALA:HB1	2:H:27:TYR:CE1	2.56	0.41	
1:T:175:GLN:OE1	1:T:222:GLN:NE2	2.54	0.40	
3:D:121:PRO:HD3	3:D:133:VAL:HG22	2.02	0.40	
1:Q:273:GLU:OE1	1:Q:273:GLU:N	2.47	0.40	
1:S:27:GLU:HB3	1:S:195:ILE:HG21	2.03	0.40	
1:T:56:PHE:HZ	1:T:104:LEU:HD21	1.86	0.40	
1:T:93:GLN:HB2	1:T:105:SER:OG	2.22	0.40	
2:A:101:PHE:HZ	3:B:91:TYR:CG	2.40	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
3:B:170:LYS:HA	3:B:170:LYS:HD2	1.90	0.40	
3:F:33:LEU:HD22	3:F:71:PHE:CG	2.57	0.40	
2:C:87:THR:HA	2:C:109:VAL:O	2.22	0.40	

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:127:LYS:NZ	$1:S:122:GLU:OE2[1_556]$	1.93	0.27
1:S:283:GLY:O	$1:T:154:SER:OG[1_655]$	2.17	0.03

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	Q	299/323~(93%)	287~(96%)	11 (4%)	1 (0%)	41	73
1	R	282/323~(87%)	271 (96%)	10 (4%)	1 (0%)	34	69
1	S	295/323~(91%)	280 (95%)	13 (4%)	2(1%)	22	57
1	Т	279/323~(86%)	266 (95%)	11 (4%)	2(1%)	22	57
2	А	210/222~(95%)	201 (96%)	8 (4%)	1 (0%)	29	64
2	С	208/222~(94%)	198 (95%)	9 (4%)	1 (0%)	29	64
2	Е	199/222~(90%)	191 (96%)	7 (4%)	1 (0%)	29	64
2	Н	210/222~(95%)	203 (97%)	6 (3%)	1 (0%)	29	64
3	В	211/222~(95%)	202 (96%)	9 (4%)	0	100	100
3	D	214/222~(96%)	203~(95%)	11 (5%)	0	100	100
3	F	211/222~(95%)	203~(96%)	8 (4%)	0	100	100
3	L	211/222~(95%)	203 (96%)	8 (4%)	0	100	100
All	All	2829/3068~(92%)	2708 (96%)	111 (4%)	10 (0%)	34	69



Mol	Chain	Res	Type
1	S	226	GLY
2	С	117	THR
2	А	82(B)	SER
2	Е	117	THR
1	Т	326	GLN
1	S	182	PRO
2	Н	150	PRO
1	Q	182	PRO
1	Т	250	PRO
1	R	250	PRO

All (10) Ramachandran outliers are listed below:

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	Q	282/296~(95%)	278~(99%)	4 (1%)	67	86
1	R	270/296~(91%)	270~(100%)	0	100	100
1	S	277/296~(94%)	271~(98%)	6(2%)	52	78
1	Т	268/296~(90%)	265~(99%)	3~(1%)	73	89
2	А	184/191~(96%)	183 (100%)	1 (0%)	88	94
2	С	182/191~(95%)	180 (99%)	2(1%)	73	89
2	Ε	179/191~(94%)	177~(99%)	2(1%)	73	89
2	Н	184/191~(96%)	182~(99%)	2(1%)	73	89
3	В	188/195~(96%)	187 (100%)	1 (0%)	88	94
3	D	191/195~(98%)	191 (100%)	0	100	100
3	F	188/195~(96%)	188 (100%)	0	100	100
3	L	188/195~(96%)	187 (100%)	1 (0%)	88	94
All	All	$258\overline{1/2728}~(95\%)$	2559 (99%)	22 (1%)	78	91

All (22) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	Q	193	LEU
1	Q	249	THR
1	Q	256	ARG
1	Q	329	TYR
1	S	49	LEU
1	S	98	LYS
1	S	188	VAL
1	S	221	LEU
1	S	229	LEU
1	S	326	GLN
1	Т	102	CYS
1	Т	254	ILE
1	Т	325	LEU
2	А	82(C)	LEU
2	С	82(C)	LEU
2	С	95	ARG
2	Е	17	SER
2	Е	82(C)	LEU
2	Н	82(C)	LEU
2	Н	113	SER
3	В	138	ASN
3	L	130	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	R	133	HIS
1	Т	173	GLN
1	Т	222	GLN
2	Н	165	HIS
3	F	138	ASN
3	L	138	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

24 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link	Bo	ond leng	ths	В	ond ang	les
WIOI	туре	Ullaili	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
4	NAG	G	1	1,4	14,14,15	0.25	0	17,19,21	0.59	0
4	NAG	G	2	4	14,14,15	0.22	0	17,19,21	0.44	0
5	NAG	Ι	1	1,5	14,14,15	0.27	0	17,19,21	0.46	0
5	NAG	Ι	2	5	14,14,15	0.62	0	17,19,21	0.49	0
5	BMA	Ι	3	5	11,11,12	1.21	2 (18%)	$15,\!15,\!17$	1.44	2 (13%)
5	MAN	Ι	4	5	11,11,12	0.71	0	$15,\!15,\!17$	1.27	2 (13%)
5	MAN	Ι	5	5	11,11,12	0.71	0	$15,\!15,\!17$	0.98	2 (13%)
4	NAG	J	1	1,4	14,14,15	0.24	0	17,19,21	0.54	0
4	NAG	J	2	4	14,14,15	0.24	0	17,19,21	0.49	0
6	NAG	K	1	1,6	14,14,15	0.28	0	17,19,21	0.50	0
6	NAG	K	2	6	14,14,15	0.42	0	17,19,21	0.40	0
6	BMA	К	3	6	11,11,12	0.93	1 (9%)	$15,\!15,\!17$	1.13	2 (13%)
6	MAN	К	4	6	11,11,12	0.62	0	$15,\!15,\!17$	1.19	2 (13%)
4	NAG	М	1	1,4	14,14,15	0.53	0	17,19,21	0.47	0
4	NAG	М	2	4	14,14,15	0.21	0	17,19,21	0.52	0
7	NAG	N	1	1,7	14,14,15	0.24	0	$17,\!19,\!21$	0.60	0
7	NAG	N	2	7	14,14,15	0.27	0	$17,\!19,\!21$	0.53	0
7	BMA	N	3	7	11,11,12	0.69	0	$15,\!15,\!17$	0.77	0
4	NAG	0	1	1,4	14,14,15	0.27	0	$17,\!19,\!21$	0.72	0
4	NAG	0	2	4	14,14,15	0.26	0	17,19,21	0.41	0
6	NAG	Р	1	1,6	14,14,15	0.21	0	$17,\!19,\!21$	0.46	0
6	NAG	Р	2	6	14,14,15	0.32	0	17,19,21	0.42	0
6	BMA	Р	3	6	11,11,12	0.84	0	15,15,17	1.10	1 (6%)
6	MAN	Р	4	6	11,11,12	0.64	0	$15,\!15,\!17$	1.07	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
5	NAG	Ι	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	Ι	2	5	-	4/6/23/26	0/1/1/1
5	BMA	Ι	3	5	-	0/2/19/22	0/1/1/1
5	MAN	Ι	4	5	-	2/2/19/22	0/1/1/1
5	MAN	Ι	5	5	-	0/2/19/22	1/1/1/1
4	NAG	J	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
6	NAG	К	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1
6	BMA	К	3	6	-	0/2/19/22	0/1/1/1
6	MAN	Κ	4	6	-	2/2/19/22	0/1/1/1
4	NAG	М	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	М	2	4	-	2/6/23/26	0/1/1/1
7	NAG	Ν	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	Ν	2	7	-	2/6/23/26	0/1/1/1
7	BMA	Ν	3	7	-	0/2/19/22	0/1/1/1
4	NAG	О	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	Ο	2	4	-	2/6/23/26	0/1/1/1
6	NAG	Р	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	Р	2	6	-	2/6/23/26	0/1/1/1
6	BMA	Р	3	6	-	0/2/19/22	0/1/1/1
6	MAN	Р	4	6	-	1/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Ι	3	BMA	O5-C1	-2.71	1.39	1.43
5	Ι	3	BMA	C4-C5	2.19	1.57	1.53
6	Κ	3	BMA	O5-C1	-2.17	1.40	1.43

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	Ι	4	MAN	C1-O5-C5	3.60	117.08	112.19
6	Κ	4	MAN	C1-O5-C5	3.51	116.95	112.19
5	Ι	3	BMA	C3-C4-C5	3.21	115.96	110.24
6	Р	4	MAN	C1-O5-C5	2.97	116.21	112.19
5	Ι	3	BMA	C1-O5-C5	2.59	115.70	112.19



5 VI	73
------	----

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
5	Ι	5	MAN	C1-O5-C5	2.57	115.67	112.19
6	Κ	3	BMA	C1-O5-C5	2.49	115.57	112.19
6	Р	3	BMA	C3-C4-C5	2.37	114.47	110.24
5	Ι	4	MAN	O2-C2-C3	-2.26	105.60	110.14
6	Р	4	MAN	O2-C2-C3	-2.22	105.69	110.14
5	Ι	5	MAN	O2-C2-C3	-2.22	105.70	110.14
6	Κ	4	MAN	O2-C2-C3	-2.21	105.72	110.14
6	Κ	3	BMA	O2-C2-C3	-2.14	105.86	110.14

Continued from previous page...

There are no chirality outliers.

(35) torsion outliers are listed below.	All (35)	torsion	outliers	are	listed	below:
---	----------	---------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms
4	J	2	NAG	O5-C5-C6-O6
6	Κ	4	MAN	O5-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
4	0	2	NAG	O5-C5-C6-O6
5	Ι	4	MAN	O5-C5-C6-O6
6	Р	1	NAG	O5-C5-C6-O6
4	G	2	NAG	C4-C5-C6-O6
6	K	4	MAN	C4-C5-C6-O6
5	Ι	2	NAG	O5-C5-C6-O6
6	К	1	NAG	O5-C5-C6-O6
4	J	2	NAG	C4-C5-C6-O6
4	М	2	NAG	O5-C5-C6-O6
5	Ι	4	MAN	C4-C5-C6-O6
4	0	2	NAG	C4-C5-C6-O6
5	Ι	2	NAG	C4-C5-C6-O6
4	М	2	NAG	C4-C5-C6-O6
5	Ι	2	NAG	C1-C2-N2-C7
7	Ν	2	NAG	O5-C5-C6-O6
6	Κ	2	NAG	C1-C2-N2-C7
7	N	2	NAG	C4-C5-C6-O6
6	Р	1	NAG	C4-C5-C6-O6
6	Р	2	NAG	C1-C2-N2-C7
5	Ι	1	NAG	O5-C5-C6-O6
7	Ν	1	NAG	O5-C5-C6-O6
6	K	1	NAG	C4-C5-C6-O6
6	Р	4	MAN	O5-C5-C6-O6
4	G	1	NAG	C3-C2-N2-C7
6	К	2	NAG	C3-C2-N2-C7
4	J	1	NAG	C3-C2-N2-C7



Mol	Chain	Res	Type	Atoms
4	М	1	NAG	C3-C2-N2-C7
4	0	1	NAG	C3-C2-N2-C7
5	Ι	2	NAG	C3-C2-N2-C7
6	Р	2	NAG	C3-C2-N2-C7
4	0	1	NAG	C1-C2-N2-C7
4	J	1	NAG	C1-C2-N2-C7

Continued from previous page...

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	Ι	5	MAN	C1-C2-C3-C4-C5-O5

13 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	2	NAG	1	0
6	Р	1	NAG	2	0
6	Р	3	BMA	1	0
4	М	1	NAG	1	0
5	Ι	1	NAG	3	0
7	N	1	NAG	2	0
6	Р	2	NAG	1	0
4	М	2	NAG	1	0
5	Ι	5	MAN	1	0
5	Ι	3	BMA	1	0
5	Ι	2	NAG	1	0
7	N	2	NAG	1	0
6	K	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



























5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul



statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	B	ond leng	gths	B	Sond ang	gles
	Type	Ullalli	nes	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
8	GOL	S	1006	-	$5,\!5,\!5$	0.91	0	$5,\!5,\!5$	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	S	1006	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	S	1006	GOL	O1-C1-C2-C3
8	S	1006	GOL	C1-C2-C3-O3
8	S	1006	GOL	O2-C2-C3-O3
8	S	1006	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	S	1006	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	Q	303/323~(93%)	-0.19	1 (0%) 94 88	34, 58, 81, 95	0
1	R	290/323~(89%)	-0.10	2 (0%) 87 75	31, 63, 99, 112	0
1	S	299/323~(92%)	0.35	13 (4%) 35 17	65, 97, 114, 125	0
1	Т	289/323~(89%)	0.42	14 (4%) 30 14	64, 97, 118, 144	0
2	А	214/222~(96%)	-0.16	3 (1%) 75 56	30, 62, 101, 118	0
2	С	212/222~(95%)	0.11	2 (0%) 84 69	51, 75, 91, 107	0
2	E	207/222~(93%)	0.42	9 (4%) 35 17	68, 101, 119, 127	0
2	Н	214/222~(96%)	-0.17	4 (1%) 66 46	30, 53, 99, 116	0
3	В	213/222~(95%)	-0.19	2 (0%) 84 69	26, 50, 91, 106	0
3	D	216/222~(97%)	-0.08	0 100 100	54, 66, 80, 98	0
3	F	213/222~(95%)	0.16	4 (1%) 66 46	57, 78, 111, 126	0
3	L	213/222~(95%)	-0.35	0 100 100	26, 49, 86, 98	0
All	All	2883/3068~(93%)	0.03	54 (1%) 66 46	26, 71, 109, 144	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Т	169	GLY	6.2
2	Е	130	LYS	5.8
2	Е	206	THR	4.0
2	Е	155	TRP	3.8
2	Н	112	SER	3.6
1	S	170	TYR	3.6
2	А	130	LYS	3.6
2	Н	130	LYS	3.2
1	S	56	PHE	3.0
2	А	200	ASN	3.0
1	S	76	LEU	2.9



Conti	nued fron	ı previ	ous page	
Mol	Chain	Res	Type	RSRZ

10101	Onam	IUCS	_ rybc	105102
3	F	131	ALA	2.9
1	R	65	ASN	2.9
1	Т	22	SER	2.8
3	В	127	LYS	2.8
1	S	107	HIS	2.8
1	S	111	LEU	2.8
1	Т	47	ARG	2.8
1	Т	107	HIS	2.7
3	F	209	SER	2.6
2	Н	135	GLY	2.5
2	Е	180	SER	2.5
1	Т	161	CYS	2.5
3	В	131	ALA	2.5
2	С	79	TYR	2.5
2	Е	13	LYS	2.5
1	Т	65	ASN	2.5
1	Т	175	GLN	2.4
3	F	189	LYS	2.4
1	Т	70	LYS	2.3
1	S	290	ASN	2.3
2	Е	77	THR	2.3
3	F	130	THR	2.3
1	S	43	PRO	2.3
1	Q	22	SER	2.2
1	S	204	LEU	2.2
1	S	157	VAL	2.2
1	S	23	LYS	2.2
1	Т	226	GLY	2.2
2	Н	184	THR	2.2
1	Т	64	TYR	2.2
2	С	191	GLY	2.2
2	Е	194	THR	2.2
1	S	151	ILE	2.2
1	Т	56	PHE	2.2
1	Т	198	VAL	2.2
1	S	89	GLN	2.1
2	Е	152	THR	2.1
2	А	134	GLY	2.1
2	Е	121	SER	2.1
1	S	186	ALA	2.1
1	R	289	GLN	2.1
1	Т	273	GLU	2.0



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	Т	170	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
7	BMA	N	3	11/12	0.50	0.25	108,117,122,125	0
5	MAN	Ι	5	11/12	0.59	0.23	89,106,114,116	0
6	NAG	Р	2	14/15	0.63	0.25	89,113,120,129	0
4	NAG	0	2	14/15	0.69	0.28	101,123,133,142	0
7	NAG	N	2	14/15	0.70	0.17	88,113,121,128	0
6	MAN	Р	4	11/12	0.71	0.40	103,122,130,141	0
4	NAG	0	1	14/15	0.72	0.31	100,115,121,123	0
4	NAG	М	1	14/15	0.77	0.27	99,113,119,121	0
6	NAG	K	2	14/15	0.78	0.18	59,86,94,99	0
5	MAN	Ι	4	11/12	0.79	0.28	83,98,106,119	0
6	NAG	Р	1	14/15	0.80	0.17	91,102,107,108	0
5	NAG	Ι	2	14/15	0.81	0.20	58,83,91,99	0
4	NAG	J	2	14/15	0.82	0.19	49,70,78,90	0
6	BMA	Р	3	11/12	0.83	0.16	110,119,125,128	0
6	MAN	K	4	11/12	0.85	0.26	86,104,112,124	0
4	NAG	J	1	14/15	0.86	0.16	54,68,73,76	0
4	NAG	М	2	14/15	0.86	0.17	94,116,125,135	0
4	NAG	G	2	14/15	0.86	0.22	48,71,81,90	0
7	NAG	N	1	14/15	0.87	0.17	90,101,106,108	0
5	BMA	Ι	3	11/12	0.89	0.14	86,96,101,105	0
6	NAG	K	1	14/15	0.90	0.15	66,75,79,81	0
5	NAG	Ι	1	14/15	0.92	0.15	57,68,73,76	0
4	NAG	G	1	14/15	0.93	0.13	57,71,78,79	0
6	BMA	K	3	11/12	0.93	0.13	86,95,101,105	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



























6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
8	GOL	S	1006	6/6	0.87	0.16	82,82,82,82	0

6.5 Other polymers (i)

There are no such residues in this entry.

