



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 12, 2022 – 12:19 PM JST

PDB ID : 7VVV
Title : Crystal structure of MmtN
Authors : Peng, M.; Li, C.Y.
Deposited on : 2021-11-09
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.27
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	305	 6% 75% 14% • 8%
1	B	305	 7% 66% 16% •• 15%
1	C	305	 5% 76% 11% • 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	401	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6304 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SAM-dependent methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	280	Total 2132	C 1338	N 378	O 411	S 5	0	0	0
1	B	258	Total 1965	C 1240	N 341	O 379	S 5	0	0	0
1	C	273	Total 2075	C 1309	N 364	O 397	S 5	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	141	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
A	143	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
A	146	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
B	141	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
B	143	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
B	146	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
C	141	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
C	143	ALA	LYS	engineered mutation	UNP A0A0T5PCK9
C	146	ALA	LYS	engineered mutation	UNP A0A0T5PCK9

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	O P	0	0
			5	4 1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	38	Total	O	0	0
			38	38		
3	B	45	Total	O	0	0
			45	45		
3	C	44	Total	O	0	0
			44	44		

4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	66.73Å 131.28Å 134.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.36 – 2.45 47.36 – 2.45	Depositor EDS
% Data completeness (in resolution range)	98.7 (47.36-2.45) 98.8 (47.36-2.45)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.195 , 0.240 0.203 , 0.226	Depositor DCC
R_{free} test set	2256 reflections (5.18%)	wwPDB-VP
Wilson B-factor (Å ²)	44.3	Xtrriage
Anisotropy	0.938	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.017 for -h,l,k	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6304	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.13	0/2176	0.81	0/2963
1	B	1.16	0/2008	0.82	1/2735 (0.0%)
1	C	0.90	0/2118	0.71	0/2883
All	All	1.07	0/6302	0.78	1/8581 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	162	TRP	N-CA-C	7.21	130.48	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2132	0	2062	59	0
1	B	1965	0	1898	64	0
1	C	2075	0	2015	45	0
2	A	5	0	0	2	0
3	A	38	0	0	0	0
3	B	45	0	0	1	0
3	C	44	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6304	0	5975	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:244:LEU:HD12	1:C:249:LEU:O	1.44	1.18
1:A:162:TRP:CH2	1:B:251:ARG:HB2	1.85	1.11
1:A:279:ASP:OD1	1:A:280:SER:N	1.93	1.00
1:A:157:ALA:HB1	1:A:159:TYR:CE2	1.98	0.99
1:A:88:ARG:HH21	1:A:88:ARG:HG3	1.27	0.96
1:A:162:TRP:HH2	1:B:251:ARG:CB	1.80	0.94
1:A:162:TRP:HH2	1:B:251:ARG:HB2	1.23	0.93
1:A:162:TRP:CH2	1:B:251:ARG:HA	2.05	0.92
1:B:227:LEU:HD12	1:B:285:TYR:CE1	2.06	0.89
1:A:261:PRO:HD3	1:A:285:TYR:CZ	2.07	0.88
1:C:247:THR:HB	1:C:249:LEU:HD21	1.56	0.88
1:C:249:LEU:H	1:C:249:LEU:HD23	1.40	0.87
1:A:19:ASP:OD1	1:A:21:THR:HG23	1.76	0.85
1:C:143:ALA:O	1:C:144:LEU:HD23	1.76	0.85
1:B:128:PRO:O	1:B:131:VAL:HG13	1.77	0.84
1:C:143:ALA:C	1:C:144:LEU:HD23	1.97	0.84
1:A:156:ILE:HG22	1:A:157:ALA:H	1.43	0.83
1:A:261:PRO:HD3	1:A:285:TYR:CE1	2.14	0.83
1:A:70:LEU:HD23	1:A:159:TYR:HB3	1.60	0.81
1:A:162:TRP:CH2	1:B:251:ARG:CB	2.57	0.80
1:C:249:LEU:HD23	1:C:249:LEU:N	1.96	0.79
1:A:157:ALA:HB1	1:A:159:TYR:CD2	2.17	0.79
1:B:247:THR:OG1	1:B:248:GLY:HA2	1.82	0.78
1:B:273:GLN:O	1:B:273:GLN:NE2	2.12	0.78
1:B:160:TYR:HB3	1:B:161:PRO:CD	2.14	0.77
1:B:130:ASP:OD1	1:B:131:VAL:N	2.18	0.77
1:C:252:GLU:OE2	1:C:253:PHE:N	2.17	0.77
1:C:144:LEU:HA	1:C:145:ALA:C	2.06	0.76
1:C:73:ARG:HH21	1:C:139:ALA:HB1	1.52	0.74
1:C:244:LEU:CD1	1:C:249:LEU:O	2.33	0.73
1:A:183:ARG:NH2	2:A:401:PO4:O4	2.20	0.73
1:A:162:TRP:CZ3	1:B:251:ARG:HB2	2.23	0.73
1:B:251:ARG:O	1:B:251:ARG:HG3	1.88	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:244:LEU:HD12	1:C:249:LEU:C	2.10	0.72
1:C:279:ASP:O	1:C:280:SER:HB2	1.88	0.72
1:A:156:ILE:HG22	1:A:157:ALA:N	2.02	0.72
1:B:250:GLU:O	1:B:251:ARG:HB3	1.88	0.71
1:A:162:TRP:CH2	1:B:251:ARG:CA	2.74	0.71
1:B:243:ALA:O	1:B:251:ARG:HG2	1.90	0.70
1:B:228:GLN:OE1	1:B:232:THR:HB	1.92	0.70
1:C:247:THR:CB	1:C:249:LEU:HD21	2.23	0.69
1:C:244:LEU:O	1:C:245:ALA:HB3	1.91	0.69
1:B:71:ASP:OD1	1:B:73:ARG:HD3	1.93	0.69
1:B:286:HIS:NE2	3:B:402:HOH:O	2.25	0.68
1:B:89:ARG:O	1:B:92:ARG:HG3	1.93	0.68
1:B:102:LEU:H	1:B:160:TYR:HE2	1.41	0.68
1:C:126:GLY:O	1:C:201:ARG:NH2	2.27	0.67
1:B:252:GLU:N	1:B:252:GLU:OE2	2.27	0.67
1:C:193:ASP:OD1	1:C:294:ARG:HD3	1.95	0.66
1:C:250:GLU:HG3	1:C:251:ARG:N	2.11	0.66
1:A:88:ARG:HG3	1:A:88:ARG:NH2	2.02	0.66
1:B:273:GLN:HE21	1:B:273:GLN:C	1.99	0.66
1:B:252:GLU:O	1:B:252:GLU:HG2	1.98	0.63
1:A:30:ARG:HG2	1:A:30:ARG:HH11	1.62	0.62
1:C:244:LEU:CD1	1:C:250:GLU:HA	2.30	0.61
1:B:72:PRO:HG3	1:B:99:ALA:HB2	1.83	0.61
1:A:44:GLU:HG3	1:A:119:VAL:HG23	1.83	0.60
1:C:254:THR:CG2	1:C:268:SER:HB3	2.31	0.60
1:B:249:LEU:O	1:B:250:GLU:HG3	2.01	0.60
1:B:247:THR:CB	1:B:248:GLY:HA2	2.29	0.60
1:B:102:LEU:HD21	1:B:177:LEU:HD11	1.82	0.60
1:B:247:THR:N	1:B:248:GLY:HA2	2.15	0.59
1:B:245:ALA:O	1:B:246:GLN:HG3	2.02	0.59
1:B:131:VAL:HG23	1:B:131:VAL:O	2.01	0.59
1:C:247:THR:HB	1:C:249:LEU:CD2	2.29	0.59
1:A:19:ASP:OD1	1:A:21:THR:N	2.34	0.57
1:A:162:TRP:CZ2	1:B:251:ARG:HA	2.39	0.57
1:C:254:THR:HG22	1:C:268:SER:HB3	1.86	0.57
1:B:227:LEU:CD1	1:B:285:TYR:CE1	2.85	0.56
1:A:73:ARG:NH2	1:A:156:ILE:O	2.34	0.56
1:A:193:ASP:OD1	1:A:294:ARG:HD3	2.05	0.56
1:C:30:ARG:HD2	1:C:224:GLN:NE2	2.20	0.56
1:A:88:ARG:HH21	1:A:88:ARG:CG	2.09	0.55
1:B:245:ALA:O	1:B:246:GLN:CG	2.54	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:VAL:O	1:B:276:VAL:HG12	2.05	0.55
1:A:122:LEU:HD11	1:A:181:LEU:HD22	1.88	0.55
1:A:156:ILE:CG2	1:A:157:ALA:H	2.18	0.54
1:A:157:ALA:CB	1:A:159:TYR:CE2	2.82	0.54
1:A:162:TRP:N	1:A:162:TRP:CD1	2.75	0.54
1:A:236:PHE:HE1	1:B:247:THR:HB	1.71	0.54
1:C:276:VAL:O	1:C:276:VAL:HG12	2.08	0.54
1:B:227:LEU:HD12	1:B:285:TYR:CZ	2.42	0.53
1:B:275:LEU:HD12	1:B:275:LEU:N	2.23	0.53
1:A:156:ILE:CG2	1:A:157:ALA:N	2.72	0.53
1:A:80:ARG:O	1:A:83:ARG:HB2	2.09	0.53
2:A:401:PO4:O2	1:C:183:ARG:NH2	2.38	0.53
1:A:162:TRP:CH2	1:B:251:ARG:HD3	2.44	0.52
1:A:164:GLU:O	1:B:209:GLU:HG2	2.10	0.52
1:A:119:VAL:HG12	1:A:195:VAL:HB	1.92	0.51
1:C:247:THR:CB	1:C:249:LEU:CD2	2.87	0.51
1:B:273:GLN:NE2	1:B:273:GLN:CA	2.73	0.51
1:A:158:HIS:C	1:A:159:TYR:CD1	2.84	0.51
1:B:160:TYR:HB3	1:B:161:PRO:HD3	1.93	0.50
1:B:128:PRO:O	1:B:131:VAL:CG1	2.55	0.50
1:B:119:VAL:HG12	1:B:195:VAL:HB	1.94	0.50
1:A:41:ARG:HD3	1:A:114:ARG:O	2.12	0.50
1:B:249:LEU:O	1:B:250:GLU:CG	2.60	0.50
1:A:272:ALA:HB1	1:A:284:ILE:HD13	1.93	0.49
1:B:261:PRO:HD3	1:B:285:TYR:CZ	2.47	0.49
1:C:14:PRO:HB2	1:C:16:PHE:CD2	2.47	0.49
1:A:30:ARG:HG2	1:A:30:ARG:NH1	2.28	0.48
1:A:70:LEU:CD2	1:A:159:TYR:HB3	2.37	0.48
1:B:89:ARG:HH11	1:B:92:ARG:NH1	2.11	0.48
1:A:250:GLU:OE1	1:A:250:GLU:HA	2.13	0.48
1:B:124:GLN:O	1:B:127:GLU:HG2	2.13	0.48
1:B:271:GLU:O	1:B:274:ALA:HB3	2.13	0.48
1:C:247:THR:O	1:C:249:LEU:HD23	2.14	0.48
1:A:53:VAL:HG11	1:A:93:PHE:CD1	2.48	0.47
1:A:260:ASP:OD1	1:A:265:THR:HG22	2.15	0.47
1:B:275:LEU:N	1:B:275:LEU:CD1	2.77	0.47
1:A:200:ALA:HB3	1:A:287:GLU:HB3	1.97	0.47
1:B:260:ASP:OD1	1:B:265:THR:N	2.39	0.47
1:C:249:LEU:N	1:C:249:LEU:CD2	2.72	0.47
1:B:64:LEU:HD23	1:B:65:VAL:N	2.30	0.46
1:B:161:PRO:O	1:B:162:TRP:CB	2.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:THR:HB	1:A:249:LEU:HG	1.98	0.46
1:A:261:PRO:CD	1:A:285:TYR:CZ	2.92	0.46
1:C:144:LEU:HA	1:C:146:ALA:N	2.30	0.45
1:B:66:SER:OG	1:B:111:GLN:HG2	2.16	0.45
1:B:273:GLN:NE2	1:B:273:GLN:HA	2.31	0.45
1:C:30:ARG:HD2	1:C:224:GLN:HE21	1.82	0.45
1:C:252:GLU:O	1:C:253:PHE:HB2	2.17	0.45
1:A:162:TRP:HH2	1:B:251:ARG:HD3	1.81	0.45
1:A:247:THR:HG22	1:C:236:PHE:CE2	2.52	0.44
1:B:19:ASP:HB2	1:B:20:PRO:HD2	1.98	0.44
1:C:142:ALA:C	1:C:144:LEU:H	2.21	0.44
1:B:247:THR:CB	1:B:248:GLY:CA	2.96	0.44
1:A:58:GLN:OE1	1:A:86:ALA:HB2	2.17	0.44
1:A:158:HIS:O	1:A:159:TYR:CD1	2.70	0.44
1:C:111:GLN:NE2	1:C:114:ARG:NH1	2.66	0.44
1:C:244:LEU:HA	1:C:244:LEU:HD13	1.80	0.44
1:A:88:ARG:HD3	1:A:88:ARG:HA	1.88	0.43
1:A:260:ASP:CG	1:A:264:ALA:H	2.21	0.43
1:A:156:ILE:O	1:A:157:ALA:HB2	2.18	0.43
1:B:261:PRO:HD3	1:B:285:TYR:CE2	2.54	0.43
1:C:244:LEU:O	1:C:245:ALA:CB	2.58	0.42
1:A:79:GLU:HG3	1:A:95:PRO:HG3	2.01	0.42
1:C:142:ALA:C	1:C:144:LEU:N	2.73	0.42
1:C:14:PRO:HG2	1:C:16:PHE:CE2	2.55	0.42
1:B:274:ALA:O	1:B:276:VAL:N	2.52	0.41
1:C:244:LEU:HD11	1:C:250:GLU:HA	2.02	0.41
1:A:236:PHE:CE1	1:B:247:THR:HB	2.53	0.41
1:C:166:ASP:HA	1:C:171:ASN:ND2	2.35	0.41
1:C:201:ARG:HD3	1:C:257:PHE:CE2	2.55	0.41
1:C:52:ASN:O	1:C:56:MET:HG3	2.20	0.41
1:B:270:THR:O	1:B:271:GLU:C	2.58	0.41
1:A:109:ARG:HH11	1:A:109:ARG:HD2	1.74	0.41
1:A:19:ASP:OD1	1:A:20:PRO:HD2	2.21	0.41
1:B:102:LEU:HD21	1:B:177:LEU:CD1	2.47	0.40
1:B:274:ALA:C	1:B:276:VAL:N	2.73	0.40
1:C:142:ALA:O	1:C:144:LEU:N	2.54	0.40
1:C:161:PRO:HG2	1:C:164:GLU:OE2	2.22	0.40
1:A:88:ARG:NH2	1:A:88:ARG:CG	2.72	0.40
1:C:71:ASP:HB2	1:C:159:TYR:HE2	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/305 (91%)	264 (95%)	14 (5%)	0	100	100
1	B	254/305 (83%)	237 (93%)	13 (5%)	4 (2%)	9	8
1	C	269/305 (88%)	255 (95%)	13 (5%)	1 (0%)	34	41
All	All	801/915 (88%)	756 (94%)	40 (5%)	5 (1%)	25	29

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	245	ALA
1	B	251	ARG
1	C	280	SER
1	B	162	TRP
1	B	246	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/238 (90%)	204 (95%)	11 (5%)	24	31
1	B	202/238 (85%)	189 (94%)	13 (6%)	17	21
1	C	209/238 (88%)	201 (96%)	8 (4%)	33	43
All	All	626/714 (88%)	594 (95%)	32 (5%)	24	31

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ARG
1	A	80	ARG
1	A	83	ARG
1	A	84	ASP
1	A	88	ARG
1	A	89	ARG
1	A	160	TYR
1	A	250	GLU
1	A	266	ARG
1	A	280	SER
1	A	294	ARG
1	B	21	THR
1	B	41	ARG
1	B	92	ARG
1	B	107	GLU
1	B	129	ASP
1	B	227	LEU
1	B	235	SER
1	B	244	LEU
1	B	247	THR
1	B	250	GLU
1	B	251	ARG
1	B	253	PHE
1	B	266	ARG
1	C	144	LEU
1	C	159	TYR
1	C	249	LEU
1	C	250	GLU
1	C	251	ARG
1	C	252	GLU
1	C	254	THR
1	C	280	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	GLN
1	B	94	HIS
1	B	224	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	401	-	4,4,4	0.93	0	6,6,6	0.43	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	280/305 (91%)	0.26	17 (6%) 21 18	30, 58, 86, 95	0
1	B	258/305 (84%)	0.32	22 (8%) 10 8	37, 51, 92, 109	0
1	C	273/305 (89%)	0.31	16 (5%) 22 19	35, 50, 85, 106	0
All	All	811/915 (88%)	0.29	55 (6%) 17 13	30, 54, 88, 109	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	245	ALA	7.8
1	B	284	ILE	6.9
1	B	247	THR	5.6
1	B	244	LEU	4.7
1	B	278	THR	4.6
1	A	275	LEU	4.3
1	B	267	LEU	4.2
1	C	248	GLY	4.1
1	B	249	LEU	4.0
1	A	159	TYR	3.8
1	A	281	ALA	3.7
1	A	277	ASP	3.6
1	B	279	ASP	3.5
1	C	281	ALA	3.5
1	A	278	THR	3.5
1	A	83	ARG	3.2
1	B	248	GLY	3.1
1	B	246	GLN	3.0
1	B	259	GLY	2.8
1	C	247	THR	2.8
1	B	265	THR	2.7
1	A	17	ALA	2.7
1	B	270	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	257	PHE	2.7
1	B	269	ALA	2.7
1	B	80	ARG	2.6
1	C	121	CYS	2.5
1	C	250	GLU	2.4
1	B	276	VAL	2.4
1	C	276	VAL	2.4
1	B	251	ARG	2.4
1	A	265	THR	2.4
1	A	91	ASP	2.4
1	B	130	ASP	2.4
1	A	160	TYR	2.4
1	A	89	ARG	2.3
1	A	272	ALA	2.3
1	C	97	GLU	2.3
1	C	279	ASP	2.2
1	C	180	ALA	2.2
1	B	263	GLY	2.2
1	B	77	LEU	2.2
1	C	252	GLU	2.2
1	C	245	ALA	2.2
1	C	246	GLN	2.2
1	B	275	LEU	2.1
1	C	177	LEU	2.1
1	A	285	TYR	2.1
1	A	279	ASP	2.1
1	A	225	ILE	2.1
1	C	182	LEU	2.1
1	C	244	LEU	2.1
1	A	262	GLU	2.1
1	C	275	LEU	2.0
1	A	259	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	A	401	5/5	0.95	0.26	41,43,45,54	5

6.5 Other polymers [i](#)

There are no such residues in this entry.