



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 04:49 am GMT

PDB ID : 1VYU  
Title : Beta3 subunit of Voltage-gated Ca<sup>2+</sup>-channel  
Authors : Chen, Y.-H.; Li, M.-H.; Zhang, Y.; He, L.-L.; Yamada, Y.; Fitzmaurice, A.;  
Yang, S.; Zhang, H.; Liang, T.; Yang, J.  
Deposited on : 2004-05-07  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	351	
1	B	351	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CALCIUM CHANNEL BETA-3 SUBUNIT.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	272	2168	1378	380	400	4	6	0	0	1
1	B	287	2286	1444	405	427	4	6	0	0	1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	234	Total 234	O 234	0	0
2	B	163	Total 163	O 163	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CALCIUM CHANNEL BETA-3 SUBUNIT



- Molecule 1: CALCIUM CHANNEL BETA-3 SUBUNIT



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.30Å 66.40Å 90.00Å 90.00° 103.10° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	93.8 (30.00-2.30) 93.9 (30.00-2.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.97 (at 2.26Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.207 , 0.248 0.276 , 0.299	Depositor DCC
$R_{free}$ test set	2746 reflections (9.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.4	Xtrriage
Anisotropy	0.190	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 47.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	4851	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/2204	0.66	0/2969
1	B	0.33	0/2322	0.59	0/3126
All	All	0.38	0/4526	0.63	0/6095

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2168	0	2193	33	1
1	B	2286	0	2302	36	0
2	A	234	0	0	4	0
2	B	163	0	0	1	0
All	All	4851	0	4495	69	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:VAL:HG13	1:B:86:ASN:HD21	1.28	0.99

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:LYS:HG3	1:A:214:ILE:HD12	1.53	0.90
1:A:168:VAL:HG13	1:A:169:PRO:HD3	1.54	0.89
1:B:257:ILE:HD11	1:B:285:LEU:HD22	1.65	0.79
1:A:54:ARG:O	2:A:2010:HOH:O	2.03	0.75
1:A:198:LYS:NZ	2:A:2137:HOH:O	2.20	0.75
1:A:276:HIS:HD2	1:A:278:ALA:H	1.36	0.71
1:A:57:HIS:O	2:A:2016:HOH:O	2.11	0.68
1:A:300:LEU:HG	1:A:319:MSE:HE1	1.77	0.66
1:B:211:ARG:HB2	1:B:357:TRP:CH2	2.31	0.65
1:B:225:LYS:HD3	1:B:225:LYS:H	1.61	0.65
1:A:215:THR:OG1	1:A:256:ARG:NH2	2.27	0.65
1:B:316:THR:HG22	1:B:320:MSE:HE2	1.79	0.64
1:A:39:SER:HB2	1:A:42:ARG:HG2	1.80	0.64
1:B:315:LEU:HD12	1:B:319:MSE:HE3	1.80	0.63
1:A:214:ILE:HG12	1:A:268:VAL:HB	1.81	0.63
1:A:304:ILE:HD12	1:A:319:MSE:CE	2.28	0.63
1:A:128:ARG:O	1:A:132:GLU:HB2	1.99	0.62
1:B:73:VAL:HG13	1:B:86:ASN:ND2	2.07	0.62
1:A:107:ARG:HD2	1:A:113:GLY:O	2.04	0.58
1:A:224:ALA:HB3	1:A:283:THR:HG22	1.85	0.58
1:B:110:LYS:HA	1:B:359:ALA:HB1	1.87	0.57
1:B:250:VAL:O	1:B:254:ILE:HG12	2.06	0.56
1:A:76:GLU:H	1:A:76:GLU:CD	2.08	0.55
1:B:304:ILE:HD12	1:B:319:MSE:HE1	1.89	0.53
1:A:302:ARG:HE	1:A:305:ARG:HH21	1.54	0.53
1:B:89:ALA:O	1:B:90:LYS:HB2	2.07	0.53
1:B:286:ALA:N	1:B:287:PRO:HD3	2.23	0.53
1:A:212:ILE:HD11	1:A:268:VAL:HG21	1.90	0.53
1:B:83:SER:O	1:B:116:ALA:HB1	2.09	0.53
1:A:205:LYS:CG	1:A:214:ILE:HD12	2.35	0.52
1:A:276:HIS:CD2	1:A:278:ALA:H	2.22	0.52
1:B:255:GLU:O	1:B:259:GLU:HG2	2.10	0.52
1:B:207:ARG:NH1	1:B:350:ALA:HB1	2.26	0.51
1:A:168:VAL:CG1	1:A:169:PRO:HD3	2.35	0.50
1:A:191:GLU:OE2	1:A:307:ARG:HD3	2.12	0.50
1:B:196:MSE:HG3	1:B:342:LEU:HD21	1.94	0.49
1:B:253:GLU:O	1:B:257:ILE:HG23	2.12	0.49
1:B:107:ARG:HD2	1:B:113:GLY:O	2.13	0.48
1:B:246:SER:O	1:B:250:VAL:HG23	2.15	0.47
1:B:291:PHE:HB2	1:B:333:PHE:CD2	2.51	0.46
1:B:207:ARG:HD2	2:B:2118:HOH:O	2.15	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:ARG:HB2	1:B:358:ARG:HH11	1.80	0.46
1:A:348:HIS:HE1	2:A:2116:HOH:O	1.99	0.46
1:A:276:HIS:CD2	1:A:277:PRO:HD2	2.51	0.45
1:B:339:GLU:CD	1:B:339:GLU:H	2.18	0.45
1:A:95:ILE:HD12	1:A:95:ILE:N	2.31	0.45
1:A:304:ILE:HD12	1:A:319:MSE:HE3	1.98	0.45
1:B:322:TYR:O	1:B:326:VAL:HG23	2.18	0.44
1:A:70:TYR:HB3	1:A:87:PHE:CE1	2.53	0.43
1:A:89:ALA:O	1:A:90:LYS:HB2	2.17	0.43
1:B:87:PHE:HB3	1:B:108:LEU:HD21	2.00	0.43
1:B:315:LEU:CD1	1:B:319:MSE:HE3	2.47	0.43
1:B:225:LYS:NZ	1:B:251:GLN:HE21	2.18	0.42
1:A:212:ILE:HD11	1:A:268:VAL:CG2	2.50	0.42
1:B:207:ARG:HH11	1:B:350:ALA:HB1	1.83	0.42
1:B:169:PRO:HA	1:B:170:PRO:HD3	1.88	0.41
1:A:297:PRO:HG3	1:A:322:TYR:CE2	2.55	0.41
1:B:351:GLU:HG3	1:B:352:TYR:N	2.36	0.41
1:B:43:GLU:O	1:B:47:GLN:HG2	2.20	0.41
1:A:55:ALA:O	1:A:96:LYS:HD3	2.21	0.41
1:A:125:GLU:O	1:A:129:LEU:HB2	2.21	0.41
1:B:358:ARG:HB2	1:B:358:ARG:NH1	2.36	0.41
1:B:93:LEU:HD23	1:B:108:LEU:HD23	2.03	0.41
1:A:300:LEU:HG	1:A:319:MSE:CE	2.49	0.41
1:A:302:ARG:NH2	1:A:305:ARG:HE	2.18	0.41
1:B:282:LYS:N	1:B:282:LYS:HD2	2.36	0.41
1:B:179:PRO:HG2	1:B:257:ILE:CD1	2.51	0.40
1:B:331:GLU:CD	1:B:331:GLU:H	2.24	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:HIS:ND1	1:A:256:ARG:NH2[2_456]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/351 (76%)	256 (96%)	10 (4%)	0	100	100
1	B	279/351 (80%)	273 (98%)	5 (2%)	1 (0%)	30	39
All	All	545/702 (78%)	529 (97%)	15 (3%)	1 (0%)	44	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	139	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/304 (79%)	230 (95%)	11 (5%)	23	33
1	B	254/304 (84%)	244 (96%)	10 (4%)	27	41
All	All	495/608 (81%)	474 (96%)	21 (4%)	25	37

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	A	51	GLN
1	A	76	GLU
1	A	102	ASP
1	A	133	GLN
1	A	168	VAL
1	A	207	ARG
1	A	225	LYS
1	A	249	GLU
1	A	348	HIS
1	A	351	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	90	LYS
1	B	110	LYS
1	B	125	GLU
1	B	129	LEU
1	B	136	ARG
1	B	225	LYS
1	B	257	ILE
1	B	331	GLU
1	B	343	ASP
1	B	348	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	A	265	GLN
1	A	276	HIS
1	A	361	HIS
1	B	206	HIS
1	B	251	GLN
1	B	265	GLN
1	B	301	GLN
1	B	327	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	318:GLN	C	319:MSE	N	2.80

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

**Warning:** The R factor obtained from EDS is 0.2759, which does not match the depositor's R factor of 0.207. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	266/351 (75%)	1.44	64 (24%) <b>2</b> <b>3</b>	14, 30, 72, 112	0
1	B	281/351 (80%)	1.18	47 (16%) <b>5</b> <b>6</b>	22, 43, 71, 98	0
All	All	547/702 (77%)	1.30	111 (20%) <b>3</b> <b>4</b>	14, 37, 73, 112	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	199	ALA	4.3
1	A	43	GLU	4.2
1	A	113	GLY	3.9
1	A	225	LYS	3.8
1	B	342	LEU	3.7
1	A	363	PRO	3.7
1	B	362	HIS	3.6
1	A	351	GLU	3.6
1	A	206	HIS	3.6
1	A	55	ALA	3.6
1	B	247	ILE	3.6
1	A	134	LYS	3.6
1	A	44	VAL	3.6
1	B	224	ALA	3.5
1	B	225	LYS	3.5
1	A	39	SER	3.4
1	B	248	ALA	3.4
1	A	168	VAL	3.4
1	B	57	HIS	3.3
1	A	264	LEU	3.3
1	A	260	LEU	3.2
1	A	49	GLN	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	41	ARG	3.1
1	B	250	VAL	3.1
1	A	129	LEU	3.1
1	B	83	SER	3.1
1	A	247	ILE	3.1
1	B	207	ARG	3.1
1	B	339	GLU	3.0
1	B	36	ASP	3.0
1	B	206	HIS	3.0
1	A	127	ILE	2.9
1	B	35	GLU	2.9
1	B	221	LEU	2.9
1	A	40	ALA	2.9
1	B	341	GLN	2.9
1	B	31	VAL	2.8
1	A	305	ARG	2.8
1	A	214	ILE	2.8
1	A	61	ALA	2.8
1	A	106	GLY	2.8
1	A	322	TYR	2.8
1	B	223	LEU	2.8
1	B	337	LEU	2.8
1	A	131	GLN	2.8
1	B	139	GLY	2.8
1	A	266	LEU	2.8
1	A	246	SER	2.7
1	B	32	SER	2.7
1	A	308	GLY	2.7
1	A	209	ASP	2.7
1	B	345	ALA	2.7
1	A	268	VAL	2.7
1	B	167	HIS	2.7
1	A	224	ALA	2.6
1	A	130	LYS	2.6
1	B	278	ALA	2.6
1	B	321	ALA	2.6
1	B	79	PRO	2.6
1	A	51	GLN	2.6
1	A	343	ASP	2.6
1	B	132	GLU	2.6
1	B	245	SER	2.6
1	A	248	ALA	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	361	HIS	2.5
1	A	47	GLN	2.5
1	B	33	LEU	2.5
1	B	34	GLU	2.5
1	B	280	LEU	2.5
1	B	76	GLU	2.5
1	A	302	ARG	2.4
1	B	358	ARG	2.4
1	B	317	VAL	2.4
1	A	304	ILE	2.4
1	B	50	GLN	2.4
1	A	223	LEU	2.4
1	A	353	LEU	2.4
1	B	281	ALA	2.4
1	B	251	GLN	2.4
1	A	201	PHE	2.3
1	A	345	ALA	2.3
1	B	39	SER	2.3
1	A	303	LEU	2.3
1	A	350	ALA	2.3
1	A	267	VAL	2.3
1	B	283	THR	2.3
1	A	346	CYS	2.2
1	A	362	HIS	2.2
1	A	300	LEU	2.2
1	A	342	LEU	2.2
1	A	48	ALA	2.2
1	A	42	ARG	2.2
1	A	96	LYS	2.1
1	B	326	VAL	2.1
1	A	202	ASP	2.1
1	B	125	GLU	2.1
1	A	46	SER	2.1
1	A	207	ARG	2.1
1	A	307	ARG	2.1
1	A	215	THR	2.1
1	A	249	GLU	2.1
1	B	338	ASP	2.1
1	A	263	SER	2.1
1	A	310	SER	2.1
1	B	329	PRO	2.1
1	A	256	ARG	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	214	ILE	2.0
1	B	49	GLN	2.0
1	A	358	ARG	2.0
1	B	168	VAL	2.0
1	B	114	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.