



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2024 – 04:14 PM EDT

PDB ID : 8W1W  
Title : 2.03 angstrom resolution crystal structure of as-isolated KatG from Mycobacterium tuberculosis with an MYW-OOH cofactor  
Authors : Liu, A.; Li, J.  
Deposited on : 2024-02-19  
Resolution : 2.03 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2096 (2.04-2.04)
Clashscore	180529	2229 (2.04-2.04)
Ramachandran outliers	177936	2217 (2.04-2.04)
Sidechain outliers	177891	2217 (2.04-2.04)
RSRZ outliers	164620	2096 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	741	 86% 10%
1	B	741	 89% 6%
1	C	741	 89% 7%
1	D	741	 90% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	803	-	X	-	-
5	ACT	B	806	-	X	-	-
5	ACT	B	807	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 25482 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase-peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	717	5539	3520	956	1044	19	0	1	0
1	B	717	5545	3524	956	1046	19	0	2	0
1	C	717	5539	3520	956	1044	19	0	1	0
1	D	717	5539	3520	956	1044	19	0	1	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP A0A0D5ZBI4
A	1	HIS	-	expression tag	UNP A0A0D5ZBI4
B	0	GLY	-	expression tag	UNP A0A0D5ZBI4
B	1	HIS	-	expression tag	UNP A0A0D5ZBI4
C	0	GLY	-	expression tag	UNP A0A0D5ZBI4
C	1	HIS	-	expression tag	UNP A0A0D5ZBI4
D	0	GLY	-	expression tag	UNP A0A0D5ZBI4
D	1	HIS	-	expression tag	UNP A0A0D5ZBI4

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0


- Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	733	Total O 733 733	0	0
6	B	762	Total O 762 762	0	0
6	C	763	Total O 763 763	0	0
6	D	810	Total O 810 810	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalase-peroxidase

Chain A:  86% 10%





- Molecule 1: Catalase-peroxidase

Chain B:  89% 6%




- Molecule 1: Catalase-peroxidase

Chain C:  89% 7%








- Molecule 1: Catalase-peroxidase

Chain D: 90% 7%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	150.67Å 150.67Å 311.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.99 – 2.03 47.99 – 2.03	Depositor EDS
% Data completeness (in resolution range)	90.3 (47.99-2.03) 83.3 (47.99-2.03)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.66 (at 2.03Å)	Xtrriage
Refinement program	PHENIX 1.10.1	Depositor
R, $R_{free}$	0.166 , 0.223 0.166 , 0.223	Depositor DCC
$R_{free}$ test set	204781 reflections (0.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.0	Xtrriage
Anisotropy	0.319	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 40.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	25482	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 71.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6753e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TOX, ACT, GOL, HEM, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.00	13/5674 (0.2%)	0.95	17/7720 (0.2%)
1	B	0.99	7/5683 (0.1%)	0.91	12/7732 (0.2%)
1	C	1.01	10/5674 (0.2%)	0.94	16/7720 (0.2%)
1	D	0.98	6/5674 (0.1%)	0.93	19/7720 (0.2%)
All	All	0.99	36/22705 (0.2%)	0.93	64/30892 (0.2%)

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	219	PRO	N-CD	-9.70	1.34	1.47
1	B	68	VAL	CB-CG1	-9.53	1.32	1.52
1	C	195	GLU	CG-CD	8.68	1.65	1.51
1	A	651	GLU	CD-OE2	8.38	1.34	1.25
1	C	452	GLU	CG-CD	7.81	1.63	1.51
1	D	81	GLU	CG-CD	7.26	1.62	1.51
1	C	195	GLU	CB-CG	7.23	1.65	1.52
1	A	423	VAL	CB-CG2	-7.16	1.37	1.52
1	A	423	VAL	CB-CG1	-6.86	1.38	1.52
1	C	192	GLU	CG-CD	6.79	1.62	1.51
1	B	582	GLU	CG-CD	6.70	1.61	1.51
1	B	709	GLU	CG-CD	6.62	1.61	1.51
1	D	192	GLU	CB-CG	-6.49	1.39	1.52
1	C	549	CYS	CB-SG	6.30	1.93	1.82
1	C	249	ARG	CG-CD	6.18	1.67	1.51
1	C	577	GLU	CG-CD	6.14	1.61	1.51
1	D	54	VAL	CB-CG2	-6.11	1.40	1.52
1	A	140	SER	CB-OG	-5.73	1.34	1.42
1	A	73	VAL	CB-CG1	-5.53	1.41	1.52
1	B	703	GLU	CG-CD	5.42	1.60	1.51
1	A	246	VAL	CB-CG2	5.37	1.64	1.52
1	A	703	GLU	CD-OE2	-5.32	1.19	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	315	SER	CB-OG	5.32	1.49	1.42
1	D	81	GLU	CD-OE2	5.28	1.31	1.25
1	D	260	VAL	CB-CG1	5.27	1.64	1.52
1	C	703	GLU	CB-CG	-5.18	1.42	1.52
1	A	397	TRP	CE3-CZ3	5.14	1.47	1.38
1	B	538	VAL	CB-CG2	-5.13	1.42	1.52
1	B	81	GLU	CG-CD	5.11	1.59	1.51
1	A	73	VAL	CB-CG2	5.10	1.63	1.52
1	A	192	GLU	CG-CD	5.07	1.59	1.51
1	D	553	GLU	CD-OE1	-5.07	1.20	1.25
1	A	608	TYR	CD2-CE2	-5.06	1.31	1.39
1	A	651	GLU	CD-OE1	5.05	1.31	1.25
1	A	260	VAL	CB-CG1	-5.04	1.42	1.52
1	B	423	VAL	CB-CG1	-5.04	1.42	1.52

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	ARG	NE-CZ-NH1	-12.56	114.02	120.30
1	D	42	ARG	NE-CZ-NH1	-10.57	115.01	120.30
1	A	207	ASP	CB-CG-OD2	9.96	127.27	118.30
1	D	296	MET	CG-SD-CE	-8.03	87.35	100.20
1	C	42	ARG	NE-CZ-NH1	-7.75	116.43	120.30
1	A	114	ARG	NE-CZ-NH1	-7.52	116.54	120.30
1	A	42	ARG	NE-CZ-NH2	7.38	123.99	120.30
1	B	571	ARG	NE-CZ-NH2	7.25	123.92	120.30
1	C	452	GLU	OE1-CD-OE2	-6.94	114.97	123.30
1	D	56	ASP	CB-CG-OD1	6.92	124.52	118.30
1	A	137	ASP	CB-CG-OD2	6.71	124.34	118.30
1	A	463	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	C	715	ASP	CB-CG-OD1	6.64	124.28	118.30
1	D	632	ARG	NE-CZ-NH1	6.53	123.56	120.30
1	D	194	ASP	CB-CG-OD1	-6.42	112.52	118.30
1	A	207	ASP	CB-CG-OD1	-6.38	112.56	118.30
1	A	249	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	D	580	ASP	CB-CG-OD1	6.23	123.90	118.30
1	C	580	ASP	CB-CG-OD1	6.11	123.80	118.30
1	C	440	ASP	CB-CG-OD1	6.07	123.76	118.30
1	C	249	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	D	329	ASP	CB-CG-OD1	6.02	123.71	118.30
1	B	440	ASP	CB-CG-OD1	5.97	123.68	118.30
1	D	329	ASP	CB-CG-OD2	-5.93	112.96	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	661	LEU	CB-CG-CD2	-5.88	101.00	111.00
1	D	497	ILE	CG1-CB-CG2	-5.84	98.54	111.40
1	C	195	GLU	OE1-CD-OE2	-5.84	116.30	123.30
1	C	736	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	D	207	ASP	CB-CG-OD1	5.76	123.48	118.30
1	A	509	ASP	CB-CG-OD2	5.74	123.47	118.30
1	B	207	ASP	CB-CG-OD1	5.64	123.38	118.30
1	B	249	ARG	NE-CZ-NH1	5.63	123.11	120.30
1	A	740	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	C	498	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	C	373	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	D	425	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	B	56	ASP	CB-CG-OD1	5.47	123.22	118.30
1	B	516	LYS	CD-CE-NZ	-5.46	99.15	111.70
1	D	249	ARG	NE-CZ-NH2	-5.45	117.57	120.30
1	D	42	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	C	45	LEU	CA-CB-CG	-5.44	102.78	115.30
1	B	74	ASP	CB-CG-OD1	5.40	123.16	118.30
1	C	484	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	B	117	ASP	CB-CG-OD1	5.38	123.14	118.30
1	A	381	ASP	CB-CG-OD2	-5.33	113.51	118.30
1	A	416	ILE	CG1-CB-CG2	-5.32	99.70	111.40
1	A	651	GLU	OE1-CD-OE2	5.32	129.68	123.30
1	C	385	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	A	194	ASP	CB-CG-OD2	5.28	123.05	118.30
1	A	521	LEU	CB-CG-CD1	-5.27	102.05	111.00
1	B	661	LEU	CB-CG-CD2	-5.26	102.06	111.00
1	B	385	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	D	705	ARG	NE-CZ-NH2	5.23	122.91	120.30
1	D	736	ARG	NE-CZ-NH1	5.23	122.91	120.30
1	C	200	LYS	CD-CE-NZ	5.21	123.68	111.70
1	B	254	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	D	385	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	C	509	ASP	CB-CG-OD1	5.12	122.91	118.30
1	D	45	LEU	CB-CG-CD2	-5.06	102.40	111.00
1	D	675	ASP	CB-CG-OD2	5.04	122.83	118.30
1	A	56	ASP	CB-CG-OD1	5.02	122.82	118.30
1	B	58	MET	C-N-CA	-5.02	111.75	122.30
1	C	179	LYS	CD-CE-NZ	5.02	123.25	111.70
1	A	71	ILE	CG1-CB-CG2	-5.00	100.39	111.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5539	0	5367	39	0
1	B	5545	0	5373	27	0
1	C	5539	0	5367	24	0
1	D	5539	0	5367	23	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
2	C	43	0	30	0	0
2	D	43	0	30	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	12	0	16	1	0
4	B	18	0	23	1	0
4	C	18	0	24	1	0
4	D	12	0	15	1	0
5	A	4	0	3	0	0
5	B	8	0	6	2	0
5	D	4	0	3	1	0
6	A	733	0	0	10	1
6	B	762	0	0	10	1
6	C	763	0	0	6	0
6	D	810	0	0	5	0
All	All	25482	0	21684	114	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:326:THR:C	1:D:327:LYS:HD3	1.86	0.95

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:TYR:CD2	1:B:418[B]:ARG:HD3	2.18	0.78
1:A:64:TYR:CZ	1:A:68:VAL:CG1	2.69	0.74
1:A:70:THR:HG21	1:A:158:LYS:NZ	2.07	0.70
1:B:81:GLU:HG2	6:B:1420:HOH:O	1.92	0.68
1:A:64:TYR:O	1:A:68:VAL:HG22	1.95	0.67
1:A:181:PHE:CE2	1:A:432:PRO:HG3	2.32	0.65
1:A:64:TYR:CE1	1:A:68:VAL:HG13	2.33	0.64
1:B:418[B]:ARG:NH2	6:B:902:HOH:O	2.22	0.63
1:A:64:TYR:CZ	1:A:68:VAL:HG13	2.34	0.63
1:A:345:LYS:HE2	1:A:351:TRP:CD2	2.35	0.62
1:A:345:LYS:HE2	1:A:351:TRP:CE3	2.37	0.60
1:A:557:LYS:HE3	1:A:562:ASN:HD21	1.68	0.58
1:A:610:LEU:HD22	1:A:694:VAL:HG13	1.87	0.55
1:D:326:THR:O	1:D:327:LYS:HD3	2.06	0.55
1:C:366:ASP:OD1	1:C:367:PRO:HD2	2.06	0.55
1:C:179:LYS:HE3	1:C:180:THR:O	2.05	0.55
1:B:418[B]:ARG:HD2	6:B:936:HOH:O	2.06	0.54
1:A:70:THR:HG21	1:A:158:LYS:HZ2	1.71	0.54
6:A:1007:HOH:O	5:D:805:ACT:H2	2.08	0.54
1:C:274:LYS:HB2	1:C:320:VAL:HG22	1.91	0.53
1:B:160:SER:HA	4:B:803:GOL:H12	1.90	0.53
1:B:519:ARG:O	1:B:523:GLU:HG3	2.09	0.53
1:C:51:ASN:ND2	1:C:190:GLN:HG2	2.23	0.53
1:C:731:VAL:HA	1:C:734:LEU:HG	1.91	0.52
1:A:682:ASP:OD1	1:A:684:SER:HB3	2.10	0.51
1:B:179:LYS:H	5:B:807:ACT:H1	1.76	0.51
1:B:330:ASN:O	1:B:334:GLU:HG3	2.10	0.51
1:A:447:HIS:HB3	1:A:535:ASN:O	2.11	0.51
1:B:717:GLN:HB3	6:B:1535:HOH:O	2.11	0.50
4:D:803:GOL:H12	6:D:1385:HOH:O	2.12	0.50
1:C:506:GLU:HG2	6:C:1500:HOH:O	2.12	0.48
1:D:505:TRP:CG	1:D:588:GLU:HG3	2.49	0.48
1:A:108:HIS:CE1	1:A:137:ASP:O	2.67	0.48
1:A:64:TYR:CZ	1:A:68:VAL:HG11	2.46	0.48
1:D:327:LYS:HD3	1:D:327:LYS:N	2.28	0.48
1:C:463:ARG:HD2	6:C:937:HOH:O	2.13	0.48
6:B:1485:HOH:O	1:C:715:ASP:HB3	2.14	0.47
1:C:93:ALA:HB2	1:C:98:TYR:CZ	2.49	0.47
1:C:255:MET:O	1:C:418[B]:ARG:NH1	2.48	0.47
1:A:462:ILE:HG21	1:A:547:GLY:HA2	1.97	0.47
1:B:238:ASN:ND2	6:B:924:HOH:O	2.42	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:722:GLN:NE2	6:B:928:HOH:O	2.44	0.47
1:C:345:LYS:HE3	6:C:1027:HOH:O	2.14	0.47
1:D:402:GLU:OE1	1:D:402:GLU:N	2.35	0.46
1:D:651:GLU:HG2	6:D:990:HOH:O	2.15	0.46
1:C:615:ASN:OD1	4:C:805:GOL:H32	2.15	0.46
1:B:432:PRO:HB2	6:B:1379:HOH:O	2.16	0.46
1:A:258:ASN:HB2	6:A:1117:HOH:O	2.16	0.46
1:C:62:PHE:CE1	1:C:157:LYS:HE3	2.51	0.46
1:D:645:VAL:HG12	1:D:645:VAL:O	2.16	0.45
1:D:515:ARG:HD3	6:D:1482:HOH:O	2.15	0.45
1:B:139:ALA:HA	1:B:300:TRP:CZ3	2.52	0.45
1:A:50:GLN:HG2	6:A:1400:HOH:O	2.16	0.45
1:B:337:TYR:CE1	1:B:385:ARG:HG3	2.51	0.45
1:D:340:GLU:HB3	1:D:356:LYS:HE2	1.98	0.45
1:A:557:LYS:HE3	1:A:562:ASN:ND2	2.32	0.45
1:B:731:VAL:HA	1:B:734:LEU:HG	1.99	0.45
1:D:179:LYS:HA	1:D:179:LYS:HD2	1.82	0.45
1:B:68:VAL:O	1:B:71:ILE:HG22	2.17	0.44
1:B:142:ASP:OD1	1:B:142:ASP:N	2.48	0.44
1:B:435:THR:HG21	6:B:1555:HOH:O	2.17	0.44
1:B:24:GLY:O	1:B:25:HIS:ND1	2.50	0.44
1:A:339:TYR:OH	6:A:901:HOH:O	2.20	0.44
1:C:139:ALA:HA	1:C:300:TRP:CZ3	2.52	0.44
1:D:415:LEU:HA	1:D:418[B]:ARG:HD3	2.00	0.44
1:A:213:LYS:HE3	6:A:1530:HOH:O	2.17	0.44
1:A:152:LYS:NZ	4:A:803:GOL:H2	2.33	0.44
1:C:179:LYS:HA	1:C:179:LYS:HD2	1.81	0.44
1:A:67:GLU:O	1:A:70:THR:HB	2.18	0.43
1:B:418[A]:ARG:HA	1:B:418[A]:ARG:HD2	1.87	0.43
1:D:698:PHE:HB3	1:D:708:VAL:HG21	2.00	0.43
1:B:177:GLY:O	5:B:807:ACT:H3	2.19	0.43
1:B:238:ASN:OD1	1:D:238:ASN:HB2	2.18	0.43
1:D:418[B]:ARG:H	1:D:418[B]:ARG:HG2	1.66	0.43
1:D:342:GLU:HB3	1:D:356:LYS:HG2	2.01	0.43
1:A:68:VAL:HG21	1:A:427:LEU:HD12	2.00	0.43
1:D:326:THR:H	1:D:327:LYS:NZ	2.16	0.43
1:C:59:GLY:O	6:C:901:HOH:O	2.21	0.42
1:A:671:SER:HB3	6:A:1085:HOH:O	2.17	0.42
1:B:528:PHE:CE2	1:B:538:VAL:HG23	2.54	0.42
1:C:651:GLU:HG2	6:C:1091:HOH:O	2.20	0.42
1:A:64:TYR:CE2	1:A:68:VAL:HG11	2.54	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:THR:O	1:A:377:MET:HG2	2.18	0.42
1:D:415:LEU:O	1:D:418[B]:ARG:HG2	2.20	0.42
1:A:44:ASN:OD1	1:A:46:LYS:HG3	2.19	0.42
1:D:327:LYS:N	1:D:327:LYS:CD	2.83	0.42
1:B:271:THR:HG23	6:B:976:HOH:O	2.20	0.42
1:A:113:TYR:HE1	1:A:487:ASP:HB3	1.85	0.41
1:A:357:ASP:N	6:A:947:HOH:O	2.53	0.41
1:C:651:GLU:HG2	6:C:931:HOH:O	2.19	0.41
1:D:239:PRO:HD3	1:D:351:TRP:CD1	2.55	0.41
1:D:516:LYS:HE2	6:D:1024:HOH:O	2.21	0.41
1:A:630:GLY:HA3	1:A:724:PHE:CE1	2.55	0.41
1:B:67:GLU:HB3	1:B:158:LYS:HA	2.03	0.41
1:C:139:ALA:HA	1:C:300:TRP:CH2	2.56	0.41
1:C:134:SER:HB3	1:C:287:GLU:HG3	2.02	0.41
1:A:95:TYR:CD1	1:A:367:PRO:HA	2.56	0.41
1:A:740:ARG:NE	6:A:921:HOH:O	2.43	0.41
1:B:36:GLN:NE2	1:B:42:ARG:HG2	2.36	0.41
1:B:317:ILE:HG21	1:B:378:LEU:CD2	2.50	0.41
1:D:532:ALA:HB1	1:D:533:PRO:HD2	2.02	0.41
1:A:418[B]:ARG:NE	6:A:906:HOH:O	2.34	0.41
1:C:207:ASP:HB2	1:C:224:GLN:HG2	2.02	0.41
1:C:324:THR:HB	1:C:327:LYS:HB3	2.03	0.41
1:D:45:LEU:HD23	1:D:611:LEU:HD21	2.02	0.41
1:A:502:GLN:HG2	1:A:505:TRP:CH2	2.56	0.41
1:A:70:THR:HG21	1:A:158:LYS:HZ1	1.81	0.40
1:A:337:TYR:CE1	1:A:385:ARG:HG3	2.56	0.40
1:C:105:MET:HB2	1:C:141:LEU:HD22	2.04	0.40
1:A:100:PRO:HD2	6:A:1197:HOH:O	2.21	0.40
1:C:418[A]:ARG:HA	1:C:418[A]:ARG:HD2	1.91	0.40
1:A:343:LEU:HG	1:A:351:TRP:CE3	2.57	0.40
1:D:563:ILE:HG13	6:D:1375:HOH:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:1149:HOH:O	6:B:1149:HOH:O[8_445]	2.18	0.02
6:A:1415:HOH:O	6:A:1575:HOH:O[6_445]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	715/741 (96%)	698 (98%)	17 (2%)	0	100	100
1	B	716/741 (97%)	700 (98%)	16 (2%)	0	100	100
1	C	715/741 (96%)	698 (98%)	17 (2%)	0	100	100
1	D	715/741 (96%)	697 (98%)	18 (2%)	0	100	100
All	All	2861/2964 (96%)	2793 (98%)	68 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	565/583 (97%)	554 (98%)	11 (2%)	52	50
1	B	566/583 (97%)	561 (99%)	5 (1%)	75	77
1	C	565/583 (97%)	561 (99%)	4 (1%)	81	83
1	D	565/583 (97%)	559 (99%)	6 (1%)	70	71
All	All	2261/2332 (97%)	2235 (99%)	26 (1%)	67	71

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	136	PRO
1	A	137	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	175	SER
1	A	179	LYS
1	A	200	LYS
1	A	395	ARG
1	A	511	ASP
1	A	527	SER
1	A	554	LYS
1	A	557	LYS
1	A	740	ARG
1	B	42	ARG
1	B	137	ASP
1	B	179	LYS
1	B	195	GLU
1	B	374	SER
1	C	137	ASP
1	C	179	LYS
1	C	543	LEU
1	C	590	LYS
1	D	137	ASP
1	D	194	ASP
1	D	214	ARG
1	D	426	TYR
1	D	457	SER
1	D	511	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	562	ASN
1	B	400	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	TOX	D	107	1	11,17,18	1.98	3 (27%)	8,23,25	2.89	4 (50%)
1	TOX	C	107	1	11,17,18	2.23	2 (18%)	8,23,25	2.36	3 (37%)
1	TOX	B	107	2,1	11,17,18	1.65	3 (27%)	8,23,25	2.41	3 (37%)
1	TOX	A	107	1	11,17,18	2.05	2 (18%)	8,23,25	2.03	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TOX	D	107	1	-	2/4/8/10	0/2/2/2
1	TOX	C	107	1	-	2/4/8/10	0/2/2/2
1	TOX	B	107	2,1	-	2/4/8/10	0/2/2/2
1	TOX	A	107	1	-	2/4/8/10	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	107	TOX	CD1-NE1	-5.91	1.33	1.39
1	D	107	TOX	CD1-NE1	-5.00	1.34	1.39
1	C	107	TOX	CD1-CG	-4.65	1.32	1.37
1	C	107	TOX	CD1-NE1	-4.19	1.35	1.39
1	B	107	TOX	CE3-CD2	-2.76	1.36	1.42
1	B	107	TOX	CH2-CZ3	2.51	1.43	1.38
1	D	107	TOX	CD1-CG	-2.40	1.34	1.37
1	D	107	TOX	CB-CA	2.33	1.58	1.53
1	B	107	TOX	CB-CA	2.10	1.58	1.53
1	A	107	TOX	CE3-CD2	-2.04	1.38	1.42

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	107	TOX	CB-CG-CD1	-5.27	121.59	126.80

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	107	TOX	CB-CG-CD1	-4.76	122.09	126.80
1	B	107	TOX	CB-CG-CD1	-4.65	122.20	126.80
1	D	107	TOX	CZ3-CH2-CZ2	-4.58	114.28	120.40
1	A	107	TOX	CB-CG-CD1	-3.68	123.16	126.80
1	B	107	TOX	CB-CG-CD2	3.49	131.68	126.25
1	C	107	TOX	CZ3-CH2-CZ2	-3.12	116.22	120.40
1	A	107	TOX	CB-CG-CD2	2.97	130.87	126.25
1	B	107	TOX	CZ3-CH2-CZ2	-2.93	116.48	120.40
1	D	107	TOX	CH2-CZ3-CE3	2.79	124.14	120.40
1	C	107	TOX	CB-CG-CD2	2.77	130.56	126.25
1	D	107	TOX	CB-CG-CD2	2.24	129.74	126.25

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	107	TOX	N-CA-CB-CG
1	A	107	TOX	C-CA-CB-CG
1	B	107	TOX	N-CA-CB-CG
1	B	107	TOX	C-CA-CB-CG
1	C	107	TOX	N-CA-CB-CG
1	C	107	TOX	C-CA-CB-CG
1	D	107	TOX	N-CA-CB-CG
1	D	107	TOX	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 4 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	B	804	-	5,5,5	0.71	0	5,5,5	1.55	1 (20%)
2	HEM	C	801	1	42,50,50	1.77	11 (26%)	46,82,82	1.86	12 (26%)
2	HEM	D	801	1	42,50,50	1.71	10 (23%)	46,82,82	1.25	4 (8%)
4	GOL	C	805	-	5,5,5	0.75	0	5,5,5	1.14	0
5	ACT	B	806	-	3,3,3	1.30	1 (33%)	3,3,3	2.02	2 (66%)
4	GOL	C	804	-	5,5,5	0.71	0	5,5,5	2.28	2 (40%)
2	HEM	B	801	1	42,50,50	1.60	6 (14%)	46,82,82	1.26	6 (13%)
2	HEM	A	801	1	42,50,50	1.92	8 (19%)	46,82,82	1.27	7 (15%)
4	GOL	D	804	-	5,5,5	0.52	0	5,5,5	0.40	0
4	GOL	D	803	-	5,5,5	1.49	1 (20%)	5,5,5	2.04	2 (40%)
4	GOL	A	803	-	5,5,5	1.19	1 (20%)	5,5,5	2.09	4 (80%)
5	ACT	D	805	-	3,3,3	1.30	1 (33%)	3,3,3	0.45	0
4	GOL	B	803	-	5,5,5	0.54	0	5,5,5	0.83	0
4	GOL	C	803	-	5,5,5	0.38	0	5,5,5	0.59	0
4	GOL	A	804	-	5,5,5	0.43	0	5,5,5	0.69	0
4	GOL	B	805	-	5,5,5	0.82	0	5,5,5	0.99	0
5	ACT	A	805	-	3,3,3	1.22	0	3,3,3	1.94	2 (66%)
5	ACT	B	807	-	3,3,3	0.90	0	3,3,3	1.63	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. <sup>1,2</sup> means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	804	-	-	3/4/4/4	-
2	HEM	C	801	1	-	2/12/54/54	-
2	HEM	D	801	1	-	3/12/54/54	-
4	GOL	C	805	-	-	4/4/4/4	-
4	GOL	C	804	-	-	1/4/4/4	-
2	HEM	B	801	1	-	3/12/54/54	-
2	HEM	A	801	1	-	3/12/54/54	-
4	GOL	D	804	-	-	1/4/4/4	-
4	GOL	D	803	-	-	2/4/4/4	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	803	-	-	2/4/4/4	-
4	GOL	B	803	-	-	1/4/4/4	-
4	GOL	C	803	-	-	0/4/4/4	-
4	GOL	A	804	-	-	1/4/4/4	-
4	GOL	B	805	-	-	1/4/4/4	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C3C-C2C	-6.91	1.31	1.40
2	B	801	HEM	C3C-C2C	-5.33	1.33	1.40
2	D	801	HEM	C3C-C2C	-4.79	1.33	1.40
2	A	801	HEM	CMD-C2D	4.48	1.59	1.50
2	C	801	HEM	C3C-C2C	-3.61	1.35	1.40
2	B	801	HEM	CAB-C3B	3.48	1.56	1.47
2	A	801	HEM	C3B-C2B	-3.42	1.30	1.37
2	C	801	HEM	C3C-C4C	3.42	1.46	1.41
2	A	801	HEM	CAB-C3B	3.36	1.56	1.47
4	D	803	GOL	O2-C2	-3.24	1.34	1.43
2	C	801	HEM	C3B-C2B	-3.18	1.30	1.37
2	D	801	HEM	C3B-C2B	-3.15	1.30	1.37
2	C	801	HEM	C1B-NB	-3.12	1.34	1.40
2	C	801	HEM	C3C-CAC	3.08	1.54	1.47
2	D	801	HEM	C3C-CAC	2.85	1.54	1.47
2	D	801	HEM	C4B-NB	-2.79	1.33	1.38
2	C	801	HEM	CMB-C2B	2.75	1.56	1.50
2	C	801	HEM	C3D-C2D	-2.71	1.30	1.36
2	D	801	HEM	C4D-ND	-2.65	1.35	1.40
2	B	801	HEM	C3B-C2B	-2.65	1.31	1.37
2	A	801	HEM	CMB-C2B	2.63	1.56	1.50
2	C	801	HEM	CAB-C3B	2.62	1.54	1.47
2	D	801	HEM	C3C-C4C	2.62	1.45	1.41
4	A	803	GOL	O3-C3	2.61	1.53	1.42
2	B	801	HEM	CMD-C2D	2.46	1.55	1.50
2	D	801	HEM	CMD-C2D	2.45	1.55	1.50
2	D	801	HEM	CAB-C3B	2.45	1.53	1.47
2	B	801	HEM	CMB-C2B	2.44	1.55	1.50
2	A	801	HEM	CMA-C3A	2.28	1.56	1.51
2	C	801	HEM	CMD-C2D	2.25	1.55	1.50
5	D	805	ACT	O-C	2.21	1.31	1.22
2	D	801	HEM	O2A-CGA	-2.19	1.23	1.30
2	C	801	HEM	C4D-ND	-2.17	1.36	1.40

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	CHA-C4D	2.16	1.39	1.34
2	B	801	HEM	C2A-C3A	-2.13	1.31	1.37
5	B	806	ACT	O-C	2.12	1.31	1.22
2	D	801	HEM	CAD-C3D	2.11	1.56	1.51
2	C	801	HEM	O2A-CGA	-2.10	1.23	1.30
2	A	801	HEM	C3C-C4C	2.06	1.44	1.41

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	HEM	C4C-CHD-C1D	6.08	130.58	122.56
2	D	801	HEM	CAA-CBA-CGA	-4.15	102.65	113.83
2	C	801	HEM	CMA-C3A-C4A	-4.04	122.54	128.46
2	B	801	HEM	CAA-CBA-CGA	-3.87	103.40	113.83
2	D	801	HEM	C4B-CHC-C1C	3.76	127.52	122.56
2	A	801	HEM	C4B-CHC-C1C	3.67	127.40	122.56
4	D	803	GOL	O3-C3-C2	-3.66	93.92	110.38
2	A	801	HEM	C4C-CHD-C1D	3.61	127.32	122.56
4	C	804	GOL	O2-C2-C3	-3.38	95.17	109.18
2	C	801	HEM	C3B-C4B-NB	-3.16	107.20	109.47
2	C	801	HEM	C4B-CHC-C1C	3.05	126.58	122.56
2	C	801	HEM	CMC-C2C-C3C	2.96	130.60	124.68
2	A	801	HEM	O2A-CGA-O1A	-2.96	115.72	123.33
2	C	801	HEM	CAA-CBA-CGA	-2.95	105.89	113.83
2	C	801	HEM	CHC-C4B-NB	2.94	127.60	124.44
2	C	801	HEM	CBA-CAA-C2A	2.88	117.39	112.54
2	A	801	HEM	CAA-CBA-CGA	-2.86	106.12	113.83
4	C	804	GOL	C3-C2-C1	-2.68	101.97	111.80
5	B	806	ACT	OXT-C-CH3	2.62	126.03	115.05
4	B	804	GOL	O2-C2-C1	2.61	120.00	109.18
2	B	801	HEM	CMC-C2C-C3C	2.54	129.76	124.68
4	A	803	GOL	O2-C2-C3	2.54	119.70	109.18
2	A	801	HEM	CBA-CAA-C2A	2.51	116.76	112.54
5	A	805	ACT	OXT-C-O	-2.47	112.86	122.03
2	B	801	HEM	C4A-C3A-C2A	2.44	108.69	107.00
2	D	801	HEM	C4A-C3A-C2A	2.36	108.64	107.00
2	C	801	HEM	O2D-CGD-CBD	2.31	121.31	114.00
5	B	806	ACT	O-C-CH3	-2.31	113.06	122.53
5	A	805	ACT	OXT-C-CH3	2.29	124.63	115.05
2	A	801	HEM	CMC-C2C-C3C	2.21	129.09	124.68
2	B	801	HEM	CHB-C1B-NB	2.20	127.11	124.37
4	A	803	GOL	O3-C3-C2	2.20	120.28	110.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	803	GOL	C3-C2-C1	2.18	119.80	111.80
2	C	801	HEM	CMA-C3A-C2A	2.16	129.01	124.94
4	A	803	GOL	O2-C2-C1	2.15	118.07	109.18
4	A	803	GOL	C3-C2-C1	2.12	119.57	111.80
2	A	801	HEM	O2A-CGA-CBA	2.11	120.67	114.00
2	B	801	HEM	O2D-CGD-CBD	2.10	120.65	114.00
2	C	801	HEM	C4A-C3A-C2A	2.09	108.45	107.00
2	D	801	HEM	CMC-C2C-C3C	2.06	128.80	124.68
5	B	807	ACT	OXT-C-CH3	2.04	123.60	115.05
2	B	801	HEM	C4B-CHC-C1C	2.04	125.24	122.56
2	C	801	HEM	C4B-C3B-C2B	2.03	109.15	107.28

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	804	GOL	O1-C1-C2-C3
4	B	804	GOL	C1-C2-C3-O3
4	C	805	GOL	C1-C2-C3-O3
4	D	803	GOL	C1-C2-C3-O3
4	A	804	GOL	C1-C2-C3-O3
4	C	805	GOL	O1-C1-C2-C3
4	B	804	GOL	O1-C1-C2-O2
4	D	803	GOL	O2-C2-C3-O3
4	A	803	GOL	O2-C2-C3-O3
4	C	805	GOL	O2-C2-C3-O3
4	A	803	GOL	O1-C1-C2-O2
4	C	804	GOL	O1-C1-C2-O2
4	D	804	GOL	O1-C1-C2-O2
4	B	805	GOL	O2-C2-C3-O3
4	C	805	GOL	O1-C1-C2-O2
4	B	803	GOL	C1-C2-C3-O3
2	B	801	HEM	CAA-CBA-CGA-O2A
2	B	801	HEM	CAA-CBA-CGA-O1A
2	C	801	HEM	CAA-CBA-CGA-O2A
2	A	801	HEM	CAA-CBA-CGA-O2A
2	C	801	HEM	CAA-CBA-CGA-O1A
2	D	801	HEM	CAA-CBA-CGA-O2A
2	A	801	HEM	CAA-CBA-CGA-O1A
2	D	801	HEM	CAA-CBA-CGA-O1A
2	A	801	HEM	CAD-CBD-CGD-O2D
2	D	801	HEM	CAD-CBD-CGD-O2D

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	B	801	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	805	GOL	1	0
4	D	803	GOL	1	0
4	A	803	GOL	1	0
5	D	805	ACT	1	0
4	B	803	GOL	1	0
5	B	807	ACT	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	716/741 (96%)	-0.57	3 (0%) 89 90	7, 16, 30, 46	1 (0%)
1	B	716/741 (96%)	-0.50	3 (0%) 89 90	7, 17, 31, 48	2 (0%)
1	C	716/741 (96%)	-0.65	2 (0%) 90 92	7, 14, 26, 41	1 (0%)
1	D	716/741 (96%)	-0.67	2 (0%) 90 92	7, 14, 27, 43	1 (0%)
All	All	2864/2964 (96%)	-0.60	10 (0%) 90 92	7, 15, 29, 48	5 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	533	PRO	3.0
1	B	531	ALA	2.9
1	B	532	ALA	2.9
1	D	673	ALA	2.3
1	C	511	ASP	2.2
1	D	59	GLY	2.2
1	A	533	PRO	2.2
1	C	512	GLY	2.2
1	A	684	SER	2.1
1	A	357	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	TOX	A	107	16/17	0.96	0.05	8,10,15,16	0
1	TOX	B	107	16/17	0.96	0.07	8,10,13,18	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	TOX	D	107	16/17	0.96	0.06	6,8,12,15	0
1	TOX	C	107	16/17	0.97	0.06	7,9,14,16	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	ACT	B	807	4/4	0.69	0.16	19,34,34,38	0
5	ACT	A	805	4/4	0.75	0.17	22,26,29,33	0
5	ACT	B	806	4/4	0.83	0.13	17,22,25,27	0
4	GOL	C	805	6/6	0.88	0.12	18,24,28,28	0
4	GOL	D	804	6/6	0.90	0.13	18,25,30,37	0
5	ACT	D	805	4/4	0.90	0.13	18,21,21,28	0
4	GOL	A	803	6/6	0.91	0.09	15,18,19,20	0
4	GOL	B	805	6/6	0.91	0.11	20,22,28,31	0
4	GOL	B	804	6/6	0.92	0.10	20,22,23,29	0
3	NA	D	802	1/1	0.94	0.04	15,15,15,15	0
4	GOL	A	804	6/6	0.95	0.09	16,19,22,29	0
4	GOL	C	804	6/6	0.95	0.11	14,18,20,25	0
4	GOL	C	803	6/6	0.96	0.06	14,16,17,20	0
4	GOL	D	803	6/6	0.97	0.07	14,15,16,17	0
4	GOL	B	803	6/6	0.97	0.06	15,15,17,19	0
3	NA	B	802	1/1	0.97	0.05	15,15,15,15	0
3	NA	C	802	1/1	0.98	0.04	19,19,19,19	0
2	HEM	A	801	43/43	0.98	0.06	9,12,14,16	0
2	HEM	C	801	43/43	0.99	0.04	7,10,12,15	0
2	HEM	D	801	43/43	0.99	0.04	6,10,12,12	0
3	NA	A	802	1/1	0.99	0.04	16,16,16,16	0
2	HEM	B	801	43/43	0.99	0.05	8,11,13,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different






orientation to approximate a three-dimensional view.






**Electron density around HEM C 801:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM D 801:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.