



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2024 – 03:54 PM EST

PDB ID : 8W21  
Title : Crystal Structure of Enolase from Chlamydia trachomatis (P43212 Form)  
Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural Genomics Center for Infectious Disease (SSGCID)  
Deposited on : 2024-02-19  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	
1	B	432	
1	C	432	
1	D	432	
1	E	432	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	432	 3% 89% 9%
1	G	432	 3% 90% 7%
1	H	432	 3% 89% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PEG	F	501	-	-	X	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 26105 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	417	Total 3155	C 1982	N 533	O 626	S 14	0	5	0
1	B	421	Total 3171	C 1991	N 535	O 631	S 14	0	3	0
1	C	422	Total 3161	C 1983	N 531	O 633	S 14	0	2	0
1	D	422	Total 3185	C 2001	N 537	O 633	S 14	0	4	0
1	E	418	Total 3154	C 1981	N 531	O 628	S 14	0	4	0
1	F	422	Total 3165	C 1986	N 532	O 633	S 14	0	2	0
1	G	422	Total 3172	C 1990	N 534	O 634	S 14	0	4	0
1	H	422	Total 3161	C 1983	N 531	O 633	S 14	0	2	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP O84591
A	-6	ALA	-	expression tag	UNP O84591
A	-5	HIS	-	expression tag	UNP O84591
A	-4	HIS	-	expression tag	UNP O84591
A	-3	HIS	-	expression tag	UNP O84591
A	-2	HIS	-	expression tag	UNP O84591
A	-1	HIS	-	expression tag	UNP O84591
A	0	HIS	-	expression tag	UNP O84591
A	78	VAL	MET	engineered mutation	UNP O84591
A	178	LYS	THR	engineered mutation	UNP O84591
B	-7	MET	-	initiating methionine	UNP O84591
B	-6	ALA	-	expression tag	UNP O84591
B	-5	HIS	-	expression tag	UNP O84591

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	HIS	-	expression tag	UNP O84591
B	-3	HIS	-	expression tag	UNP O84591
B	-2	HIS	-	expression tag	UNP O84591
B	-1	HIS	-	expression tag	UNP O84591
B	0	HIS	-	expression tag	UNP O84591
B	78	VAL	MET	engineered mutation	UNP O84591
B	178	LYS	THR	engineered mutation	UNP O84591
C	-7	MET	-	initiating methionine	UNP O84591
C	-6	ALA	-	expression tag	UNP O84591
C	-5	HIS	-	expression tag	UNP O84591
C	-4	HIS	-	expression tag	UNP O84591
C	-3	HIS	-	expression tag	UNP O84591
C	-2	HIS	-	expression tag	UNP O84591
C	-1	HIS	-	expression tag	UNP O84591
C	0	HIS	-	expression tag	UNP O84591
C	78	VAL	MET	engineered mutation	UNP O84591
C	178	LYS	THR	engineered mutation	UNP O84591
D	-7	MET	-	initiating methionine	UNP O84591
D	-6	ALA	-	expression tag	UNP O84591
D	-5	HIS	-	expression tag	UNP O84591
D	-4	HIS	-	expression tag	UNP O84591
D	-3	HIS	-	expression tag	UNP O84591
D	-2	HIS	-	expression tag	UNP O84591
D	-1	HIS	-	expression tag	UNP O84591
D	0	HIS	-	expression tag	UNP O84591
D	78	VAL	MET	engineered mutation	UNP O84591
D	178	LYS	THR	engineered mutation	UNP O84591
E	-7	MET	-	initiating methionine	UNP O84591
E	-6	ALA	-	expression tag	UNP O84591
E	-5	HIS	-	expression tag	UNP O84591
E	-4	HIS	-	expression tag	UNP O84591
E	-3	HIS	-	expression tag	UNP O84591
E	-2	HIS	-	expression tag	UNP O84591
E	-1	HIS	-	expression tag	UNP O84591
E	0	HIS	-	expression tag	UNP O84591
E	78	VAL	MET	engineered mutation	UNP O84591
E	178	LYS	THR	engineered mutation	UNP O84591
F	-7	MET	-	initiating methionine	UNP O84591
F	-6	ALA	-	expression tag	UNP O84591
F	-5	HIS	-	expression tag	UNP O84591
F	-4	HIS	-	expression tag	UNP O84591
F	-3	HIS	-	expression tag	UNP O84591

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-2	HIS	-	expression tag	UNP O84591
F	-1	HIS	-	expression tag	UNP O84591
F	0	HIS	-	expression tag	UNP O84591
F	78	VAL	MET	engineered mutation	UNP O84591
F	178	LYS	THR	engineered mutation	UNP O84591
G	-7	MET	-	initiating methionine	UNP O84591
G	-6	ALA	-	expression tag	UNP O84591
G	-5	HIS	-	expression tag	UNP O84591
G	-4	HIS	-	expression tag	UNP O84591
G	-3	HIS	-	expression tag	UNP O84591
G	-2	HIS	-	expression tag	UNP O84591
G	-1	HIS	-	expression tag	UNP O84591
G	0	HIS	-	expression tag	UNP O84591
G	78	VAL	MET	engineered mutation	UNP O84591
G	178	LYS	THR	engineered mutation	UNP O84591
H	-7	MET	-	initiating methionine	UNP O84591
H	-6	ALA	-	expression tag	UNP O84591
H	-5	HIS	-	expression tag	UNP O84591
H	-4	HIS	-	expression tag	UNP O84591
H	-3	HIS	-	expression tag	UNP O84591
H	-2	HIS	-	expression tag	UNP O84591
H	-1	HIS	-	expression tag	UNP O84591
H	0	HIS	-	expression tag	UNP O84591
H	78	VAL	MET	engineered mutation	UNP O84591
H	178	LYS	THR	engineered mutation	UNP O84591

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	1
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	1
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	G	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		


Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	B	1	6	3	3	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	C	1	7	4	3	0	0
5	D	1	7	4	3	0	0
5	E	1	7	4	3	0	0
5	F	1	7	4	3	0	0
5	G	1	7	4	3	0	0
5	H	1	7	4	3	0	0

- Molecule 6 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	1	Total	C O	0	0
			10	6 4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	92	Total	O	0	0
			92	92		
7	B	76	Total	O	0	0
			76	76		
7	C	78	Total	O	0	0
			78	78		
7	D	96	Total	O	0	0
			96	96		
7	E	73	Total	O	0	0
			73	73		
7	F	68	Total	O	0	0
			68	68		
7	G	75	Total	O	0	0
			75	75		
7	H	77	Total	O	0	0
			77	77		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enolase




- Molecule 1: Enolase



- Molecule 1: Enolase





- Molecule 1: Enolase







• Molecule 1: Enolase




• Molecule 1: Enolase



• Molecule 1: Enolase



• Molecule 1: Enolase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	140.60Å 140.60Å 409.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.35 – 2.25 49.35 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.35-2.25) 99.2 (49.35-2.25)	Depositor EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.67 (at 2.25Å)	Xtrriage
Refinement program	PHENIX dev_5243	Depositor
R, $R_{free}$	0.175 , 0.221 0.181 , 0.225	Depositor DCC
$R_{free}$ test set	9523 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.9	Xtrriage
Anisotropy	0.267	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 33.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	26105	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, GOL, PGE, MG, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.57	0/3216	0.72	0/4359
1	B	0.58	0/3226	0.71	0/4373
1	C	0.55	0/3213	0.73	0/4358
1	D	0.59	0/3244	0.70	0/4396
1	E	0.53	0/3212	0.69	0/4352
1	F	0.56	0/3217	0.70	0/4362
1	G	0.54	0/3230	0.71	0/4380
1	H	0.53	0/3213	0.70	0/4358
All	All	0.56	0/25771	0.71	0/34938

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	304	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3155	0	3141	19	0
1	B	3171	0	3164	24	0
1	C	3161	0	3134	14	0
1	D	3185	0	3179	14	0
1	E	3154	0	3138	15	0
1	F	3165	0	3145	23	0
1	G	3172	0	3152	16	0
1	H	3161	0	3134	20	0
2	A	10	0	0	0	0
2	B	5	0	0	0	0
2	C	10	0	0	0	0
2	D	10	0	0	0	0
2	E	10	0	0	0	0
2	F	10	0	0	0	0
2	G	10	0	0	0	0
2	H	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	B	12	0	16	0	0
5	C	7	0	10	2	0
5	D	7	0	10	0	0
5	E	7	0	10	0	0
5	F	7	0	10	5	0
5	G	7	0	10	2	0
5	H	7	0	10	2	0
6	D	10	0	14	0	0
7	A	92	0	0	2	0
7	B	76	0	0	1	0
7	C	78	0	0	2	0
7	D	96	0	0	1	0
7	E	73	0	0	0	0
7	F	68	0	0	2	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	G	75	0	0	0	0
7	H	77	0	0	2	0
All	All	26105	0	25277	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:286:LEU:HD23	1:H:297:LEU:HD22	1.58	0.86
1:D:286:LEU:HD23	1:D:297:LEU:HD22	1.71	0.72
1:B:255:ASP:HB2	1:B:257:THR:HG22	1.72	0.72
1:F:286:LEU:HD23	1:F:297:LEU:HD22	1.73	0.69
1:A:114:LEU:HD22	1:A:337:ASN:HA	1.77	0.66
1:F:157:HIS:ND1	7:F:602:HOH:O	2.29	0.64
1:F:423:LYS:HB2	5:F:501:PEG:H21	1.79	0.64
1:A:178:LYS:NZ	7:A:601:HOH:O	2.26	0.63
1:B:295:LYS:HE3	1:B:299:GLU:OE2	1.99	0.62
1:D:178:LYS:HE2	7:D:638:HOH:O	2.01	0.60
1:D:324:ILE:HG12	1:D:357:TYR:CZ	2.37	0.60
1:B:23:LEU:H	1:B:23:LEU:HD23	1.67	0.60
1:A:14:ILE:HD13	1:A:24[A]:CYS:SG	2.43	0.59
1:H:14:ILE:HD13	1:H:24[A]:CYS:SG	2.42	0.59
5:H:501:PEG:H11	7:H:646:HOH:O	2.02	0.59
1:H:324:ILE:HG12	1:H:357:TYR:CZ	2.38	0.59
1:C:14:ILE:HD13	1:C:24[A]:CYS:SG	2.43	0.59
1:H:285:GLY:C	1:H:286:LEU:HD22	2.24	0.58
1:H:10:GLU:HA	7:H:601:HOH:O	2.03	0.58
1:E:14:ILE:HD13	1:E:24[A]:CYS:SG	2.44	0.58
1:G:322:GLU:OE2	1:G:326:GLN:NE2	2.33	0.57
1:B:14:ILE:HD13	1:B:24[A]:CYS:SG	2.46	0.56
5:C:501:PEG:H32	7:C:640:HOH:O	2.06	0.56
1:C:423:LYS:O	1:C:424:ALA:HB3	2.07	0.55
1:F:252:ASN:HB3	1:F:257:THR:HG22	1.88	0.54
1:G:3:ASP:N	1:G:3:ASP:OD1	2.41	0.54
1:E:23:LEU:HD21	1:E:111:ASN:HB2	1.90	0.54
1:C:23:LEU:HD21	1:C:111:ASN:HB2	1.90	0.54
1:B:48:LYS:HG3	1:B:49:GLU:HG3	1.89	0.54
1:B:156:MET:HA	1:B:156:MET:CE	2.38	0.54
1:D:23:LEU:HD21	1:D:111:ASN:HB2	1.90	0.53

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:156:MET:HA	1:C:156:MET:CE	2.38	0.53
1:G:14:ILE:HD13	1:G:24[A]:CYS:SG	2.48	0.53
1:G:424:ALA:HB2	5:G:501:PEG:H11	1.91	0.53
1:D:14:ILE:HD13	1:D:24[A]:CYS:SG	2.48	0.53
1:F:14:ILE:HD13	1:F:24[A]:CYS:SG	2.49	0.53
1:F:328:LEU:O	1:F:329:ALA:HB3	2.10	0.52
5:C:501:PEG:H31	7:C:677:HOH:O	2.09	0.52
1:H:328:LEU:O	1:H:329:ALA:HB3	2.08	0.52
1:F:118:LEU:HD23	1:F:342:LEU:HG	1.91	0.52
1:B:324:ILE:HG12	1:B:357:TYR:CZ	2.45	0.52
1:H:390:LEU:HA	1:H:396:ILE:HD11	1.91	0.52
1:G:424:ALA:HB2	5:G:501:PEG:C1	2.39	0.52
1:D:118:LEU:HD22	1:D:372:THR:HG21	1.92	0.52
1:A:156:MET:HA	1:A:156:MET:CE	2.41	0.51
1:H:252:ASN:HB3	1:H:257:THR:HG22	1.92	0.51
1:E:315:THR:HG22	1:E:315:THR:O	2.11	0.51
1:H:285:GLY:O	1:H:286:LEU:HD22	2.11	0.50
1:H:118:LEU:HD22	1:H:372:THR:HG21	1.94	0.50
5:F:501:PEG:H42	7:F:635:HOH:O	2.11	0.50
1:F:26:LYS:HE3	1:F:28:ILE:HD11	1.94	0.49
1:E:286:LEU:HD23	1:E:297:LEU:HD22	1.93	0.49
1:B:420:PRO:HG2	1:B:421:PHE:CE2	2.47	0.49
1:E:324:ILE:HG12	1:E:357:TYR:CZ	2.48	0.49
1:B:23:LEU:HD23	1:B:23:LEU:N	2.27	0.49
1:B:78:VAL:HB	1:B:79:PRO:HD3	1.95	0.48
1:A:154:GLY:HA3	1:A:162:LEU:HB2	1.95	0.48
1:E:23:LEU:H	1:E:23:LEU:HD23	1.79	0.48
1:F:390:LEU:C	1:F:396:ILE:HD11	2.34	0.48
1:H:310:ASP:HB2	1:H:333:LEU:HD22	1.96	0.48
1:E:118:LEU:HD22	1:E:372:THR:HG21	1.95	0.47
1:B:328:LEU:O	1:B:329:ALA:HB3	2.15	0.47
1:A:333:LEU:HD23	1:A:335:LYS:HE3	1.97	0.47
1:B:258:TYR:CZ	1:B:286:LEU:HD12	2.50	0.47
1:G:43:ALA:O	1:G:52:GLU:HG2	2.13	0.47
1:A:247:ALA:HA	1:A:250:PHE:CE2	2.50	0.47
1:H:303:ASP:OD1	1:H:304:ARG:HG3	2.14	0.47
1:C:324:ILE:HG12	1:C:357:TYR:CZ	2.50	0.46
1:A:78:VAL:HB	1:A:79:PRO:HD3	1.96	0.46
1:B:36:GLU:O	1:B:122:LYS:HD2	2.14	0.46
1:F:324:ILE:HG12	1:F:357:TYR:CZ	2.51	0.46
1:E:78:VAL:HB	1:E:79:PRO:HD3	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:ASP:OD1	1:B:304:ARG:HG3	2.16	0.46
1:C:305:VAL:HG12	1:C:306:GLN:O	2.15	0.46
1:D:303:ASP:OD1	1:D:304:ARG:HG3	2.16	0.46
1:G:324:ILE:HG12	1:G:357:TYR:CZ	2.50	0.46
1:F:171:PRO:HG2	1:F:180:ALA:HB1	1.97	0.45
1:H:286:LEU:HD13	1:H:286:LEU:HA	1.78	0.45
1:B:48:LYS:HG3	1:B:49:GLU:N	2.32	0.45
1:D:322:GLU:HA	1:D:322:GLU:OE1	2.16	0.45
1:E:286:LEU:CD2	1:E:297:LEU:HD22	2.47	0.45
1:B:43:ALA:O	1:B:52:GLU:HG2	2.17	0.45
1:F:237:GLU:HA	5:F:501:PEG:H11	1.98	0.45
1:H:221:LEU:HD21	1:H:243:LEU:HD21	1.98	0.45
1:E:288:GLU:HG3	1:E:289:GLU:HG3	1.99	0.45
1:G:315:THR:HG22	1:G:315:THR:O	2.17	0.45
1:H:173:SER:HA	5:H:501:PEG:H12	1.98	0.45
1:B:156:MET:HA	1:B:156:MET:HE3	1.98	0.44
1:C:315:THR:HG22	1:C:315:THR:O	2.18	0.44
1:A:88:ASP:HB3	1:A:91:THR:HB	1.98	0.44
1:A:154:GLY:HA2	1:A:158:ALA:HB3	2.00	0.44
1:A:114:LEU:HD22	1:A:337:ASN:CA	2.45	0.44
1:E:3:ASP:OD1	1:E:3:ASP:N	2.50	0.44
1:E:163:GLN:HB3	1:E:217:ASN:HD21	1.82	0.44
1:E:393:SER:OG	1:F:394:GLU:HB3	2.18	0.44
1:H:114:LEU:HD22	1:H:337:ASN:HA	2.00	0.44
1:H:286:LEU:CD2	1:H:297:LEU:HD22	2.39	0.43
1:D:258:TYR:CZ	1:D:286:LEU:HD12	2.53	0.43
1:F:178:LYS:NZ	1:F:407:GLU:OE2	2.45	0.43
1:D:247:ALA:HA	1:D:250:PHE:CE2	2.54	0.43
1:H:78:VAL:HB	1:H:79:PRO:HD3	2.01	0.43
1:C:142:HIS:HA	1:C:409:MET:SD	2.59	0.43
1:B:322:GLU:OE1	1:B:322:GLU:HA	2.18	0.43
1:B:150:ASN:HA	1:B:168:MET:HG2	2.01	0.42
1:F:237:GLU:HA	5:F:501:PEG:C1	2.49	0.42
1:G:162:LEU:HD21	1:G:214:LEU:HB2	2.00	0.42
1:C:423:LYS:O	1:C:424:ALA:CB	2.68	0.42
1:H:247:ALA:HA	1:H:250:PHE:CE2	2.54	0.42
1:A:407:GLU:OE1	7:A:601:HOH:O	2.22	0.42
1:C:27:VAL:HG23	1:C:119:ALA:HB3	2.02	0.42
1:H:295:LYS:HE3	1:H:299:GLU:OE2	2.19	0.42
1:A:328:LEU:O	1:A:329:ALA:HB3	2.20	0.42
1:C:333:LEU:HD23	1:C:335:LYS:HE3	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:ASP:OD1	1:A:304:ARG:HG3	2.19	0.41
1:B:236:ARG:NH1	7:B:611:HOH:O	2.52	0.41
1:B:255:ASP:CB	1:B:257:THR:HG22	2.47	0.41
1:C:324:ILE:HD13	1:C:355:GLN:HG3	2.02	0.41
1:G:196:GLN:HG3	1:G:202:THR:HG21	2.02	0.41
1:D:78:VAL:HB	1:D:79:PRO:HD3	2.02	0.41
1:F:315:THR:HG22	1:F:315:THR:O	2.21	0.41
1:F:423:LYS:CB	5:F:501:PEG:H21	2.48	0.41
1:A:235:PRO:O	1:A:236[A]:ARG:HB3	2.21	0.41
1:D:328:LEU:O	1:D:329:ALA:HB3	2.20	0.41
1:A:333:LEU:HD12	1:A:360:ILE:HB	2.02	0.41
1:B:310:ASP:HB2	1:B:333:LEU:HD22	2.02	0.41
1:F:78:VAL:HB	1:F:79:PRO:HD3	2.02	0.41
1:A:162:LEU:HD13	1:A:167:PHE:CE1	2.56	0.41
1:C:288:GLU:HG3	1:C:289:GLU:HG2	2.03	0.41
1:F:154:GLY:HA3	1:F:162:LEU:HB2	2.03	0.41
1:G:166:GLU:HB2	1:G:244:ASP:HB3	2.02	0.41
1:G:324:ILE:HG12	1:G:357:TYR:CE1	2.55	0.41
1:E:27:VAL:HG23	1:E:119:ALA:HB3	2.03	0.41
1:F:285:GLY:C	1:F:286:LEU:HD22	2.41	0.40
1:B:324:ILE:HG12	1:B:357:TYR:CE1	2.56	0.40
1:F:48:LYS:HG3	1:F:49:GLU:N	2.37	0.40
1:F:118:LEU:HD22	1:F:372:THR:HG21	2.04	0.40
1:F:333:LEU:HD12	1:F:360:ILE:HB	2.03	0.40
1:G:247:ALA:HA	1:G:250:PHE:CE2	2.57	0.40
1:B:258:TYR:CE2	1:B:286:LEU:HD12	2.56	0.40
1:C:322:GLU:HA	1:C:322:GLU:OE1	2.21	0.40
1:D:23:LEU:CD2	1:D:111:ASN:HB2	2.52	0.40
1:D:324:ILE:HG12	1:D:357:TYR:CE1	2.56	0.40
1:G:347:GLU:HA	1:G:347:GLU:OE1	2.21	0.40
1:G:141[A]:SER:OG	1:G:379:ALA:HA	2.22	0.40
1:G:173:SER:HB3	1:G:238:ASP:HA	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/432 (97%)	405 (97%)	13 (3%)	0	100	100
1	B	422/432 (98%)	410 (97%)	11 (3%)	1 (0%)	47	55
1	C	422/432 (98%)	409 (97%)	12 (3%)	1 (0%)	47	55
1	D	424/432 (98%)	411 (97%)	13 (3%)	0	100	100
1	E	418/432 (97%)	406 (97%)	11 (3%)	1 (0%)	47	55
1	F	422/432 (98%)	409 (97%)	12 (3%)	1 (0%)	47	55
1	G	424/432 (98%)	411 (97%)	12 (3%)	1 (0%)	47	55
1	H	422/432 (98%)	409 (97%)	13 (3%)	0	100	100
All	All	3372/3456 (98%)	3270 (97%)	97 (3%)	5 (0%)	51	60

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	423	LYS
1	B	392	ARG
1	E	392	ARG
1	F	392	ARG
1	G	392	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	335/345 (97%)	333 (99%)	2 (1%)	86	91
1	B	337/345 (98%)	333 (99%)	4 (1%)	71	80
1	C	334/345 (97%)	330 (99%)	4 (1%)	71	80
1	D	338/345 (98%)	331 (98%)	7 (2%)	53	62
1	E	335/345 (97%)	333 (99%)	2 (1%)	86	91

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	335/345 (97%)	330 (98%)	5 (2%)	65	75
1	G	336/345 (97%)	329 (98%)	7 (2%)	53	62
1	H	334/345 (97%)	328 (98%)	6 (2%)	59	68
All	All	2684/2760 (97%)	2647 (99%)	37 (1%)	67	76

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	178	LYS
1	A	363	HIS
1	B	60	ARG
1	B	156	MET
1	B	178	LYS
1	B	363	HIS
1	C	62	GLN
1	C	156	MET
1	C	351	LEU
1	C	363	HIS
1	D	59	LYS
1	D	156	MET
1	D	178	LYS
1	D	295	LYS
1	D	363	HIS
1	D	422	SER
1	D	423	LYS
1	E	363	HIS
1	E	423	LYS
1	F	44	SER
1	F	178	LYS
1	F	257	THR
1	F	298	SER
1	F	363	HIS
1	G	12	ARG
1	G	60	ARG
1	G	107	LYS
1	G	156	MET
1	G	178	LYS
1	G	213	ASN
1	G	363	HIS
1	H	44	SER
1	H	199	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	257	THR
1	H	288	GLU
1	H	322	GLU
1	H	363	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 7 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	PEG	E	501	-	6,6,6	0.29	0	5,5,5	0.45	0
2	PO4	C	503	-	4,4,4	1.67	1 (25%)	6,6,6	0.38	0
2	PO4	B	501	-	4,4,4	1.42	1 (25%)	6,6,6	0.87	0
5	PEG	F	501	-	6,6,6	0.32	0	5,5,5	0.64	0
5	PEG	G	501	-	6,6,6	0.30	0	5,5,5	0.43	0
5	PEG	D	501	-	6,6,6	0.41	0	5,5,5	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PEG	H	501	-	6,6,6	0.31	0	5,5,5	0.45	0
5	PEG	C	501	-	6,6,6	0.27	0	5,5,5	0.93	0
2	PO4	F	502	-	4,4,4	1.56	1 (25%)	6,6,6	1.07	1 (16%)
2	PO4	D	502	-	4,4,4	1.56	1 (25%)	6,6,6	0.66	0
2	PO4	E	502	-	4,4,4	1.44	1 (25%)	6,6,6	0.62	0
2	PO4	H	502	-	4,4,4	1.40	1 (25%)	6,6,6	0.91	0
2	PO4	D	503	-	4,4,4	1.53	1 (25%)	6,6,6	0.84	0
6	PGE	D	505	-	9,9,9	0.33	0	8,8,8	0.52	0
2	PO4	G	503[A]	-	4,4,4	1.73	1 (25%)	6,6,6	0.64	0
4	GOL	B	504	-	5,5,5	0.26	0	5,5,5	0.36	0
4	GOL	B	503	-	5,5,5	0.28	0	5,5,5	0.48	0
2	PO4	E	503	-	4,4,4	1.53	1 (25%)	6,6,6	0.58	0
2	PO4	A	501	-	4,4,4	1.73	1 (25%)	6,6,6	0.77	0
2	PO4	H	503	-	4,4,4	1.62	1 (25%)	6,6,6	0.38	0
2	PO4	C	502	-	4,4,4	1.73	1 (25%)	6,6,6	1.60	2 (33%)
2	PO4	A	502[B]	-	4,4,4	1.63	1 (25%)	6,6,6	0.59	0
2	PO4	F	503	-	4,4,4	1.73	1 (25%)	6,6,6	0.85	0
2	PO4	G	502	-	4,4,4	1.61	1 (25%)	6,6,6	1.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	E	501	-	-	1/4/4/4	-
6	PGE	D	505	-	-	1/7/7/7	-
4	GOL	B	504	-	-	2/4/4/4	-
4	GOL	B	503	-	-	4/4/4/4	-
5	PEG	C	501	-	-	1/4/4/4	-
5	PEG	F	501	-	-	3/4/4/4	-
5	PEG	G	501	-	-	1/4/4/4	-
5	PEG	D	501	-	-	0/4/4/4	-
5	PEG	H	501	-	-	1/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	502	PO4	P-O1	3.31	1.58	1.50

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	502	PO4	P-O1	3.09	1.58	1.50
2	F	503	PO4	P-O1	3.04	1.58	1.50
2	C	503	PO4	P-O1	2.95	1.57	1.50
2	A	501	PO4	P-O1	2.90	1.57	1.50
2	G	503[A]	PO4	P-O1	2.85	1.57	1.50
2	A	502[B]	PO4	P-O1	2.69	1.57	1.50
2	H	503	PO4	P-O1	2.69	1.57	1.50
2	D	502	PO4	P-O1	2.63	1.57	1.50
2	D	503	PO4	P-O1	2.62	1.57	1.50
2	G	502	PO4	P-O1	2.61	1.57	1.50
2	E	503	PO4	P-O1	2.52	1.56	1.50
2	E	502	PO4	P-O1	2.48	1.56	1.50
2	H	502	PO4	P-O1	2.42	1.56	1.50
2	B	501	PO4	P-O1	2.36	1.56	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	502	PO4	O3-P-O2	2.64	116.46	107.97
2	C	502	PO4	O3-P-O1	-2.44	101.96	110.89
2	F	502	PO4	O3-P-O1	-2.12	103.14	110.89

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	503	GOL	C1-C2-C3-O3
4	B	503	GOL	O2-C2-C3-O3
4	B	504	GOL	O1-C1-C2-C3
5	E	501	PEG	O1-C1-C2-O2
5	C	501	PEG	O1-C1-C2-O2
5	F	501	PEG	O2-C3-C4-O4
4	B	503	GOL	O1-C1-C2-C3
4	B	504	GOL	O1-C1-C2-O2
5	H	501	PEG	O2-C3-C4-O4
5	G	501	PEG	O1-C1-C2-O2
4	B	503	GOL	O1-C1-C2-O2
5	F	501	PEG	C4-C3-O2-C2
6	D	505	PGE	O1-C1-C2-O2
5	F	501	PEG	C1-C2-O2-C3


There are no ring outliers.





4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	501	PEG	5	0
5	G	501	PEG	2	0
5	H	501	PEG	2	0
5	C	501	PEG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	417/432 (96%)	-0.22	4 (0%) 82 84	24, 34, 54, 87	0
1	B	421/432 (97%)	-0.13	9 (2%) 63 66	25, 37, 64, 98	0
1	C	422/432 (97%)	-0.22	4 (0%) 84 85	26, 36, 56, 88	0
1	D	422/432 (97%)	-0.19	3 (0%) 87 88	25, 35, 56, 68	0
1	E	418/432 (96%)	-0.04	9 (2%) 62 65	28, 39, 62, 99	0
1	F	422/432 (97%)	-0.08	12 (2%) 53 55	26, 38, 64, 92	0
1	G	422/432 (97%)	-0.11	3 (0%) 87 88	26, 37, 56, 85	0
1	H	422/432 (97%)	0.04	12 (2%) 53 55	27, 40, 65, 94	0
All	All	3366/3456 (97%)	-0.12	56 (1%) 70 73	24, 37, 61, 99	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	291	PHE	5.1
1	F	254	GLN	4.4
1	H	326	GLN	4.3
1	G	424	ALA	4.3
1	E	424	ALA	4.2
1	F	255	ASP	3.8
1	H	325	ALA	3.7
1	B	254	GLN	3.6
1	F	47	ILE	3.5
1	B	260	GLY	3.2
1	H	3	ASP	3.2
1	F	319	LEU	3.1
1	F	253	THR	3.1
1	H	47	ILE	3.1
1	A	3	ASP	3.1
1	H	319	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	3	ASP	3.0
1	H	318	ALA	2.9
1	A	422	SER	2.8
1	E	254	GLN	2.8
1	H	424	ALA	2.8
1	H	291	PHE	2.7
1	F	256	LYS	2.7
1	B	253	THR	2.7
1	E	291	PHE	2.6
1	B	255	ASP	2.6
1	E	255	ASP	2.6
1	E	292	GLU	2.6
1	D	263	TYR	2.6
1	E	260	GLY	2.5
1	D	291	PHE	2.5
1	B	292	GLU	2.4
1	B	263	TYR	2.4
1	F	292	GLU	2.4
1	D	325	ALA	2.4
1	C	254	GLN	2.4
1	E	101	GLY	2.4
1	G	3	ASP	2.4
1	C	424	ALA	2.4
1	B	291	PHE	2.4
1	F	318	ALA	2.3
1	A	291	PHE	2.3
1	H	324	ILE	2.3
1	A	276[A]	HIS	2.3
1	B	3	ASP	2.3
1	F	326	GLN	2.2
1	F	424	ALA	2.2
1	E	106	GLU	2.2
1	C	276	HIS	2.2
1	F	325	ALA	2.2
1	H	315	THR	2.1
1	C	3	ASP	2.1
1	H	321	ALA	2.1
1	G	254	GLN	2.0
1	B	252	ASN	2.0
1	H	393	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MG	H	504	1/1	0.61	0.16	66,66,66,66	0
3	MG	A	503	1/1	0.66	0.13	43,43,43,43	0
3	MG	D	504	1/1	0.74	0.24	61,61,61,61	0
3	MG	G	504	1/1	0.77	0.15	50,50,50,50	0
5	PEG	G	501	7/7	0.79	0.21	57,63,67,68	0
5	PEG	E	501	7/7	0.81	0.29	50,57,60,61	0
5	PEG	C	501	7/7	0.81	0.15	53,59,62,64	0
4	GOL	B	503	6/6	0.82	0.16	61,66,74,75	0
3	MG	E	504	1/1	0.84	0.12	44,44,44,44	0
6	PGE	D	505	10/10	0.84	0.16	48,52,57,62	0
5	PEG	D	501	7/7	0.86	0.16	44,47,54,55	0
4	GOL	B	504	6/6	0.86	0.26	58,61,65,66	0
5	PEG	F	501	7/7	0.87	0.21	48,52,54,59	0
2	PO4	G	503[A]	5/5	0.89	0.25	61,63,66,85	5
3	MG	B	502	1/1	0.89	0.12	59,59,59,59	0
3	MG	C	504	1/1	0.89	0.08	47,47,47,47	0
2	PO4	A	502[B]	5/5	0.90	0.32	53,55,63,65	5
5	PEG	H	501	7/7	0.92	0.24	46,50,56,56	0
2	PO4	F	503	5/5	0.93	0.16	55,66,72,74	0
2	PO4	E	503	5/5	0.93	0.30	66,72,82,85	0
2	PO4	C	503	5/5	0.94	0.19	70,76,84,85	0
2	PO4	G	502	5/5	0.95	0.11	45,45,54,54	0
2	PO4	A	501	5/5	0.95	0.13	45,50,52,56	0
2	PO4	C	502	5/5	0.96	0.10	39,42,46,47	0
2	PO4	B	501	5/5	0.96	0.12	43,46,51,57	0
2	PO4	E	502	5/5	0.97	0.10	47,49,51,56	0
2	PO4	D	503	5/5	0.98	0.19	61,63,67,67	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	PO4	F	502	5/5	0.98	0.09	39,42,45,46	0
2	PO4	H	502	5/5	0.98	0.10	46,46,49,49	0
2	PO4	H	503	5/5	0.98	0.19	57,61,69,69	0
2	PO4	D	502	5/5	0.98	0.11	35,40,44,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around PO4 A 502 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 F 503:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around PO4 E 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 C 503:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around PO4 G 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 B 501:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around PO4 E 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 D 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 F 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PO4 H 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PO4 H 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.