



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 9, 2025 – 12:04 PM EST

PDB ID : 8W3Q  
Title : Crystal structure of prefusion-stabilized hMPV F protein UFCM1-P2-iSS  
Authors : Lee, Y.Z.; Stanfield, R.L.; Wilson, I.A.; Zhu, J.  
Deposited on : 2024-02-22  
Resolution : 5.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.21  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 5.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1083 (8.00-4.00)
Clashscore	180529	1124 (8.00-4.00)
Ramachandran outliers	177936	1015 (8.00-3.98)
Sidechain outliers	177891	1019 (8.00-3.96)
RSRZ outliers	164620	1078 (8.00-4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	F	514	 4% 45% 33% • 19%

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3149 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called prefusion-stabilized hMPV F protein UFCM1-P2-iSS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	F	416	3149	1967	543	614	25	0	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: prefusion-stabilized hMPV F protein UFCM1-P2-iSS



## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	185.75Å 185.75Å 185.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.64 – 5.99 49.64 – 5.99	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.64-5.99) 99.6 (49.64-5.99)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.35 (at 6.15Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.224 , 0.355 0.222 , 0.360	Depositor DCC
$R_{free}$ test set	131 reflections (4.72%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	308.1	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 266.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.077 for -l,-k,-h	Xtrriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	3149	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	252.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	F	0.81	3/3191 (0.1%)	1.19	17/4322 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	143	ALA	C-N	7.81	1.52	1.34
1	F	422	CYS	CB-SG	-7.07	1.70	1.82
1	F	331	CYS	CB-SG	-6.66	1.71	1.82

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	169	LEU	CA-CB-CG	9.14	136.33	115.30
1	F	241	LEU	CA-CB-CG	-7.56	97.92	115.30
1	F	51	GLU	CA-CB-CG	7.49	129.87	113.40
1	F	218	MET	CB-CG-SD	-7.24	90.69	112.40
1	F	143	ALA	O-C-N	7.05	133.99	122.70
1	F	28	CYS	CA-CB-SG	6.72	126.09	114.00
1	F	106	LEU	CA-CB-CG	6.23	129.62	115.30
1	F	116	CYS	CA-CB-SG	6.15	125.07	114.00
1	F	366	ILE	CG1-CB-CG2	-5.84	98.56	111.40
1	F	40	ARG	CG-CD-NE	5.68	123.72	111.80
1	F	70	GLU	CA-CB-CG	5.66	125.86	113.40
1	F	398	GLN	CA-CB-CG	5.32	125.11	113.40
1	F	78	LEU	CA-CB-CG	5.31	127.50	115.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	363	ARG	N-CA-CB	-5.17	101.29	110.60
1	F	24	LEU	CA-CB-CG	5.17	127.19	115.30
1	F	250	LYS	CA-CB-CG	5.05	124.51	113.40
1	F	357	CYS	CA-CB-SG	5.03	123.05	114.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	125	ARG	Sidechain
1	F	152	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3149	0	3167	164	0
All	All	3149	0	3167	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:60:CYS:HB2	1:F:68:LYS:HG3	1.36	1.04
1:F:217:LEU:O	1:F:265:TYR:OH	1.85	0.95
1:F:137:LEU:HD11	1:F:155:ALA:HB1	1.51	0.93
1:F:407:THR:HG22	1:F:409:GLN:H	1.38	0.89
1:F:81:LEU:HD22	1:F:200:VAL:HG22	1.58	0.86
1:F:356:PRO:HB2	1:F:455:ALA:HB1	1.58	0.84
1:F:23:TYR:HD2	1:F:432:VAL:HG22	1.41	0.83
1:F:388:ILE:HG22	1:F:414:VAL:HG22	1.60	0.82
1:F:390:SER:HB3	1:F:393:VAL:HG22	1.64	0.80
1:F:358:LYS:HA	1:F:455:ALA:HA	1.64	0.79

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:366:ILE:HG22	1:F:367:SER:H	1.47	0.79
1:F:146:THR:HA	1:F:152:ARG:H	1.51	0.76
1:F:243:ASN:HB3	1:F:246:MET:HE3	1.68	0.75
1:F:369:VAL:HG23	1:F:416:ILE:HD11	1.67	0.75
1:F:55:VAL:HG12	1:F:165:VAL:HG11	1.69	0.75
1:F:37:SER:HB2	1:F:39:LEU:HG	1.71	0.73
1:F:359:VAL:HG22	1:F:456:LEU:HA	1.70	0.72
1:F:455:ALA:HB3	1:F:458:GLN:HG3	1.72	0.71
1:F:250:LYS:HB2	1:F:270:PRO:HG3	1.72	0.71
1:F:39:LEU:HB2	1:F:274:VAL:HB	1.71	0.70
1:F:366:ILE:HG22	1:F:367:SER:N	2.08	0.69
1:F:165:VAL:O	1:F:170:THR:OG1	2.03	0.69
1:F:243:ASN:HB3	1:F:246:MET:CE	2.23	0.69
1:F:295:TYR:CD2	1:F:365:PRO:HB3	2.28	0.68
1:F:147:LEU:HB3	1:F:150:GLY:HA3	1.74	0.67
1:F:369:VAL:HG22	1:F:378:VAL:HG22	1.76	0.67
1:F:357:CYS:O	1:F:456:LEU:N	2.21	0.66
1:F:256:ILE:HB	1:F:264:ILE:HG22	1.81	0.63
1:F:39:LEU:HB3	1:F:333:THR:CG2	2.29	0.63
1:F:146:THR:HA	1:F:152:ARG:N	2.14	0.63
1:F:369:VAL:HG23	1:F:416:ILE:CD1	2.29	0.62
1:F:39:LEU:HD12	1:F:274:VAL:HG11	1.81	0.62
1:F:359:VAL:HG13	1:F:456:LEU:HB2	1.82	0.62
1:F:30:THR:HG22	1:F:283:LYS:HB2	1.81	0.62
1:F:374:LEU:HA	1:F:408:ASN:ND2	2.14	0.61
1:F:350:ILE:HG13	1:F:357:CYS:SG	2.41	0.61
1:F:282:VAL:O	1:F:283:LYS:NZ	2.33	0.60
1:F:50:LEU:HB3	1:F:263:VAL:HB	1.83	0.60
1:F:396:ILE:O	1:F:397:LYS:HG3	2.02	0.60
1:F:300:ARG:NH2	1:F:346:CYS:HB3	2.18	0.59
1:F:31:ILE:HD12	1:F:281:ILE:O	2.03	0.58
1:F:124:ILE:HG21	1:F:256:ILE:HG21	1.85	0.58
1:F:356:PRO:HB3	1:F:457:ASP:HB3	1.85	0.58
1:F:135:ASN:O	1:F:139:LYS:HE3	2.03	0.58
1:F:174:ASN:O	1:F:175:LYS:HB2	2.02	0.58
1:F:53:GLY:HA2	1:F:162:LYS:HD2	1.86	0.58
1:F:55:VAL:CG1	1:F:165:VAL:HG11	2.34	0.58
1:F:281:ILE:HD12	1:F:305:TRP:CE2	2.38	0.58
1:F:250:LYS:CB	1:F:270:PRO:HG3	2.34	0.57
1:F:39:LEU:HB3	1:F:333:THR:HG23	1.86	0.57
1:F:379:ALA:HB1	1:F:381:TYR:CE2	2.40	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:246:MET:SD	1:F:325:ARG:NE	2.78	0.56
1:F:62:ASP:OD2	1:F:179:ASP:N	2.37	0.56
1:F:147:LEU:HB3	1:F:150:GLY:CA	2.36	0.56
1:F:40:ARG:HB3	1:F:332:ASP:HA	1.89	0.55
1:F:21:GLU:OE1	1:F:373:PRO:HB2	2.07	0.54
1:F:119:ALA:HA	1:F:122:LYS:HE2	1.89	0.54
1:F:366:ILE:CG2	1:F:367:SER:H	2.19	0.54
1:F:224:ALA:HB2	1:F:244:ARG:HH12	1.73	0.54
1:F:114:VAL:O	1:F:118:VAL:HG23	2.08	0.53
1:F:236:GLN:HG3	1:F:275:ILE:HG23	1.89	0.53
1:F:146:THR:HA	1:F:152:ARG:HA	1.90	0.53
1:F:195:ARG:O	1:F:199:VAL:HG23	2.09	0.53
1:F:53:GLY:HA2	1:F:162:LYS:HG3	1.91	0.52
1:F:65:SER:HB3	1:F:68:LYS:HB2	1.91	0.52
1:F:37:SER:O	1:F:275:ILE:HA	2.09	0.52
1:F:454:VAL:HB	1:F:458:GLN:NE2	2.24	0.52
1:F:146:THR:HA	1:F:152:ARG:CA	2.40	0.52
1:F:254:ILE:HB	1:F:266:MET:HG3	1.92	0.51
1:F:48:PHE:CZ	1:F:218:MET:HG3	2.45	0.51
1:F:375:GLY:HA3	1:F:406:ILE:O	2.10	0.51
1:F:137:LEU:O	1:F:159:ARG:NH2	2.43	0.51
1:F:407:THR:O	1:F:410:ASP:HB2	2.09	0.51
1:F:305:TRP:HB2	1:F:316:TYR:HB2	1.93	0.51
1:F:256:ILE:HD11	1:F:266:MET:SD	2.51	0.50
1:F:147:LEU:HB3	1:F:150:GLY:H	1.76	0.50
1:F:369:VAL:CG2	1:F:378:VAL:HG13	2.42	0.50
1:F:111:ALA:O	1:F:115:THR:HG23	2.11	0.50
1:F:210:THR:O	1:F:252:PHE:HB2	2.10	0.50
1:F:117:GLY:HA2	1:F:120:ILE:HD12	1.92	0.50
1:F:53:GLY:HA2	1:F:162:LYS:CG	2.42	0.50
1:F:19:LEU:C	1:F:20:LYS:HD3	2.33	0.49
1:F:305:TRP:CD1	1:F:322:CYS:HB2	2.47	0.49
1:F:350:ILE:O	1:F:353:THR:HG22	2.13	0.49
1:F:407:THR:HB	1:F:410:ASP:CG	2.32	0.49
1:F:141:ASN:HA	1:F:157:ALA:HB3	1.95	0.49
1:F:188:SER:O	1:F:192:PHE:HD2	1.95	0.48
1:F:379:ALA:HB1	1:F:381:TYR:HE2	1.78	0.48
1:F:44:TYR:OH	1:F:154:LEU:HB2	2.13	0.48
1:F:46:ASN:OD1	1:F:226:ALA:HB2	2.12	0.48
1:F:118:VAL:O	1:F:122:LYS:HG3	2.13	0.48
1:F:359:VAL:CG1	1:F:456:LEU:HB2	2.43	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:373:PRO:O	1:F:374:LEU:HD23	2.14	0.48
1:F:300:ARG:HH22	1:F:346:CYS:HB3	1.78	0.48
1:F:316:TYR:OH	1:F:333:THR:HG22	2.13	0.48
1:F:384:VAL:O	1:F:401:LYS:NZ	2.41	0.47
1:F:23:TYR:CD2	1:F:432:VAL:HG22	2.33	0.47
1:F:146:THR:N	1:F:152:ARG:HA	2.29	0.47
1:F:39:LEU:HD12	1:F:274:VAL:CG1	2.45	0.47
1:F:145:SER:C	1:F:152:ARG:HA	2.35	0.47
1:F:241:LEU:HA	1:F:241:LEU:HD23	1.39	0.47
1:F:389:GLY:HA2	1:F:395:ILE:HA	1.96	0.47
1:F:26:GLU:HB3	1:F:435:GLY:HA3	1.97	0.46
1:F:129:GLU:HG2	1:F:147:LEU:CD1	2.44	0.46
1:F:110:THR:O	1:F:114:VAL:HG23	2.16	0.46
1:F:147:LEU:HB3	1:F:150:GLY:N	2.31	0.46
1:F:408:ASN:HB2	1:F:424:SER:O	2.16	0.46
1:F:19:LEU:N	1:F:33:GLU:O	2.49	0.46
1:F:380:CYS:O	1:F:401:LYS:HA	2.16	0.46
1:F:22:SER:HB3	1:F:31:ILE:CG2	2.46	0.46
1:F:25:GLU:CD	1:F:434:LYS:HA	2.36	0.46
1:F:51:GLU:HB3	1:F:162:LYS:HB2	1.97	0.46
1:F:391:ASN:ND2	1:F:412:ASP:HB3	2.31	0.45
1:F:173:ILE:HG22	1:F:173:ILE:O	2.16	0.45
1:F:146:THR:CA	1:F:152:ARG:HA	2.46	0.45
1:F:295:TYR:OH	1:F:382:LYS:NZ	2.41	0.45
1:F:359:VAL:HG21	1:F:456:LEU:HD13	1.99	0.45
1:F:39:LEU:CD2	1:F:331:CYS:HB2	2.46	0.45
1:F:40:ARG:NH2	1:F:334:ALA:HB3	2.32	0.45
1:F:39:LEU:O	1:F:272:PHE:HA	2.17	0.44
1:F:246:MET:SD	1:F:325:ARG:NH2	2.89	0.44
1:F:62:ASP:CG	1:F:178:CYS:H	2.21	0.44
1:F:369:VAL:CG2	1:F:416:ILE:HD11	2.41	0.44
1:F:218:MET:CE	1:F:223:LEU:HA	2.48	0.44
1:F:388:ILE:CD1	1:F:396:ILE:HD12	2.48	0.44
1:F:130:VAL:HG23	1:F:131:THR:H	1.84	0.43
1:F:40:ARG:HB2	1:F:272:PHE:CE1	2.52	0.43
1:F:395:ILE:HD13	1:F:395:ILE:HG21	1.77	0.43
1:F:407:THR:HG21	1:F:430:GLN:NE2	2.34	0.43
1:F:52:VAL:HA	1:F:161:LEU:HD23	1.99	0.43
1:F:386:CYS:HB2	1:F:399:LEU:HG	2.00	0.43
1:F:236:GLN:HG3	1:F:275:ILE:CG2	2.48	0.42
1:F:37:SER:HB2	1:F:39:LEU:CG	2.45	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:128:SER:C	1:F:130:VAL:N	2.72	0.42
1:F:217:LEU:HA	1:F:217:LEU:HD23	1.75	0.42
1:F:130:VAL:O	1:F:133:ILE:HG13	2.19	0.42
1:F:289:SER:CB	1:F:291:LYS:HZ1	2.32	0.42
1:F:39:LEU:HD23	1:F:331:CYS:HB2	2.02	0.42
1:F:40:ARG:N	1:F:272:PHE:HD1	2.18	0.42
1:F:31:ILE:O	1:F:31:ILE:HG23	2.19	0.42
1:F:290:GLU:C	1:F:291:LYS:HZ3	2.22	0.42
1:F:386:CYS:HA	1:F:415:THR:O	2.20	0.41
1:F:369:VAL:HG22	1:F:378:VAL:HG13	2.02	0.41
1:F:196:PHE:O	1:F:200:VAL:HG23	2.20	0.41
1:F:230:MET:O	1:F:237:ILE:HD11	2.20	0.41
1:F:48:PHE:HZ	1:F:218:MET:HG3	1.82	0.41
1:F:80:ASP:O	1:F:84:VAL:HG23	2.21	0.41
1:F:250:LYS:HG3	1:F:272:PHE:HZ	1.86	0.41
1:F:40:ARG:HD3	1:F:43:TRP:CZ2	2.55	0.41
1:F:390:SER:CB	1:F:393:VAL:HG22	2.43	0.41
1:F:198:ASN:HB2	1:F:216:ASP:OD2	2.21	0.41
1:F:361:THR:CG2	1:F:459:VAL:HG21	2.50	0.41
1:F:122:LYS:C	1:F:124:ILE:H	2.24	0.41
1:F:256:ILE:HD11	1:F:266:MET:HG2	2.02	0.41
1:F:314:VAL:CG1	1:F:336:GLY:HA3	2.50	0.41
1:F:386:CYS:HB2	1:F:399:LEU:CD1	2.51	0.41
1:F:39:LEU:HB3	1:F:333:THR:HG21	2.02	0.41
1:F:53:GLY:HA2	1:F:162:LYS:CD	2.51	0.41
1:F:239:LEU:HA	1:F:242:GLU:CD	2.42	0.40
1:F:64:PRO:HA	1:F:68:LYS:NZ	2.37	0.40
1:F:218:MET:HE2	1:F:223:LEU:HA	2.03	0.40
1:F:147:LEU:O	1:F:148:GLY:C	2.58	0.40
1:F:224:ALA:HB2	1:F:244:ARG:NH1	2.35	0.40
1:F:51:GLU:O	1:F:161:LEU:HB3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	F	410/514 (80%)	387 (94%)	22 (5%)	1 (0%)	44 78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	127	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	352/431 (82%)	347 (99%)	5 (1%)	62 75

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	26	GLU
1	F	46	ASN
1	F	125	ARG
1	F	130	VAL
1	F	398	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	391	ASN
1	F	458	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

**Warning:** The R factor obtained from EDS is 0.2785, which does not match the depositor's R factor of 0.2237. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	F	416/514 (80%)	0.45	23 (5%) 32 28	182, 242, 336, 409	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	286	PRO	3.6
1	F	106	LEU	3.0
1	F	49	THR	2.8
1	F	434	LYS	2.7
1	F	211	PRO	2.7
1	F	168	ASN	2.6
1	F	285	ALA	2.5
1	F	149	CYS	2.5
1	F	344	LYS	2.5
1	F	365	PRO	2.5
1	F	355	TYR	2.5
1	F	371	LEU	2.4
1	F	367	SER	2.3
1	F	195	ARG	2.3
1	F	460	PHE	2.3
1	F	187	VAL	2.2
1	F	392	ARG	2.2
1	F	20	LYS	2.2
1	F	463	ILE	2.1
1	F	310	ALA	2.1
1	F	69	THR	2.0
1	F	396	ILE	2.0
1	F	151	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.