



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 05:27 PM BST

PDB ID : 5W4L
Title : Crystal structure of the non-neutralizing and ADCC-potent C11-like antibody N12-i3 in complex with HIV-1 clade A/E gp120, the CD4 mimetic M48U1, and the antibody N5-i5.
Authors : Tolbert, W.D.; Gohain, N.; Pazgier, M.
Deposited on : 2017-06-12
Resolution : 2.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462 (2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	 80% 10% 8%
1	G	385	 81% 11% 7%
2	M	28	 75% 18% 7%
2	N	28	 86% 7% 7%
3	F	226	 20% 70% 22% 6%
3	H	226	 5% 76% 17% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	I	217	
4	L	217	
5	B	225	
5	D	225	
6	C	215	
6	E	215	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	NAG	A	602	-	-	-	X
7	NAG	A	610	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 19111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called clade A/E 93TH057 HIV-1 gp120 core.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	G	357	2792	1756	481	532	23	0	0	0
1	A	356	2786	1753	480	530	23	0	0	0

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	31	SER	-	see sequence details	UNP A0A0M3KKW9
G	32	ASP	-	see sequence details	UNP A0A0M3KKW9
G	33	ASN	-	see sequence details	UNP A0A0M3KKW9
G	34	LEU	-	see sequence details	UNP A0A0M3KKW9
G	35	TRP	-	see sequence details	UNP A0A0M3KKW9
G	36	VAL	-	see sequence details	UNP A0A0M3KKW9
G	37	THR	-	see sequence details	UNP A0A0M3KKW9
G	38	VAL	-	see sequence details	UNP A0A0M3KKW9
G	39	TYR	-	see sequence details	UNP A0A0M3KKW9
G	40	TYR	-	see sequence details	UNP A0A0M3KKW9
G	41	GLY	-	see sequence details	UNP A0A0M3KKW9
G	42	VAL	-	see sequence details	UNP A0A0M3KKW9
G	43	PRO	-	see sequence details	UNP A0A0M3KKW9
G	375	SER	HIS	engineered mutation	UNP A0A0M3KKW9
G	493	PRO	-	see sequence details	UNP A0A0M3KKW9
G	494	LEU	-	see sequence details	UNP A0A0M3KKW9
G	495	GLY	-	see sequence details	UNP A0A0M3KKW9
G	496	ILE	-	see sequence details	UNP A0A0M3KKW9
G	497	ALA	-	see sequence details	UNP A0A0M3KKW9
G	498	PRO	-	see sequence details	UNP A0A0M3KKW9
G	499	THR	-	see sequence details	UNP A0A0M3KKW9
G	500	LYS	-	see sequence details	UNP A0A0M3KKW9
G	501	ALA	-	see sequence details	UNP A0A0M3KKW9
G	502	LYS	-	see sequence details	UNP A0A0M3KKW9
G	503	ARG	-	see sequence details	UNP A0A0M3KKW9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	504	ARG	-	see sequence details	UNP A0A0M3KKW9
G	505	VAL	-	see sequence details	UNP A0A0M3KKW9
G	506	VAL	-	see sequence details	UNP A0A0M3KKW9
G	507	GLN	-	see sequence details	UNP A0A0M3KKW9
G	508	ARG	-	see sequence details	UNP A0A0M3KKW9
G	509	GLU	-	see sequence details	UNP A0A0M3KKW9
G	510	LYS	-	see sequence details	UNP A0A0M3KKW9
G	511	ARG	-	see sequence details	UNP A0A0M3KKW9
A	31	SER	-	see sequence details	UNP A0A0M3KKW9
A	32	ASP	-	see sequence details	UNP A0A0M3KKW9
A	33	ASN	-	see sequence details	UNP A0A0M3KKW9
A	34	LEU	-	see sequence details	UNP A0A0M3KKW9
A	35	TRP	-	see sequence details	UNP A0A0M3KKW9
A	36	VAL	-	see sequence details	UNP A0A0M3KKW9
A	37	THR	-	see sequence details	UNP A0A0M3KKW9
A	38	VAL	-	see sequence details	UNP A0A0M3KKW9
A	39	TYR	-	see sequence details	UNP A0A0M3KKW9
A	40	TYR	-	see sequence details	UNP A0A0M3KKW9
A	41	GLY	-	see sequence details	UNP A0A0M3KKW9
A	42	VAL	-	see sequence details	UNP A0A0M3KKW9
A	43	PRO	-	see sequence details	UNP A0A0M3KKW9
A	375	SER	HIS	engineered mutation	UNP A0A0M3KKW9
A	493	PRO	-	see sequence details	UNP A0A0M3KKW9
A	494	LEU	-	see sequence details	UNP A0A0M3KKW9
A	495	GLY	-	see sequence details	UNP A0A0M3KKW9
A	496	ILE	-	see sequence details	UNP A0A0M3KKW9
A	497	ALA	-	see sequence details	UNP A0A0M3KKW9
A	498	PRO	-	see sequence details	UNP A0A0M3KKW9
A	499	THR	-	see sequence details	UNP A0A0M3KKW9
A	500	LYS	-	see sequence details	UNP A0A0M3KKW9
A	501	ALA	-	see sequence details	UNP A0A0M3KKW9
A	502	LYS	-	see sequence details	UNP A0A0M3KKW9
A	503	ARG	-	see sequence details	UNP A0A0M3KKW9
A	504	ARG	-	see sequence details	UNP A0A0M3KKW9
A	505	VAL	-	see sequence details	UNP A0A0M3KKW9
A	506	VAL	-	see sequence details	UNP A0A0M3KKW9
A	507	GLN	-	see sequence details	UNP A0A0M3KKW9
A	508	ARG	-	see sequence details	UNP A0A0M3KKW9
A	509	GLU	-	see sequence details	UNP A0A0M3KKW9
A	510	LYS	-	see sequence details	UNP A0A0M3KKW9
A	511	ARG	-	see sequence details	UNP A0A0M3KKW9

- Molecule 2 is a protein called CD4 mimetic peptide M48U1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	N	28	Total	C	N	O	S	0	1	1
			217	137	40	34	6			
2	M	28	Total	C	N	O	S	0	1	1
			219	139	41	33	6			

- Molecule 3 is a protein called Antibody N5-i5 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	212	Total	C	N	O	S	0	0	0
			1573	988	269	310	6			
3	F	212	Total	C	N	O	S	0	0	0
			1573	988	269	310	6			

- Molecule 4 is a protein called Antibody N5-i5 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	L	212	Total	C	N	O	S	0	0	0
			1574	981	264	324	5			
4	I	212	Total	C	N	O	S	0	1	0
			1585	990	265	325	5			


- Molecule 5 is a protein called Antibody N12-i3 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	211	Total	C	N	O	S	0	0	0
			1601	1011	270	314	6			
5	B	211	Total	C	N	O	S	0	1	0
			1611	1017	273	315	6			

- Molecule 6 is a protein called Antibody N12-i3 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	213	Total	C	N	O	S	0	0	0
			1634	1019	281	329	5			
6	C	212	Total	C	N	O	S	0	0	0
			1630	1017	280	328	5			

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	G	1	14	8	1	5	0	0
7	A	1	14	8	1	5	0	0
7	A	1	14	8	1	5	0	0
7	A	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Cl	0	0
			1	1		
8	N	1	Total	Cl	0	0
			1	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	G	4	Total	O	0	0
			4	4		
9	H	1	Total	O	0	0
			1	1		
9	L	2	Total	O	0	0
			2	2		
9	D	3	Total	O	0	0
			3	3		
9	E	1	Total	O	0	0
			1	1		
9	A	6	Total	O	0	0
			6	6		
9	I	1	Total	O	0	0
			1	1		
9	B	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core




- Molecule 1: clade A/E 93TH057 HIV-1 gp120 core



- Molecule 2: CD4 mimetic peptide M48U1




- Molecule 2: CD4 mimetic peptide M48U1




- Molecule 3: Antibody N5-i5 Fab heavy chain

Chain H: 5% 76% 17% 6%




- Molecule 3: Antibody N5-i5 Fab heavy chain

Chain F: 20% 70% 22% 6%




- Molecule 4: Antibody N5-i5 light chain

Chain L: 5% 85% 12% 6%




- Molecule 4: Antibody N5-i5 light chain

Chain I: 8% 77% 19% 6%




- Molecule 5: Antibody N12-i3 Fab heavy chain


Chain D: 73% 20% 6%





• Molecule 5: Antibody N12-i3 Fab heavy chain



• Molecule 6: Antibody N12-i3 light chain



• Molecule 6: Antibody N12-i3 light chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	311.02Å 53.29Å 223.58Å 90.00° 128.89° 90.00°	Depositor
Resolution (Å)	50.00 – 2.92 47.18 – 2.92	Depositor EDS
% Data completeness (in resolution range)	98.5 (50.00-2.92) 98.6 (47.18-2.92)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.231 , 0.292 0.232 , 0.291	Depositor DCC
R_{free} test set	3079 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtrriage
Anisotropy	0.326	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	19111	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL, MPT, NH2, U2X, DPR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2846	0.73	6/3866 (0.2%)
1	G	0.37	0/2852	0.67	6/3874 (0.2%)
2	M	0.41	0/187	0.76	0/246
2	N	0.41	0/184	0.71	0/242
3	F	0.41	0/1607	0.65	0/2187
3	H	0.40	0/1607	0.66	0/2187
4	I	0.41	0/1624	0.63	0/2212
4	L	0.37	0/1612	0.60	0/2196
5	B	0.46	0/1652	0.76	2/2253 (0.1%)
5	D	0.39	0/1641	0.65	0/2238
6	C	0.43	0/1664	0.73	1/2259 (0.0%)
6	E	0.48	0/1668	0.80	3/2264 (0.1%)
All	All	0.41	0/19144	0.69	18/26024 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	M	0	2
2	N	0	2
5	B	0	1
6	C	0	1
All	All	0	7

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	GLY	O-C-N	-14.42	98.69	123.20
1	A	124	GLY	CA-C-N	12.44	141.07	116.20
1	A	124	GLY	C-N-CA	11.02	145.45	122.30
1	G	124	GLY	C-N-CA	9.95	143.20	122.30
1	G	124	GLY	O-C-N	-9.87	106.42	123.20
6	E	73	LEU	CB-CG-CD1	-8.03	97.35	111.00
6	C	94	SER	C-N-CD	-7.83	103.37	120.60
1	G	124	GLY	CA-C-N	7.70	131.60	116.20
1	G	355	ASN	O-C-N	-7.22	111.14	122.70
5	B	95	ARG	NE-CZ-NH1	6.82	123.71	120.30
5	B	66	ARG	NE-CZ-NH1	6.33	123.47	120.30
6	E	24	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	G	355	ASN	C-N-CA	6.07	136.88	121.70
1	G	355	ASN	CA-C-N	5.65	129.62	117.20
1	A	355	ASN	O-C-N	-5.51	113.88	122.70
6	E	18	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	A	199	SER	C-N-CA	5.21	134.71	121.70
1	A	355	ASN	C-N-CA	5.20	134.70	121.70

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	408	LYS	Peptide
5	B	113	SER	Peptide
6	C	94	SER	Peptide
2	M	22	THR	Mainchain
2	M	23	U2X	Mainchain
2	N	22	THR	Mainchain
2	N	23	U2X	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2786	0	2712	33	0
1	G	2792	0	2716	18	0
2	M	219	0	218	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	N	217	0	217	0	0
3	F	1573	0	1546	39	0
3	H	1573	0	1546	26	0
4	I	1585	0	1525	30	0
4	L	1574	0	1517	15	0
5	B	1611	0	1565	53	0
5	D	1601	0	1559	28	0
6	C	1630	0	1596	27	0
6	E	1634	0	1596	76	0
7	A	140	0	130	3	0
7	G	154	0	143	0	0
8	A	1	0	0	0	0
8	N	1	0	0	0	0
9	A	6	0	0	0	0
9	B	1	0	0	0	0
9	C	1	0	0	0	0
9	D	3	0	0	0	0
9	E	1	0	0	0	0
9	G	4	0	0	0	0
9	H	1	0	0	0	0
9	I	1	0	0	0	0
9	L	2	0	0	0	0
All	All	19111	0	18586	325	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (325) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:35:TRP:CE3	6:E:73:LEU:HD11	1.53	1.41
6:E:35:TRP:CG	6:E:73:LEU:HD21	1.82	1.15
6:E:35:TRP:CE3	6:E:73:LEU:CD1	2.30	1.14
6:E:35:TRP:CD2	6:E:73:LEU:HD21	1.88	1.08
5:B:66:ARG:NH2	5:B:86:ASP:OD1	1.94	0.99
5:B:123:PRO:HB3	5:B:210:ARG:HD2	1.45	0.98
6:E:35:TRP:CZ2	6:E:73:LEU:HG	2.04	0.91
6:E:35:TRP:CZ3	6:E:73:LEU:CD1	2.53	0.91
4:I:140[B]:PHE:CE2	4:I:142:PRO:O	2.23	0.91
1:G:31:SER:N	1:G:80:ASN:OD1	2.05	0.90
6:E:35:TRP:CE2	6:E:73:LEU:HG	2.09	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:35:TRP:CH2	6:E:73:LEU:HG	2.09	0.86
5:B:118:GLY:HA3	5:B:204:ASN:ND2	1.91	0.85
3:F:199:ASN:OD1	3:F:206:LYS:HA	1.76	0.85
6:E:60:ASP:O	6:E:62:PHE:N	2.09	0.84
6:E:35:TRP:CD2	6:E:73:LEU:CD2	2.62	0.83
6:E:35:TRP:CZ3	6:E:73:LEU:HD11	2.14	0.83
6:E:47:LEU:HA	6:E:58:ILE:HD11	1.59	0.82
5:B:121:VAL:HG22	5:B:142:VAL:HA	1.62	0.81
3:H:121:VAL:HG12	3:H:209:LYS:HD2	1.62	0.81
6:E:35:TRP:CE3	6:E:73:LEU:CG	2.65	0.79
6:E:35:TRP:CD1	6:E:73:LEU:HD21	2.19	0.77
5:D:140:CYS:SG	5:D:210:ARG:NH1	2.58	0.77
6:E:21:LEU:HD11	6:E:73:LEU:HD12	1.66	0.76
6:E:35:TRP:CD2	6:E:73:LEU:CG	2.68	0.76
6:E:35:TRP:HE3	6:E:73:LEU:HD11	1.41	0.76
4:I:140[B]:PHE:HE2	4:I:142:PRO:O	1.68	0.76
6:E:50:ASP:N	6:E:91:TYR:OH	2.19	0.76
6:E:94:SER:CB	6:E:95:PRO:HD3	2.17	0.75
5:B:96:GLN:O	5:B:98:HIS:N	2.21	0.74
5:B:210:ARG:NE	5:B:210:ARG:HA	2.01	0.74
3:H:121:VAL:CG1	3:H:209:LYS:HD2	2.17	0.73
5:B:123:PRO:HB3	5:B:210:ARG:CD	2.19	0.73
6:E:18:ARG:O	6:E:19:ALA:O	2.10	0.70
6:E:30:SER:O	6:E:32:ASN:N	2.25	0.70
6:E:35:TRP:CZ3	6:E:73:LEU:HG	2.27	0.69
6:C:153:ALA:O	6:C:155:GLN:NE2	2.26	0.69
5:B:210:ARG:HA	5:B:210:ARG:HE	1.58	0.68
6:E:94:SER:HB3	6:E:95:PRO:HD3	1.74	0.68
6:E:25:ALA:HB3	6:E:69:THR:HG23	1.75	0.68
3:F:198:VAL:O	3:F:199:ASN:OD1	2.12	0.68
6:E:35:TRP:CE2	6:E:73:LEU:HD21	2.29	0.67
6:E:18:ARG:HA	6:E:76:SER:HA	1.76	0.67
6:E:29:SER:O	6:E:30:SER:O	2.12	0.67
6:E:35:TRP:CD2	6:E:73:LEU:HG	2.30	0.66
6:C:27:ARG:HH12	6:C:93:THR:CG2	2.10	0.65
1:A:230:ASP:HA	7:A:602:NAG:O7	1.96	0.65
6:E:35:TRP:CZ3	6:E:73:LEU:CG	2.79	0.65
4:I:163:THR:OG1	4:I:164:THR:N	2.30	0.64
5:B:121:VAL:HA	5:B:141:LEU:O	1.98	0.64
4:I:140[B]:PHE:CD2	4:I:142:PRO:O	2.50	0.64
4:I:184:GLU:O	4:I:188:SER:OG	2.14	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:18:ARG:NE	6:E:76:SER:HB3	2.12	0.63
5:D:100:TYR:O	6:E:36:TYR:OH	2.16	0.63
3:H:87:THR:HG23	3:H:110:THR:HA	1.81	0.63
6:E:35:TRP:CE2	6:E:73:LEU:CD2	2.82	0.63
3:F:121:VAL:HG22	3:F:142:VAL:HG22	1.80	0.63
1:G:342:LEU:HD23	1:G:396:ILE:HD11	1.80	0.62
6:E:35:TRP:CE2	6:E:73:LEU:CG	2.83	0.62
6:C:140:TYR:O	6:C:198:HIS:NE2	2.31	0.62
6:C:1:GLU:C	6:C:27:ARG:HH21	2.03	0.61
3:F:145:TYR:C	3:F:145:TYR:CD1	2.74	0.61
3:F:12:VAL:HG21	3:F:18:LEU:HG	1.81	0.61
3:H:169:VAL:HG22	4:L:163:THR:CG2	2.30	0.61
5:B:11:VAL:HG11	5:B:147:PRO:HG3	1.82	0.61
4:L:61:ARG:NH2	4:L:82:ASP:OD2	2.34	0.61
5:B:118:GLY:HA3	5:B:204:ASN:HD21	1.66	0.60
3:H:169:VAL:HG22	4:L:163:THR:HG21	1.83	0.60
6:E:66:GLY:HA3	6:E:71:PHE:HA	1.84	0.60
1:A:84:ILE:HD12	5:B:53:ILE:HD12	1.84	0.60
3:F:121:VAL:HB	3:F:209:LYS:CE	2.32	0.59
5:D:123:PRO:HA	5:D:210:ARG:NE	2.18	0.59
1:A:39:TYR:CD1	5:B:52:ILE:HD13	2.37	0.59
1:A:462:ASN:O	1:A:463:THR:OG1	2.14	0.59
1:A:241:ASN:HD22	1:A:241:ASN:N	2.00	0.59
3:F:150:VAL:HG11	3:F:178:LEU:HD21	1.84	0.59
4:I:140[B]:PHE:CE1	4:I:198:HIS:HB2	2.38	0.59
6:C:27:ARG:NH1	6:C:93:THR:HG21	2.18	0.58
5:D:123:PRO:HA	5:D:210:ARG:CZ	2.34	0.58
5:D:50:ARG:NH1	5:D:58:ASP:OD2	2.37	0.58
6:C:27:ARG:HH12	6:C:93:THR:HG21	1.68	0.58
5:D:140:CYS:SG	5:D:210:ARG:CZ	2.92	0.58
4:I:139:ASP:C	4:I:172:LYS:HE2	2.23	0.58
6:E:192:TYR:HB2	6:E:209:PHE:CE1	2.40	0.57
3:F:121:VAL:HB	3:F:209:LYS:HE3	1.85	0.57
1:A:39:TYR:CE2	1:A:42:VAL:HG13	2.40	0.57
4:I:150:LYS:HA	4:I:155:PRO:HA	1.86	0.57
6:C:141:PRO:O	6:C:142:ARG:HB2	2.05	0.57
6:E:35:TRP:CE3	6:E:88:CYS:HB2	2.39	0.57
4:I:151:ALA:O	4:I:153:SER:N	2.38	0.56
6:E:120:PRO:HB2	6:E:125:LEU:HD11	1.87	0.56
4:I:190:ARG:HA	4:I:209:PRO:HD2	1.88	0.56
3:F:141:LEU:HD21	3:F:143:LYS:HB2	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:64:GLN:O	5:B:66:ARG:N	2.40	0.55
1:G:234:ASN:O	1:G:273:ARG:NH1	2.38	0.55
5:D:154:TRP:HE1	5:D:180:SER:HG	1.55	0.55
3:F:121:VAL:HA	3:F:141:LEU:O	2.06	0.55
6:E:2:ILE:HD11	6:E:28:VAL:HG12	1.89	0.55
5:B:94:SER:OG	5:B:102:GLU:OE1	2.23	0.55
3:F:170:LEU:HB2	3:F:176:TYR:CE1	2.42	0.55
6:E:83:PHE:HA	6:E:104:VAL:HG23	1.90	0.54
3:H:140:CYS:HB2	3:H:209:LYS:HE2	1.89	0.54
4:I:118:LEU:HA	4:I:135:CYS:HA	1.89	0.54
5:D:1:GLN:OE1	5:D:3:GLN:NE2	2.40	0.54
6:E:17:GLU:O	6:E:18:ARG:O	2.26	0.54
4:I:118:LEU:O	4:I:205:LYS:NZ	2.35	0.54
6:E:191:VAL:HG12	6:E:210:ASN:ND2	2.22	0.53
6:E:2:ILE:CD1	6:E:28:VAL:HG12	2.37	0.53
1:A:199:SER:HA	1:A:200:VAL:HG23	1.89	0.53
1:A:381:GLU:HG3	1:A:443:ILE:HD13	1.91	0.53
1:G:346:THR:HG23	1:G:359:ILE:HB	1.89	0.53
5:D:29:PHE:O	5:D:30:SER:OG	2.20	0.53
5:B:31:ARG:NH2	5:B:55:ASN:ND2	2.57	0.52
1:G:38:VAL:O	5:D:50:ARG:NH2	2.41	0.52
5:B:192:GLN:NE2	5:B:193:THR:O	2.32	0.52
6:E:35:TRP:CE3	6:E:73:LEU:HG	2.39	0.52
3:H:155:ASN:HA	3:H:195:ILE:HG12	1.92	0.52
6:E:35:TRP:CZ3	6:E:73:LEU:HD12	2.44	0.52
4:I:105:THR:HG21	4:I:142:PRO:HB3	1.92	0.52
5:B:121:VAL:HG22	5:B:142:VAL:CA	2.38	0.51
6:C:3:VAL:N	6:C:26:SER:OG	2.38	0.51
1:G:101:VAL:HG21	1:G:480:ARG:HG2	1.92	0.51
5:B:122:PHE:CD1	6:C:124:GLN:HB3	2.45	0.51
5:B:66:ARG:HH22	5:B:86:ASP:CG	2.15	0.50
6:E:18:ARG:CB	6:E:76:SER:HA	2.41	0.50
3:H:2:VAL:HG13	3:H:27:PHE:CD1	2.46	0.50
4:I:118:LEU:HB3	4:I:205:LYS:HD3	1.92	0.50
6:E:47:LEU:O	6:E:58:ILE:HD12	2.12	0.50
6:E:99:GLY:O	6:E:101:GLY:N	2.45	0.50
5:D:98:HIS:O	5:D:99:GLU:HB2	2.12	0.50
6:E:94:SER:OG	6:E:95:PRO:HD3	2.11	0.50
5:B:121:VAL:CG2	5:B:142:VAL:HG22	2.41	0.50
1:G:36:VAL:O	5:D:95:ARG:NH2	2.46	0.49
6:E:23:CYS:SG	6:E:35:TRP:CH2	3.05	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:63:VAL:CG2	3:F:67:PHE:CD2	2.95	0.49
5:D:66:ARG:NH2	5:D:86:ASP:OD2	2.42	0.49
1:A:39:TYR:CZ	1:A:42:VAL:HG13	2.48	0.49
3:H:22:CYS:HB3	3:H:78:LEU:HB3	1.94	0.49
5:B:39:GLN:HG3	5:B:44:GLY:O	2.13	0.49
1:G:60:ALA:HA	1:G:71:THR:HG21	1.95	0.49
4:I:105:THR:HG21	4:I:142:PRO:CB	2.42	0.49
5:B:123:PRO:CB	5:B:210:ARG:CD	2.90	0.49
6:E:121:SER:O	6:E:125:LEU:HD12	2.12	0.49
3:H:123:PRO:CB	3:H:211:VAL:HG22	2.42	0.49
4:L:185:GLN:O	4:L:192:TYR:OH	2.31	0.49
5:D:93:ALA:HB1	5:D:100(A):PHE:HB3	1.95	0.49
3:F:207:VAL:O	3:F:209:LYS:NZ	2.45	0.49
4:L:198:HIS:O	4:L:201:SER:OG	2.26	0.49
6:E:29:SER:O	6:E:30:SER:C	2.51	0.48
3:F:141:LEU:CD1	4:I:134:VAL:HG21	2.43	0.48
6:C:27:ARG:NH1	6:C:93:THR:CG2	2.76	0.48
6:E:23:CYS:HB2	6:E:35:TRP:CZ2	2.48	0.48
4:I:170:ASN:OD1	4:I:172:LYS:N	2.46	0.48
3:H:159:LEU:O	3:H:160:THR:HG23	2.13	0.48
3:F:169:VAL:HG23	3:F:169:VAL:O	2.14	0.48
6:C:186:TYR:O	6:C:192:TYR:OH	2.29	0.48
3:F:141:LEU:HD13	4:I:134:VAL:HG21	1.96	0.48
1:A:333:ILE:HD12	1:A:390:LEU:HD21	1.95	0.48
3:H:67:PHE:HA	3:H:81:VAL:O	2.13	0.48
1:A:32:ASP:N	1:A:32:ASP:OD2	2.47	0.48
6:E:94:SER:CB	6:E:95:PRO:CD	2.89	0.48
1:A:199:SER:HA	1:A:200:VAL:CG2	2.44	0.48
1:A:199:SER:HA	1:A:200:VAL:HB	1.96	0.48
5:B:52(A):PRO:O	5:B:54:PHE:N	2.47	0.47
4:I:109:GLN:OE1	4:I:171:ASN:ND2	2.47	0.47
1:A:101:VAL:HG21	1:A:480:ARG:HG2	1.96	0.47
3:H:169:VAL:O	3:H:176:TYR:HA	2.14	0.47
3:H:140:CYS:HB2	3:H:209:LYS:CE	2.44	0.47
5:D:140:CYS:HA	5:D:210:ARG:HH11	1.80	0.47
6:E:47:LEU:HA	6:E:58:ILE:CD1	2.37	0.47
1:A:338:TRP:CE2	1:A:390:LEU:HD22	2.49	0.47
5:B:201:LYS:HA	5:B:202:PRO:HA	1.66	0.47
6:E:4:LEU:HD21	6:E:23:CYS:SG	2.55	0.47
6:C:12:SER:OG	6:C:105:GLU:OE2	2.26	0.47
1:A:199:SER:HA	1:A:200:VAL:CB	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:23:CYS:N	6:E:35:TRP:HH2	2.13	0.47
3:F:143:LYS:HD2	3:F:177:SER:OG	2.15	0.47
1:G:409:GLY:O	1:G:411:ASN:N	2.47	0.47
5:D:33:THR:O	5:D:95:ARG:N	2.42	0.46
6:E:91:TYR:CD2	6:E:91:TYR:N	2.82	0.46
1:A:100:MET:CE	1:A:486:TYR:HB2	2.46	0.46
3:F:147:PRO:O	3:F:200:HIS:NE2	2.46	0.46
1:G:234:ASN:OD1	1:G:235:GLY:N	2.48	0.46
6:E:167:ASP:OD1	6:E:168:SER:N	2.48	0.46
6:E:148:TRP:CE2	6:E:179:LEU:HB2	2.51	0.46
5:B:52:ILE:HD12	5:B:58:ASP:HB2	1.96	0.46
5:B:50:ARG:NH2	6:C:94:SER:OG	2.49	0.46
6:E:18:ARG:CA	6:E:76:SER:HA	2.44	0.46
1:G:393:ASN:H	1:G:393:ASN:HD22	1.63	0.46
1:A:73:ALA:HA	3:F:52:ASN:HB2	1.97	0.46
1:G:66:HIS:HD2	1:G:111:LEU:HD11	1.80	0.46
1:G:461:ASN:HA	1:G:462:ASN:O	2.16	0.46
5:B:121:VAL:CG1	5:B:140:CYS:HB3	2.46	0.45
6:C:1:GLU:C	6:C:27:ARG:NH2	2.68	0.45
4:I:186:TRP:CZ3	4:I:209:PRO:HB3	2.52	0.45
6:E:95:PRO:HD2	6:E:95:PRO:O	2.16	0.45
5:B:19:ARG:HG3	5:B:81:GLU:HB2	1.98	0.45
5:D:142:VAL:HG23	5:D:142:VAL:O	2.16	0.45
1:A:100:MET:HE1	1:A:486:TYR:HB2	1.98	0.45
3:H:156:SER:H	3:H:195:ILE:HD11	1.82	0.45
6:E:2:ILE:HD11	6:E:28:VAL:CG1	2.46	0.45
3:F:142:VAL:HB	3:F:178:LEU:HG	1.99	0.45
3:F:121:VAL:HB	3:F:209:LYS:HE2	1.97	0.45
1:A:270:ILE:HB	1:A:348:LYS:HG3	1.98	0.44
5:B:124:LEU:HB2	5:B:139:GLY:O	2.17	0.44
5:D:23:LYS:NZ	5:D:75:THR:O	2.50	0.44
6:E:51:VAL:HG13	6:E:52:SER:OG	2.17	0.44
5:D:95:ARG:NE	5:D:99:GLU:HG3	2.32	0.44
6:E:63:SER:C	6:E:74:THR:HB	2.37	0.44
4:I:202:THR:HG22	4:I:203:VAL:O	2.17	0.44
4:L:123:SER:O	4:L:127:GLN:HG3	2.18	0.44
1:A:457:ASP:OD2	1:A:469:ARG:NH1	2.51	0.44
6:C:27:ARG:HH12	6:C:93:THR:HG23	1.82	0.44
1:A:58:ALA:O	3:F:97:ARG:NH2	2.51	0.44
3:F:47:TRP:CZ3	4:I:95(B):PHE:HB3	2.53	0.44
5:B:210:ARG:HH12	5:B:212:GLU:HB3	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:35:ASN:OD1	5:B:50:ARG:HB3	2.17	0.44
3:F:150:VAL:HG11	3:F:178:LEU:CD2	2.48	0.44
4:I:190:ARG:HG2	4:I:208:ALA:HB1	2.00	0.44
6:E:65:ARG:O	6:E:72:THR:N	2.49	0.44
3:F:67:PHE:HA	3:F:81:VAL:O	2.18	0.44
1:G:251:ILE:HG23	1:G:482:GLU:HG3	1.99	0.44
5:B:30:SER:O	5:B:33:THR:HG22	2.18	0.44
6:C:132:VAL:HG13	6:C:179:LEU:HB3	2.00	0.44
4:I:167:LYS:HG2	4:I:173:TYR:CE1	2.53	0.44
5:B:6:GLN:N	5:B:105:GLN:OE1	2.39	0.44
3:H:169:VAL:HG21	4:L:178:TYR:CE2	2.52	0.44
6:C:78:LEU:HD12	6:C:82:ASP:HB2	1.99	0.44
1:A:34:LEU:HD23	1:A:34:LEU:HA	1.80	0.44
6:C:2:ILE:HG12	6:C:27:ARG:HG2	1.98	0.44
4:L:137:ILE:HB	4:L:175:ALA:HB3	2.00	0.44
3:F:29:PHE:O	3:F:71:ARG:NH2	2.51	0.43
4:L:80:ALA:HA	4:L:106:VAL:HG21	1.98	0.43
6:C:27:ARG:NH2	6:C:93:THR:HG21	2.33	0.43
3:H:138:LEU:O	3:H:181:VAL:HG23	2.18	0.43
5:B:29:PHE:HA	5:B:33:THR:HG21	2.01	0.43
6:C:38:GLN:O	6:C:84:ALA:HB1	2.18	0.43
4:L:152:ASP:OD1	4:L:190:ARG:N	2.51	0.43
1:A:84:ILE:CD1	5:B:53:ILE:HD12	2.48	0.43
3:F:154:TRP:HA	3:F:195:ILE:O	2.18	0.43
3:F:123:PRO:HB3	3:F:211:VAL:HG22	2.00	0.43
3:F:124:LEU:HB3	4:I:119:PHE:CD1	2.54	0.43
3:F:117:LYS:NZ	3:F:144:ASP:O	2.41	0.43
3:H:2:VAL:HG13	3:H:27:PHE:CE1	2.54	0.43
1:A:446:VAL:HG21	7:A:606:NAG:H82	2.00	0.43
4:L:182:THR:N	4:L:185:GLN:OE1	2.51	0.43
6:C:140:TYR:CG	6:C:141:PRO:HA	2.54	0.43
1:A:265:LEU:HD11	7:A:610:NAG:H82	2.01	0.43
3:H:169:VAL:HG13	4:L:163:THR:HG22	1.99	0.43
1:A:271:ILE:HG21	1:A:273:ARG:CZ	2.49	0.43
6:E:75:ILE:HG22	6:E:76:SER:N	2.33	0.43
6:E:50:ASP:CA	6:E:91:TYR:OH	2.67	0.42
5:B:114:ALA:HB1	5:B:146:PHE:CZ	2.54	0.42
5:B:150:VAL:HG12	5:B:200:HIS:HB2	2.01	0.42
3:F:192:GLN:NE2	3:F:194:TYR:OH	2.52	0.42
4:L:151:ALA:O	4:L:153:SER:N	2.53	0.42
3:H:14:PRO:HD2	3:H:113:SER:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:33:THR:O	5:B:94:SER:HA	2.19	0.42
5:D:68:THR:HB	5:D:81:GLU:HB3	2.01	0.42
6:E:78:LEU:O	6:E:79:GLU:HG2	2.20	0.42
5:B:211:VAL:HG22	5:B:212:GLU:H	1.84	0.42
5:B:121:VAL:HG21	5:B:142:VAL:HG22	2.02	0.42
6:E:25:ALA:HB3	6:E:69:THR:CG2	2.46	0.42
6:E:48:ILE:HD11	6:E:73:LEU:CD2	2.50	0.42
1:G:45:TRP:CH2	1:G:86:LEU:HD13	2.55	0.42
3:H:3:GLN:HB2	3:H:25:SER:OG	2.19	0.42
5:B:16:SER:OG	5:B:17:SER:N	2.52	0.42
6:E:167:ASP:HB3	6:E:170:ASP:OD1	2.20	0.42
3:F:12:VAL:O	3:F:111:VAL:HA	2.20	0.42
6:C:27:ARG:CZ	6:C:93:THR:HG21	2.50	0.42
5:D:159:LEU:HD21	5:D:194:TYR:CD1	2.55	0.42
6:E:18:ARG:HB2	6:E:76:SER:HA	2.02	0.42
3:F:170:LEU:HB2	3:F:176:TYR:CZ	2.55	0.42
1:A:225:ILE:HB	1:A:245:VAL:HG23	2.01	0.41
5:B:59:TYR:CG	5:B:67:ILE:HG21	2.55	0.41
1:A:34:LEU:O	5:B:97[A]:HIS:HB2	2.20	0.41
6:C:140:TYR:CD2	6:C:141:PRO:HA	2.55	0.41
1:G:67:ASN:O	1:G:71:THR:HG23	2.19	0.41
6:C:113:PRO:HD3	6:C:198:HIS:CD2	2.55	0.41
3:H:123:PRO:HB3	3:H:211:VAL:HG22	2.02	0.41
4:I:140[A]:PHE:CE1	4:I:173:TYR:HB2	2.55	0.41
3:F:166:PHE:HB3	3:F:167:PRO:HD2	2.01	0.41
3:F:9:GLY:HA2	3:F:109:VAL:HG12	2.02	0.41
4:L:39:HIS:CD2	4:L:84:ALA:HB2	2.55	0.41
5:D:195:ILE:HG22	5:D:209:LYS:HA	2.02	0.41
6:E:20:THR:HG22	6:E:75:ILE:HB	2.02	0.41
4:I:163:THR:HG23	4:I:176:SER:O	2.20	0.41
1:A:459:GLY:N	1:A:460:ALA:HA	2.35	0.41
5:D:2:VAL:HG22	5:D:102:GLU:HG2	2.01	0.41
3:H:93:ALA:HB1	3:H:100(B):SER:HB3	2.02	0.41
4:I:193:SER:HB2	4:I:206:THR:HG23	2.02	0.41
1:A:463:THR:HG22	1:A:464:SER:N	2.36	0.41
5:D:152:VAL:HG22	5:D:198:VAL:HG12	2.02	0.41
1:G:105:GLN:OE1	1:G:479:TRP:NE1	2.54	0.41
1:G:392:ASN:OD1	1:G:394:THR:OG1	2.36	0.41
4:L:139:ASP:OD1	4:L:168:GLN:NE2	2.45	0.41
1:A:476:LYS:O	1:A:480:ARG:HG3	2.21	0.41
5:B:38:ARG:HD3	5:B:90:TYR:CE2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:D:12:LYS:HB2	5:D:111:VAL:HG12	2.02	0.41
3:F:169:VAL:CG2	3:F:169:VAL:O	2.67	0.41
1:A:37:THR:OG1	5:B:95:ARG:NH2	2.52	0.41
5:B:121:VAL:HG22	5:B:142:VAL:HG22	2.03	0.41
6:E:149:LYS:HB2	6:E:193:ALA:HB3	2.02	0.41
3:F:109:VAL:O	3:F:109:VAL:HG23	2.21	0.41
3:H:154:TRP:CE3	3:H:196:CYS:HB3	2.55	0.41
4:I:20:THR:CG2	4:I:74:THR:HG22	2.51	0.41
5:D:50:ARG:CZ	5:D:52:ILE:HD11	2.51	0.41
3:H:150:VAL:HG13	3:H:199:ASN:O	2.21	0.41
5:B:114:ALA:CB	5:B:146:PHE:CZ	3.03	0.41
5:D:121:VAL:HG12	5:D:210:ARG:HH12	1.86	0.41
4:I:157:LYS:O	4:I:160:VAL:HG22	2.21	0.41
6:C:21:LEU:HD23	6:C:102:THR:HB	2.02	0.41
6:C:161:GLU:HA	6:C:177:SER:HA	2.03	0.40
6:E:38:GLN:O	6:E:84:ALA:HB1	2.21	0.40
5:D:94:SER:O	5:D:100(A):PHE:HA	2.22	0.40
3:F:151:THR:OG1	3:F:199:ASN:N	2.54	0.40
3:H:114:ALA:HB3	3:H:146:PHE:CE2	2.56	0.40
3:F:124:LEU:HG	3:F:140:CYS:HA	2.02	0.40
6:C:91:TYR:HB3	6:C:96:LEU:HD22	2.02	0.40
5:B:121:VAL:HG11	5:B:140:CYS:HB3	2.04	0.40
5:B:22:CYS:HB3	5:B:78:ALA:HB3	2.03	0.40
5:B:59:TYR:CG	5:B:67:ILE:CG2	3.05	0.40
6:E:18:ARG:HG3	6:E:76:SER:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	350/385 (91%)	324 (93%)	20 (6%)	6 (2%)	9 29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	351/385 (91%)	320 (91%)	26 (7%)	5 (1%)	11	34
2	M	25/28 (89%)	23 (92%)	0	2 (8%)	1	2
2	N	25/28 (89%)	23 (92%)	1 (4%)	1 (4%)	3	10
3	F	208/226 (92%)	183 (88%)	16 (8%)	9 (4%)	2	9
3	H	208/226 (92%)	181 (87%)	21 (10%)	6 (3%)	4	17
4	I	211/217 (97%)	175 (83%)	30 (14%)	6 (3%)	5	17
4	L	210/217 (97%)	190 (90%)	17 (8%)	3 (1%)	11	34
5	B	208/225 (92%)	185 (89%)	12 (6%)	11 (5%)	2	5
5	D	207/225 (92%)	183 (88%)	19 (9%)	5 (2%)	6	21
6	C	210/215 (98%)	186 (89%)	16 (8%)	8 (4%)	3	11
6	E	211/215 (98%)	175 (83%)	18 (8%)	18 (8%)	1	2
All	All	2424/2592 (94%)	2148 (89%)	196 (8%)	80 (3%)	4	14

All (80) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	D	2	VAL
6	E	18	ARG
6	E	19	ALA
6	E	27(A)	THR
6	E	30	SER
6	E	31	SER
6	E	60	ASP
6	E	61	ARG
6	E	75	ILE
6	E	76	SER
6	E	93	THR
6	E	94	SER
6	E	100	GLY
1	A	200	VAL
1	A	408	LYS
4	I	118	LEU
5	B	97[A]	HIS
5	B	97[B]	HIS
5	B	114	ALA
5	B	126	PRO
5	B	188	SER
5	B	211	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	C	29	SER
6	C	95	PRO
1	G	34	LEU
1	G	124	GLY
1	G	198	GLY
1	G	410	CYS
2	N	27	VAL
3	H	173	SER
3	H	174	GLY
3	H	186	SER
3	H	189	LEU
4	L	152	ASP
5	D	99	GLU
6	E	51	VAL
1	A	410	CYS
1	A	461	ASN
1	A	462	ASN
1	A	463	THR
2	M	2	ASN
2	M	27	VAL
3	F	144	ASP
3	F	167	PRO
3	F	173	SER
4	I	171	ASN
4	I	203	VAL
5	B	65	GLY
5	B	127	SER
6	C	96	LEU
6	C	142	ARG
6	C	183	LYS
6	C	199	GLN
1	G	354	ASN
3	H	204	ASN
4	L	188	SER
5	D	127	SER
6	E	50	ASP
6	E	199	GLN
4	I	152	ASP
4	I	202	THR
6	C	31	SER
6	E	198	HIS
6	E	211	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	136	ALA
3	F	172	SER
3	F	204	ASN
4	I	191	SER
5	B	64	GLN
6	C	67	SER
4	L	95(B)	PHE
3	F	14	PRO
5	D	211	VAL
6	E	166	GLN
3	F	41	PRO
3	F	149	PRO
3	H	202	PRO
5	B	53	ILE
5	D	53	ILE
5	B	202	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	317/339 (94%)	306 (96%)	11 (4%)	36 68
1	G	318/339 (94%)	311 (98%)	7 (2%)	52 80
2	M	21/20 (105%)	17 (81%)	4 (19%)	1 4
2	N	21/20 (105%)	19 (90%)	2 (10%)	8 24
3	F	177/189 (94%)	172 (97%)	5 (3%)	43 75
3	H	177/189 (94%)	174 (98%)	3 (2%)	60 84
4	I	178/182 (98%)	173 (97%)	5 (3%)	43 75
4	L	177/182 (97%)	175 (99%)	2 (1%)	73 91
5	B	182/193 (94%)	171 (94%)	11 (6%)	19 47
5	D	181/193 (94%)	176 (97%)	5 (3%)	43 75
6	C	185/187 (99%)	177 (96%)	8 (4%)	29 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	E	185/187 (99%)	175 (95%)	10 (5%)	22	52
All	All	2119/2220 (96%)	2046 (97%)	73 (3%)	36	69

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	39	TYR
1	G	62	GLU
1	G	202	LYS
1	G	268	GLU
1	G	283	THR
1	G	457	ASP
1	G	489	VAL
2	N	9	ARG
2	N	27	VAL
3	H	97	ARG
3	H	140	CYS
3	H	209	LYS
4	L	27(B)	ASP
4	L	157	LYS
5	D	135	THR
5	D	183	THR
5	D	188	SER
5	D	199	ASN
5	D	201	LYS
6	E	10	THR
6	E	23	CYS
6	E	24	ARG
6	E	26	SER
6	E	27	ARG
6	E	54	ARG
6	E	77	ARG
6	E	89	GLN
6	E	91	TYR
6	E	197	THR
1	A	32	ASP
1	A	34	LEU
1	A	39	TYR
1	A	62	GLU
1	A	89	VAL
1	A	110	SER
1	A	122	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	231	LYS
1	A	241	ASN
1	A	430	THR
1	A	462	ASN
2	M	5	PHE
2	M	8	LEU
2	M	18	ARG
2	M	27	VAL
3	F	49	SER
3	F	78	LEU
3	F	97	ARG
3	F	146	PHE
3	F	169	VAL
4	I	27	SER
4	I	27(B)	ASP
4	I	162	THR
4	I	194	CYS
4	I	201	SER
5	B	21	SER
5	B	28	SER
5	B	54	PHE
5	B	66	ARG
5	B	82(A)	SER
5	B	95	ARG
5	B	100(A)	PHE
5	B	105	GLN
5	B	120	SER
5	B	138	LEU
5	B	210	ARG
6	C	3	VAL
6	C	14	SER
6	C	26	SER
6	C	27(A)	THR
6	C	31	SER
6	C	105	GLU
6	C	106	ILE
6	C	211	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	U2X	N	23	2	19,20,21	1.25	1 (5%)	22,25,27	0.83	1 (4%)
2	U2X	M	23	2	19,20,21	1.25	1 (5%)	22,25,27	0.89	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	U2X	N	23	2	-	2/10/19/21	0/2/2/2
2	U2X	M	23	2	-	2/10/19/21	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	23	U2X	OH-CZ	3.49	1.45	1.37
2	N	23	U2X	OH-CZ	3.43	1.45	1.37

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	23	U2X	C7-OH-CZ	-2.25	113.16	117.93
2	N	23	U2X	C7-OH-CZ	-2.09	113.50	117.93

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	N	23	U2X	CE1-CZ-OH-C7
2	N	23	U2X	CE2-CZ-OH-C7
2	M	23	U2X	CE1-CZ-OH-C7
2	M	23	U2X	CE2-CZ-OH-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 2 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	A	607	1	14,14,15	0.30	0	17,19,21	0.69	0
7	NAG	G	604	1	14,14,15	0.28	0	17,19,21	0.89	1 (5%)
7	NAG	G	610	1	14,14,15	0.35	0	17,19,21	0.57	0
7	NAG	G	605	1	14,14,15	0.32	0	17,19,21	0.87	0
7	NAG	G	608	1	14,14,15	0.30	0	17,19,21	1.01	1 (5%)
7	NAG	A	605	1	14,14,15	0.31	0	17,19,21	1.27	2 (11%)
7	NAG	A	608	1	14,14,15	0.22	0	17,19,21	0.66	0
7	NAG	A	610	1	14,14,15	0.39	0	17,19,21	0.80	1 (5%)
7	NAG	A	601	1	14,14,15	0.26	0	17,19,21	0.65	0
7	NAG	G	602	1	14,14,15	0.44	0	17,19,21	1.54	3 (17%)
7	NAG	A	606	1	14,14,15	0.31	0	17,19,21	0.72	0
7	NAG	G	606	1	14,14,15	0.31	0	17,19,21	1.46	1 (5%)
7	NAG	G	601	1	14,14,15	0.45	0	17,19,21	1.20	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	A	602	1	14,14,15	0.68	1 (7%)	17,19,21	1.10	1 (5%)
7	NAG	A	609	1	14,14,15	0.38	0	17,19,21	0.89	1 (5%)
7	NAG	A	603	1	14,14,15	0.27	0	17,19,21	0.90	1 (5%)
7	NAG	G	603	1	14,14,15	0.57	0	17,19,21	1.13	1 (5%)
7	NAG	G	611	1	14,14,15	0.41	0	17,19,21	0.90	1 (5%)
7	NAG	G	609	1	14,14,15	0.23	0	17,19,21	0.90	1 (5%)
7	NAG	G	607	1	14,14,15	0.25	0	17,19,21	0.57	0
7	NAG	A	604	1	14,14,15	0.38	0	17,19,21	1.17	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	607	1	-	0/6/23/26	0/1/1/1
7	NAG	G	604	1	-	2/6/23/26	0/1/1/1
7	NAG	G	610	1	-	0/6/23/26	0/1/1/1
7	NAG	G	605	1	-	2/6/23/26	0/1/1/1
7	NAG	G	608	1	-	0/6/23/26	0/1/1/1
7	NAG	A	605	1	-	0/6/23/26	0/1/1/1
7	NAG	A	608	1	-	0/6/23/26	0/1/1/1
7	NAG	A	610	1	-	0/6/23/26	0/1/1/1
7	NAG	A	601	1	-	2/6/23/26	0/1/1/1
7	NAG	G	602	1	-	0/6/23/26	0/1/1/1
7	NAG	A	606	1	-	0/6/23/26	0/1/1/1
7	NAG	G	606	1	-	2/6/23/26	0/1/1/1
7	NAG	G	601	1	-	0/6/23/26	0/1/1/1
7	NAG	A	602	1	-	2/6/23/26	0/1/1/1
7	NAG	A	609	1	-	0/6/23/26	0/1/1/1
7	NAG	A	603	1	-	0/6/23/26	0/1/1/1
7	NAG	G	603	1	-	0/6/23/26	0/1/1/1
7	NAG	G	611	1	-	0/6/23/26	0/1/1/1
7	NAG	G	609	1	-	0/6/23/26	0/1/1/1
7	NAG	G	607	1	-	0/6/23/26	0/1/1/1
7	NAG	A	604	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	602	NAG	C1-C2	2.15	1.55	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	G	606	NAG	C1-O5-C5	5.67	119.88	112.19
7	A	604	NAG	C1-O5-C5	3.96	117.56	112.19
7	G	602	NAG	C1-C2-N2	3.50	116.47	110.49
7	A	605	NAG	C1-O5-C5	3.44	116.85	112.19
7	G	601	NAG	C3-C4-C5	3.25	116.04	110.24
7	G	604	NAG	C1-O5-C5	3.20	116.53	112.19
7	G	603	NAG	C4-C3-C2	3.04	115.47	111.02
7	G	609	NAG	C1-O5-C5	3.03	116.30	112.19
7	G	608	NAG	C1-O5-C5	2.94	116.17	112.19
7	A	605	NAG	C1-C2-N2	-2.63	105.99	110.49
7	G	602	NAG	C1-O5-C5	-2.59	108.69	112.19
7	A	603	NAG	C1-O5-C5	2.55	115.65	112.19
7	G	601	NAG	O5-C1-C2	-2.37	107.55	111.29
7	A	610	NAG	C3-C4-C5	2.24	114.23	110.24
7	A	602	NAG	O5-C1-C2	2.23	114.81	111.29
7	G	611	NAG	C4-C3-C2	-2.19	107.81	111.02
7	A	609	NAG	C4-C3-C2	2.09	114.08	111.02
7	G	602	NAG	C2-N2-C7	2.06	125.83	122.90

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	602	NAG	C4-C5-C6-O6
7	A	601	NAG	C4-C5-C6-O6
7	A	601	NAG	O5-C5-C6-O6
7	A	602	NAG	O5-C5-C6-O6
7	A	604	NAG	O5-C5-C6-O6
7	A	604	NAG	C4-C5-C6-O6
7	G	606	NAG	C4-C5-C6-O6
7	G	604	NAG	C4-C5-C6-O6
7	G	604	NAG	O5-C5-C6-O6
7	G	606	NAG	O5-C5-C6-O6
7	G	605	NAG	C4-C5-C6-O6
7	G	605	NAG	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	610	NAG	1	0
7	A	606	NAG	1	0
7	A	602	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	356/385 (92%)	-0.28	2 (0%) 89 89	38, 61, 98, 122	0
1	G	357/385 (92%)	-0.27	1 (0%) 94 94	32, 55, 92, 113	0
2	M	24/28 (85%)	-0.06	0 100 100	46, 54, 60, 66	0
2	N	24/28 (85%)	0.02	0 100 100	46, 61, 65, 77	0
3	F	212/226 (93%)	0.79	45 (21%) 0 0	36, 84, 171, 176	0
3	H	212/226 (93%)	0.07	11 (5%) 27 24	27, 58, 133, 144	0
4	I	212/217 (97%)	0.21	17 (8%) 12 10	45, 86, 128, 138	0
4	L	212/217 (97%)	0.01	11 (5%) 27 24	33, 56, 120, 137	0
5	B	211/225 (93%)	-0.05	0 100 100	52, 77, 99, 108	0
5	D	211/225 (93%)	-0.25	1 (0%) 91 91	41, 59, 94, 117	0
6	C	212/215 (98%)	-0.07	3 (1%) 75 76	49, 68, 108, 125	0
6	E	213/215 (99%)	-0.17	2 (0%) 84 84	48, 76, 120, 134	0
All	All	2456/2592 (94%)	-0.03	93 (3%) 40 37	27, 67, 130, 176	0

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	211	VAL	8.6
4	L	190	ARG	6.9
3	F	162	GLY	6.8
3	F	212	GLU	6.3
3	F	127	SER	5.9
3	F	179	SER	5.8
3	F	183	THR	5.8
3	H	189	LEU	5.4
3	F	139	GLY	5.3
3	H	190	GLY	5.3
4	I	202	THR	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	208	ASP	4.9
3	F	138	LEU	4.9
3	F	140	CYS	4.9
3	F	163	VAL	4.7
3	F	205	THR	4.7
3	F	164	HIS	4.5
3	F	207	VAL	4.1
3	F	165	THR	3.9
4	L	189	HIS	3.9
3	F	210	ARG	3.9
3	H	191	THR	3.8
3	F	142	VAL	3.8
4	I	127	GLN	3.6
3	F	194	TYR	3.6
3	F	193	THR	3.5
3	F	160	THR	3.5
4	I	169	SER	3.4
3	F	196	CYS	3.4
3	F	155	ASN	3.4
4	L	192	TYR	3.3
3	F	154	TRP	3.3
4	I	176	SER	3.2
3	H	151	THR	3.2
5	D	210	ARG	3.2
3	F	182	VAL	3.0
3	H	181	VAL	3.0
4	I	153	SER	3.0
4	L	133	LEU	2.9
3	F	123	PRO	2.8
3	F	204	ASN	2.8
3	F	180	SER	2.8
3	F	206	LYS	2.8
3	F	152	VAL	2.7
3	F	176	TYR	2.7
4	L	155	PRO	2.7
4	I	136	LEU	2.7
4	I	204	GLU	2.7
4	L	3	SER	2.7
3	F	161	SER	2.6
1	A	199	SER	2.6
3	F	157	GLY	2.6
4	I	119	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	I	203	VAL	2.6
6	C	131	SER	2.6
4	I	112	ALA	2.6
6	E	67	SER	2.5
3	F	191	THR	2.5
3	H	180	SER	2.5
4	L	191	SER	2.5
4	L	156	VAL	2.5
4	I	154	SER	2.4
3	F	168	ALA	2.4
3	F	197	ASN	2.4
3	F	116	THR	2.3
4	I	197	THR	2.3
3	H	150	VAL	2.3
4	I	205	LYS	2.3
4	L	153	SER	2.3
3	F	175	LEU	2.3
4	I	151	ALA	2.3
1	G	31	SER	2.2
3	H	127	SER	2.2
4	L	188	SER	2.2
3	F	187	SER	2.2
6	C	180	THR	2.2
3	F	189	LEU	2.2
3	F	213	PRO	2.2
6	E	21	LEU	2.1
3	F	202	PRO	2.1
4	I	3	SER	2.1
6	C	127	SER	2.1
4	I	117	THR	2.1
3	H	146	PHE	2.1
3	F	190	GLY	2.1
3	H	194	TYR	2.1
3	H	154	TRP	2.1
3	F	186	SER	2.1
3	F	203	SER	2.1
1	A	40	TYR	2.1
4	L	113	ALA	2.0
4	I	174	ALA	2.0
3	F	121	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	U2X	N	23	19/20	0.96	0.15	49,51,53,55	0
2	DPR	M	21	7/8	0.96	0.17	44,44,45,46	0
2	U2X	M	23	19/20	0.97	0.17	48,49,51,53	0
2	DPR	N	21	7/8	0.98	0.19	44,44,44,45	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	A	602	14/15	0.65	0.49	89,97,103,105	0
7	NAG	A	610	14/15	0.71	0.43	78,87,90,92	0
7	NAG	G	601	14/15	0.74	0.29	77,85,87,87	0
7	NAG	G	611	14/15	0.82	0.30	81,90,93,96	0
7	NAG	G	603	14/15	0.85	0.26	71,77,85,88	0
7	NAG	A	601	14/15	0.86	0.21	65,71,75,78	0
8	CL	N	101	1/1	0.88	0.10	54,54,54,54	0
7	NAG	A	604	14/15	0.88	0.22	64,70,72,73	0
7	NAG	A	609	14/15	0.88	0.32	75,80,85,85	0
7	NAG	A	605	14/15	0.89	0.24	60,63,65,68	0
7	NAG	A	606	14/15	0.90	0.21	57,62,63,63	0
7	NAG	A	607	14/15	0.90	0.24	69,74,79,81	0
7	NAG	G	610	14/15	0.91	0.20	74,80,83,84	0
8	CL	A	611	1/1	0.91	0.09	59,59,59,59	0
7	NAG	G	602	14/15	0.92	0.18	57,62,64,66	0
7	NAG	G	606	14/15	0.92	0.15	46,50,53,54	0
7	NAG	A	608	14/15	0.92	0.18	48,51,52,54	0
7	NAG	G	605	14/15	0.92	0.17	56,61,65,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	NAG	G	609	14/15	0.94	0.25	43,45,46,46	0
7	NAG	G	608	14/15	0.95	0.28	53,57,58,58	0
7	NAG	A	603	14/15	0.95	0.14	48,51,52,54	0
7	NAG	G	604	14/15	0.95	0.14	43,45,46,48	0
7	NAG	G	607	14/15	0.96	0.09	54,57,60,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.