



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 05:37 pm GMT

PDB ID : 1W5U
Title : GRAMICIDIN D FROM BACILLUS BREVIS (ETHANOL SOLVATE)
Authors : Glowka, M.L.; Olczak, A.; Bojarska, J.; Szczesio, M.; Duax, W.L.; Burkhart, B.M.; Pangborn, W.A.; Langs, D.A.; Wawrzak, Z.
Deposited on : 2004-08-10
Resolution : 1.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1223 (1.18-1.10)
Clashscore	122126	1264 (1.18-1.10)
Ramachandran outliers	120053	1215 (1.18-1.10)
Sidechain outliers	120020	1212 (1.18-1.10)
RSRZ outliers	108989	1199 (1.18-1.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	17	
1	B	17	
1	C	17	
1	D	17	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	DLE	A	10[A]	-	-	X	-
1	DLE	A	12	-	-	X	-
1	DLE	B	10[B]	-	-	X	-
1	DLE	B	12[A]	-	-	X	-
1	DLE	B	14[B]	-	-	X	-
1	DVA	B	6	-	-	X	-
1	DLE	C	10	-	-	X	-
1	ETA	C	16	-	-	X	-
1	DLE	C	4	-	-	X	-
2	RB	A	1017	-	-	X	-
2	RB	A	1018	-	-	X	-
2	RB	B	1017	-	-	X	-
2	RB	B	1018	-	-	X	-
2	RB	C	1016	-	-	X	-
2	RB	C	1018	-	-	X	-
2	RB	C	1019	-	-	X	-
2	RB	C	1020	-	-	X	-
2	RB	C	1021	-	-	X	-
2	RB	D	1016	-	-	X	-
2	RB	D	1018	-	-	X	-
3	CL	A	1019[D]	-	-	X	-
3	CL	A	1020	-	-	X	X
3	CL	B	1019[A]	-	-	-	X
3	CL	B	1019[B]	-	-	-	X
3	CL	B	1021	-	-	X	X
3	CL	D	1019[B]	-	-	X	-
4	EOH	C	1017[B]	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 720 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GRAMICIDIN D.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
1	A	16	150	111	20	19	0	5	0
1	B	16	172	132	22	18	0	6	0
1	C	16	169	130	22	17	0	6	0
1	D	16	168	127	22	19	0	5	0


- Molecule 2 is RUBIDIUM ION (three-letter code: RB) (formula: Rb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Rb		
2	B	3	3	3	0	0
2	A	2	2	2	0	0
2	D	3	3	3	0	0
2	C	6	6	6	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
3	B	3	4	4	0	1
3	A	2	5	5	0	1
3	D	1	3	3	0	1

- Molecule 4 is ETHANOL (three-letter code: EOH) (formula: C₂H₆O).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O 4 3 1	0	1


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	8	Total O 8 8	0	0
5	B	8	Total O 8 8	0	0
5	C	3	Total O 3 3	0	0
5	D	12	Total O 12 12	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GRAMICIDIN D




- Molecule 1: GRAMICIDIN D



- Molecule 1: GRAMICIDIN D



- Molecule 1: GRAMICIDIN D



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	30.06Å 31.30Å 51.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.14 21.68 – 1.15	Depositor EDS
% Data completeness (in resolution range)	98.7 (20.00-1.14) 96.4 (21.68-1.15)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.35 (at 1.15Å)	Xtrriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.173 , 0.215 0.180 , 0.218	Depositor DCC
R_{free} test set	1632 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	10.4	Xtrriage
Anisotropy	0.326	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 113.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	720	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 60.37 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5360e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DLE, CL, EOH, DVA, FVA, ETA, RB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/93	1.73	2/120 (1.7%)
1	B	0.74	0/111	1.36	0/142
1	C	0.73	0/114	1.95	5/147 (3.4%)
1	D	0.72	0/105	1.92	4/135 (3.0%)
All	All	0.75	0/423	1.76	11/544 (2.0%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	11[A]	TRP	CG-CD2-CE3	-7.93	126.76	133.90
1	A	15	TRP	CH2-CZ2-CE2	-6.49	110.91	117.40
1	A	15	TRP	CA-CB-CG	5.94	124.99	113.70
1	D	9	TRP	CE3-CZ3-CH2	-5.73	114.89	121.20
1	C	7[A]	VAL	N-CA-CB	-5.58	99.22	111.50
1	C	7[B]	VAL	N-CA-CB	-5.58	99.22	111.50
1	D	11[B]	TYR	CB-CG-CD1	-5.44	117.74	121.00
1	C	11	TRP	CE3-CZ3-CH2	5.41	127.15	121.20
1	D	11[B]	TYR	CB-CG-CD2	5.39	124.23	121.00
1	C	7[A]	VAL	CB-CA-C	5.02	120.93	111.40
1	C	7[B]	VAL	CB-CA-C	5.02	120.93	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	150	0	154	38	0
1	B	172	0	180	55	0
1	C	169	0	176	32	0
1	D	168	0	173	24	0
2	A	2	0	0	4	0
2	B	3	0	0	5	0
2	C	6	0	0	12	0
2	D	3	0	0	5	0
3	A	5	0	0	12	0
3	B	4	0	0	4	0
3	D	3	0	0	3	0
4	C	4	0	12	6	0
5	A	8	0	0	4	0
5	B	8	0	0	5	0
5	C	3	0	0	1	0
5	D	12	0	0	6	0
All	All	720	0	695	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 95.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13[B]:TRP:CE3	3:D:1019[B]:CL:CL	1.98	1.51
1:B:13[B]:TRP:HE3	3:D:1019[B]:CL:CL	1.26	1.50
1:B:14[B]:DLE:HD11	1:B:15:TRP:CE3	1.49	1.48
2:A:1017:RB:RB	2:A:1018:RB:RB	1.55	1.39
1:B:14[B]:DLE:CD1	1:B:15:TRP:CE3	2.05	1.38
1:A:16[A]:ETA:HB2	3:A:1020:CL:CL	1.63	1.34
1:C:10:DLE:HD11	1:D:13[A]:TRP:CZ3	1.68	1.29
2:B:1018:RB:RB	5:B:2005:HOH:O	1.49	1.28
2:C:1020:RB:RB	2:C:1022:RB:RB	1.30	1.26
3:A:1019[D]:CL:CL	1:B:9:TRP:CZ3	2.25	1.25
2:C:1019:RB:RB	5:D:2010:HOH:O	1.61	1.25
2:C:1018:RB:RB	5:D:2006:HOH:O	1.60	1.24
5:A:2006:HOH:O	2:C:1016:RB:RB	1.58	1.23
1:A:16[A]:ETA:CB	3:A:1020:CL:CL	2.25	1.22
1:B:14[B]:DLE:HD11	1:B:15:TRP:CZ3	1.73	1.22

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1017:RB:RB	2:C:1021:RB:RB	1.19	1.19
2:A:1018:RB:RB	5:A:2004:HOH:O	1.64	1.18
2:D:1018:RB:RB	5:D:2007:HOH:O	1.29	1.17
1:A:1:FVA:CG2	1:B:14[A]:DLE:HD12	1.76	1.15
2:B:1018:RB:RB	5:B:2004:HOH:O	1.24	1.14
5:A:2002:HOH:O	2:C:1021:RB:RB	1.23	1.12
5:C:2003:HOH:O	2:D:1016:RB:RB	1.21	1.11
1:C:4:DLE:CD1	4:C:1017[B]:EOH:H23	1.81	1.10
1:A:1:FVA:HG22	1:B:14[A]:DLE:HD12	1.08	1.08
1:A:10[A]:DLE:HD13	1:B:12[A]:DLE:CD1	1.85	1.07
1:B:13[A]:TRP:CH2	3:B:1021:CL:CL	2.44	1.06
1:C:10:DLE:CD1	1:D:13[A]:TRP:CZ3	2.41	1.03
1:A:1:FVA:HG22	1:B:14[A]:DLE:CD1	1.86	1.03
1:C:10:DLE:HD11	1:D:13[A]:TRP:HZ3	0.94	1.02
1:C:10:DLE:CD1	1:D:13[A]:TRP:HZ3	1.74	1.00
1:A:10[B]:DLE:CD1	1:B:6:DVA:HG22	1.92	1.00
1:C:4:DLE:HD12	4:C:1017[B]:EOH:H23	1.44	0.97
2:C:1019:RB:RB	5:D:2011:HOH:O	1.08	0.97
1:A:10[A]:DLE:CD1	1:B:12[A]:DLE:CD1	2.43	0.97
3:A:1019[D]:CL:CL	1:B:9:TRP:HZ3	1.70	0.97
1:A:10[A]:DLE:CD1	1:B:12[A]:DLE:HD12	1.94	0.96
1:A:15:TRP:CE2	3:A:1020:CL:CL	2.56	0.96
1:A:16[A]:ETA:O	3:A:1020:CL:CL	2.21	0.94
1:B:13[A]:TRP:HH2	3:B:1021:CL:CL	1.87	0.94
1:B:14[B]:DLE:HD12	1:B:15:TRP:CD2	2.02	0.94
1:A:12:DLE:HD22	1:B:10[B]:DLE:HD11	1.48	0.93
1:B:14[B]:DLE:HD12	1:B:15:TRP:CE3	2.05	0.91
1:A:10[A]:DLE:HD13	1:B:12[A]:DLE:HD12	1.49	0.91
1:C:4:DLE:HD11	4:C:1017[B]:EOH:H23	1.51	0.90
1:A:15:TRP:NE1	3:A:1020:CL:CL	2.43	0.87
1:B:14[B]:DLE:CD1	1:B:15:TRP:CD2	2.59	0.86
1:A:10[B]:DLE:HD13	1:B:6:DVA:HG22	1.58	0.85
1:A:10[A]:DLE:HD13	1:B:12[A]:DLE:HD13	1.56	0.85
3:B:1020:CL:CL	5:B:2006:HOH:O	2.33	0.84
2:B:1017:RB:RB	5:B:2005:HOH:O	0.89	0.81
3:A:1019[D]:CL:CL	1:B:9:TRP:CH2	2.70	0.81
1:B:13[A]:TRP:CZ3	3:B:1021:CL:CL	2.71	0.80
1:A:15:TRP:CD1	3:A:1020:CL:CL	2.74	0.78
2:B:1017:RB:RB	2:B:1018:RB:RB	2.19	0.77
1:A:10[B]:DLE:HD11	1:B:6:DVA:HG22	1.65	0.76
1:C:15[B]:TRP:HE3	1:D:7:VAL:HG22	1.50	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:1017:RB:RB	2:D:1018:RB:RB	2.21	0.75
2:C:1020:RB:RB	5:D:2010:HOH:O	1.11	0.75
1:A:12:DLE:HD22	1:B:10[B]:DLE:CD1	2.16	0.75
1:B:13[B]:TRP:CZ3	3:D:1019[B]:CL:CL	2.77	0.73
1:C:4:DLE:HD12	4:C:1017[B]:EOH:C2	2.18	0.71
1:A:10[B]:DLE:CD1	1:B:6:DVA:CG2	2.68	0.71
1:A:12:DLE:HG	1:B:10[B]:DLE:HD13	1.74	0.70
1:C:7[B]:VAL:CG1	1:D:9:TRP:CZ3	2.77	0.68
1:C:10:DLE:HD11	1:D:13[A]:TRP:CE3	2.26	0.68
2:A:1017:RB:RB	5:A:2002:HOH:O	2.15	0.67
1:B:12[B]:DLE:HD22	1:B:13[B]:TRP:CZ3	2.29	0.67
1:C:15[B]:TRP:CE3	1:C:16:ETA:HB2	2.29	0.67
1:B:14[B]:DLE:CD1	1:B:15:TRP:CZ3	2.58	0.67
1:A:15:TRP:HB3	1:B:7[B]:VAL:HG12	1.77	0.66
1:A:16[B]:ETA:HA2	3:A:1020:CL:CL	2.32	0.66
1:A:10[B]:DLE:HD13	1:B:6:DVA:CG2	2.24	0.66
2:D:1016:RB:RB	5:D:2002:HOH:O	2.24	0.64
1:C:16:ETA:HB2	1:D:6[A]:DVA:HG13	1.81	0.63
1:C:7[B]:VAL:HG13	1:D:9:TRP:CZ3	2.34	0.63
1:C:16:ETA:CB	1:D:6[A]:DVA:HG13	2.29	0.62
1:A:15:TRP:HB3	1:B:7[B]:VAL:CG1	2.31	0.60
2:C:1018:RB:RB	2:D:1016:RB:RB	2.36	0.60
1:C:7[B]:VAL:CG1	1:D:9:TRP:CE3	2.86	0.59
1:A:12:DLE:CG	1:B:10[B]:DLE:HD13	2.32	0.59
1:C:10:DLE:CD1	1:D:13[A]:TRP:CE3	2.85	0.58
1:A:1:FVA:CG2	1:B:14[A]:DLE:CD1	2.63	0.58
1:A:15:TRP:CD2	3:A:1020:CL:CL	2.93	0.58
1:D:14:DLE:N	1:D:14:DLE:HD13	2.19	0.57
1:B:6:DVA:HG12	1:B:7[A]:VAL:HG13	1.85	0.57
1:C:7[B]:VAL:HG12	1:D:9:TRP:CE3	2.40	0.57
1:B:12[B]:DLE:HD22	1:B:13[B]:TRP:CH2	2.40	0.56
1:C:12[B]:DLE:HG	1:D:10[B]:DLE:HD13	1.86	0.56
1:B:14[B]:DLE:HD13	1:B:15:TRP:N	2.22	0.55
1:C:15[B]:TRP:CE3	1:D:7:VAL:HG22	2.39	0.55
1:C:9[A]:TRP:HZ3	1:D:14:DLE:HD23	1.72	0.54
1:C:16:ETA:HB1	1:D:6[B]:DVA:HG12	1.91	0.53
1:C:15[B]:TRP:HE3	1:D:7:VAL:CG2	2.23	0.52
1:A:11:TRP:CZ3	1:B:5:ALA:HB2	2.45	0.51
1:A:8:DVA:HG12	1:B:14[B]:DLE:CD1	2.41	0.51
1:A:10[A]:DLE:CD1	1:B:12[A]:DLE:HD13	2.29	0.50
1:B:14[B]:DLE:CD1	1:B:15:TRP:HE3	2.09	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14[B]:DLE:HD13	1:B:15:TRP:H	1.78	0.49
1:A:12:DLE:CD2	1:B:10[B]:DLE:CD1	2.90	0.49
1:D:12:DLE:HD22	1:D:13[A]:TRP:CZ2	2.48	0.49
1:A:15:TRP:CG	3:A:1020:CL:CL	3.05	0.47
1:C:16:ETA:HB1	1:D:6[A]:DVA:HG13	1.98	0.46
1:A:10[A]:DLE:HD12	1:B:12[A]:DLE:CD1	2.41	0.46
1:A:10[A]:DLE:HD11	1:B:12[A]:DLE:HD12	1.91	0.46
1:D:14:DLE:CD1	1:D:14:DLE:N	2.78	0.46
1:A:1:FVA:HG21	1:B:14[A]:DLE:HD12	1.87	0.45
5:B:2002:HOH:O	2:C:1016:RB:RB	2.25	0.45
1:C:12[B]:DLE:HG	1:D:10[B]:DLE:CD1	2.47	0.45
2:C:1019:RB:RB	2:C:1020:RB:RB	2.43	0.44
1:A:6[B]:DVA:HG12	1:A:7:VAL:HG13	1.99	0.44
1:C:5:ALA:H	4:C:1017[B]:EOH:H12	1.82	0.42
1:C:15[B]:TRP:CE2	1:C:16:ETA:O	2.59	0.42
1:C:4:DLE:CD1	4:C:1017[B]:EOH:C2	2.73	0.42
1:C:15[B]:TRP:CD2	1:C:16:ETA:HB2	2.55	0.41
1:D:5:ALA:C	1:D:6[B]:DVA:HG13	2.41	0.41
1:A:12:DLE:CG	1:B:10[B]:DLE:CD1	2.98	0.41
2:B:1016:RB:RB	2:C:1016:RB:RB	2.54	0.41
1:B:12[B]:DLE:HD22	1:B:13[B]:TRP:CE3	2.56	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	9/17 (53%)	9 (100%)	0	0	100	100
1	B	9/17 (53%)	9 (100%)	0	0	100	100
1	C	11/17 (65%)	11 (100%)	0	0	100	100
1	D	8/17 (47%)	8 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	37/68 (54%)	37 (100%)	0	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	6/6 (100%)	6 (100%)	0	100	100
1	B	8/6 (133%)	8 (100%)	0	100	100
1	C	8/6 (133%)	8 (100%)	0	100	100
1	D	7/6 (117%)	7 (100%)	0	100	100
All	All	29/24 (121%)	29 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

45 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	FVA	A	1	1	8,8,9	1.42	2 (25%)	8,9,11	1.53	1 (12%)
1	DLE	A	10[A]	-	6,7,8	1.15	1 (16%)	6,8,10	2.16	2 (33%)
1	DLE	A	10[B]	-	6,7,8	1.16	1 (16%)	6,8,10	1.60	2 (33%)
1	DLE	A	12	1	6,7,8	0.74	0	6,8,10	1.19	1 (16%)
1	DLE	A	14	1	6,7,8	0.46	0	6,8,10	0.74	0
1	ETA	A	16[A]	-	3,3,3	0.50	0	2,2,2	0.29	0
1	ETA	A	16[B]	-	3,3,3	0.40	0	2,2,2	0.81	0
1	DLE	A	4[A]	-	6,7,8	1.38	1 (16%)	6,8,10	0.69	0
1	DLE	A	4[B]	-	6,7,8	1.39	1 (16%)	6,8,10	0.56	0
1	DVA	A	6[A]	-	6,6,7	0.81	0	6,7,9	1.12	1 (16%)
1	DVA	A	6[B]	-	6,6,7	0.78	0	6,7,9	1.40	2 (33%)
1	DVA	A	8	1	6,6,7	0.60	0	6,7,9	1.54	1 (16%)
1	FVA	B	1	1	8,8,9	0.73	0	8,9,11	1.68	3 (37%)
1	DLE	B	10[A]	-	6,7,8	0.71	0	6,8,10	1.19	1 (16%)
1	DLE	B	10[B]	-	6,7,8	0.66	0	6,8,10	1.08	0
1	DLE	B	12[A]	-	6,7,8	1.26	1 (16%)	6,8,10	0.86	0
1	DLE	B	12[B]	-	6,7,8	1.25	1 (16%)	6,8,10	1.29	1 (16%)
1	DLE	B	14[A]	-	6,7,8	0.69	0	6,8,10	1.69	2 (33%)
1	DLE	B	14[B]	-	6,7,8	0.61	0	6,8,10	0.80	0
1	ETA	B	16	1	2,2,3	0.69	0	0,1,2	0.00	-
1	DLE	B	4	1	6,7,8	1.47	1 (16%)	6,8,10	1.03	0
1	DVA	B	6	1	6,6,7	0.67	0	6,7,9	1.34	2 (33%)
1	DVA	B	8	1	6,6,7	1.10	1 (16%)	6,7,9	0.98	1 (16%)
1	FVA	C	1	1	8,8,9	0.98	0	8,9,11	1.03	1 (12%)
1	DLE	C	10	1	6,7,8	1.52	1 (16%)	6,8,10	1.44	1 (16%)
1	DLE	C	12[A]	-	6,7,8	0.63	0	6,8,10	1.13	1 (16%)
1	DLE	C	12[B]	-	6,7,8	0.60	0	6,8,10	1.04	1 (16%)
1	DLE	C	14	1	6,7,8	0.67	0	6,8,10	1.51	2 (33%)
1	ETA	C	16	1,2	3,3,3	0.66	0	2,2,2	1.25	0
1	DLE	C	4	1	6,7,8	0.73	0	6,8,10	1.41	2 (33%)
1	DVA	C	6[A]	-	6,6,7	0.76	0	6,7,9	1.40	2 (33%)
1	DVA	C	6[B]	-	6,6,7	0.76	0	6,7,9	1.15	1 (16%)
1	DVA	C	8[A]	-	6,6,7	1.13	1 (16%)	6,7,9	3.22	1 (16%)
1	DVA	C	8[B]	-	6,6,7	1.10	1 (16%)	6,7,9	0.94	0
1	FVA	D	1	1	8,8,9	0.78	0	8,9,11	1.87	3 (37%)
1	DLE	D	10[A]	-	6,7,8	0.47	0	6,8,10	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	DLE	D	10[B]	-	6,7,8	0.48	0	6,8,10	1.04	1 (16%)
1	DLE	D	12	1	6,7,8	1.00	1 (16%)	6,8,10	0.68	0
1	DLE	D	14	1	6,7,8	1.07	0	6,8,10	0.65	0
1	ETA	D	16	1	3,3,3	0.45	0	2,2,2	0.20	0
1	DLE	D	4	1	6,7,8	1.07	0	6,8,10	1.19	1 (16%)
1	DVA	D	6[A]	-	6,6,7	0.96	0	6,7,9	1.63	2 (33%)
1	DVA	D	6[B]	-	6,6,7	0.98	0	6,7,9	1.23	1 (16%)
1	DVA	D	8[A]	-	6,6,7	0.78	0	6,7,9	0.76	0
1	DVA	D	8[B]	-	6,6,7	0.66	0	6,7,9	1.50	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FVA	A	1	1	-	0/5/9/11	0/0/0/0
1	DLE	A	10[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	A	10[B]	-	-	0/4/6/8	0/0/0/0
1	DLE	A	12	1	-	0/4/6/8	0/0/0/0
1	DLE	A	14	1	-	0/4/6/8	0/0/0/0
1	ETA	A	16[A]	-	-	0/1/1/1	0/0/0/0
1	ETA	A	16[B]	-	-	0/1/1/1	0/0/0/0
1	DLE	A	4[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	A	4[B]	-	-	0/4/6/8	0/0/0/0
1	DVA	A	6[A]	-	-	0/4/6/8	0/0/0/0
1	DVA	A	6[B]	-	-	0/4/6/8	0/0/0/0
1	DVA	A	8	1	-	0/4/6/8	0/0/0/0
1	FVA	B	1	1	-	0/5/9/11	0/0/0/0
1	DLE	B	10[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	B	10[B]	-	-	0/4/6/8	0/0/0/0
1	DLE	B	12[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	B	12[B]	-	-	0/4/6/8	0/0/0/0
1	DLE	B	14[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	B	14[B]	-	-	0/4/6/8	0/0/0/0
1	ETA	B	16	1	-	0/0/0/1	0/0/0/0
1	DLE	B	4	1	-	0/4/6/8	0/0/0/0
1	DVA	B	6	1	-	0/4/6/8	0/0/0/0
1	DVA	B	8	1	-	0/4/6/8	0/0/0/0
1	FVA	C	1	1	-	0/5/9/11	0/0/0/0
1	DLE	C	10	1	-	0/4/6/8	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	DLE	C	12[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	C	12[B]	-	-	0/4/6/8	0/0/0/0
1	DLE	C	14	1	-	0/4/6/8	0/0/0/0
1	ETA	C	16	1,2	-	0/1/1/1	0/0/0/0
1	DLE	C	4	1	-	0/4/6/8	0/0/0/0
1	DVA	C	6[A]	-	-	0/4/6/8	0/0/0/0
1	DVA	C	6[B]	-	-	0/4/6/8	0/0/0/0
1	DVA	C	8[A]	-	-	0/4/6/8	0/0/0/0
1	DVA	C	8[B]	-	-	0/4/6/8	0/0/0/0
1	FVA	D	1	1	-	0/5/9/11	0/0/0/0
1	DLE	D	10[A]	-	-	0/4/6/8	0/0/0/0
1	DLE	D	10[B]	-	-	0/4/6/8	0/0/0/0
1	DLE	D	12	1	-	0/4/6/8	0/0/0/0
1	DLE	D	14	1	-	0/4/6/8	0/0/0/0
1	ETA	D	16	1	-	0/1/1/1	0/0/0/0
1	DLE	D	4	1	-	0/4/6/8	0/0/0/0
1	DVA	D	6[A]	-	-	0/4/6/8	0/0/0/0
1	DVA	D	6[B]	-	-	0/4/6/8	0/0/0/0
1	DVA	D	8[A]	-	-	0/4/6/8	0/0/0/0
1	DVA	D	8[B]	-	-	0/4/6/8	0/0/0/0

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	FVA	CA-N	-3.05	1.42	1.46
1	A	1	FVA	CA-C	2.02	1.52	1.50
1	D	12	DLE	CA-C	2.07	1.53	1.50
1	C	8[A]	DVA	CA-C	2.23	1.53	1.50
1	C	8[B]	DVA	CA-C	2.23	1.53	1.50
1	B	12[A]	DLE	CA-C	2.40	1.53	1.50
1	B	12[B]	DLE	CA-C	2.40	1.53	1.50
1	B	8	DVA	CA-C	2.43	1.53	1.50
1	A	10[A]	DLE	CA-C	2.48	1.53	1.50
1	A	10[B]	DLE	CA-C	2.48	1.53	1.50
1	A	4[B]	DLE	CA-C	2.98	1.54	1.50
1	A	4[A]	DLE	CA-C	2.98	1.54	1.50
1	C	10	DLE	CA-C	3.28	1.54	1.50
1	B	4	DLE	CA-C	3.51	1.54	1.50

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	8[A]	DVA	CB-CA-C	-7.56	102.60	112.96
1	A	8	DVA	CB-CA-C	-3.25	108.51	112.96
1	D	8[B]	DVA	CB-CA-C	-3.18	108.61	112.96
1	C	10	DLE	O-C-CA	-3.04	116.62	124.96
1	D	6[A]	DVA	O-C-CA	-2.92	118.28	125.09
1	D	6[B]	DVA	O-C-CA	-2.92	118.28	125.09
1	B	1	FVA	CB-CA-C	-2.81	109.50	113.07
1	D	6[A]	DVA	CB-CA-C	-2.69	109.28	112.96
1	C	4	DLE	O-C-CA	-2.61	117.80	124.96
1	C	14	DLE	CD2-CG-CB	-2.56	101.69	111.08
1	D	4	DLE	O-C-CA	-2.54	117.97	124.96
1	D	1	FVA	CB-CA-C	-2.46	109.94	113.07
1	B	6	DVA	O-C-CA	-2.40	119.49	125.09
1	A	12	DLE	O-C-CA	-2.36	118.47	124.96
1	D	1	FVA	O-C-CA	-2.36	119.35	125.12
1	A	6[B]	DVA	CB-CA-C	-2.36	109.73	112.96
1	C	6[A]	DVA	CB-CA-C	-2.35	109.74	112.96
1	C	6[B]	DVA	O-C-CA	-2.33	119.65	125.09
1	C	6[A]	DVA	O-C-CA	-2.33	119.65	125.09
1	C	12[A]	DLE	O-C-CA	-2.30	118.64	124.96
1	C	12[B]	DLE	O-C-CA	-2.30	118.64	124.96
1	C	1	FVA	O-C-CA	-2.26	119.59	125.12
1	B	8	DVA	O-C-CA	-2.23	119.88	125.09
1	A	1	FVA	O-C-CA	-2.23	119.66	125.12
1	A	6[A]	DVA	O-C-CA	-2.19	119.99	125.09
1	A	6[B]	DVA	O-C-CA	-2.19	119.99	125.09
1	B	6	DVA	CB-CA-C	-2.15	110.02	112.96
1	C	14	DLE	O-C-CA	-2.12	119.13	124.96
1	D	10[B]	DLE	CB-CA-N	-2.01	105.94	110.43
1	B	10[A]	DLE	CB-CA-N	2.01	114.92	110.43
1	C	4	DLE	CB-CA-N	2.14	115.19	110.43
1	B	1	FVA	CA-N-CN	2.17	126.09	122.42
1	B	14[A]	DLE	CD1-CG-CB	2.33	119.62	111.08
1	B	1	FVA	CG1-CB-CA	2.37	114.89	111.21
1	B	12[B]	DLE	CB-CA-N	2.48	115.95	110.43
1	A	10[B]	DLE	CG-CB-CA	2.52	130.24	116.19
1	A	10[A]	DLE	CB-CA-N	2.54	116.09	110.43
1	A	10[B]	DLE	CB-CA-N	2.54	116.09	110.43
1	B	14[A]	DLE	CG-CB-CA	2.66	131.00	116.19
1	D	1	FVA	CA-N-CN	2.91	127.35	122.42
1	A	10[A]	DLE	CG-CB-CA	4.12	139.15	116.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

23 monomers are involved in 73 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1	FVA	5	0
1	A	10[A]	DLE	8	0
1	A	10[B]	DLE	5	0
1	A	12	DLE	6	0
1	A	16[A]	ETA	3	0
1	A	16[B]	ETA	1	0
1	A	6[B]	DVA	1	0
1	A	8	DVA	1	0
1	B	10[B]	DLE	6	0
1	B	12[A]	DLE	8	0
1	B	12[B]	DLE	3	0
1	B	14[A]	DLE	5	0
1	B	14[B]	DLE	12	0
1	B	6	DVA	6	0
1	C	10	DLE	6	0
1	C	12[B]	DLE	3	0
1	C	16	ETA	8	0
1	C	4	DLE	6	0
1	D	10[B]	DLE	2	0
1	D	12	DLE	1	0
1	D	14	DLE	3	0
1	D	6[A]	DVA	3	0
1	D	6[B]	DVA	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 26 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EOH	C	1017[A]	-	2,2,2	0.05	0	1,1,1	0.13	0
4	EOH	C	1017[B]	-	2,2,2	0.05	0	1,1,1	0.02	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EOH	C	1017[A]	-	-	0/0/0/0	0/0/0/0
4	EOH	C	1017[B]	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1017[B]	EOH	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	11[B]:TYR	C	12:DLE	N	1.07
1	D	11[B]:TYR	C	12:DLE	N	0.96

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	9/17 (52%)	1.57	2 (22%) 0 1	10, 11, 21, 25	0
1	B	9/17 (52%)	1.10	2 (22%) 0 1	10, 12, 16, 20	2 (22%)
1	C	9/17 (52%)	1.05	2 (22%) 0 1	10, 13, 15, 17	0
1	D	9/17 (52%)	0.97	1 (11%) 5 6	11, 12, 16, 19	2 (22%)
All	All	36/68 (52%)	1.17	7 (19%) 1 2	10, 13, 20, 25	4 (11%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	9[A]	TRP	6.3
1	A	15	TRP	4.7
1	D	13[A]	TRP	3.4
1	C	15[A]	TRP	3.1
1	B	11[A]	TRP	2.3
1	B	11[A]	TRP	2.3
1	C	9[A]	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	ETA	D	16	4/4	0.78	0.17	14,22,26,27	0
1	ETA	C	16	4/4	0.83	0.31	17,20,26,40	0
1	ETA	A	16[A]	4/4	0.91	0.31	18,20,22,28	3
1	ETA	A	16[B]	4/4	0.91	0.31	18,21,21,23	3
1	ETA	B	16	3/4	0.92	0.13	16,16,19,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	DLE	C	4	8/9	0.92	0.18	12,17,30,33	0
1	FVA	B	1	9/10	0.93	0.10	11,13,19,23	0
1	FVA	D	1	9/10	0.93	0.11	13,16,29,30	0
1	DLE	C	10	8/9	0.94	0.11	8,13,27,29	0
1	DLE	B	14[A]	8/9	0.94	0.15	9,14,20,25	4
1	DVA	C	8[A]	7/8	0.94	0.13	7,8,12,14	3
1	DVA	C	8[B]	7/8	0.94	0.13	7,8,13,13	3
1	DLE	B	14[B]	8/9	0.94	0.15	9,14,18,18	4
1	DLE	A	10[A]	8/9	0.95	0.13	9,12,22,24	3
1	DLE	A	4[B]	8/9	0.95	0.12	10,12,15,22	4
1	DVA	A	8	7/8	0.95	0.09	8,8,18,20	0
1	DLE	A	10[B]	8/9	0.95	0.13	9,12,20,23	3
1	DLE	A	4[A]	8/9	0.95	0.12	10,13,20,22	4
1	FVA	A	1	9/10	0.95	0.08	10,12,23,24	0
1	DLE	D	4	8/9	0.96	0.08	12,16,23,29	0
1	DLE	C	12[B]	8/9	0.96	0.12	8,10,13,14	4
1	FVA	C	1	9/10	0.96	0.08	10,13,19,22	0
1	DVA	B	8	7/8	0.96	0.09	8,9,12,13	0
1	DLE	D	14	8/9	0.96	0.09	9,12,23,26	0
1	DLE	C	14	8/9	0.96	0.09	10,16,19,26	0
1	DLE	C	12[A]	8/9	0.96	0.12	8,11,14,16	4
1	DLE	A	12	8/9	0.96	0.10	7,11,16,26	0
1	DLE	B	12[A]	8/9	0.96	0.11	9,12,15,16	4
1	DLE	B	12[B]	8/9	0.96	0.11	9,12,15,16	4
1	DVA	A	6[B]	7/8	0.97	0.08	8,9,12,13	3
1	DVA	C	6[A]	7/8	0.97	0.09	9,10,13,13	3
1	DVA	D	8[B]	7/8	0.97	0.09	8,10,13,14	3
1	DVA	D	6[A]	7/8	0.97	0.09	10,10,15,16	3
1	DVA	D	8[A]	7/8	0.97	0.09	8,10,14,16	3
1	DVA	D	6[B]	7/8	0.97	0.09	10,10,15,19	3
1	DLE	B	4	8/9	0.97	0.10	8,10,16,21	0
1	DLE	D	12	8/9	0.97	0.07	9,11,20,24	0
1	DVA	C	6[B]	7/8	0.97	0.09	9,10,13,15	3
1	DVA	A	6[A]	7/8	0.97	0.08	8,9,14,16	0
1	DLE	A	14	8/9	0.97	0.07	8,11,15,18	0
1	DVA	B	6	7/8	0.98	0.05	10,11,18,20	0
1	DLE	B	10[A]	8/9	0.98	0.11	7,11,19,24	4
1	DLE	B	10[B]	8/9	0.98	0.11	7,11,15,18	4
1	DLE	D	10[B]	8/9	0.98	0.10	9,10,14,16	4
1	DLE	D	10[A]	8/9	0.98	0.10	9,10,16,16	4

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	1020	1/1	0.61	1.28	39,39,39,39	1
3	CL	B	1019[A]	1/1	0.70	0.63	35,35,35,35	1
3	CL	B	1019[B]	1/1	0.70	0.63	10,10,10,10	1
3	CL	B	1021	1/1	0.71	0.61	24,24,24,24	1
2	RB	C	1019	1/1	0.88	0.15	18,18,18,18	1
2	RB	B	1016	1/1	0.88	0.15	26,26,26,26	1
3	CL	D	1019[B]	1/1	0.91	0.30	19,19,19,19	1
3	CL	D	1019[A]	1/1	0.91	0.30	16,16,16,16	1
4	EOH	C	1017[A]	3/3	0.91	0.26	32,32,39,43	1
4	EOH	C	1017[B]	3/3	0.91	0.26	32,32,39,41	1
3	CL	D	1019[C]	1/1	0.91	0.30	45,45,45,45	1
3	CL	A	1019[B]	1/1	0.93	0.20	64,64,64,64	1
3	CL	A	1019[C]	1/1	0.93	0.20	15,15,15,15	1
2	RB	D	1017	1/1	0.93	0.16	14,14,14,14	1
3	CL	A	1019[A]	1/1	0.93	0.20	13,13,13,13	1
3	CL	A	1019[D]	1/1	0.93	0.20	10,10,10,10	1
2	RB	D	1016	1/1	0.95	0.07	16,16,16,16	1
2	RB	C	1018	1/1	0.96	0.08	13,13,13,13	1
2	RB	A	1018	1/1	0.97	0.09	21,21,21,21	1
3	CL	B	1020	1/1	0.98	0.09	10,10,10,10	1
2	RB	B	1017	1/1	0.98	0.13	16,16,16,16	1
2	RB	C	1020	1/1	0.98	0.05	14,14,14,14	1
2	RB	C	1016	1/1	0.99	0.05	14,14,14,14	1
2	RB	D	1018	1/1	0.99	0.03	11,11,11,11	1
2	RB	B	1018	1/1	0.99	0.05	11,11,11,11	1
2	RB	C	1022	1/1	0.99	0.03	13,13,13,13	1
2	RB	A	1017	1/1	1.00	0.08	17,17,17,17	1
2	RB	C	1021	1/1	1.00	0.08	9,9,9,9	1

6.5 Other polymers [i](#)

There are no such residues in this entry.