



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 10, 2023 – 11:06 am GMT

PDB ID : 1W7A
Title : ATP bound MutS
Authors : Lamers, M.H.; Georgijevic, D.; Lebbink, J.; Winterwerp, H.H.K.; Agianian, B.; de Wind, N.; Sixma, T.K.
Deposited on : 2004-08-31
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	800	
1	B	800	
2	E	30	
3	F	30	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 13285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA MISMATCH REPAIR PROTEIN MUTS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	791	Total 6225	C 3915	N 1106	O 1175	S 29	0	0	0
1	B	762	Total 6017	C 3784	N 1071	O 1134	S 28	0	0	0


- Molecule 2 is a DNA chain called 5'-D(*AP*GP*CP*TP*GP*CP*CP*AP*GP*GP *CP*A P*CP*CP*AP*GP*TP*GP*TP*CP*AP*GP*CP*GP*TP*CP*CP*TP* AP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	E	18	Total 367	C 174	N 72	O 104	P 17	0	0	0

- Molecule 3 is a DNA chain called 5'-D(*AP*TP*AP*GP*GP*AP*CP*GP*CP*TP *GP*A P*CP*AP*CP*TP*GP*GP*TP*GP*CP*TP*TP*GP*GP*CP*AP*GP* CP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	F	17	Total 347	C 166	N 62	O 103	P 16	0	0	0

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
4	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	132	Total	O	0	0
			132	132		
6	B	124	Total	O	0	0
			124	124		
6	E	5	Total	O	0	0
			5	5		
6	F	5	Total	O	0	0
			5	5		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA MISMATCH REPAIR PROTEIN MUTS





- Molecule 1: DNA MISMATCH REPAIR PROTEIN MUTS







- Molecule 2: 5'-D(*AP*GP*CP*TP*GP*CP*CP*AP*GP*GP *CP*AP*CP*CP*AP*GP*TP*GP*TP*CP*AP*GP*CP*GP*TP*CP*CP*TP* AP*T)-3'



- Molecule 3: 5'-D(*AP*TP*AP*GP*GP*AP*CP*GP*CP*TP *GP*AP*CP*AP*CP*TP*GP*GP*TP*GP*CP*TP*TP*GP*GP*CP*AP*GP* CP*T)-3'



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.64Å 93.04Å 262.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.27 19.80 – 2.27	Depositor EDS
% Data completeness (in resolution range)	98.1 (20.00-2.27) 98.1 (19.80-2.27)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.19 (at 2.26Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.216 , 0.253 0.217 , 0.253	Depositor DCC
R_{free} test set	2002 reflections (1.97%)	wwPDB-VP
Wilson B-factor (Å ²)	48.6	Xtrriage
Anisotropy	0.181	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.025 for k,h,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13285	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/6331	0.77	19/8569 (0.2%)
1	B	0.59	1/6115 (0.0%)	0.75	17/8270 (0.2%)
2	E	0.88	0/412	1.33	2/634 (0.3%)
3	F	1.01	1/388 (0.3%)	1.39	3/598 (0.5%)
All	All	0.61	2/13246 (0.0%)	0.82	41/18071 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	23	DT	C3'-O3'	-5.58	1.36	1.44
1	B	660	ALA	CA-CB	-5.02	1.41	1.52

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	22	DT	O4'-C1'-N1	-6.79	103.25	108.00
1	A	246	ASP	CB-CG-OD2	6.66	124.29	118.30
1	A	149	ASP	CB-CG-OD2	6.60	124.24	118.30
1	B	703	ASP	CB-CG-OD2	6.31	123.98	118.30
2	E	11	DC	C5'-C4'-O4'	-6.26	97.41	109.30
1	B	42	ASP	CB-CG-OD2	6.12	123.80	118.30
1	A	121	ASP	CB-CG-OD2	6.11	123.80	118.30
1	A	693	ASP	CB-CG-OD2	6.00	123.70	118.30
1	B	270	ASP	CB-CG-OD2	6.00	123.70	118.30
1	A	434	ASP	CB-CG-OD2	5.96	123.66	118.30
1	A	445	ASP	N-CA-C	-5.93	94.97	111.00
1	A	52	ASP	CB-CG-OD2	5.90	123.61	118.30
1	A	441	ASP	CB-CG-OD2	5.90	123.61	118.30
1	A	305	ARG	NE-CZ-NH2	-5.84	117.38	120.30
2	E	3	DC	O4'-C1'-N1	5.83	112.08	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	23	DT	O4'-C1'-N1	-5.68	104.02	108.00
1	A	157	LEU	CA-CB-CG	5.63	128.24	115.30
1	B	413	ASP	CB-CG-OD2	5.62	123.36	118.30
1	B	754	ASP	CB-CG-OD2	5.58	123.32	118.30
1	B	461	ASP	CB-CG-OD2	5.54	123.28	118.30
1	A	461	ASP	CB-CG-OD2	5.49	123.24	118.30
1	B	693	ASP	CB-CG-OD2	5.47	123.22	118.30
1	B	265	ASP	CB-CG-OD2	5.45	123.20	118.30
1	A	35	ASP	CB-CG-OD2	5.44	123.20	118.30
1	B	183	ASP	CB-CG-OD2	5.43	123.19	118.30
1	A	413	ASP	CB-CG-OD2	5.40	123.16	118.30
1	B	511	ASP	CB-CG-OD2	5.40	123.16	118.30
1	A	305	ARG	NE-CZ-NH1	5.39	122.99	120.30
1	A	574	ASP	CB-CG-OD2	5.32	123.09	118.30
1	B	347	ASP	CB-CG-OD2	5.32	123.09	118.30
1	B	207	ASP	CB-CG-OD2	5.31	123.08	118.30
1	A	386	ASP	CB-CG-OD2	5.21	122.99	118.30
1	B	386	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	8	ASP	CB-CG-OD2	5.17	122.96	118.30
1	B	661	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	130	ASP	CB-CG-OD2	5.13	122.92	118.30
3	F	29	DC	O4'-C1'-N1	5.12	111.59	108.00
1	B	748	ASP	CB-CG-OD2	5.06	122.86	118.30
1	A	754	ASP	CB-CG-OD2	5.05	122.85	118.30
1	A	42	ASP	CB-CG-OD2	5.03	122.83	118.30
1	B	246	ASP	CB-CG-OD2	5.03	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6225	0	6268	93	0
1	B	6017	0	6062	108	0
2	E	367	0	202	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	347	0	194	4	0
4	A	31	0	12	0	0
4	B	31	0	12	2	0
5	A	1	0	0	0	0
6	A	132	0	0	18	0
6	B	124	0	0	11	0
6	E	5	0	0	1	0
6	F	5	0	0	1	0
All	All	13285	0	12750	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:662:ASP:HB3	1:B:666:GLY:HA3	1.28	1.13
1:A:784:GLU:OE1	1:A:784:GLU:N	1.82	1.10
1:A:46:ARG:NH2	1:A:88:GLU:OE1	2.08	0.87
1:B:660:ALA:HB3	1:B:669:THR:HG23	1.56	0.87
1:B:662:ASP:HB3	1:B:666:GLY:CA	2.07	0.83
1:A:154:ARG:NH1	6:A:2038:HOH:O	2.13	0.82
1:B:660:ALA:CB	1:B:669:THR:HG23	2.10	0.82
1:A:630:ILE:HG23	1:A:640:VAL:HG11	1.63	0.79
1:A:668:SER:OG	1:A:669:THR:N	2.12	0.79
1:A:118:THR:HG22	6:A:2024:HOH:O	1.83	0.79
1:A:34:GLY:H	1:A:95:GLN:HE22	1.30	0.78
1:A:784:GLU:H	1:A:784:GLU:CD	1.89	0.76
1:A:680:ILE:HD13	1:A:692:MET:HE1	1.69	0.75
2:E:3:DC:H2''	2:E:4:DT:H5'	1.69	0.75
1:B:616:ASN:HA	4:B:1801:ATP:O1B	1.90	0.72
1:B:327:THR:HG21	1:B:555:LEU:HD13	1.70	0.72
1:A:109:LYS:HE2	6:A:2022:HOH:O	1.90	0.72
1:B:616:ASN:O	1:B:617:MET:HB2	1.90	0.71
1:B:507:LYS:NZ	1:B:510:GLU:OE1	2.25	0.69
1:B:660:ALA:HB1	1:B:669:THR:HA	1.74	0.69
1:B:662:ASP:OD1	1:B:662:ASP:N	2.27	0.68
1:A:326:GLN:HB3	6:A:2073:HOH:O	1.94	0.67
1:B:282:ASN:HD22	1:B:284:ALA:H	1.41	0.67
1:B:463:LEU:HD12	1:B:464:LYS:N	2.09	0.67
1:A:34:GLY:H	1:A:95:GLN:NE2	1.93	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:669:THR:HA	6:A:2108:HOH:O	1.94	0.66
1:A:300:THR:HG22	1:A:303:GLY:H	1.61	0.66
1:A:358:ARG:NH2	1:A:533:ASP:OD1	2.27	0.64
1:B:212:GLN:HG2	6:B:2003:HOH:O	1.96	0.64
1:A:656:ARG:HB2	1:A:692:MET:HE2	1.80	0.63
1:B:430:ASN:HD22	1:B:433:LEU:H	1.44	0.63
1:A:282:ASN:HD22	1:A:284:ALA:H	1.45	0.63
1:A:672:VAL:N	6:A:2108:HOH:O	2.28	0.63
1:A:305:ARG:NH2	1:A:347:ASP:OD2	2.32	0.62
1:A:717:ASN:HB2	1:A:739:MET:HE1	1.80	0.62
1:A:509:TYR:CZ	1:A:513:VAL:HG21	2.34	0.61
1:B:267:ILE:HB	1:B:314:PRO:HG2	1.82	0.61
1:B:300:THR:HG22	1:B:303:GLY:H	1.66	0.61
1:A:46:ARG:NH2	1:A:88:GLU:CD	2.54	0.61
2:E:1:DA:H3'	6:E:2001:HOH:O	2.01	0.60
1:A:673:GLU:O	1:A:677:THR:HG23	2.01	0.60
1:A:752:HIS:CD2	1:A:755:THR:HG23	2.36	0.60
1:A:270:ASP:O	1:A:274:ARG:HG3	2.03	0.59
1:A:752:HIS:CD2	1:A:755:THR:CG2	2.85	0.59
1:B:404:ARG:O	1:B:408:GLU:HG3	2.02	0.59
1:A:73:TYR:O	1:A:76:VAL:HG22	2.02	0.59
1:B:667:ARG:O	1:B:668:SER:HB3	2.03	0.59
1:A:345:VAL:HG11	1:A:549:LEU:HD13	1.84	0.59
2:E:6:DC:H2''	2:E:7:DC:H5'	1.84	0.58
1:A:300:THR:CG2	1:A:303:GLY:H	2.17	0.57
1:A:315:VAL:HG12	1:A:317:ASP:H	1.69	0.57
1:A:652:ARG:HD3	6:A:2106:HOH:O	2.04	0.57
1:B:517:LYS:NZ	6:B:2071:HOH:O	2.37	0.57
1:A:443:ALA:HA	1:A:509:TYR:OH	2.06	0.56
1:A:616:ASN:HB3	6:A:2131:HOH:O	2.04	0.56
1:B:660:ALA:O	1:B:661:ASP:HB2	2.06	0.56
1:B:55:LEU:HG	1:B:55:LEU:O	2.05	0.56
1:B:476:GLN:OE1	1:B:500:ARG:HD3	2.06	0.56
1:B:363:ARG:O	1:B:367:ARG:HG3	2.05	0.56
1:B:613:THR:CG2	1:B:767:ALA:H	2.18	0.56
1:A:46:ARG:NH2	1:A:88:GLU:OE2	2.39	0.56
1:A:800:SER:HA	6:A:2130:HOH:O	2.05	0.56
1:B:263:GLU:HG2	1:B:268:ILE:HD11	1.88	0.55
1:A:282:ASN:HD22	1:A:282:ASN:C	2.10	0.55
1:B:160:PRO:HG2	1:B:166:MET:SD	2.46	0.55
3:F:15:DC:H2''	3:F:16:DT:H5'	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:512:LYS:HZ3	1:A:512:LYS:HB2	1.70	0.55
1:A:752:HIS:O	1:A:755:THR:HG22	2.07	0.55
1:A:728:HIS:HB2	6:A:2117:HOH:O	2.06	0.54
1:A:282:ASN:ND2	1:A:284:ALA:H	2.06	0.54
1:B:327:THR:HG22	1:B:331:LEU:HD12	1.90	0.54
1:B:300:THR:HB	1:B:553:ASP:OD2	2.08	0.54
1:B:324:ARG:O	1:B:328:ILE:HG12	2.08	0.53
1:B:282:ASN:HD21	1:B:286:GLY:H	1.57	0.53
1:A:282:ASN:HD22	1:A:284:ALA:N	2.06	0.53
1:A:717:ASN:HB2	1:A:739:MET:CE	2.38	0.53
1:B:37:TYR:CD2	1:B:76:VAL:HG21	2.44	0.53
1:B:310:TRP:O	1:B:636:ILE:CD1	2.57	0.53
1:B:264:GLN:HE21	1:B:264:GLN:H	1.55	0.52
1:B:471:HIS:CE1	1:B:493:GLN:HB2	2.43	0.52
1:B:617:MET:N	4:B:1801:ATP:O1B	2.39	0.52
1:B:157:LEU:HD13	1:B:233:GLY:HA3	1.91	0.52
1:B:297:CYS:H	1:B:557:ASN:HD21	1.58	0.52
1:B:37:TYR:CE2	1:B:76:VAL:HG21	2.44	0.51
1:B:108:ARG:N	6:B:2009:HOH:O	2.43	0.51
1:A:328:ILE:HG23	1:A:559:ALA:HA	1.92	0.51
1:B:84:VAL:HG11	1:B:119:ILE:HD13	1.93	0.51
1:B:474:TYR:CE1	1:B:500:ARG:HD2	2.46	0.51
1:A:115:THR:OG1	1:A:118:THR:HB	2.11	0.51
1:A:494:THR:OG1	1:B:491:ARG:HD2	2.11	0.50
1:B:328:ILE:HG23	1:B:559:ALA:HA	1.92	0.50
1:B:338:LEU:HD13	1:B:381:GLN:OE1	2.11	0.50
1:B:316:ARG:HD3	1:B:650:ILE:O	2.12	0.50
1:A:6:ASN:H	1:A:6:ASN:HD22	1.60	0.50
1:B:679:ASN:ND2	1:B:683:ASN:HD22	2.10	0.50
1:A:157:LEU:C	1:A:157:LEU:HD23	2.31	0.50
1:A:143:PHE:C	1:A:232:ARG:HD3	2.32	0.49
1:B:373:GLN:HG2	1:B:404:ARG:HE	1.77	0.49
1:A:640:VAL:HG13	1:A:641:PRO:HD2	1.93	0.49
1:B:32:ARG:NH1	1:B:94:GLU:OE1	2.45	0.49
3:F:28:DG:H5 ⁷	6:F:2004:HOH:O	2.12	0.49
1:B:405:ASP:OD2	1:B:409:ARG:NH1	2.40	0.49
1:B:430:ASN:HD21	1:B:432:GLU:HB2	1.77	0.49
1:A:672:VAL:HB	6:A:2108:HOH:O	2.13	0.49
1:B:264:GLN:H	1:B:264:GLN:NE2	2.10	0.49
1:A:359:THR:HG22	1:A:359:THR:O	2.14	0.48
1:A:632:LEU:C	1:A:632:LEU:HD23	2.33	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:752:HIS:HD2	1:A:755:THR:CG2	2.27	0.48
1:B:616:ASN:O	1:B:617:MET:CB	2.61	0.48
1:A:652:ARG:NH1	1:A:683:ASN:O	2.47	0.48
1:A:388:ALA:HB3	1:A:389:PRO:HD3	1.96	0.48
1:A:274:ARG:NH2	1:A:312:HIS:O	2.47	0.48
1:A:670:PHE:N	6:A:2108:HOH:O	2.46	0.48
1:B:72:PRO:HB2	1:B:74:HIS:CE1	2.49	0.48
1:B:588:VAL:O	1:B:592:LEU:HD22	2.13	0.47
1:B:662:ASP:CB	1:B:666:GLY:HA3	2.20	0.47
1:B:229:ASN:H	1:B:229:ASN:HD22	1.61	0.47
1:B:526:GLN:HG2	6:B:2074:HOH:O	2.15	0.47
3:F:28:DG:H2''	3:F:29:DC:H5''	1.95	0.47
1:B:300:THR:CG2	1:B:302:MET:HG2	2.44	0.47
1:B:319:ARG:NE	6:B:2050:HOH:O	2.45	0.47
1:B:332:GLN:HB2	6:B:2080:HOH:O	2.15	0.47
1:B:585:HIS:HD2	1:B:587:VAL:H	1.63	0.47
1:A:453:ARG:NE	6:A:2081:HOH:O	2.45	0.47
1:B:584:ARG:HD2	1:B:589:GLU:OE1	2.14	0.47
1:A:699:THR:HA	1:B:616:ASN:ND2	2.29	0.47
1:B:788:ARG:NE	6:B:2121:HOH:O	2.47	0.47
1:A:608:ARG:NH2	1:A:740:GLU:OE1	2.39	0.46
1:B:656:ARG:NH1	1:B:673:GLU:HG3	2.30	0.46
1:A:118:THR:CG2	6:A:2024:HOH:O	2.49	0.46
1:A:425:ILE:CD1	1:A:527:LEU:HB2	2.45	0.46
1:B:375:LEU:HD22	1:B:397:MET:HG2	1.97	0.46
1:B:617:MET:HB3	1:B:758:PHE:CD2	2.50	0.46
1:A:179:LEU:HD23	1:A:197:ARG:HB2	1.98	0.46
1:B:652:ARG:HD2	1:B:654:PHE:CZ	2.51	0.46
1:B:759:MET:HA	1:B:759:MET:CE	2.46	0.46
1:A:138:GLN:HB3	1:A:143:PHE:CD1	2.51	0.46
3:F:17:DG:H1'	3:F:18:DG:C8	2.51	0.46
1:A:621:SER:OG	1:A:693:ASP:OD2	2.34	0.45
1:A:746:HIS:CE1	1:A:763:GLN:HB2	2.51	0.45
1:B:206:ILE:HD12	1:B:231:PRO:HB3	1.97	0.45
1:A:64:GLU:HG3	6:A:2014:HOH:O	2.16	0.45
1:A:56:THR:OG1	1:A:57:LYS:N	2.50	0.45
1:A:268:ILE:HB	1:A:652:ARG:HG2	1.98	0.44
1:A:628:ALA:HB2	1:A:691:LEU:HD11	1.99	0.44
1:A:6:ASN:H	1:A:6:ASN:ND2	2.16	0.44
1:A:783:LYS:N	1:A:784:GLU:OE1	2.50	0.44
1:A:151:SER:HB3	1:A:350:ARG:HG2	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:6:DC:C2'	2:E:7:DC:H5'	2.48	0.44
1:A:319:ARG:O	1:A:323:GLU:HG3	2.17	0.44
1:A:656:ARG:HG3	1:A:677:THR:HG22	1.99	0.44
1:B:362:PRO:HG3	1:B:419:VAL:HG13	1.98	0.44
1:B:660:ALA:CB	1:B:669:THR:HA	2.45	0.43
1:B:182:GLU:O	1:B:184:PHE:N	2.51	0.43
1:B:585:HIS:CE1	6:B:2089:HOH:O	2.71	0.43
1:B:388:ALA:N	1:B:389:PRO:CD	2.82	0.43
1:A:658:GLY:O	1:A:659:ALA:CB	2.67	0.43
1:B:403:LEU:HD21	1:B:538:HIS:CD2	2.54	0.43
1:B:463:LEU:HD22	1:B:477:ILE:HD11	2.01	0.43
1:A:579:ARG:HH21	1:A:646:GLU:CD	2.22	0.43
1:B:585:HIS:HE1	6:B:2089:HOH:O	2.01	0.43
1:B:613:THR:HG23	1:B:767:ALA:CB	2.49	0.43
1:B:118:THR:OG1	1:B:247:THR:HG21	2.18	0.43
1:A:656:ARG:HB2	1:A:692:MET:CE	2.48	0.42
1:B:200:PRO:HB2	1:B:202:TRP:CD1	2.53	0.42
1:B:749:ALA:HB3	1:B:771:TYR:CE2	2.54	0.42
1:B:800:SER:HA	6:B:2123:HOH:O	2.17	0.42
1:B:430:ASN:ND2	1:B:433:LEU:H	2.16	0.42
1:A:512:LYS:HB2	1:A:512:LYS:NZ	2.33	0.42
1:B:321:LEU:O	1:B:325:GLN:HG3	2.20	0.42
1:B:137:TRP:HB3	1:B:204:PHE:CE2	2.54	0.42
1:A:83:LEU:HD13	1:A:90:VAL:HG21	2.02	0.42
1:A:669:THR:CA	6:A:2108:HOH:O	2.62	0.42
1:B:310:TRP:O	1:B:636:ILE:HD12	2.19	0.42
1:B:118:THR:CB	1:B:247:THR:HG21	2.49	0.42
1:B:310:TRP:O	1:B:636:ILE:HD11	2.19	0.42
1:A:621:SER:O	1:A:625:ARG:HG3	2.20	0.42
1:B:656:ARG:O	1:B:656:ARG:HG3	2.19	0.42
1:A:297:CYS:H	1:A:557:ASN:ND2	2.18	0.41
1:A:361:ARG:HB3	1:A:362:PRO:HD2	2.02	0.41
1:A:463:LEU:HA	1:A:476:GLN:O	2.20	0.41
1:B:182:GLU:C	1:B:184:PHE:H	2.23	0.41
1:B:338:LEU:CD1	1:B:381:GLN:OE1	2.67	0.41
1:B:402:GLU:HG2	6:B:2061:HOH:O	2.19	0.41
1:B:463:LEU:HB2	1:B:477:ILE:HD13	2.02	0.41
1:B:536:LEU:N	1:B:537:PRO:CD	2.83	0.41
1:A:439:LEU:HD12	1:A:512:LYS:HZ1	1.85	0.41
1:B:268:ILE:HB	1:B:652:ARG:HB3	2.01	0.41
1:A:680:ILE:CD1	1:A:692:MET:HE1	2.42	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:212:GLN:NE2	1:B:242:GLN:NE2	2.69	0.41
1:B:436:TRP:CZ2	1:B:519:LYS:HD3	2.56	0.41
1:B:755:THR:OG1	1:B:756:ILE:N	2.53	0.41
2:E:13:DC:H2''	2:E:14:DC:H5'	2.02	0.41
1:A:669:THR:C	1:A:671:MET:H	2.23	0.41
1:B:148:LEU:HB3	1:B:240:LEU:HD21	2.01	0.41
1:A:305:ARG:HH22	1:A:347:ASP:CG	2.21	0.41
1:B:352:LEU:HD12	1:B:352:LEU:HA	1.92	0.41
1:B:463:LEU:HD12	1:B:463:LEU:C	2.41	0.41
1:B:273:THR:HG23	1:B:655:THR:HG23	2.03	0.40
1:B:660:ALA:HB3	1:B:669:THR:CG2	2.38	0.40
1:B:694:GLU:OE1	1:B:697:ARG:NE	2.47	0.40
1:A:297:CYS:H	1:A:557:ASN:HD21	1.70	0.40
1:B:660:ALA:HB2	1:B:669:THR:HG23	1.96	0.40
1:A:19:ARG:NH2	6:A:2006:HOH:O	2.54	0.40
1:A:164:GLU:OE2	6:A:2043:HOH:O	2.22	0.40
1:B:282:ASN:HD22	1:B:282:ASN:C	2.24	0.40
1:A:227:VAL:HG12	1:A:260:MET:HB2	2.02	0.40
1:B:463:LEU:CD1	1:B:475:ILE:HG23	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	787/800 (98%)	756 (96%)	25 (3%)	6 (1%)	19 22
1	B	754/800 (94%)	724 (96%)	23 (3%)	7 (1%)	17 18
All	All	1541/1600 (96%)	1480 (96%)	48 (3%)	13 (1%)	19 22

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	667	ARG
1	B	668	SER
1	B	183	ASP
1	B	617	MET
1	A	103	LYS
1	A	443	ALA
1	B	661	ASP
1	B	45	LYS
1	A	387	SER
1	A	670	PHE
1	B	615	PRO
1	A	385	VAL
1	A	658	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	658/664 (99%)	618 (94%)	40 (6%)	18	23
1	B	636/664 (96%)	601 (94%)	35 (6%)	21	27
All	All	1294/1328 (97%)	1219 (94%)	75 (6%)	20	25

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	ARG
1	A	57	LYS
1	A	76	VAL
1	A	84	VAL
1	A	112	ARG
1	A	118	THR
1	A	137	TRP
1	A	155	PHE
1	A	157	LEU
1	A	164	GLU
1	A	178	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	201	LEU
1	A	242	GLN
1	A	260	MET
1	A	264	GLN
1	A	275	ARG
1	A	282	ASN
1	A	300	THR
1	A	311	LEU
1	A	384	THR
1	A	413	ASP
1	A	445	ASP
1	A	479	ARG
1	A	488	ASN
1	A	490	MET
1	A	506	LEU
1	A	512	LYS
1	A	515	THR
1	A	531	LEU
1	A	536	LEU
1	A	584	ARG
1	A	591	VAL
1	A	656	ARG
1	A	668	SER
1	A	700	SER
1	A	730	PHE
1	A	734	GLN
1	A	748	ASP
1	A	752	HIS
1	A	784	GLU
1	B	26	GLU
1	B	42	ASP
1	B	52	ASP
1	B	84	VAL
1	B	137	TRP
1	B	155	PHE
1	B	178	LEU
1	B	183	ASP
1	B	201	LEU
1	B	229	ASN
1	B	247	THR
1	B	264	GLN
1	B	282	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	300	THR
1	B	335	THR
1	B	338	LEU
1	B	352	LEU
1	B	357	LEU
1	B	379	ARG
1	B	419	VAL
1	B	424	VAL
1	B	456	GLU
1	B	463	LEU
1	B	464	LYS
1	B	492	ARG
1	B	511	ASP
1	B	575	LYS
1	B	584	ARG
1	B	592	LEU
1	B	613	THR
1	B	656	ARG
1	B	662	ASP
1	B	665	SER
1	B	668	SER
1	B	759	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	95	GLN
1	A	282	ASN
1	A	312	HIS
1	A	471	HIS
1	A	493	GLN
1	A	543	GLN
1	A	557	ASN
1	A	566	ASN
1	A	590	GLN
1	A	602	ASN
1	A	734	GLN
1	A	752	HIS
1	B	15	GLN
1	B	23	GLN
1	B	131	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	138	GLN
1	B	212	GLN
1	B	229	ASN
1	B	242	GLN
1	B	264	GLN
1	B	282	ASN
1	B	430	ASN
1	B	471	HIS
1	B	538	HIS
1	B	543	GLN
1	B	557	ASN
1	B	585	HIS
1	B	590	GLN
1	B	616	ASN
1	B	679	ASN
1	B	714	ASN
1	B	717	ASN
1	B	791	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	ATP	B	1801	-	26,33,33	1.09	2 (7%)	31,52,52	1.42	5 (16%)
4	ATP	A	1801	5	26,33,33	1.06	2 (7%)	31,52,52	1.63	7 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	B	1801	-	-	4/18/38/38	0/3/3/3
4	ATP	A	1801	5	-	2/18/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1801	ATP	C4-N3	-2.69	1.31	1.35
4	A	1801	ATP	C5-C4	2.26	1.46	1.40
4	B	1801	ATP	C5-N7	-2.18	1.31	1.39
4	A	1801	ATP	C4-N3	-2.05	1.32	1.35

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1801	ATP	N3-C2-N1	-3.99	122.44	128.68
4	A	1801	ATP	N3-C2-N1	-3.87	122.62	128.68
4	A	1801	ATP	C3'-C2'-C1'	3.65	106.48	100.98
4	B	1801	ATP	PB-O3B-PG	-2.86	123.00	132.83
4	B	1801	ATP	C3'-C2'-C1'	2.82	105.22	100.98
4	A	1801	ATP	PB-O3B-PG	-2.80	123.21	132.83
4	A	1801	ATP	PA-O3A-PB	-2.77	123.32	132.83
4	A	1801	ATP	O2G-PG-O1G	2.42	120.17	110.68
4	A	1801	ATP	O2B-PB-O1B	2.34	123.82	112.24
4	B	1801	ATP	N6-C6-N1	2.23	123.20	118.57
4	B	1801	ATP	C2-N1-C6	2.18	122.48	118.75
4	A	1801	ATP	O3G-PG-O2G	2.05	115.48	107.64

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	1801	ATP	PB-O3B-PG-O2G
4	B	1801	ATP	PA-O3A-PB-O3B
4	A	1801	ATP	PA-O3A-PB-O2B
4	B	1801	ATP	PB-O3B-PG-O3G
4	A	1801	ATP	PA-O3A-PB-O1B
4	B	1801	ATP	PA-O3A-PB-O1B


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1801	ATP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	791/800 (98%)	0.25	40 (5%) 28 33	20, 31, 47, 64	0
1	B	762/800 (95%)	0.28	52 (6%) 17 21	17, 31, 50, 65	0
2	E	18/30 (60%)	0.41	4 (22%) 0 1	28, 37, 64, 64	0
3	F	17/30 (56%)	0.03	1 (5%) 22 27	25, 36, 63, 64	0
All	All	1588/1660 (95%)	0.27	97 (6%) 21 26	17, 31, 49, 65	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	659	ALA	7.5
1	B	660	ALA	6.9
1	B	667	ARG	6.9
1	B	616	ASN	6.4
1	A	444	THR	6.4
1	B	665	SER	5.8
1	B	661	ASP	5.5
1	B	30	PHE	5.4
1	A	62	ALA	5.1
1	A	658	GLY	5.1
1	A	669	THR	5.0
1	A	800	SER	4.9
1	B	617	MET	4.7
2	E	18	DG	4.6
1	B	29	LEU	4.5
1	A	475	ILE	4.5
1	B	666	GLY	4.4
3	F	14	DA	4.4
1	A	668	SER	4.2
1	B	19	ARG	4.0
1	B	39	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	799	ILE	3.9
1	B	659	ALA	3.6
2	E	1	DA	3.6
1	A	752	HIS	3.6
1	A	441	ASP	3.5
1	B	800	SER	3.4
1	A	103	LYS	3.4
1	B	41	TYR	3.4
1	B	28	LEU	3.4
1	B	506	LEU	3.4
1	B	456	GLU	3.3
1	B	475	ILE	3.3
1	B	91	ALA	3.2
1	B	136	ILE	3.1
1	A	97	GLY	3.1
1	A	593	ASN	3.1
1	B	108	ARG	3.0
1	A	592	LEU	3.0
1	B	662	ASP	3.0
1	B	55	LEU	3.0
1	A	365	LEU	2.9
1	B	90	VAL	2.9
1	A	443	ALA	2.9
1	B	552	LEU	2.9
1	B	218	GLY	2.8
1	B	52	ASP	2.8
1	A	552	LEU	2.8
1	B	74	HIS	2.8
2	E	17	DT	2.8
1	B	54	SER	2.8
1	B	555	LEU	2.7
1	B	183	ASP	2.7
1	A	63	GLY	2.7
1	A	595	PRO	2.7
1	A	64	GLU	2.6
1	A	220	ARG	2.6
1	A	670	PHE	2.6
1	B	141	LYS	2.6
1	B	556	VAL	2.5
1	A	61	SER	2.5
1	A	421	ASP	2.5
1	B	452	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	35	ASP	2.5
1	B	754	ASP	2.5
1	A	742	VAL	2.4
1	A	140	SER	2.4
1	A	411	ILE	2.4
1	B	49	GLN	2.4
1	A	7	PHE	2.4
1	B	140	SER	2.4
1	B	38	GLU	2.4
1	A	672	VAL	2.4
1	A	386	ASP	2.3
1	B	80	LEU	2.3
1	A	284	ALA	2.3
1	B	220	ARG	2.3
1	B	737	GLU	2.3
1	A	747	LEU	2.3
1	B	46	ARG	2.3
1	A	445	ASP	2.3
1	A	615	PRO	2.2
2	E	16	DG	2.2
1	B	284	ALA	2.2
1	B	615	PRO	2.2
1	B	135	ALA	2.2
1	A	425	ILE	2.2
1	A	60	ALA	2.2
1	A	136	ILE	2.2
1	A	697	ARG	2.1
1	A	677	THR	2.1
1	A	420	ARG	2.1
1	B	31	TYR	2.1
1	B	15	GLN	2.0
1	B	275	ARG	2.0
1	B	431	GLU	2.0
1	B	420	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	ATP	B	1801	31/31	0.84	0.23	41,52,58,65	0
5	MG	A	1802	1/1	0.86	0.07	49,49,49,49	0
4	ATP	A	1801	31/31	0.90	0.15	52,55,63,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.