

# Full wwPDB X-ray Structure Validation Report (i)

### Nov 22, 2023 – 12:26 PM JST

PDB ID	:	7W7I
Title	:	Crystal Structure of shaft pilin PitB from pilus islet-2 of Streptococcus oralis
Authors	:	Yadav, R.K.; Krishnan, V.
Deposited on	:	2021-12-05
Resolution	:	3.59  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	1257 (3.70-3.50)
Clashscore	141614	1353 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	355	72%	22%	•••
1	В	355	% 74%	22%	•••
1	С	355	74%	20%	• •
1	D	355	% • 74%	20%	• 5%
1	Е	355	<sup>2%</sup> <b>75%</b>	19%	• 5%
1	F	355	71%	24%	



Mol	Chain	Length	Quality of chain		
			.%		
1	G	355	73%	20%	•• 6%



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 16659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	341	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	11	011	2384	1487	384	511	2	0	0	0
1	В	349	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	0	0	0
	D	042	2410	1506	389	513	2	0	0	0
1	С	9.41	Total	С	Ν	0	S	0	0	0
	U	041	2409	1502	393	512	2	0	0	0
1	Л	220	Total	С	Ν	0	S	0	0	0
1	D	559	2379	1482	385	510	2	0	0	0
1	Б	220	Total	С	Ν	0	S	0	0	0
1	E	000	2362	1476	381	503	2	0	0	0
1	Б	240	Total	С	Ν	0	S	0	0	0
	Г	540	2378	1486	384	506	2	0	0	0
1	C	224	Total	С	Ν	0	S	0	0	0
	G	004	2321	1449	373	497	2		0	U

• Molecule 1 is a protein called FctA domain-containing protein.

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	22	ALA	-	expression tag	UNP D4FSQ5
А	23	MET	-	expression tag	UNP D4FSQ5
А	24	ALA	-	expression tag	UNP D4FSQ5
А	25	ASP	-	expression tag	UNP D4FSQ5
А	26	ILE	-	expression tag	UNP D4FSQ5
А	27	GLY	-	expression tag	UNP D4FSQ5
А	28	SER	-	expression tag	UNP D4FSQ5
А	29	GLU	-	expression tag	UNP D4FSQ5
А	30	PHE	-	expression tag	UNP D4FSQ5
В	22	ALA	-	expression tag	UNP D4FSQ5
В	23	MET	-	expression tag	UNP D4FSQ5
В	24	ALA	-	expression tag	UNP D4FSQ5
В	25	ASP	-	expression tag	UNP D4FSQ5
В	26	ILE	-	expression tag	UNP D4FSQ5
В	27	GLY	-	expression tag	UNP D4FSQ5
				Continued	l on next page



		vious puye		~		
	Chain	Residue	Modelled	Actual	Comment	Reference
	B	28	SER	-	expression tag	UNP D4FSQ5
	B	29	GLU	-	expression tag	UNP D4FSQ5
	В	30	PHE	-	expression tag	UNP D4FSQ5
	С	22	ALA	-	expression tag	UNP D4FSQ5
	С	23	MET	-	expression tag	UNP D4FSQ5
	С	24	ALA	-	expression tag	UNP D4FSQ5
	С	25	ASP	-	expression tag	UNP D4FSQ5
	С	26	ILE	-	expression tag	UNP D4FSQ5
	С	27	GLY	-	expression tag	UNP D4FSQ5
	С	28	SER	-	expression tag	UNP D4FSQ5
	С	29	GLU	-	expression tag	UNP D4FSQ5
	С	30	PHE	-	expression tag	UNP D4FSQ5
	D	22	ALA	-	expression tag	UNP D4FSQ5
	D	23	MET	-	expression tag	UNP D4FSQ5
	D	24	ALA	-	expression tag	UNP D4FSQ5
	D	25	ASP	-	expression tag	UNP D4FSQ5
	D	26	ILE	-	expression tag	UNP D4FSQ5
	D	27	GLY	-	expression tag	UNP D4FSQ5
	D	28	SER	-	expression tag	UNP D4FSQ5
	D	29	GLU	-	expression tag	UNP D4FSQ5
	D	30	PHE	-	expression tag	UNP D4FSQ5
	Е	22	ALA	-	expression tag	UNP D4FSQ5
	Е	23	MET	-	expression tag	UNP D4FSQ5
	Е	24	ALA	-	expression tag	UNP D4FSQ5
	Е	25	ASP	-	expression tag	UNP D4FSQ5
	Е	26	ILE	-	expression tag	UNP D4FSQ5
	Е	27	GLY	-	expression tag	UNP D4FSQ5
	Е	28	SER	-	expression tag	UNP D4FSQ5
	Е	29	GLU	-	expression tag	UNP D4FSQ5
	Е	30	PHE	-	expression tag	UNP D4FSQ5
	F	22	ALA	-	expression tag	UNP D4FSQ5
	F	23	MET	-	expression tag	UNP D4FSQ5
	F	24	ALA	-	expression tag	UNP D4FSQ5
	F	25	ASP	-	expression tag	UNP D4FSQ5
	F	26	ILE	-	expression tag	UNP D4FSQ5
	F	27	GLY	-	expression tag	UNP D4FSQ5
	F	28	SER	-	expression tag	UNP D4FSQ5
	F	29	GLU	-	expression tag	UNP D4FSQ5
	F	30	PHE	-	expression tag	UNP D4FSQ5
	G	22	ALA	-	expression tag	UNP D4FSQ5
	G	23	MET	-	expression tag	UNP D4FSQ5
	G	24	ALA	_	expression tag	UNP D4FSQ5
				1		· · · · ·



Chain	Residue	Modelled	Actual	Comment	Reference
G	25	ASP	-	expression tag	UNP D4FSQ5
G	26	ILE	-	expression tag	UNP D4FSQ5
G	27	GLY	-	expression tag	UNP D4FSQ5
G	28	SER	-	expression tag	UNP D4FSQ5
G	29	GLU	-	expression tag	UNP D4FSQ5
G	30	PHE	-	expression tag	UNP D4FSQ5

Continued from previous page...

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total O 2 2	0	0
2	В	2	Total O 2 2	0	0
2	С	2	Total O 2 2	0	0
2	D	4	Total O 4 4	0	0
2	Е	1	Total O 1 1	0	0
2	F	2	Total O 2 2	0	0
2	G	3	Total O 3 3	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: FctA domain-containing protein



• Molecule 1: FctA domain-containing protein



#### 52 70 170 180 N142 V143 V147 ALA MET ALA ASP GLY SER ASP ASP ASP ASP ASP K243 ASN LYS PRO ASN VAL S236 T275 S276 Q277 S278 1279 T280 V238 0239 240 <mark>S287</mark> K288 T289 F290 **4242** .245 1247 **{249** <u> 1295</u> T296 T297 F308 D309 P312 A313 G314



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	200.63Å 34.53Å 207.52Å	Deneriten
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $92.92^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	49.60 - 3.59	Depositor
Resolution (A)	49.55 - 3.59	EDS
% Data completeness	56.1 (49.60-3.59)	Depositor
(in resolution range)	$56.1 \ (49.55 - 3.59)$	EDS
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.96 (at 3.57 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
B B.	0.320 , $0.358$	Depositor
II, II, <i>free</i>	0.312 , $0.347$	DCC
$R_{free}$ test set	939 reflections $(4.78\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	50.4	Xtriage
Anisotropy	0.616	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32, 143.8	EDS
L-test for twinning <sup>2</sup>	$< L >=0.42, < L^2>=0.24$	Xtriage
	0.033 for l,k,-h	
Estimated twinning fraction	0.046 for h,-k,-l	Xtriage
	0.040 for l,-k,h	
$F_o, F_c$ correlation	0.76	EDS
Total number of atoms	16659	wwPDB-VP
Average B, all atoms $(Å^2)$	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.37	0/2424	0.74	0/3288
1	В	0.38	0/2453	0.75	0/3326
1	С	0.38	0/2450	0.78	0/3319
1	D	0.37	0/2419	0.76	0/3280
1	Ε	0.39	0/2402	0.73	0/3256
1	F	0.37	0/2419	0.74	0/3280
1	G	0.38	0/2359	0.73	0/3198
All	All	0.38	0/16926	0.75	0/22947

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

# 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2384	0	2063	37	0
1	В	2410	0	2094	42	0
1	С	2409	0	2107	50	0
1	D	2379	0	2067	40	0
1	Е	2362	0	2048	42	0
1	F	2378	0	2067	50	0
1	G	2321	0	1995	45	0
2	А	2	0	0	1	0
2	В	2	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	С	2	0	0	0	0
2	D	4	0	0	0	0
2	Е	1	0	0	0	0
2	F	2	0	0	1	0
2	G	3	0	0	0	0
All	All	16659	0	14441	291	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (291) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A + 1	A + 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:F:249:LYS:NZ	1:F:368:ASN:CG	1.68	1.43
1:G:249:LYS:NZ	1:G:368:ASN:CG	1.80	1.34
1:G:188:GLN:CD	1:G:191:PRO:HG3	1.60	1.20
1:E:87:ILE:HG21	1:E:135:TYR:CE2	1.80	1.16
1:A:155:ILE:HD12	1:A:222:ILE:HG21	1.26	1.11
1:G:249:LYS:HZ1	1:G:368:ASN:CG	1.45	1.07
1:E:373:VAL:HG23	1:G:79:SER:HB3	1.42	1.01
1:F:249:LYS:HZ3	1:F:368:ASN:CG	1.42	1.01
1:A:155:ILE:HD12	1:A:222:ILE:CG2	1.91	0.99
1:G:188:GLN:HG3	1:G:191:PRO:CG	1.92	0.99
1:B:190:SER:OG	1:B:191:PRO:HD3	1.61	0.99
1:E:87:ILE:CG2	1:E:135:TYR:CE2	2.46	0.98
1:D:84:TYR:O	1:D:86:THR:HG23	1.63	0.97
1:E:160:TYR:HA	1:E:213:ASN:OD1	1.68	0.93
1:G:188:GLN:HG3	1:G:191:PRO:HG2	1.50	0.90
1:G:249:LYS:HZ3	1:G:368:ASN:CG	1.69	0.89
1:G:188:GLN:CG	1:G:191:PRO:CG	2.55	0.85
1:G:188:GLN:CD	1:G:191:PRO:CG	2.45	0.83
1:E:73:PRO:HB3	1:E:87:ILE:HB	1.60	0.83
1:F:134:VAL:HG22	1:F:168:HIS:HD2	1.44	0.81
1:D:217:LYS:HG2	1:D:219:ALA:HB2	1.63	0.80
1:C:52:LYS:HD2	1:C:211:PHE:O	1.83	0.79
1:E:52:LYS:HE2	1:E:67:PHE:CG	2.18	0.78
1:D:79:SER:HB2	1:F:373:VAL:HG23	1.67	0.76
1:B:217:LYS:HG2	1:B:219:ALA:HB2	1.68	0.76
1:B:155:ILE:HD11	1:B:238:VAL:HG11	1.67	0.76
1:G:217:LYS:HG2	1:G:219:ALA:HB2	1.67	0.75
1:E:52:LYS:NZ	1:E:213:ASN:CG	2.40	0.75



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:188:GLN:CG	1:G:191:PRO:HG3	2.15	0.72
1:F:249:LYS:CE	1:F:368:ASN:CG	2.58	0.71
1:F:87:ILE:CG1	2:F:401:HOH:O	2.37	0.71
1:B:150:LYS:HG3	1:B:238:VAL:HG12	1.74	0.69
1:B:190:SER:HG	1:B:191:PRO:HD3	1.55	0.69
1:F:134:VAL:HG22	1:F:168:HIS:CD2	2.28	0.69
1:E:160:TYR:CA	1:E:213:ASN:OD1	2.41	0.68
1:F:150:LYS:HD3	1:F:240:PRO:HD3	1.76	0.67
1:E:52:LYS:HZ2	1:E:213:ASN:CG	1.98	0.66
1:B:225:PRO:HG3	1:B:237:LYS:HD3	1.78	0.66
1:C:249:LYS:HE3	1:C:262:PHE:CD2	2.31	0.65
1:G:223:THR:HA	1:G:238:VAL:HG12	1.79	0.64
1:F:249:LYS:NZ	1:F:368:ASN:OD1	2.22	0.64
1:C:190:SER:HB3	1:C:191:PRO:HD3	1.80	0.63
1:F:150:LYS:HD3	1:F:240:PRO:CD	2.29	0.62
1:C:188:GLN:HB2	1:C:191:PRO:HD2	1.81	0.62
1:G:280:THR:HA	1:G:291:VAL:HA	1.79	0.62
1:C:232:LYS:HB3	1:C:233:PRO:HD2	1.82	0.62
1:C:35:VAL:HG12	1:C:36:ALA:N	2.14	0.62
1:C:37:THR:HB	1:C:199:PRO:HD3	1.81	0.62
1:E:87:ILE:HG21	1:E:135:TYR:CD2	2.34	0.62
1:F:143:VAL:HG12	1:F:143:VAL:O	2.00	0.61
1:A:333:TYR:CE1	1:A:340:LYS:HB2	2.36	0.61
1:D:147:VAL:HG12	1:D:147:VAL:O	2.01	0.61
1:F:249:LYS:HD3	1:F:264:PHE:HZ	1.66	0.61
1:G:223:THR:HB	1:G:359:GLU:O	2.02	0.60
1:F:134:VAL:CG2	1:F:168:HIS:HD2	2.12	0.60
1:A:282:LYS:HB3	1:A:292:TYR:HB2	1.84	0.60
1:E:73:PRO:HB3	1:E:87:ILE:CB	2.31	0.60
1:G:283:ILE:HG22	1:G:289:THR:HB	1.84	0.59
1:E:147:VAL:HG12	1:E:147:VAL:O	2.02	0.59
1:C:217:LYS:HG2	1:C:219:ALA:HB2	1.85	0.59
1:D:155:ILE:HD11	1:D:238:VAL:HG11	1.84	0.59
1:E:87:ILE:HG23	1:E:135:TYR:CE2	2.35	0.59
1:C:278:SER:HA	1:C:293:GLY:HA2	1.83	0.59
1:E:190:SER:OG	1:E:191:PRO:HD3	2.02	0.58
1:F:230:PRO:HD2	1:F:233:PRO:HA	1.84	0.58
1:D:245:LEU:HB3	1:D:308:PHE:CG	2.39	0.58
1:F:245:LEU:HB3	1:F:308:PHE:CG	2.39	0.57
1:C:86:THR:HG23	1:C:86:THR:O	2.03	0.57
1:B:196:LYS:NZ	1:D:376:THR:HA	2.20	0.57



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:221:LYS:HG3	1:B:361:PRO:HA	1.86	0.57
1:E:52:LYS:HZ1	1:E:213:ASN:CG	2.07	0.57
1:E:87:ILE:CG2	1:E:135:TYR:HE2	2.16	0.57
1:G:147:VAL:HG12	1:G:147:VAL:O	2.05	0.57
1:D:155:ILE:HD11	1:D:238:VAL:CG1	2.34	0.57
1:D:227:GLU:HB2	1:D:230:PRO:HD3	1.87	0.56
1:E:219:ALA:HB1	1:E:359:GLU:HA	1.87	0.56
1:F:218:ASN:HA	1:F:312:PRO:HA	1.87	0.56
1:A:148:ILE:HG12	1:A:232:LYS:HE3	1.88	0.55
1:A:37:THR:HB	1:A:199:PRO:HD3	1.88	0.55
1:D:190:SER:HB3	1:D:191:PRO:HD3	1.88	0.54
1:D:129:HIS:HB3	1:F:259:SER:OG	2.07	0.54
1:B:155:ILE:HD11	1:B:238:VAL:CG1	2.38	0.54
1:A:155:ILE:CD1	1:A:222:ILE:CG2	2.77	0.54
1:B:208:TYR:HB3	1:B:210:LEU:CD1	2.38	0.54
1:G:37:THR:HB	1:G:198:LYS:HA	1.88	0.54
1:D:222:ILE:HG23	1:D:240:PRO:HA	1.90	0.54
1:E:143:VAL:HG12	1:E:143:VAL:O	2.08	0.54
1:G:174:LYS:HE2	1:G:180:TYR:HB3	1.90	0.54
1:B:218:ASN:HA	1:B:312:PRO:HA	1.89	0.54
1:A:219:ALA:HB3	1:A:313:ALA:HB2	1.90	0.53
1:F:222:ILE:HG23	1:F:240:PRO:HA	1.88	0.53
1:D:188:GLN:HB2	1:D:191:PRO:HD2	1.90	0.53
1:A:79:SER:HB3	1:B:373:VAL:HG13	1.91	0.53
1:A:336:ASN:OD1	1:A:358:GLY:HA3	2.09	0.53
1:B:150:LYS:O	1:B:153:SER:OG	2.27	0.53
1:C:222:ILE:HG23	1:C:240:PRO:HA	1.90	0.53
1:C:229:ASN:N	1:C:230:PRO:HD2	2.24	0.52
1:F:283:ILE:HG22	1:F:289:THR:HA	1.91	0.52
1:C:284:GLY:H	1:C:289:THR:HA	1.74	0.52
1:D:218:ASN:HA	1:D:312:PRO:HA	1.90	0.52
1:F:225:PRO:HD3	1:F:361:PRO:HG3	1.91	0.52
1:G:37:THR:HB	1:G:199:PRO:HD3	1.90	0.52
1:C:221:LYS:HG3	1:C:361:PRO:HA	1.91	0.52
1:F:57:ALA:HB1	1:F:314:GLY:HA3	1.92	0.52
1:C:375:PRO:CB	1:F:35:VAL:HG11	2.40	0.51
1:E:52:LYS:HE2	1:E:67:PHE:CD2	2.45	0.51
1:E:73:PRO:CB	1:E:87:ILE:HB	2.35	0.51
1:A:270:LYS:HA	1:A:279:ILE:HD11	1.92	0.51
1:C:232:LYS:CB	1:C:233:PRO:HD2	2.39	0.51
1:D:57:ALA:HB1	1:D:314:GLY:HA3	1.91	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:218:ASN:HA	1:G:312:PRO:HA	1.92	0.51
1:A:129:HIS:O	1:A:130:ALA:HB3	2.10	0.51
1:A:221:LYS:HA	1:A:361:PRO:HA	1.92	0.51
1:B:64:GLU:O	1:B:145:TRP:HB2	2.11	0.51
1:E:73:PRO:HB3	1:E:87:ILE:CG2	2.41	0.50
1:B:284:GLY:HA3	1:B:306:LEU:HD11	1.92	0.50
1:A:218:ASN:HA	1:A:312:PRO:HA	1.93	0.50
1:A:221:LYS:HB2	1:A:243:LYS:O	2.11	0.50
1:C:280:THR:HA	1:C:291:VAL:HB	1.92	0.50
1:G:174:LYS:HB2	1:G:176:THR:O	2.11	0.50
1:C:219:ALA:HB1	1:C:359:GLU:HA	1.94	0.50
1:A:233:PRO:HA	1:A:236:SER:HA	1.94	0.50
1:B:208:TYR:HB3	1:B:210:LEU:HD12	1.93	0.49
1:B:61:THR:HG21	1:B:230:PRO:HB3	1.94	0.49
1:C:188:GLN:HB2	1:C:191:PRO:CD	2.42	0.49
1:E:87:ILE:CG2	1:E:135:TYR:CZ	2.96	0.49
1:B:360:LYS:HB3	1:B:361:PRO:HD2	1.95	0.49
1:E:360:LYS:HB3	1:E:361:PRO:HD2	1.95	0.49
1:F:83:PRO:O	1:F:85:GLU:N	2.46	0.49
1:E:220:GLY:O	1:E:244:SER:HA	2.12	0.49
1:G:84:TYR:O	1:G:85:GLU:C	2.51	0.49
1:E:371:PRO:O	1:G:80:ASN:HB3	2.13	0.48
1:G:57:ALA:HB1	1:G:314:GLY:HA3	1.96	0.48
1:G:188:GLN:HG3	1:G:191:PRO:CD	2.43	0.48
1:C:233:PRO:HG3	1:C:237:LYS:H	1.78	0.48
1:A:360:LYS:HB3	1:A:361:PRO:HD2	1.96	0.48
1:C:220:GLY:O	1:C:244:SER:HA	2.14	0.48
1:D:220:GLY:O	1:D:244:SER:HA	2.13	0.48
1:F:141:GLN:O	1:F:143:VAL:HG23	2.13	0.48
1:C:282:LYS:HE3	1:C:292:TYR:HB2	1.95	0.48
1:E:58:GLU:OE1	1:E:356:LEU:HD13	2.14	0.48
1:A:132:GLU:OE1	1:B:373:VAL:HG11	2.13	0.48
1:F:150:LYS:CD	1:F:240:PRO:HD3	2.42	0.48
1:D:279:ILE:H	1:D:279:ILE:HG12	1.49	0.48
1:B:57:ALA:HB1	1:B:314:GLY:HA3	1.95	0.47
1:C:35:VAL:CG1	1:C:36:ALA:N	2.78	0.47
1:E:161:ASP:N	1:E:213:ASN:OD1	2.47	0.47
1:C:232:LYS:HB3	1:C:233:PRO:CD	2.45	0.47
1:F:220:GLY:O	1:F:244:SER:HA	2.15	0.47
1:G:245:LEU:HB3	1:G:308:PHE:CG	2.50	0.47
1:G:360:LYS:HB3	1:G:361:PRO:HD2	1.95	0.47



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:G:150:LYS:HD2	1:G:240:PRO:HD3	1.97	0.47	
1:B:220:GLY:O	1:B:244:SER:HA	2.15	0.46	
1:G:143:VAL:HG23	1:G:143:VAL:O	2.15	0.46	
1:G:150:LYS:CD	1:G:240:PRO:HD3	2.46	0.46	
1:B:132:GLU:OE1	1:D:373:VAL:HG11	2.15	0.46	
1:C:375:PRO:HB3	1:F:35:VAL:HG11	1.98	0.46	
1:D:224:ASP:HB2	1:D:237:LYS:HB3	1.97	0.46	
1:B:239:ASP:HB3	1:B:242:ALA:HB2	1.97	0.46	
1:A:57:ALA:HB1	1:A:314:GLY:HA3	1.97	0.46	
1:A:283:ILE:HD11	2:A:401:HOH:O	2.16	0.46	
1:B:38:ALA:HB2	1:D:376:THR:HG21	1.96	0.46	
1:B:55:ASN:HA	1:B:112:THR:O	2.16	0.46	
1:D:333:TYR:CE2	1:D:340:LYS:HB2	2.50	0.46	
1:A:55:ASN:HA	1:A:112:THR:O	2.16	0.46	
1:C:229:ASN:O	1:C:230:PRO:C	2.54	0.46	
1:C:282:LYS:HB2	1:C:282:LYS:HE2	1.56	0.46	
1:D:55:ASN:HA	1:D:112:THR:O	2.16	0.46	
1:B:219:ALA:O	1:B:359:GLU:HA	2.16	0.45	
1:F:237:LYS:HA	1:F:237:LYS:HD3	1.61	0.45	
1:G:333:TYR:CE2	1:G:340:LYS:HB2	2.51	0.45	
1:C:333:TYR:CE2	1:C:340:LYS:HB2	2.52	0.45	
1:C:360:LYS:HB3	1:C:361:PRO:HD2	1.99	0.45	
1:C:375:PRO:HB2	1:F:35:VAL:HG11	1.99	0.45	
1:G:208:TYR:HB3	1:G:210:LEU:HD12	1.97	0.45	
1:B:224:ASP:HB2	1:B:225:PRO:HD3	1.99	0.45	
1:C:35:VAL:HG12	1:C:36:ALA:H	1.80	0.45	
1:A:360:LYS:HE3	1:A:360:LYS:HB2	1.62	0.45	
1:B:190:SER:OG	1:B:191:PRO:CD	2.49	0.45	
1:A:229:ASN:HB2	1:A:230:PRO:HD3	1.99	0.44	
1:E:373:VAL:CG2	1:G:79:SER:HB3	2.31	0.44	
1:C:219:ALA:O	1:C:359:GLU:HA	2.18	0.44	
1:C:254:ALA:O	1:C:256:ALA:N	2.50	0.44	
1:D:280:THR:HG21	1:D:293:GLY:N	2.33	0.44	
1:D:282:LYS:HE3	1:D:282:LYS:HB2	1.57	0.44	
1:G:249:LYS:HZ1	1:G:368:ASN:CB	2.26	0.44	
1:F:233:PRO:HB2	1:F:237:LYS:HB3	1.99	0.44	
1:B:156:ASP:HA	1:B:217:LYS:HA	2.00	0.43	
1:C:288:LYS:HA	1:C:288:LYS:HD2	1.85	0.43	
1:F:280:THR:O	1:F:283:ILE:HG23	2.18	0.43	
1:F:309:ASP:OD1	1:F:309:ASP:N	2.39	0.43	
1:B:334:LYS:O	1:B:362:ASN:HA	2.17	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:294:GLN:O	1:C:295:GLU:HG3	2.18	0.43
1:D:221:LYS:HB3	1:D:243:LYS:O	2.17	0.43
1:F:239:ASP:HB3	1:F:242:ALA:HB2	2.01	0.43
1:A:37:THR:HG21	1:A:198:LYS:HA	2.00	0.43
1:D:280:THR:HG21	1:D:293:GLY:CA	2.48	0.43
1:E:37:THR:HB	1:E:199:PRO:HD3	1.99	0.43
1:F:220:GLY:C	1:F:222:ILE:H	2.22	0.43
1:C:316:ARG:HG2	1:C:356:LEU:HD12	2.00	0.43
1:D:190:SER:CB	1:D:191:PRO:HD3	2.48	0.43
1:E:318:LYS:HA	1:E:353:ASP:O	2.18	0.43
1:F:334:LYS:O	1:F:362:ASN:HA	2.18	0.43
1:G:249:LYS:HD3	1:G:264:PHE:HZ	1.82	0.43
1:D:360:LYS:HE2	1:D:360:LYS:HB2	1.57	0.43
1:F:318:LYS:HA	1:F:353:ASP:O	2.19	0.43
1:C:86:THR:O	1:C:86:THR:CG2	2.67	0.43
1:C:249:LYS:HD3	1:C:264:PHE:HZ	1.84	0.43
1:E:277:GLN:H	1:E:277:GLN:HG3	1.59	0.43
1:G:156:ASP:HA	1:G:217:LYS:HA	2.01	0.43
1:A:156:ASP:HA	1:A:217:LYS:HA	2.01	0.43
1:A:249:LYS:HD3	1:A:264:PHE:HZ	1.83	0.43
1:B:196:LYS:HZ2	1:D:376:THR:HA	1.84	0.43
1:B:225:PRO:HG3	1:B:237:LYS:CD	2.45	0.43
1:C:318:LYS:HA	1:C:353:ASP:O	2.19	0.43
1:C:334:LYS:O	1:C:362:ASN:HA	2.19	0.43
1:E:51:ASN:HA	1:E:117:ASP:HA	2.00	0.43
1:A:208:TYR:HB3	1:A:210:LEU:HD12	2.01	0.42
1:A:334:LYS:O	1:A:362:ASN:HA	2.19	0.42
1:F:50:ILE:HD13	1:F:210:LEU:HD12	2.01	0.42
1:B:185:TYR:HE2	1:B:187:LYS:HD2	1.84	0.42
1:D:156:ASP:HA	1:D:217:LYS:HA	2.01	0.42
1:E:52:LYS:HE2	1:E:67:PHE:CB	2.49	0.42
1:F:168:HIS:ND1	1:F:185:TYR:CE1	2.85	0.42
1:F:279:ILE:H	1:F:279:ILE:HG12	1.66	0.42
1:B:84:TYR:HD1	1:B:84:TYR:HA	1.73	0.42
1:D:300:LEU:HD21	1:D:306:LEU:HG	2.00	0.42
1:D:224:ASP:HB3	1:D:225:PRO:HD2	2.00	0.42
1:D:334:LYS:O	1:D:362:ASN:HA	2.19	0.42
1:E:359:GLU:O	1:E:360:LYS:HB2	2.19	0.42
1:E:141:GLN:O	1:E:143:VAL:HG23	2.19	0.42
1:F:156:ASP:HA	1:F:217:LYS:HA	2.01	0.42
1:G:249:LYS:HZ2	1:G:368:ASN:CG	2.04	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:C:156:ASP:HA	1:C:217:LYS:HA	2.00	0.42
1:D:42:GLY:C	1:D:44:THR:H	2.23	0.42
1:E:249:LYS:HD3	1:E:264:PHE:HZ	1.84	0.42
1:E:278:SER:O	1:E:279:ILE:C	2.58	0.42
1:G:318:LYS:HA	1:G:353:ASP:O	2.19	0.42
1:A:42:GLY:C	1:A:44:THR:H	2.23	0.42
1:B:359:GLU:O	1:B:360:LYS:HB2	2.20	0.42
1:C:208:TYR:HB3	1:C:210:LEU:HD12	2.01	0.42
1:E:55:ASN:HA	1:E:112:THR:O	2.20	0.42
1:E:70:THR:O	1:E:137:VAL:HA	2.20	0.42
1:F:155:ILE:HD11	1:F:238:VAL:HG11	2.01	0.42
1:A:150:LYS:CG	1:A:238:VAL:HG12	2.50	0.42
1:A:223:THR:O	1:A:361:PRO:HD3	2.19	0.42
1:A:233:PRO:HB3	1:A:236:SER:HA	2.01	0.42
1:A:309:ASP:OD1	1:A:309:ASP:O	2.37	0.42
1:D:132:GLU:OE1	1:F:373:VAL:HG21	2.20	0.42
1:E:156:ASP:HA	1:E:217:LYS:HA	2.00	0.42
1:F:316:ARG:CG	1:F:356:LEU:HD13	2.50	0.42
1:A:70:THR:O	1:A:137:VAL:HA	2.20	0.41
1:B:318:LYS:HA	1:B:353:ASP:O	2.20	0.41
1:C:35:VAL:CG1	1:C:36:ALA:H	2.33	0.41
1:A:83:PRO:O	1:A:84:TYR:C	2.58	0.41
1:C:233:PRO:HB3	1:C:236:SER:N	2.35	0.41
1:D:83:PRO:HD2	1:D:85:GLU:OE2	2.20	0.41
1:D:249:LYS:HD3	1:D:264:PHE:HZ	1.84	0.41
1:E:147:VAL:O	1:E:147:VAL:CG1	2.66	0.41
1:G:288:LYS:HD2	1:G:288:LYS:HA	1.82	0.41
1:B:70:THR:O	1:B:137:VAL:HA	2.21	0.41
1:F:227:GLU:HA	1:F:228:PRO:HD3	1.82	0.41
1:F:288:LYS:HA	1:F:288:LYS:HD2	1.95	0.41
1:B:283:ILE:H	1:B:283:ILE:HG12	1.53	0.41
1:C:221:LYS:HB3	1:C:243:LYS:O	2.21	0.41
1:C:359:GLU:O	1:C:360:LYS:HB2	2.20	0.41
1:A:219:ALA:CB	1:A:359:GLU:HA	2.50	0.41
1:B:229:ASN:O	1:B:230:PRO:C	2.58	0.41
1:B:249:LYS:HD3	1:B:264:PHE:HZ	1.85	0.41
1:F:187:LYS:HG2	1:F:193:VAL:HG11	2.03	0.41
1:G:249:LYS:HE3	1:G:262:PHE:CD1	2.56	0.41
1:E:334:LYS:O	1:E:362:ASN:HA	2.20	0.41
1:C:70:THR:O	1:C:137:VAL:HA	2.21	0.41
1:C:254:ALA:C	1:C:256:ALA:N	2.74	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:223:THR:O	1:F:360:LYS:HA	2.21	0.41
1:F:283:ILE:HA	1:F:290:PHE:H	1.86	0.41
1:F:333:TYR:CE2	1:F:340:LYS:HB2	2.56	0.41
1:F:143:VAL:O	1:F:143:VAL:CG1	2.68	0.41
1:G:147:VAL:O	1:G:147:VAL:CG1	2.68	0.41
1:D:70:THR:O	1:D:137:VAL:HA	2.21	0.40
1:D:239:ASP:HB3	1:D:242:ALA:HB2	2.02	0.40
1:A:320:VAL:HG12	1:A:351:THR:HG22	2.03	0.40
1:B:188:GLN:HB2	1:B:191:PRO:HD2	2.03	0.40
1:G:328:THR:HG23	1:G:369:SER:HB3	2.03	0.40
1:C:220:GLY:C	1:C:222:ILE:H	2.24	0.40
1:C:300:LEU:HD21	1:C:306:LEU:HG	2.02	0.40
1:G:334:LYS:O	1:G:362:ASN:HA	2.20	0.40
1:G:239:ASP:HB3	1:G:242:ALA:HB2	2.03	0.40
1:B:302:HIS:CD2	1:B:303:ASP:N	2.89	0.40
1:D:318:LYS:HA	1:D:353:ASP:O	2.22	0.40
1:G:70:THR:O	1:G:137:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$\mathbf{n}$ tiles
1	А	337/355~(95%)	285 (85%)	47 (14%)	5 (2%)	10	47
1	В	338/355~(95%)	287 (85%)	50 (15%)	1 (0%)	41	75
1	С	337/355~(95%)	287 (85%)	47 (14%)	3 (1%)	17	57
1	D	335/355~(94%)	286 (85%)	47 (14%)	2 (1%)	25	64
1	Е	334/355~(94%)	291 (87%)	39 (12%)	4 (1%)	13	51
1	F	336/355~(95%)	292 (87%)	41 (12%)	3 (1%)	17	57
1	G	330/355~(93%)	288 (87%)	39 (12%)	3 (1%)	17	57



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	2347/2485~(94%)	2016 (86%)	310 (13%)	21 (1%)	17 57

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Е	279	ILE
1	А	283	ILE
1	D	228	PRO
1	F	84	TYR
1	А	228	PRO
1	В	230	PRO
1	D	211	PHE
1	G	85	GLU
1	G	361	PRO
1	А	85	GLU
1	А	293	GLY
1	А	354	SER
1	С	218	ASN
1	Е	218	ASN
1	F	111	GLN
1	G	142	ASN
1	F	109	THR
1	Е	92	GLY
1	С	230	PRO
1	С	279	ILE
1	Е	228	PRO

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	$\mathbf{P}$	$\mathbf{erc}$	entiles
1	А	235/305~(77%)	205~(87%)	30~(13%)		4	24
1	В	241/305~(79%)	210 (87%)	31~(13%)		4	24
1	С	240/305~(79%)	214 (89%)	26 (11%)		6	32
1	D	233/305~(76%)	209 (90%)	24 (10%)		7	34



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	Ε	229/305~(75%)	199~(87%)	30~(13%)	4 23
1	F	233/305~(76%)	201 (86%)	32~(14%)	3 22
1	G	222/305~(73%)	194 (87%)	28~(13%)	4 24
All	All	1633/2135~(76%)	1432~(88%)	201 (12%)	4 26

Continued from previous page...

All (201) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	142	ASN
1	А	188	GLN
1	А	189	VAL
1	А	210	LEU
1	А	222	ILE
1	А	236	SER
1	А	247	ILE
1	А	269	THR
1	А	272	SER
1	А	275	THR
1	А	276	SER
1	А	277	GLN
1	А	278	SER
1	А	279	ILE
1	А	280	THR
1	А	282	LYS
1	А	283	ILE
1	А	285	GLU
1	А	286	THR
1	А	288	LYS
1	А	290	PHE
1	А	291	VAL
1	А	294	GLN
1	А	295	GLU
1	А	296	THR
1	А	297	THR
1	А	328	THR
1	А	345	THR
1	А	355	ILE
1	А	367	THR
1	В	86	THR
1	В	142	ASN
1	В	143	VAL



Mol	Chain	Res	Type
1	В	189	VAL
1	В	222	ILE
1	В	223	THR
1	В	227	GLU
1	В	230	PRO
1	В	232	LYS
1	В	238	VAL
1	В	272	SER
1	В	275	THR
1	В	276	SER
1	В	278	SER
1	В	279	ILE
1	В	282	LYS
1	В	283	ILE
1	В	285	GLU
1	В	286	THR
1	В	288	LYS
1	В	289	THR
1	В	290	PHE
1	В	291	VAL
1	В	294	GLN
1	В	296	THR
1	В	297	THR
1	В	328	THR
1	В	330	SER
1	В	345	THR
1	В	355	ILE
1	В	360	LYS
1	С	72	THR
1	С	79	SER
1	С	95	THR
1	C	104	THR
1	С	123	ARG
1	С	142	ASN
1	С	143	VAL
1	C	150	LYS
1	С	192	SER
1	C	193	VAL
1	C	210	LEU
1	С	223	THR
1	C	229	ASN
1	С	277	GLN



Mol	Chain	Res	Type
1	С	279	ILE
1	С	280	THR
1	С	282	LYS
1	С	283	ILE
1	С	285	GLU
1	С	286	THR
1	С	287	SER
1	С	288	LYS
1	С	291	VAL
1	С	297	THR
1	С	345	THR
1	С	355	ILE
1	D	90	SER
1	D	95	THR
1	D	188	GLN
1	D	202	SER
1	D	205	THR
1	D	222	ILE
1	D	269	THR
1	D	273	THR
1	D	276	SER
1	D	277	GLN
1	D	278	SER
1	D	279	ILE
1	D	280	THR
1	D	282	LYS
1	D	283	ILE
1	D	286	THR
1	D	288	LYS
1	D	289	THR
1	D	291	VAL
1	D	296	THR
1	D	297	THR
1	D	345	THR
1	D	355	ILE
1	D	360	LYS
1	Е	78	SER
1	Е	84	TYR
1	Е	85	GLU
1	Е	86	THR
1	Е	88	ASP
1	Е	90	SER



Mol	Chain	Res	Type
1	Е	91	ASN
1	Е	95	THR
1	Е	136	THR
1	Е	190	SER
1	Е	194	ASN
1	Е	210	LEU
1	Е	212	THR
1	Е	223	THR
1	Е	227	GLU
1	Е	237	LYS
1	Е	241	ASN
1	Е	243	LYS
1	Е	250	VAL
1	Е	277	GLN
1	Е	278	SER
1	Е	279	ILE
1	Е	283	ILE
1	Е	286	THR
1	Е	288	LYS
1	Е	290	PHE
1	Е	292	TYR
1	Е	295	GLU
1	Е	296	THR
1	Е	355	ILE
1	F	41	THR
1	F	77	THR
1	F	78	SER
1	F	79	SER
1	F	85	GLU
1	F	86	THR
1	F	91	ASN
1	F	148	ILE
1	F	190	SER
1	F	192	SER
1	F	200	SER
1	F	201	GLU
1	F	223	THR
1	F	236	SER
1	F	237	LYS
1	F	247	ILE
1	F	272	SER
1	F	275	THR



Mol	Chain	Res	Type
1	F	276	SER
1	F	279	ILE
1	F	282	LYS
1	F	283	ILE
1	F	285	GLU
1	F	291	VAL
1	F	292	TYR
1	F	295	GLU
1	F	296	THR
1	F	297	THR
1	F	328	THR
1	F	330	SER
1	F	355	ILE
1	F	369	SER
1	G	41	THR
1	G	62	THR
1	G	85	GLU
1	G	86	THR
1	G	88	ASP
1	G	95	THR
1	G	104	THR
1	G	210	LEU
1	G	243	LYS
1	G	247	ILE
1	G	269	THR
1	G	275	THR
1	G	276	SER
1	G	277	GLN
1	G	279	ILE
1	G	283	ILE
1	G	286	THR
1	G	290	PHE
1	G	291	VAL
1	G	295	GLU
1	G	296	THR
1	G	297	THR
1	G	309	ASP
1	G	328	THR
1	G	345	THR
1	G	361	PRO
1	G	363	ASP
1	G	365	THR

Continued from previous page..



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	В	229	ASN
1	В	302	HIS
1	G	229	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

# 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

# 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

# 5.6 Ligand geometry (i)

There are no ligands in this entry.

# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	341/355~(96%)	-0.42	0 100 100	32, 52, 96, 155	0
1	В	342/355~(96%)	-0.37	2 (0%) 89 81	29, 44, 87, 113	0
1	С	341/355~(96%)	-0.37	1 (0%) 94 88	31, 49, 97, 188	0
1	D	339/355~(95%)	-0.28	2 (0%) 89 81	32, 59, 115, 158	0
1	E	338/355~(95%)	-0.01	6 (1%) 68 53	48, 73, 146, 174	0
1	F	340/355~(95%)	-0.06	6 (1%) 68 53	43, 80, 132, 172	0
1	G	334/355~(94%)	-0.01	4 (1%) 79 66	69, 100, 149, 175	0
All	All	2375/2485~(95%)	-0.22	21 (0%) 84 73	29, 65, 127, 188	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Е	285	GLU	4.1
1	F	226	ASN	3.5
1	F	285	GLU	3.3
1	Е	231	ASN	3.2
1	D	192	SER	3.2
1	G	192	SER	2.9
1	F	34	ASP	2.8
1	G	202	SER	2.7
1	Е	230	PRO	2.6
1	Е	290	PHE	2.4
1	G	173	ASN	2.3
1	G	41	THR	2.2
1	F	221	LYS	2.2
1	В	231	ASN	2.2
1	В	88	ASP	2.1
1	Е	202	SER	2.1
1	D	282	LYS	2.1



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	345	THR	2.1
1	Е	138	ALA	2.1
1	С	87	ILE	2.0
1	F	322	THR	2.0

# 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

# 6.4 Ligands (i)

There are no ligands in this entry.

### 6.5 Other polymers (i)

There are no such residues in this entry.

