

Full wwPDB X-ray Structure Validation Report (i)

Dec 8, 2023 - 07:39 am GMT

PDB ID	:	2WJN
Title	:	Lipidic sponge phase crystal structure of photosynthetic reaction centre from
		Blastochloris viridis (high dose)
Authors	:	Wohri, A.B.; Wahlgren, W.Y.; Malmerberg, E.; Johansson, L.C.; Neutze, R.;
		Katona, G.
Deposited on	:	2009-05-27
Resolution	:	1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
IVIETIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	С	336	93%	6%•
2	Н	258	9% 80% 13%	• 6%
3	L	274	9%	•
4	М	324	95%	5%



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	BCB	L	301	Х	-	-	-
6	BCB	L	302	Х	-	-	-
6	BCB	М	401	Х	-	-	-
6	BCB	М	402	Х	-	-	-
8	MPG	L	304	Х	-	-	-
8	MPG	L	305	Х	-	-	-



2WJN

2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 10590 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called PHOTOSYNTHETIC REACTION CENTER CYTOCHROME C SUBUNIT.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	С	332	Total 2590	C 1632	N 464	0 476	S 18	0	0	0

• Molecule 2 is a protein called REACTION CENTER PROTEIN H CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Н	243	Total 1886	C 1209	N 326	0 349	${ m S} { m 2}$	0	0	0

• Molecule 3 is a protein called REACTION CENTER PROTEIN L CHAIN.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
3	L	273	Total 2161	C 1452	N 350	O 352	S 7	0	0	0

• Molecule 4 is a protein called REACTION CENTER PROTEIN M CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	М	323	Total 2548	C 1697	N 417	0 423	S 11	0	0	0

• Molecule 5 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).





Mol	Chain	Residues		At	oms			ZeroOcc	AltConf
5	С	1	Total	С	Fe	Ν	0	0	0
0	U	1	43	34	1	4	4	0	0
5	C	1	Total	С	Fe	Ν	0	0	0
0	U	1	43	34	1	4	4	0	0
5	C	1	Total	С	Fe	Ν	0	0	0
0	U	1	43	34	1	4	4	0	0
5	C	1	Total	С	Fe	Ν	Ο	0	0
0	U		43	34	1	4	4		U

• Molecule 6 is BACTERIOCHLOROPHYLL B (three-letter code: BCB) (formula: $C_{55}H_{72}MgN_4O_6$).





Mol	Chain	Residues		At	oms			ZeroOcc	AltConf
6	T	1	Total	С	Mg	Ν	Ο	0	0
0	Ľ	I	66	55	1	4	6	0	0
6	т	1	Total	С	Mg	Ν	Ο	0	0
0		1	66	55	1	4	6	0	0
6	М	1	Total	С	Mg	Ν	Ο	0	0
0	111	1	65	54	1	4	6	0	0
6	М	1	Total	С	Mg	Ν	Ο	0	0
0	111	1	66	55	1	4	6	0	0

• Molecule 7 is BACTERIOPHEOPHYTIN B (three-letter code: BPB) (formula: $C_{55}H_{74}N_4O_6$).



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf
7	L	1	Total 65	$\begin{array}{c} \mathrm{C} \\ 55 \end{array}$	N 4	O 6	0	0
7	М	1	Total 61	C 51	N 4	O 6	0	0

• Molecule 8 is [(Z)-octadec-9-enyl] (2R)-2,3-bis(oxidanyl) propanoate (three-letter code: MPG) (formula: $\rm C_{21}H_{40}O_4).$





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	L	1	Total C O 21 17 4	0	0
8	L	1	Total C O 25 21 4	0	0
8	М	1	Total C 17 17	0	0

 $\bullet\,$ Molecule 9 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	L	1	Total Fe 1 1	0	0

• Molecule 10 is MENAQUINONE-7 (three-letter code: MQ7) (formula: $C_{46}H_{64}O_2$).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
10	М	1	Total 48	C 46	O 2	0	0

• Molecule 11 is 15-cis-1,2-dihydroneuro
sporene (three-letter code: NS5) (formula: $\mathrm{C}_{40}\mathrm{H}_{60}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	М	1	Total C 40 40	0	0

• Molecule 12 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	С	307	Total O 307 307	0	0
12	Н	149	Total O 149 149	0	0
12	L	89	Total O 89 89	0	0
12	М	147	Total O 147 147	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PHOTOSYNTHETIC REACTION CENTER CYTOCHROME C SUBUNIT



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	84.76Å 139.43Å 178.24Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	44.97 - 1.86	Depositor
Resolution (A)	44.97 - 1.86	EDS
% Data completeness	99.4 (44.97-1.86)	Depositor
(in resolution range)	99.4 (44.97-1.86)	EDS
R_{merge}	0.08	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.13 (at 1.86 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
P. P.	0.171 , 0.193	Depositor
n, n_{free}	0.175 , 0.196	DCC
R_{free} test set	8832 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	32.6	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.37, 61.8	EDS
L-test for twinning ²	$ < L >=0.48, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10590	wwPDB-VP
Average B, all atoms $(Å^2)$	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, BPB, BCB, NS5, MPG, FE2, FME, MQ7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		nd lengths	Bond angles	
IVIOI			# Z > 5	RMSZ	# Z > 5
1	С	0.81	1/2657~(0.0%)	0.92	8/3624~(0.2%)
2	Н	0.74	0/1919	0.80	6/2621~(0.2%)
3	L	0.84	1/2248~(0.0%)	0.76	1/3069~(0.0%)
4	М	0.87	1/2652~(0.0%)	0.74	0/3630
All	All	0.82	3/9476~(0.0%)	0.81	15/12944~(0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	С	272	ARG	CG-CD	-6.19	1.36	1.51
4	М	160	CYS	CB-SG	-5.99	1.72	1.81
3	L	123	VAL	CB-CG1	5.19	1.63	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	108	ARG	NE-CZ-NH2	-16.96	111.82	120.30
1	С	108	ARG	NE-CZ-NH1	13.50	127.05	120.30
1	С	146	ARG	NE-CZ-NH2	-11.13	114.73	120.30
2	Н	80	ARG	NE-CZ-NH1	9.45	125.03	120.30
2	Н	80	ARG	NE-CZ-NH2	-9.05	115.78	120.30
1	С	146	ARG	NE-CZ-NH1	8.34	124.47	120.30
1	С	240	LEU	CB-CG-CD2	7.34	123.48	111.00
2	Н	142	ASP	CB-CG-OD1	5.99	123.69	118.30
1	С	176	LEU	CA-CB-CG	5.57	128.12	115.30
2	Н	175	ARG	NE-CZ-NH1	5.57	123.09	120.30
3	L	135	ARG	NE-CZ-NH1	5.44	123.02	120.30
2	Н	129	ASP	CB-CG-OD1	5.41	123.17	118.30
1	С	306	ARG	NE-CZ-NH2	-5.29	117.65	120.30
2	H	33	ARG	NE-CZ-NH1	5.23	122.91	120.30



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	С	227	TYR	CA-CB-CG	5.02	122.93	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	2590	0	2553	9	0
2	Н	1886	0	1880	24	0
3	L	2161	0	2089	10	0
4	М	2548	0	2432	14	0
5	С	172	0	120	6	0
6	L	132	0	144	9	0
6	М	131	0	140	4	0
7	L	65	0	74	9	0
7	М	61	0	63	13	0
8	L	46	0	67	3	0
8	М	17	0	31	0	0
9	L	1	0	0	0	0
10	М	48	0	64	0	0
11	М	40	0	60	10	0
12	С	307	0	0	3	0
12	Н	149	0	0	4	0
12	L	89	0	0	0	0
12	М	147	0	0	0	0
All	All	10590	0	9717	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
7:M:403:BPB:H14A	11:M:405:NS5:HM43	1.37	1.07



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
7:M:403:BPB:C14	11:M:405:NS5:HM43	1.94	0.97
7:M:403:BPB:HHC	7:M:403:BPB:HBBB	1.47	0.97
7:L:303:BPB:HHC	7:L:303:BPB:HBBB	1.50	0.92
3:L:16:LEU:HD13	3:L:106:GLU:HG2	1.53	0.91
2:H:142:ASP:OD1	12:H:301:HOH:O	1.91	0.89
6:L:301:BCB:HMB1	6:L:301:BCB:HBB3	1.69	0.74
1:C:48:GLU:O	12:C:501:HOH:O	2.04	0.74
7:M:403:BPB:H14A	11:M:405:NS5:CM4	2.17	0.73
1:C:49:GLY:HA3	12:C:501:HOH:O	1.91	0.70
4:M:117:GLY:HA3	11:M:405:NS5:H92	1.75	0.69
7:L:303:BPB:HHC	7:L:303:BPB:CBB	2.23	0.65
6:M:401:BCB:HBB2	6:M:401:BCB:HHC	1.79	0.65
6:L:301:BCB:HMB1	6:L:301:BCB:CBB	2.28	0.64
2:H:96:PHE:HD2	2:H:98:GLY:H	1.39	0.64
2:H:258:LEU:HB2	3:L:17:ILE:HG22	1.83	0.60
7:M:403:BPB:C14	11:M:405:NS5:CM4	2.77	0.60
8:L:305:MPG:O2	8:L:305:MPG:HX32	2.01	0.59
2:H:177:GLU:OE1	12:H:302:HOH:O	2.17	0.59
7:M:403:BPB:H14B	11:M:405:NS5:HM43	1.83	0.59
7:M:403:BPB:HBBB	7:M:403:BPB:CHC	2.27	0.59
3:L:181:PHE:CD2	7:M:403:BPB:HBB	2.39	0.58
3:L:181:PHE:HB3	7:M:403:BPB:HBBA	1.84	0.57
6:M:401:BCB:HHC	6:M:401:BCB:CBB	2.35	0.57
1:C:301:PRO:HG2	5:C:402:HEC:HBD1	1.87	0.56
8:L:305:MPG:O2	8:L:305:MPG:C1	2.54	0.55
6:M:402:BCB:CBB	6:M:402:BCB:HMB1	2.38	0.54
4:M:177:ILE:HD11	11:M:405:NS5:H273	1.90	0.53
4:M:70:LEU:HD21	11:M:405:NS5:H323	1.89	0.53
2:H:96:PHE:CD2	2:H:98:GLY:N	2.63	0.52
4:M:159:GLY:HA3	11:M:405:NS5:C11	2.40	0.52
3:L:16:LEU:N	3:L:16:LEU:CD1	2.73	0.52
2:H:106:ASN:HB3	2:H:109:VAL:HG22	1.93	0.51
7:M:403:BPB:HHC	7:M:403:BPB:CBB	2.32	0.51
1:C:309:HIS:CE1	1:C:315:PRO:HD3	2.45	0.51
5:C:403:HEC:HMB1	5:C:403:HEC:HBB3	1.91	0.51
2:H:9:HIS:HE1	4:M:298:LYS:HG3	1.76	0.51
2:H:92:GLN:HA	2:H:101:LEU:HD23	1.92	0.51
7:L:303:BPB:HBBA	4:M:208:TYR:HB3	1.93	0.50
7:L:303:BPB:HBB	4:M:208:TYR:CD2	2.47	0.50
2:H:142:ASP:CG	12:H:301:HOH:O	2.44	0.49
5:C:404:HEC:HBB3	5:C:404:HEC:HMB1	1.94	0.49



	h i o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:C:401:HEC:HMB1	5:C:401:HEC:HBB3	1.93	0.49
2:H:10:LEU:HA	2:H:14:GLN:OE1	2.13	0.48
5:C:403:HEC:HBC3	5:C:403:HEC:HMC1	1.96	0.48
6:M:402:BCB:HMB1	6:M:402:BCB:HBB3	1.95	0.48
7:L:303:BPB:CBB	7:L:303:BPB:CHC	2.91	0.47
6:L:302:BCB:CBB	6:L:302:BCB:HMB1	2.43	0.47
3:L:181:PHE:HB3	7:M:403:BPB:CBB	2.46	0.46
3:L:259:TRP:N	3:L:260:PRO:CD	2.79	0.46
6:L:302:BCB:C14	7:L:303:BPB:H20B	2.46	0.45
6:L:302:BCB:HMB2	7:L:303:BPB:HMBA	1.98	0.45
5:C:401:HEC:HMC1	5:C:401:HEC:HBC3	1.98	0.45
1:C:77:ILE:HD11	1:C:111:LEU:HD21	1.98	0.45
1:C:17:LEU:O	3:L:159:ASN:HB2	2.16	0.45
2:H:252:GLU:CG	12:H:428:HOH:O	2.64	0.44
4:M:33:PHE:CE2	4:M:46:ILE:HD12	2.52	0.44
3:L:116:HIS:CD2	8:L:304:MPG:H32C	2.53	0.44
6:L:302:BCB:HMB1	6:L:302:BCB:HBB2	1.99	0.44
2:H:9:HIS:CE1	4:M:298:LYS:HG3	2.53	0.43
1:C:323:LYS:HE2	12:C:744:HOH:O	2.18	0.43
2:H:9:HIS:CE1	4:M:298:LYS:HE3	2.54	0.43
7:M:403:BPB:CHC	7:M:403:BPB:CBB	2.95	0.43
2:H:41:TYR:CD2	2:H:62:LEU:HD21	2.54	0.43
1:C:153:PRO:HD3	1:C:160:PRO:HB3	2.01	0.42
6:L:302:BCB:H143	7:L:303:BPB:H20B	2.01	0.42
2:H:166:GLY:HA3	2:H:186:SER:O	2.20	0.42
2:H:80:ARG:O	2:H:80:ARG:HG3	2.19	0.42
2:H:20:GLN:HG2	4:M:202:PHE:CE2	2.55	0.41
6:L:302:BCB:HMD1	4:M:204:ILE:HD13	2.03	0.41
7:L:303:BPB:NC	7:L:303:BPB:ND	2.67	0.41
2:H:96:PHE:CE2	2:H:98:GLY:N	2.88	0.41
2:H:160:ALA:HB3	2:H:214:LEU:HD23	2.03	0.41
1:C:80:TRP:CD1	1:C:133:TYR:HB2	2.56	0.41
7:M:403:BPB:HMC	7:M:403:BPB:HBCA	2.02	0.41
4:M:176:GLY:H	11:M:405:NS5:C23	2.34	0.41
3:L:16:LEU:N	3:L:16:LEU:HD12	2.35	0.41
6:L:301:BCB:HBD	6:L:301:BCB:HAA1	2.02	0.41
2:H:7:ALA:O	2:H:8:GLN:CB	2.69	0.41
2:H:25:TRP:CE3	2:H:25:TRP:HA	2.56	0.40
2:H:80:ARG:HD3	2:H:82:ARG:HG2	2.02	0.40
4:M:41:ILE:C	4:M:41:ILE:HD12	2.42	0.40
2:H:89:LYS:HB3	2:H:89:LYS:HE2	1.88	0.40



α \cdot \cdot \cdot	C		
Continued	trom	previous	page
0 0 1 0 0 0 0 0 0 0 0	J. 01.0	proceed as	P ~ 9 ~

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:114:PRO:HG3	2:H:247:LEU:HD22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	С	330/336~(98%)	321 (97%)	9~(3%)	0	100	100
2	Η	239/258~(93%)	234~(98%)	5(2%)	0	100	100
3	L	271/274~(99%)	264 (97%)	7 (3%)	0	100	100
4	М	321/324~(99%)	313~(98%)	7(2%)	1 (0%)	41	26
All	All	1161/1192~(97%)	1132 (98%)	28 (2%)	1 (0%)	51	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type	
4	М	193	ASN	

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	С	278/282~(99%)	277~(100%)	1 (0%)	91 89		



Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
2	Н	194/212~(92%)	188~(97%)	6 (3%)	40	23	
3	L	216/219~(99%)	214~(99%)	2(1%)	78	72	
4	М	247/250~(99%)	245~(99%)	2(1%)	81	76	
All	All	935/963~(97%)	924 (99%)	11 (1%)	71	62	

Continued from previous page...

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	С	38	TYR
2	Н	9	HIS
2	Н	30	LEU
2	Н	45	GLU
2	Н	185	LEU
2	Н	190	SER
2	Н	236	ASP
3	L	160	PHE
3	L	272	TRP
4	М	214	PHE
4	М	290	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	Н	8	GLN
2	Н	9	HIS
2	Н	220	ASN
3	L	183	ASN
3	L	239	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Ty	Type	Chain	in Reg I		B	ond leng	gths	В	ond ang	gles
	туре		nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FME	Н	1	2	8,9,10	0.84	1 (12%)	7, 9, 11	2.57	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FME	Н	1	2	-	6/7/9/11	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	Н	1	FME	CN-N	2.14	1.40	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	Н	1	FME	CA-N-CN	-5.77	113.94	122.82
2	Н	1	FME	O1-CN-N	-2.60	118.43	125.27

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Н	1	FME	O1-CN-N-CA
2	Н	1	FME	C-CA-CB-CG
2	Н	1	FME	CB-CG-SD-CE
2	Н	1	FME	N-CA-CB-CG
2	Н	1	FME	CA-CB-CG-SD
2	Н	1	FME	CB-CA-N-CN

There are no ring outliers.

No monomer is involved in short contacts.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	bain Bog Link		B	ond leng	gths	Bond angles		
	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	BCB	L	302	-	63,74,74	1.74	15 (23%)	74,115,115	2.98	16 (21%)
6	BCB	L	301	-	63,74,74	1.66	10 (15%)	74,115,115	2.61	21 (28%)
5	HEC	С	402	1	32,50,50	2.10	10 (31%)	24,82,82	2.37	12 (50%)
7	BPB	L	303	-	49,70,70	1.86	9 (18%)	47,101,101	1.65	9 (19%)
8	MPG	М	406	-	16,16,24	0.34	0	15,15,25	0.46	0
10	MQ7	М	404	-	49,49,49	1.61	4 (8%)	60,63,63	1.15	6 (10%)
11	NS5	М	405	-	39,39,39	2.15	6 (15%)	44,46,46	2.61	19 (43%)
6	BCB	М	401	-	62,73,74	1.57	15 (24%)	72,113,115	2.59	20 (27%)
5	HEC	С	403	1	32,50,50	2.03	10 (31%)	24,82,82	1.64	7 (29%)
5	HEC	С	404	1	32,50,50	2.44	11 (34%)	24,82,82	1.69	6 (25%)
8	MPG	L	305	-	24,24,24	1.69	1 (4%)	24,25,25	1.38	6 (25%)
5	HEC	С	401	1	32,50,50	2.30	12 (37%)	24,82,82	1.97	5 (20%)
8	MPG	L	304	-	20,20,24	1.81	1 (5%)	20,21,25	2.24	6 (30%)
6	BCB	М	402	-	63,74,74	1.71	13 (20%)	74,115,115	2.74	23 (31%)
7	BPB	М	403	-	45,66,70	1.97	11 (24%)	42,96,101	1.62	9 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BCB	L	301	-	2/2/21/26	5/37/137/137	-



0	XX/	T	M
4	V V	J	ΤN

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	С	402	1	-	5/10/54/54	-
7	BPB	L	303	-	-	6/37/105/105	0/5/6/6
8	MPG	М	406	-	-	4/14/14/25	-
10	MQ7	М	404	-	-	3/41/61/61	0/2/2/2
11	NS5	М	405	-	-	10/43/43/43	-
6	BCB	М	401	-	2/2/20/26	5/36/136/137	-
5	HEC	С	401	1	-	2/10/54/54	-
5	HEC	С	403	1	-	0/10/54/54	-
5	HEC	С	404	1	-	0/10/54/54	-
8	MPG	L	305	-	1/1/2/4	15/25/25/25	-
6	BCB	L	302	-	2/2/21/26	6/37/137/137	-
8	MPG	L	304	-	1/1/2/4	10/21/21/25	-
6	BCB	М	402	-	3/3/21/26	4/37/137/137	-
7	BPB	М	403	_	-	10/33/101/105	0/5/6/6

All (128) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	М	404	MQ7	C3-C2	7.93	1.49	1.35
8	L	304	MPG	O1-CX3	7.62	1.49	1.33
8	L	305	MPG	O1-CX3	7.56	1.48	1.33
11	М	405	NS5	C35-C36	7.54	1.54	1.32
7	L	303	BPB	CAC-C3C	7.04	1.51	1.33
11	М	405	NS5	C29-C28	7.00	1.52	1.34
5	С	404	HEC	C2B-C3B	-6.71	1.33	1.40
7	М	403	BPB	CAC-C3C	5.96	1.48	1.33
11	М	405	NS5	C9-C8	-5.95	1.33	1.53
5	С	401	HEC	C3C-C2C	-5.55	1.35	1.40
5	С	404	HEC	C3C-C2C	-5.52	1.35	1.40
6	М	402	BCB	C2C-C3C	-5.31	1.44	1.51
6	L	302	BCB	CAC-C3C	5.30	1.48	1.33
10	М	404	MQ7	C10-C5	5.25	1.49	1.40
6	L	301	BCB	OBD-CAD	5.24	1.31	1.22
6	L	301	BCB	CAC-C3C	5.06	1.47	1.33
5	\mathbf{C}	401	HEC	C3D-C2D	5.04	1.52	1.37
7	М	403	BPB	C3A-C2A	-5.01	1.50	1.54
6	М	402	BCB	CAC-C3C	4.84	1.46	1.33
5	С	402	HEC	C2B-C3B	-4.82	1.35	1.40
5	С	404	HEC	C3D-C2D	4.54	1.51	1.37
6	М	402	BCB	OBD-CAD	4.53	1.30	1.22



Continued from previous page									
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)		
5	С	402	HEC	C3D-C2D	4.52	1.51	1.37		
7	L	303	BPB	C3D-C2D	4.40	1.47	1.39		
5	С	403	HEC	C2B-C3B	-4.40	1.36	1.40		
5	С	401	HEC	C2B-C3B	-4.38	1.36	1.40		
7	L	303	BPB	C3B-C2B	4.29	1.47	1.39		
5	С	403	HEC	C3D-C2D	4.26	1.50	1.37		
7	М	403	BPB	OBD-CAD	4.22	1.28	1.22		
6	L	302	BCB	OBD-CAD	4.17	1.29	1.22		
7	М	403	BPB	C3D-C2D	4.17	1.46	1.39		
6	М	402	BCB	C3B-C2B	4.06	1.46	1.39		
6	М	401	BCB	CAC-C3C	4.04	1.44	1.33		
5	С	403	HEC	C3C-C2C	-4.04	1.36	1.40		
6	L	301	BCB	O2D-CGD	4.02	1.43	1.33		
6	М	401	BCB	O2D-CGD	3.97	1.42	1.33		
6	L	301	BCB	C3B-C2B	3.92	1.46	1.39		
5	С	401	HEC	CBB-CAB	-3.91	1.34	1.49		
6	L	302	BCB	C2C-C3C	-3.82	1.46	1.51		
6	L	302	BCB	C3B-C2B	3.79	1.46	1.39		
6	М	402	BCB	O2D-CGD	3.64	1.42	1.33		
5	С	402	HEC	C4B-C3B	3.63	1.49	1.43		
7	М	403	BPB	O2A-CGA	3.60	1.43	1.33		
6	L	301	BCB	CHD-C4C	3.56	1.47	1.39		
6	L	302	BCB	C1B-NB	3.52	1.38	1.35		
5	С	401	HEC	CBC-CAC	-3.52	1.36	1.49		
5	С	404	HEC	CBB-CAB	-3.42	1.36	1.49		
5	С	402	HEC	C3C-C2C	-3.41	1.37	1.40		
6	L	302	BCB	O2D-CGD	3.40	1.41	1.33		
7	L	303	BPB	O2A-CGA	3.37	1.43	1.33		
7	L	303	BPB	OBD-CAD	3.37	1.27	1.22		
5	С	401	HEC	CMA-C3A	3.37	1.59	1.51		
6	L	301	BCB	C2C-C3C	-3.35	1.47	1.51		
6	М	401	BCB	C3D-C4D	-3.34	1.36	1.44		
7	L	303	BPB	CBD-CGD	-3.31	1.48	1.52		
6	М	401	BCB	C2C-C3C	-3.31	1.47	1.51		
6	L	302	BCB	C4D-ND	-3.29	1.33	1.37		
7	М	403	BPB	C4C-NC	-3.22	1.27	1.37		
7	L	303	BPB	OBB-CAB	3.22	1.32	1.22		
5	С	404	HEC	CAA-C2A	3.19	1.57	1.52		
6	М	401	BCB	C1D-ND	-3.15	1.33	1.37		
7	М	403	BPB	O2D-CGD	3.14	1.40	1.33		
5	С	402	HEC	CBC-CAC	-3.11	1.37	1.49		
5	С	403	HEC	CBC-CAC	-3.10	1.37	1.49		



Continued from previous page									
Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)		
5	С	403	HEC	CBB-CAB	-3.07	1.38	1.49		
5	С	402	HEC	CBB-CAB	-3.05	1.38	1.49		
7	М	403	BPB	CBD-CGD	-3.05	1.48	1.52		
6	L	302	BCB	CHD-C4C	3.04	1.46	1.39		
6	М	402	BCB	C4B-CHC	3.03	1.49	1.41		
6	L	301	BCB	C4B-CHC	3.03	1.49	1.41		
5	С	404	HEC	CBC-CAC	-3.03	1.38	1.49		
11	М	405	NS5	C29-C30	3.00	1.52	1.43		
6	М	402	BCB	C3D-C2D	2.97	1.47	1.39		
5	С	401	HEC	C1D-ND	2.96	1.42	1.36		
6	М	401	BCB	C4B-NB	-2.95	1.32	1.35		
5	С	404	HEC	C1C-NC	2.91	1.42	1.36		
6	L	302	BCB	C3D-C2D	2.90	1.47	1.39		
6	L	302	BCB	C4B-CHC	2.89	1.49	1.41		
7	М	403	BPB	C3B-C2B	2.89	1.44	1.39		
7	L	303	BPB	O2D-CGD	2.88	1.40	1.33		
6	М	401	BCB	C3D-C2D	2.86	1.46	1.39		
6	М	402	BCB	O2A-CGA	2.79	1.41	1.33		
6	М	402	BCB	C4D-CHA	2.74	1.48	1.38		
5	С	402	HEC	CMB-C2B	2.74	1.58	1.51		
6	L	302	BCB	CHD-C1D	2.71	1.43	1.38		
5	С	404	HEC	C1D-CHD	-2.70	1.33	1.41		
6	L	301	BCB	C3D-C2D	2.70	1.46	1.39		
5	С	402	HEC	CMA-C3A	2.66	1.57	1.51		
5	С	402	HEC	CMD-C2D	2.63	1.57	1.51		
7	М	403	BPB	CBB-CAB	-2.62	1.41	1.49		
5	С	403	HEC	C3C-C4C	2.61	1.47	1.43		
5	С	402	HEC	CAA-C2A	2.60	1.56	1.52		
5	С	401	HEC	C2A-C1A	2.57	1.48	1.42		
6	L	302	BCB	C1D-ND	-2.55	1.34	1.37		
5	С	404	HEC	CMD-C2D	2.55	1.56	1.51		
5	С	404	HEC	CMB-C2B	2.53	1.57	1.51		
6	L	302	BCB	O2A-CGA	2.52	1.40	1.33		
6	М	401	BCB	O2A-CGA	2.50	1.40	1.33		
6	L	302	BCB	MG-ND	-2.43	2.01	2.05		
10	М	404	MQ7	O4-C4	2.43	1.28	1.23		
6	L	301	BCB	C4D-CHA	2.41	1.47	1.38		
5	С	403	HEC	CMB-C2B	2.38	1.57	1.51		
6	М	401	BCB	C3B-C2B	2.33	1.43	1.39		
5	С	403	HEC	CAA-C2A	2.32	1.56	1.52		
6	М	401	BCB	OBD-CAD	2.31	1.26	1.22		
6	М	401	BCB	CHD-C4C	2.31	1.44	1.39		



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	М	401	BCB	MG-ND	-2.31	2.01	2.05
5	С	404	HEC	C4B-C3B	2.28	1.47	1.43
11	М	405	NS5	C28-C26	2.27	1.50	1.45
6	М	402	BCB	C3D-C4D	-2.27	1.39	1.44
5	С	401	HEC	O2D-CGD	-2.27	1.23	1.30
6	М	402	BCB	C4B-NB	-2.25	1.33	1.35
6	L	302	BCB	C4D-CHA	2.24	1.46	1.38
6	М	402	BCB	CHD-C1D	2.23	1.42	1.38
11	М	405	NS5	C30-C31	2.22	1.36	1.34
5	С	403	HEC	CMD-C2D	2.22	1.56	1.51
6	L	301	BCB	C4B-NB	2.21	1.37	1.35
6	М	401	BCB	CHD-C1D	2.21	1.42	1.38
6	М	401	BCB	C1B-CHB	2.19	1.47	1.41
7	L	303	BPB	CBB-CAB	-2.19	1.43	1.49
5	С	401	HEC	C3C-C4C	2.17	1.47	1.43
6	М	401	BCB	C4B-CHC	2.17	1.47	1.41
7	М	403	BPB	OBB-CAB	2.13	1.29	1.22
5	С	403	HEC	C4B-C3B	2.12	1.46	1.43
6	М	402	BCB	CHD-C4C	2.09	1.44	1.39
5	С	401	HEC	C1B-NB	2.07	1.40	1.36
5	С	401	HEC	CMB-C2B	2.06	1.56	1.51
10	М	404	MQ7	01-C1	2.02	1.27	1.23

All	(165)	bond	angle	outliers	are	listed	below:
-----	-------	-----------------------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	L	302	BCB	C1C-NC-C4C	-20.21	97.62	106.71
6	М	401	BCB	C1C-NC-C4C	-15.25	99.85	106.71
6	L	301	BCB	C1C-NC-C4C	-14.75	100.07	106.71
6	М	402	BCB	C1C-NC-C4C	-12.75	100.97	106.71
6	М	402	BCB	CMD-C2D-C1D	7.55	138.01	124.71
6	М	402	BCB	C4D-C3D-CAD	-6.55	100.38	108.10
6	L	302	BCB	C4D-C3D-CAD	-6.00	101.03	108.10
11	М	405	NS5	C22-C21-C20	5.93	131.23	122.92
11	М	405	NS5	C29-C28-C26	-5.88	109.90	126.42
6	М	402	BCB	O2D-CGD-O1D	-5.67	112.76	123.84
6	М	402	BCB	C2D-C1D-ND	5.45	114.12	110.10
6	L	302	BCB	CMD-C2D-C1D	5.39	134.22	124.71
5	С	401	HEC	CBD-CAD-C3D	-5.38	103.44	112.62
11	М	405	NS5	C19-C18-C17	5.35	134.43	123.47
6	М	401	BCB	C1D-ND-C4D	-5.24	102.61	106.33
6	М	401	BCB	CMD-C2D-C1D	5.10	133.70	124.71



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	$Ideal(^{o})$
11	М	405	NS5	C34-C35-C36	-5.09	110.34	127.75
8	L	304	MPG	O1-CX3-CXD	5.08	121.82	111.68
5	С	402	HEC	CMC-C2C-C1C	-4.98	120.81	128.46
6	L	301	BCB	OBD-CAD-C3D	-4.93	116.65	128.52
7	М	403	BPB	CBC-CAC-C3C	-4.90	113.69	126.70
5	С	402	HEC	CMC-C2C-C3C	4.88	131.56	125.82
6	L	301	BCB	C4D-C3D-CAD	-4.80	102.44	108.10
6	L	301	BCB	C1-C2-C3	-4.76	117.80	126.04
6	L	301	BCB	C2D-C1D-ND	4.74	113.60	110.10
7	М	403	BPB	O2D-CGD-CBD	4.66	116.90	111.00
6	L	301	BCB	CMD-C2D-C1D	4.63	132.88	124.71
6	L	302	BCB	CMB-C2B-C3B	4.62	133.32	124.68
6	М	401	BCB	C2D-C1D-ND	4.60	113.50	110.10
8	L	304	MPG	C1-O1-CX3	4.56	126.23	116.58
6	М	401	BCB	CMB-C2B-C3B	4.49	133.08	124.68
6	М	402	BCB	C1D-ND-C4D	-4.48	103.15	106.33
6	L	301	BCB	C4-C3-C5	4.38	122.63	115.27
6	М	402	BCB	C4A-NA-C1A	4.26	108.62	106.71
5	С	401	HEC	CMC-C2C-C1C	-4.24	121.95	128.46
7	L	303	BPB	O2D-CGD-CBD	4.22	116.35	111.00
6	М	401	BCB	C4D-C3D-CAD	-4.11	103.25	108.10
11	М	405	NS5	CM4-C36-C35	-4.07	110.89	122.65
7	L	303	BPB	CBC-CAC-C3C	-3.96	116.20	126.70
11	М	405	NS5	C18-C19-C20	3.95	131.57	123.47
6	М	401	BCB	C3D-C4D-ND	3.91	116.56	110.24
6	М	402	BCB	O2D-CGD-CBD	3.89	118.19	111.27
5	С	401	HEC	CMC-C2C-C3C	3.88	130.38	125.82
8	L	304	MPG	O4-CX3-CXD	-3.83	114.81	123.68
11	М	405	NS5	C18-C17-C15	-3.80	121.89	127.31
8	L	304	MPG	O2-CXD-CX3	3.75	119.65	109.46
6	М	402	BCB	CMB-C2B-C3B	3.74	131.68	124.68
11	М	405	NS5	C24-C25-C26	-3.73	121.98	127.31
11	М	405	NS5	CM3-C36-C35	-3.69	111.99	122.65
6	L	302	BCB	CHC-C1C-NC	-3.66	119.45	124.51
6	М	402	BCB	OBD-CAD-C3D	-3.65	119.73	128.52
6	L	301	BCB	O2D-CGD-CBD	3.58	117.62	111.27
6	L	302	BCB	C2C-C1C-CHC	-3.52	115.36	123.64
6	М	402	BCB	C3D-C4D-ND	3.52	115.92	110.24
8	L	304	MPG	O2-CXD-C21	3.50	117.46	109.97
7	L	303	BPB	CED-O2D-CGD	3.48	123.82	115.94
6	L	301	BCB	C1D-ND-C4D	-3.48	103.86	106.33
6	L	302	BCB	OBD-CAD-C3D	-3.48	120.16	128.52



Mol	Chain	Res	Type	Atoms	Ζ	Observed(°)	$Ideal(^{o})$
11	М	405	NS5	C16-C15-C14	-3.45	112.64	118.08
5	С	404	HEC	C1D-C2D-C3D	-3.42	104.61	107.00
6	М	402	BCB	CMD-C2D-C3D	-3.42	119.75	127.61
6	L	302	BCB	O2D-CGD-CBD	3.41	117.34	111.27
7	L	303	BPB	C3D-CAD-CBD	3.40	112.09	107.61
7	L	303	BPB	C1-C2-C3	-3.38	120.19	126.04
5	С	402	HEC	C3B-C4B-NB	-3.35	104.62	110.94
6	М	401	BCB	C2C-C1C-CHC	-3.34	115.78	123.64
6	L	302	BCB	C4A-NA-C1A	-3.27	105.24	106.71
5	С	402	HEC	CBA-CAA-C2A	-3.18	107.24	112.60
5	С	403	HEC	C2B-C3B-C4B	3.15	109.76	106.35
10	М	404	MQ7	C26-C27-C28	-3.14	120.10	127.66
6	L	301	BCB	CHD-C4C-C3C	-3.12	121.99	125.89
6	L	302	BCB	CAD-C3D-C2D	3.11	155.78	140.80
11	М	405	NS5	C16-C15-C17	3.09	127.25	122.92
5	С	402	HEC	CMB-C2B-C1B	-3.08	123.73	128.46
6	М	401	BCB	CHC-C1C-NC	-3.06	120.28	124.51
6	М	402	BCB	C4-C3-C5	3.06	120.42	115.27
5	С	403	HEC	C3B-C4B-NB	-3.00	105.27	110.94
8	L	305	MPG	O2-CXD-CX3	3.00	117.61	109.46
6	М	402	BCB	C1-O2A-CGA	2.99	124.28	116.44
7	М	403	BPB	C3D-CAD-CBD	2.98	111.53	107.61
11	М	405	NS5	C23-C21-C20	-2.98	114.36	118.94
6	L	301	BCB	C3D-C4D-ND	2.98	115.05	110.24
6	М	402	BCB	CAD-C3D-C2D	2.97	155.13	140.80
5	С	404	HEC	C3B-C4B-NB	-2.92	105.43	110.94
6	L	301	BCB	O2D-CGD-O1D	-2.89	118.18	123.84
6	М	402	BCB	CAA-C2A-C1A	2.84	121.30	111.97
8	L	305	MPG	O1-CX3-CXD	2.81	117.28	111.68
6	L	301	BCB	C2C-C1C-CHC	-2.80	117.04	123.64
6	М	402	BCB	C2C-C1C-CHC	-2.80	117.05	123.64
11	М	405	NS5	C11-C10-C9	2.79	119.97	115.27
5	С	404	HEC	C2B-C3B-C4B	2.79	109.36	106.35
6	М	401	BCB	OBD-CAD-C3D	-2.78	121.83	128.52
11	М	405	NS5	C8-C7-C5	-2.76	121.01	127.66
8	L	305	MPG	O3-C21-CXD	-2.75	105.10	112.01
6	М	402	BCB	C3D-C2D-C1D	-2.75	102.08	105.83
8	L	305	MPG	O1-C1-C2	2.74	118.43	108.70
5	С	402	HEC	O2D-CGD-CBD	2.73	122.79	114.03
6	М	401	BCB	CAD-C3D-C2D	2.72	153.92	140.80
5	С	404	HEC	CMB-C2B-C1B	-2.72	124.29	128.46
7	L	303	BPB	CMA-C3A-C4A	-2.70	108.46	114.38



n	٢7	57	T	N	
4	V	V	J	ΤN	

Conti	nued fron	n previ	ous page				
Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	L	302	BCB	CMD-C2D-C3D	-2.68	121.45	127.61
6	L	301	BCB	C3D-C2D-C1D	-2.67	102.19	105.83
6	М	401	BCB	C1D-CHD-C4C	-2.67	120.31	126.06
8	L	304	MPG	O3-C21-CXD	-2.64	105.37	112.01
6	М	401	BCB	O2D-CGD-CBD	2.64	115.97	111.27
5	С	403	HEC	CMC-C2C-C1C	-2.64	124.41	128.46
6	L	302	BCB	C3D-C4D-ND	2.62	114.47	110.24
6	L	301	BCB	C1D-CHD-C4C	-2.59	120.48	126.06
6	L	302	BCB	C4B-CHC-C1C	-2.56	125.04	130.12
5	С	402	HEC	CMB-C2B-C3B	2.56	128.83	125.82
7	М	403	BPB	O2D-CGD-O1D	-2.55	118.85	123.84
5	С	402	HEC	O1D-CGD-CBD	-2.55	114.90	123.08
6	L	302	BCB	O1D-CGD-CBD	-2.53	119.31	124.48
11	М	405	NS5	C9-C8-C7	2.53	120.19	111.88
5	С	403	HEC	CMC-C2C-C3C	2.52	128.79	125.82
6	L	302	BCB	C1B-CHB-C4A	-2.51	125.14	130.12
11	М	405	NS5	C30-C29-C28	-2.49	115.45	123.22
5	С	402	HEC	C1D-C2D-C3D	-2.47	105.28	107.00
6	L	301	BCB	CAD-C3D-C2D	2.44	152.57	140.80
7	L	303	BPB	O2A-CGA-O1A	-2.42	117.48	123.59
6	М	401	BCB	CMD-C2D-C3D	-2.42	122.05	127.61
11	М	405	NS5	C6-C5-C4	2.42	119.33	115.27
6	М	401	BCB	C2A-C1A-CHA	-2.40	119.67	123.86
7	М	403	BPB	C4-C3-C5	2.39	119.29	115.27
7	L	303	BPB	O2D-CGD-O1D	-2.38	119.19	123.84
11	М	405	NS5	C22-C21-C23	-2.37	114.35	118.08
5	С	402	HEC	O1A-CGA-CBA	-2.36	115.51	123.08
6	М	402	BCB	CHC-C1C-NC	-2.35	121.26	124.51
6	L	301	BCB	CHC-C1C-NC	-2.35	121.27	124.51
11	М	405	NS5	C24-C23-C21	-2.34	119.85	126.42
10	М	404	MQ7	C45-C43-C44	2.33	119.76	114.60
5	С	403	HEC	CMB-C2B-C3B	2.33	128.56	125.82
6	М	401	BCB	CHD-C1D-C2D	-2.31	120.64	125.48
6	М	401	BCB	C1B-CHB-C4A	-2.30	125.56	130.12
10	М	404	MQ7	C44-C43-C42	-2.30	116.01	122.65
5	С	403	HEC	C3C-C4C-NC	-2.25	106.70	110.94
7	М	403	BPB	CMB-C2B-C3B	2.23	128.85	124.68
6	М	402	BCB	CHD-C4C-C3C	-2.23	123.10	125.89
6	L	301	BCB	CAA-C2A-C1A	2.21	119.22	111.97
5	С	401	HEC	C1D-C2D-C3D	-2.18	105.48	107.00
10	М	404	MQ7	C39-C38-C40	2.18	118.94	115.27
7	М	403	BPB	C1-C2-C3	-2.18	122.27	126.04
L	1	I		1			1



2°	W	J	Ν
_	* *	υ	τ,

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	М	402	BCB	CMA-C3A-C4A	2.17	117.59	111.77
5	С	403	HEC	CMB-C2B-C1B	-2.15	125.15	128.46
5	С	401	HEC	C3C-C4C-NC	-2.13	106.93	110.94
6	L	301	BCB	C3C-C4C-NC	2.13	112.89	110.57
10	М	404	MQ7	C19-C18-C20	2.12	118.84	115.27
10	М	404	MQ7	C34-C33-C35	2.11	118.82	115.27
6	М	401	BCB	CMB-C2B-C1B	-2.10	125.23	128.46
8	L	305	MPG	O2-CXD-C21	2.10	114.47	109.97
6	М	402	BCB	CHA-C4D-ND	-2.09	128.13	132.50
5	С	404	HEC	CMC-C2C-C1C	-2.09	125.26	128.46
7	L	303	BPB	CMD-C2D-C3D	-2.08	120.79	124.68
7	М	403	BPB	CMA-C3A-C4A	-2.08	109.83	114.38
7	М	403	BPB	C7-C6-C5	-2.06	107.78	113.36
6	М	402	BCB	C1-C2-C3	-2.05	122.49	126.04
5	С	402	HEC	CBD-CAD-C3D	-2.04	109.13	112.62
6	L	301	BCB	CED-O2D-CGD	2.04	120.55	115.94
6	М	401	BCB	C3A-C2A-C1A	-2.04	98.29	101.34
8	L	305	MPG	O4-CX3-CXD	-2.03	118.98	123.68
6	М	401	BCB	CHB-C4A-NA	2.02	127.30	124.51
6	L	302	BCB	C11-C12-C13	-2.01	109.42	115.92
5	С	404	HEC	O2A-CGA-CBA	2.01	120.49	114.03
5	С	402	HEC	C2B-C3B-C4B	2.01	108.52	106.35
6	L	301	BCB	C15-C13-C12	-2.00	101.60	112.13

All (11) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	L	301	BCB	NA
6	L	301	BCB	NC
6	L	302	BCB	NA
6	L	302	BCB	NC
6	М	401	BCB	NA
6	М	401	BCB	NC
6	М	402	BCB	ND
6	М	402	BCB	NA
6	М	402	BCB	NC
8	L	304	MPG	CXD
8	L	305	MPG	CXD

All (85) torsion outliers are listed below:



0	۲X	71	INI
4	v	/ .	ITN.

Mol	Chain	Res	Type	Atoms
6	М	402	BCB	CHA-CBD-CGD-O2D
6	М	402	BCB	CAD-CBD-CGD-O1D
6	М	402	BCB	CAD-CBD-CGD-O2D
7	L	303	BPB	O2A-C1-C2-C3
7	L	303	BPB	C2C-C3C-CAC-CBC
7	М	403	BPB	C2C-C3C-CAC-CBC
8	L	304	MPG	CXD-CX3-O1-C1
8	L	304	MPG	O3-C21-CXD-O2
8	L	304	MPG	O1-CX3-CXD-C21
8	L	305	MPG	CXD-CX3-O1-C1
8	L	305	MPG	O3-C21-CXD-O2
8	L	305	MPG	O1-CX3-CXD-C21
8	L	305	MPG	O4-CX3-CXD-C21
11	М	405	NS5	C25-C26-C28-C29
11	М	405	NS5	C27-C26-C28-C29
11	М	405	NS5	C26-C28-C29-C30
11	М	405	NS5	C28-C29-C30-C31
8	L	305	MPG	O4-CX3-O1-C1
11	М	405	NS5	C34-C35-C36-CM4
6	М	402	BCB	C2A-CAA-CBA-CGA
8	L	304	MPG	O4-CX3-O1-C1
11	М	405	NS5	C2-C3-C4-C5
6	L	301	BCB	C4-C3-C5-C6
11	М	405	NS5	C11-C10-C9-C8
6	L	301	BCB	C2-C3-C5-C6
11	М	405	NS5	C12-C10-C9-C8
7	М	403	BPB	C10-C11-C12-C13
6	М	401	BCB	C11-C10-C8-C9
7	М	403	BPB	C11-C10-C8-C9
6	L	301	BCB	C15-C16-C17-C18
8	L	304	MPG	O1-C1-C2-C3
7	М	403	BPB	C8-C10-C11-C12
8	L	304	MPG	O3-C21-CXD-CX3
8	L	305	MPG	C14-C15-C16-C17
6	М	401	BCB	C15-C16-C17-C18
6	М	401	BCB	C4-C3-C5-C6
7	L	303	BPB	C16-C17-C18-C19
8	L	305	MPG	C11-C12-C13-C14
6	М	401	BCB	C2-C3-C5-C6
6	L	302	BCB	C16-C17-C18-C20
8	L	304	MPG	C10-C11-C12-C13
7	L	303	BPB	C16-C17-C18-C20
8	L	304	MPG	C2-C3-C4-C5



Mol	Chain	Res	Type	Atoms
8	L	305	MPG	C10-C11-C12-C13
6	L	302	BCB	C11-C12-C13-C14
6	L	302	BCB	C16-C17-C18-C19
8	L	305	MPG	C3-C4-C5-C6
8	М	406	MPG	C3-C4-C5-C6
8	М	406	MPG	C10-C11-C12-C13
6	L	302	BCB	C11-C12-C13-C15
5	С	402	HEC	C3D-CAD-CBD-CGD
8	L	305	MPG	C12-C13-C14-C15
8	L	305	MPG	C4-C5-C6-C7
8	L	305	MPG	C5-C6-C7-C8
8	L	305	MPG	O1-C1-C2-C3
7	М	403	BPB	C11-C10-C8-C7
8	L	304	MPG	O4-CX3-CXD-C21
6	М	401	BCB	CAD-CBD-CGD-O2D
7	М	403	BPB	C14-C13-C15-C16
6	L	301	BCB	CAD-CBD-CGD-O1D
8	М	406	MPG	C13-C14-C15-C16
6	L	301	BCB	C16-C17-C18-C20
7	М	403	BPB	C12-C13-C15-C16
11	М	405	NS5	C1-C2-C3-C4
10	М	404	MQ7	C38-C40-C41-C42
5	С	402	HEC	CAD-CBD-CGD-O1D
7	L	303	BPB	C8-C10-C11-C12
5	С	402	HEC	CAA-CBA-CGA-O1A
5	С	402	HEC	CAD-CBD-CGD-O2D
5	С	402	HEC	CAA-CBA-CGA-O2A
11	М	405	NS5	C20-C21-C23-C24
8	L	304	MPG	C6-C7-C8-C9
10	М	404	MQ7	C39-C38-C40-C41
10	М	404	MQ7	C37-C38-C40-C41
6	L	302	BCB	CAD-CBD-CGD-O2D
7	L	303	BPB	CAD-CBD-CGD-O2D
7	М	403	BPB	CAD-CBD-CGD-O2D
5	С	401	HEC	CAA-CBA-CGA-O2A
8	L	305	MPG	C13-C14-C15-C16
8	М	406	MPG	C7-C8-C9-C10
7	М	403	BPB	O2A-C1-C2-C3
8	L	305	MPG	C9-C10-C11-C12
5	С	401	HEC	CAA-CBA-CGA-O1A
7	М	403	BPB	C6-C7-C8-C10
6	L	302	BCB	C15-C16-C17-C18

Continued from previous page...



There are no ring outliers.

Mol	Chain	\mathbf{Res}	Type	Clashes	Symm-Clashes
6	L	302	BCB	6	0
6	L	301	BCB	3	0
5	С	402	HEC	1	0
7	L	303	BPB	9	0
11	М	405	NS5	10	0
6	М	401	BCB	2	0
5	С	403	HEC	2	0
5	С	404	HEC	1	0
8	L	305	MPG	2	0
5	С	401	HEC	2	0
8	L	304	MPG	1	0
6	М	402	BCB	2	0
7	М	403	BPB	13	0

13 monomers are involved in 46 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$<$ RSRZ $>$	#RSRZ>2			$OWAB(Å^2)$	Q<0.9
1	С	332/336~(98%)	0.15	18 (5%)	25	24	31, 35, 44, 69	0
2	Н	242/258~(93%)	0.30	23 (9%)	8	7	28, 35, 48, 65	0
3	L	273/274~(99%)	0.36	24 (8%)	10	9	31, 35, 46, 59	0
4	М	323/324~(99%)	0.12	15 (4%)	32	31	32, 35, 44, 52	0
All	All	1170/1192~(98%)	0.23	80 (6%)	17	16	28, 35, 46, 69	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	1	CYS	6.9
2	Н	7	ALA	6.4
2	Н	9	HIS	6.2
2	Н	258	LEU	6.1
3	L	59	TRP	5.7
2	Н	8	GLN	5.6
2	Н	85	THR	5.6
2	Н	93	THR	5.2
2	Н	94	ASP	5.0
2	Н	96	PHE	4.7
2	Н	91	ALA	4.6
1	С	2	PHE	4.4
3	L	271	PHE	4.4
2	Н	83	PRO	4.3
3	L	21	LEU	4.0
1	С	244	CYS	3.7
2	Н	191	ALA	3.5
3	L	58	THR	3.5
3	L	165	LEU	3.5
2	Н	92	GLN	3.3
2	Н	10	LEU	3.3



Mol	Chain	Res	Type	RSRZ
3	L	80	LEU	3.1
1	С	236	ILE	3.1
2	Н	95	GLY	3.1
3	L	81	LEU	3.1
2	Н	84	GLU	3.1
3	L	162	TYR	3.1
4	М	260	ILE	3.0
4	М	26	ASN	3.0
2	Н	87	GLU	2.9
4	М	37	TRP	2.9
1	С	230	PHE	2.9
4	М	243	VAL	2.9
1	С	246	PHE	2.9
3	L	20	ASP	2.8
2	Н	25	TRP	2.8
3	L	1	ALA	2.8
1	С	253	PHE	2.7
1	С	250	ALA	2.7
2	Н	102	GLN	2.7
4	М	22	GLU	2.6
4	М	224	VAL	2.6
1	С	229	THR	2.6
4	М	221	ILE	2.6
3	L	55	GLN	2.5
3	L	60	ASP	2.5
3	L	270	PRO	2.5
1	С	240	LEU	2.5
1	С	242	THR	2.5
2	Н	189	GLY	2.5
2	Н	257	LEU	2.5
3	L	53	ALA	2.4
1	С	245	THR	2.4
4	М	30	GLY	2.4
2	Н	82	ARG	2.3
3	L	187	LEU	2.3
1	С	185	LEU	2.3
3	L	57	PRO	2.3
3	L	33	PHE	2.3
3	L	62	PHE	2.3
4	М	216	ALA	2.2
2	Н	190	SER	2.2
2	Н	104	THR	2.2



Mol	Chain	Res	Type	RSRZ
3	L	77	ALA	2.2
4	М	236	ILE	2.2
4	М	23	TRP	2.2
4	М	218	GLY	2.2
4	М	263	VAL	2.2
3	L	273	SER	2.1
4	М	215	ALA	2.1
4	М	189	ILE	2.1
1	С	232	LEU	2.1
3	L	157	VAL	2.1
1	С	266	ILE	2.1
3	L	43	PHE	2.0
3	L	17	ILE	2.0
1	С	247	CYS	2.0
1	С	233	MET	2.0
1	С	231	ALA	2.0
3	L	227	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	FME	Н	1	10/11	0.76	0.27	$33,\!40,\!56,\!58$	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
8	MPG	L	304	21/25	0.67	0.20	$56,\!63,\!69,\!71$	0
8	MPG	L	305	25/25	0.72	0.25	$36,\!47,\!54,\!54$	25
8	MPG	М	406	17/25	0.74	0.19	62,64,65,65	0
11	NS5	М	405	40/40	0.76	0.24	42,62,77,77	0
10	MQ7	М	404	48/48	0.93	0.10	28,34,53,57	0
6	BCB	М	401	65/66	0.94	0.11	23,27,73,75	0
7	BPB	М	403	61/65	0.95	0.09	17,28,59,62	0
7	BPB	L	303	65/65	0.95	0.08	22,31,37,40	0
6	BCB	L	301	66/66	0.96	0.07	19,26,38,42	0
6	BCB	L	302	66/66	0.96	0.08	22,27,51,56	0
6	BCB	М	402	66/66	0.97	0.07	20,26,37,39	0
5	HEC	С	404	43/43	0.97	0.07	20,27,36,48	0
5	HEC	С	401	43/43	0.98	0.09	28,32,37,41	0
5	HEC	С	402	43/43	0.98	0.08	27,30,37,38	0
5	HEC	С	403	43/43	0.99	0.08	21,25,27,29	0
9	FE2	L	306	1/1	1.00	0.02	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







































6.5 Other polymers (i)

There are no such residues in this entry.

