



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 3, 2024 – 02:19 pm GMT

PDB ID : 4WJY
Title : Esherichia coli nitrite reductase NrfA H264N
Authors : Clarke, T.A.; Edwards, M.J.; Lockwood, C.W.J.
Deposited on : 2014-10-01
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	452	 83% 14% ..
1	B	452	 85% 12% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8143 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome c-552.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	441	Total 3485	C 2185	N 618	O 660	S 22	0	2	0
1	B	441	Total 3485	C 2185	N 618	O 660	S 22	0	2	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	264	ASN	HIS	engineered mutation	UNP P0ABK9
B	264	ASN	HIS	engineered mutation	UNP P0ABK9

- Molecule 2 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		
3	B	2	Total	Ca	0	0
			2	2		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	403	Total O 403 403	0	0
5	B	324	Total O 324 324	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c-552

Chain A:  83% 14% ..



- Molecule 1: Cytochrome c-552

Chain B:  85% 12% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	42.24Å 89.49Å 274.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.75 – 2.15 41.75 – 2.15	Depositor EDS
% Data completeness (in resolution range)	100.0 (41.75-2.15) 99.7 (41.75-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.42 (at 2.16Å)	Xtrriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.154 , 0.213 0.153 , 0.213	Depositor DCC
R_{free} test set	2935 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtrriage
Anisotropy	0.096	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8143	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, CA, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.14	6/3574 (0.2%)	0.93	6/4835 (0.1%)
1	B	1.07	3/3574 (0.1%)	0.89	5/4835 (0.1%)
All	All	1.11	9/7148 (0.1%)	0.91	11/9670 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	125	CYS	CB-SG	6.27	1.93	1.82
1	A	64	GLU	CB-CG	6.09	1.63	1.52
1	B	438	GLU	CG-CD	6.09	1.61	1.51
1	B	449	GLU	CB-CG	5.97	1.63	1.52
1	A	289	LYS	CE-NZ	5.67	1.63	1.49
1	A	439	LYS	CE-NZ	5.58	1.62	1.49
1	B	96	PHE	CE2-CZ	5.28	1.47	1.37
1	A	396	GLU	CG-CD	5.08	1.59	1.51
1	A	177	GLU	CG-CD	5.04	1.59	1.51

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	ARG	NE-CZ-NH1	6.80	123.70	120.30
1	A	146	LYS	CD-CE-NZ	-6.27	97.28	111.70
1	B	86	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	A	203	ASP	CB-CG-OD1	6.06	123.75	118.30
1	A	248	SER	CB-CA-C	-5.93	98.83	110.10
1	A	106	ARG	NE-CZ-NH1	5.85	123.22	120.30
1	A	433	ASP	CB-CG-OD2	5.46	123.21	118.30
1	B	102	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	A	401	MET	CG-SD-CE	-5.26	91.78	100.20
1	B	187	ARG	NE-CZ-NH2	-5.24	117.68	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	274	ILE	CG1-CB-CG2	-5.18	100.00	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3485	0	3385	75	0
1	B	3485	0	3385	70	0
2	A	215	0	155	35	0
2	B	215	0	156	47	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	8	0	12	3	0
4	B	4	0	6	0	0
5	A	403	0	0	18	0
5	B	324	0	0	13	0
All	All	8143	0	7099	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:CYS:SG	2:B:501:HEC:CAB	2.04	1.44
1:B:212:CYS:SG	2:B:503:HEC:CAC	2.09	1.39
1:B:125:CYS:SG	2:B:501:HEC:CAC	2.10	1.39
1:A:125:CYS:SG	2:A:501:HEC:CAC	2.10	1.38
1:A:212:CYS:SG	2:A:503:HEC:CAC	2.16	1.34
1:A:240:GLN:HB2	5:A:947:HOH:O	1.27	1.31
1:B:285:CYS:SG	2:B:504:HEC:CAC	2.21	1.28
1:B:317:CYS:SG	2:B:505:HEC:CAC	2.24	1.25
1:A:285:CYS:SG	2:A:504:HEC:CAC	2.27	1.22

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:CYS:SG	2:A:505:HEC:CAC	2.28	1.21
1:B:163:CYS:SG	2:B:502:HEC:CAC	2.28	1.21
1:A:163:CYS:SG	2:A:502:HEC:CAC	2.34	1.16
1:A:327:LYS:HD3	5:A:969:HOH:O	1.44	1.14
1:B:122:CYS:SG	2:B:501:HEC:CBB	2.42	1.07
1:B:212:CYS:SG	2:B:503:HEC:HAC	1.97	1.04
1:B:122:CYS:SG	2:B:501:HEC:HAB	2.03	0.99
1:B:477:SER:C	5:B:610:HOH:O	2.05	0.96
1:B:338:ASP:OD1	5:B:601:HOH:O	1.87	0.93
1:A:125:CYS:SG	2:A:501:HEC:HAC	2.06	0.93
1:A:212:CYS:SG	2:A:503:HEC:HAC	2.06	0.92
1:A:327:LYS:CD	5:A:969:HOH:O	2.06	0.90
1:A:285:CYS:SG	2:A:504:HEC:CBC	2.64	0.85
1:B:461:THR:HG22	5:B:882:HOH:O	1.75	0.85
1:B:317:CYS:SG	2:B:505:HEC:CBC	2.65	0.84
1:B:125:CYS:SG	2:B:501:HEC:HAC	2.17	0.83
1:B:49:HIS:HD2	5:B:865:HOH:O	1.63	0.80
1:B:163:CYS:SG	2:B:502:HEC:CBC	2.70	0.80
1:A:125:CYS:SG	2:A:501:HEC:C3C	2.69	0.79
1:B:125:CYS:SG	2:B:501:HEC:CBC	2.70	0.79
1:B:285:CYS:SG	2:B:504:HEC:HAC	2.22	0.77
1:B:125:CYS:SG	2:B:501:HEC:C3C	2.72	0.76
1:A:391:HIS:HE1	2:A:504:HEC:O2D	1.68	0.75
1:B:285:CYS:SG	2:B:504:HEC:CBC	2.75	0.75
1:A:49:HIS:HD2	5:A:910:HOH:O	1.70	0.74
1:B:317:CYS:SG	2:B:505:HEC:C3C	2.76	0.73
1:B:317:CYS:SG	2:B:505:HEC:HBC3	2.30	0.72
1:B:383:LEU:HD23	1:B:401:MET:HE1	1.70	0.71
1:B:122:CYS:SG	2:B:501:HEC:HBB3	2.33	0.69
1:A:317:CYS:SG	2:A:505:HEC:CBC	2.80	0.69
1:A:285:CYS:SG	2:A:504:HEC:HBC3	2.32	0.69
1:B:212:CYS:SG	2:B:503:HEC:C3C	2.80	0.68
1:A:212:CYS:SG	2:A:503:HEC:C3C	2.82	0.67
1:A:163:CYS:SG	2:A:502:HEC:CBC	2.82	0.67
1:B:212:CYS:SG	2:B:503:HEC:CBC	2.82	0.66
1:A:317:CYS:SG	2:A:505:HEC:C3C	2.84	0.65
1:A:163:CYS:SG	2:A:502:HEC:C3C	2.86	0.64
1:A:285:CYS:SG	2:A:504:HEC:C3C	2.85	0.64
1:A:317:CYS:HG	2:A:505:HEC:CAC	2.07	0.64
1:A:181:SER:H	1:A:211:GLN:HE22	1.47	0.63
2:B:504:HEC:HBC3	2:B:504:HEC:HMC1	1.81	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:CYS:SG	2:A:501:HEC:CBC	2.87	0.62
1:B:391:HIS:HE1	2:B:504:HEC:O2D	1.83	0.61
1:A:90:LYS:HE2	5:A:827:HOH:O	2.00	0.60
2:A:503:HEC:HMC1	2:A:503:HEC:HBC3	1.84	0.60
1:B:163:CYS:SG	2:B:502:HEC:HBC3	2.41	0.60
2:B:505:HEC:HMB1	2:B:505:HEC:HBB3	1.83	0.60
1:B:163:CYS:SG	2:B:502:HEC:C3C	2.90	0.60
1:A:221:LYS:N	5:A:604:HOH:O	2.34	0.60
1:B:87:ASP:HB2	1:B:105:LEU:HB2	1.83	0.59
1:B:285:CYS:SG	2:B:504:HEC:C3C	2.90	0.59
1:A:217:TYR:CE1	1:A:241:TYR:CE2	2.90	0.59
1:B:122:CYS:HA	2:B:501:HEC:HAB	1.83	0.59
1:A:62:GLN:HE21	1:A:302:LYS:HZ3	1.50	0.58
1:A:438:GLU:HG2	5:A:743:HOH:O	2.02	0.58
1:A:37:THR:HB	5:A:927:HOH:O	2.04	0.58
1:B:217:TYR:CE1	1:B:241:TYR:CE2	2.91	0.58
1:B:217:TYR:CZ	1:B:241:TYR:HE2	2.20	0.58
2:B:504:HEC:HBB3	2:B:504:HEC:HMB1	1.84	0.57
1:A:217:TYR:CZ	1:A:241:TYR:HE2	2.22	0.57
1:B:234:LYS:HG2	5:B:813:HOH:O	2.04	0.56
1:A:212:CYS:SG	2:A:503:HEC:CBC	2.92	0.56
1:B:463:ILE:HB	1:B:464:PRO:HD3	1.87	0.56
1:B:217:TYR:CE1	1:B:241:TYR:HE2	2.24	0.55
1:B:252:ASN:ND2	1:B:254:LEU:H	2.05	0.55
1:A:133:LEU:HD12	1:A:154:ILE:HD11	1.90	0.54
1:B:346:GLN:NE2	1:B:413:ARG:HH11	2.04	0.54
1:A:49:HIS:CD2	5:A:910:HOH:O	2.53	0.54
1:A:234:LYS:H	1:A:237:ASN:HD22	1.55	0.54
1:A:311:ALA:H	4:A:509:EDO:H22	1.72	0.54
1:A:391:HIS:CE1	2:A:504:HEC:O2D	2.55	0.54
2:A:501:HEC:HBC3	2:A:501:HEC:HMC1	1.90	0.54
1:B:461:THR:CG2	5:B:882:HOH:O	2.44	0.53
1:B:140:ASP:HB2	5:B:775:HOH:O	2.09	0.53
2:B:502:HEC:HBB3	2:B:502:HEC:HMB1	1.90	0.53
1:B:163:CYS:SG	2:B:502:HEC:HAC	2.42	0.53
2:A:502:HEC:HBC3	2:A:502:HEC:HMC1	1.89	0.52
1:A:317:CYS:SG	2:A:505:HEC:HAC	2.42	0.52
1:B:178:LEU:HD11	2:B:502:HEC:HBD1	1.89	0.52
2:B:503:HEC:HBC3	2:B:503:HEC:HMC1	1.92	0.51
2:B:501:HEC:HBC3	2:B:501:HEC:HMC1	1.92	0.51
2:B:502:HEC:HBC3	2:B:502:HEC:HMC1	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:LYS:HB3	1:A:221:LYS:NZ	2.26	0.51
1:A:217:TYR:HH	1:A:241:TYR:HH	1.58	0.51
1:A:391:HIS:H	1:A:391:HIS:CD2	2.29	0.50
2:A:505:HEC:HBA2	2:B:505:HEC:HBA2	1.93	0.50
1:B:465:GLN:HA	1:B:468[A]:GLU:HG2	1.94	0.50
1:A:407:ASP:HB2	1:B:406:MET:HE3	1.93	0.50
1:A:383:LEU:HD23	1:A:401:MET:HE3	1.94	0.50
1:A:163:CYS:SG	2:A:502:HEC:HBC3	2.52	0.49
1:B:277:LYS:HE2	5:B:824:HOH:O	2.11	0.49
2:A:504:HEC:HBC3	2:A:504:HEC:HMC1	1.95	0.49
1:B:118:LEU:HD13	2:B:501:HEC:HMB1	1.95	0.48
1:B:460:LYS:HB3	5:B:882:HOH:O	2.13	0.48
1:B:125:CYS:SG	2:B:501:HEC:HBC3	2.51	0.48
1:A:217:TYR:CZ	1:A:241:TYR:CE2	3.01	0.48
1:A:290:VAL:HG12	1:A:312:GLN:HG2	1.96	0.48
1:A:62:GLN:HE21	1:A:302:LYS:NZ	2.12	0.47
1:A:407:ASP:HB2	1:B:406:MET:CE	2.44	0.47
1:B:122:CYS:CB	2:B:501:HEC:CAB	2.89	0.47
1:B:259:MET:CE	1:B:378:GLN:CD	2.82	0.47
1:A:317:CYS:SG	2:A:505:HEC:HBC3	2.52	0.47
1:A:368:LYS:HB3	1:A:369:PRO:HD3	1.96	0.47
1:A:94:HIS:CD2	2:A:503:HEC:ND	2.83	0.47
1:A:438:GLU:HG3	5:A:722:HOH:O	2.14	0.47
1:A:385:ILE:HD12	1:A:385:ILE:C	2.34	0.47
1:A:252:ASN:ND2	1:A:254:LEU:H	2.13	0.46
1:B:49:HIS:HE1	5:B:888:HOH:O	1.98	0.46
1:A:217:TYR:CE1	1:A:241:TYR:HE2	2.31	0.46
2:B:501:HEC:HAD1	2:B:503:HEC:C3D	2.46	0.46
1:B:244:LYS:HE3	1:B:244:LYS:HB2	1.54	0.46
1:A:151:GLY:HA3	1:A:466:TRP:CE2	2.51	0.45
1:A:252:ASN:HD22	1:A:255:SER:H	1.63	0.45
1:A:217:TYR:OH	1:A:241:TYR:OH	2.32	0.45
1:B:257:THR:O	1:B:259:MET:HG2	2.17	0.45
1:B:391:HIS:CE1	2:B:504:HEC:O2D	2.68	0.45
1:B:49:HIS:CD2	5:B:865:HOH:O	2.51	0.45
1:B:431[A]:ILE:HD11	5:B:736:HOH:O	2.16	0.45
2:B:504:HEC:CBC	2:B:504:HEC:HMC1	2.46	0.45
1:B:252:ASN:HD22	1:B:254:LEU:H	1.65	0.45
2:A:502:HEC:CBC	2:A:502:HEC:HMC1	2.46	0.44
2:A:505:HEC:HBC3	2:A:505:HEC:HMC1	1.99	0.44
1:A:327:LYS:HB2	1:A:327:LYS:HE2	1.40	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:GLU:O	1:A:401:MET:HG3	2.18	0.44
1:A:79:TRP:CE3	1:A:84:PHE:HB3	2.53	0.44
1:A:203:ASP:OD2	5:A:601:HOH:O	2.21	0.44
1:B:385:ILE:C	1:B:385:ILE:HD12	2.37	0.44
1:A:234:LYS:H	1:A:237:ASN:ND2	2.15	0.43
1:A:327:LYS:HE3	5:A:911:HOH:O	2.16	0.43
1:A:471:ARG:HD2	5:A:698:HOH:O	2.18	0.43
1:A:291:GLN:HE21	1:A:295:GLY:HA2	1.83	0.43
1:B:122:CYS:CA	2:B:501:HEC:HAB	2.48	0.43
1:A:317:CYS:HG	2:A:505:HEC:HAC	1.78	0.43
4:A:508:EDO:O2	2:B:505:HEC:O2D	2.36	0.43
1:A:130:VAL:HG13	1:A:142:TYR:CZ	2.53	0.43
1:B:122:CYS:SG	2:B:501:HEC:C3B	2.99	0.43
1:A:244:LYS:HD2	5:A:995:HOH:O	2.18	0.42
1:A:326:GLN:NE2	5:A:628:HOH:O	2.52	0.42
2:A:505:HEC:O2D	4:A:508:EDO:H22	2.20	0.42
1:B:217:TYR:CZ	1:B:241:TYR:CE2	3.05	0.42
1:B:263:GLN:O	1:B:264:ASN:C	2.58	0.42
1:A:285:CYS:SG	2:A:504:HEC:HAC	2.45	0.42
1:B:118:LEU:HB3	1:B:119:PRO:HD2	2.02	0.41
1:B:380:ARG:HD3	5:B:723:HOH:O	2.20	0.41
1:B:217:TYR:OH	1:B:241:TYR:CE2	2.71	0.41
1:A:431[A]:ILE:HD11	5:A:636:HOH:O	2.20	0.41
1:B:285:CYS:SG	2:B:504:HEC:HBC3	2.56	0.41
1:A:302:LYS:NZ	5:A:614:HOH:O	2.47	0.41
1:B:214:VAL:HG21	1:B:227:PHE:CZ	2.56	0.41
2:B:502:HEC:CBC	2:B:502:HEC:HMC1	2.51	0.41
1:A:49:HIS:HE1	5:A:937:HOH:O	2.04	0.40
1:A:194:LYS:HE3	1:A:207:MET:CE	2.52	0.40
1:B:64:GLU:HG2	1:B:66:VAL:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	441/452 (98%)	428 (97%)	12 (3%)	1 (0%)	47	46
1	B	441/452 (98%)	433 (98%)	7 (2%)	1 (0%)	47	46
All	All	882/904 (98%)	861 (98%)	19 (2%)	2 (0%)	47	46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	264	ASN
1	B	264	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	364/370 (98%)	357 (98%)	7 (2%)	57	61
1	B	364/370 (98%)	357 (98%)	7 (2%)	57	61
All	All	728/740 (98%)	714 (98%)	14 (2%)	57	61

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	THR
1	A	221	LYS
1	A	274	ILE
1	A	294	GLU
1	A	309	ASN
1	A	340	LYS
1	A	477	SER
1	B	119	PRO
1	B	250	TRP
1	B	252	ASN
1	B	274	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	294	GLU
1	B	309	ASN
1	B	327	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	62	GLN
1	A	211	GLN
1	A	237	ASN
1	A	240	GLN
1	A	252	ASN
1	A	291	GLN
1	A	309	ASN
1	A	326	GLN
1	A	371	GLN
1	A	388	HIS
1	A	391	HIS
1	A	442	GLN
1	A	469	GLN
1	B	48	GLN
1	B	49	HIS
1	B	62	GLN
1	B	135	GLN
1	B	237	ASN
1	B	252	ASN
1	B	264	ASN
1	B	291	GLN
1	B	309	ASN
1	B	312	GLN
1	B	326	GLN
1	B	334	GLN
1	B	337	ASN
1	B	346	GLN
1	B	388	HIS
1	B	391	HIS
1	B	456	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 4 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	509	-	3,3,3	0.45	0	2,2,2	1.90	1 (50%)
2	HEC	A	502	1	32,50,50	2.24	11 (34%)	24,82,82	2.04	7 (29%)
4	EDO	A	508	-	3,3,3	0.46	0	2,2,2	0.22	0
2	HEC	B	505	1	32,50,50	2.12	8 (25%)	24,82,82	2.19	6 (25%)
2	HEC	A	503	1,3	32,50,50	2.22	11 (34%)	24,82,82	2.34	10 (41%)
2	HEC	A	505	1	32,50,50	2.45	8 (25%)	24,82,82	2.02	8 (33%)
2	HEC	B	503	1,3	32,50,50	2.56	8 (25%)	24,82,82	1.82	9 (37%)
2	HEC	B	504	1,3	32,50,50	2.50	6 (18%)	24,82,82	1.75	7 (29%)
2	HEC	A	501	1,5	32,50,50	1.89	6 (18%)	24,82,82	1.81	7 (29%)
2	HEC	B	501	1,5	32,50,50	2.22	6 (18%)	24,82,82	1.99	10 (41%)
4	EDO	B	508	-	3,3,3	0.44	0	2,2,2	0.70	0
2	HEC	B	502	1	32,50,50	2.20	9 (28%)	24,82,82	1.53	5 (20%)
2	HEC	A	504	1,3	32,50,50	2.34	8 (25%)	24,82,82	2.48	8 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	509	-	-	1/1/1/1	-
2	HEC	A	502	1	-	3/10/54/54	-
4	EDO	A	508	-	-	0/1/1/1	-
2	HEC	B	505	1	-	4/10/54/54	-
2	HEC	A	503	1,3	-	0/10/54/54	-
2	HEC	A	505	1	-	4/10/54/54	-
2	HEC	B	503	1,3	-	0/10/54/54	-
2	HEC	B	504	1,3	-	1/10/54/54	-
2	HEC	A	501	1,5	-	2/10/54/54	-
2	HEC	B	501	1,5	-	3/10/54/54	-
4	EDO	B	508	-	-	1/1/1/1	-
2	HEC	B	502	1	-	2/10/54/54	-
2	HEC	A	504	1,3	-	0/10/54/54	-

All (81) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	503	HEC	C3C-C2C	-8.23	1.32	1.40
2	B	504	HEC	C2B-C3B	-7.65	1.32	1.40
2	B	503	HEC	C2B-C3B	-7.63	1.32	1.40
2	A	505	HEC	C2B-C3B	-7.60	1.32	1.40
2	B	504	HEC	C3C-C2C	-7.60	1.32	1.40
2	A	504	HEC	C3C-C2C	-7.19	1.33	1.40
2	A	502	HEC	C2B-C3B	-6.92	1.33	1.40
2	A	504	HEC	C2B-C3B	-6.90	1.33	1.40
2	A	503	HEC	C3C-C2C	-6.76	1.33	1.40
2	B	502	HEC	C2B-C3B	-6.54	1.33	1.40
2	A	505	HEC	C3C-C2C	-6.31	1.34	1.40
2	B	505	HEC	C2B-C3B	-6.16	1.34	1.40
2	B	501	HEC	C2B-C3B	-5.96	1.34	1.40
2	B	501	HEC	C3C-C2C	-5.48	1.35	1.40
2	A	501	HEC	C2B-C3B	-5.43	1.35	1.40
2	B	505	HEC	C3C-C2C	-5.43	1.35	1.40
2	B	502	HEC	C3C-C2C	-5.22	1.35	1.40
2	A	502	HEC	C3C-C2C	-4.84	1.35	1.40
2	A	501	HEC	C3D-C2D	4.64	1.51	1.37
2	B	504	HEC	CAA-C2A	4.50	1.60	1.52
2	A	503	HEC	C2B-C3B	-4.47	1.36	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	504	HEC	C3D-C2D	4.44	1.50	1.37
2	B	505	HEC	C3D-C2D	4.41	1.50	1.37
2	B	501	HEC	C3D-C2D	4.36	1.50	1.37
2	B	502	HEC	C3D-C2D	4.17	1.50	1.37
2	A	503	HEC	C3D-C2D	4.09	1.49	1.37
2	A	505	HEC	C3D-C2D	4.08	1.49	1.37
2	B	503	HEC	C3D-C2D	3.87	1.49	1.37
2	A	505	HEC	CAD-C3D	3.58	1.57	1.52
2	A	503	HEC	CMC-C2C	3.50	1.59	1.51
2	A	504	HEC	CAA-C2A	3.39	1.58	1.52
2	A	502	HEC	C3D-C2D	3.37	1.47	1.37
2	B	501	HEC	C1B-NB	3.35	1.43	1.36
2	A	501	HEC	C3C-C2C	-3.33	1.37	1.40
2	A	504	HEC	C3D-C2D	3.22	1.47	1.37
2	A	502	HEC	CAD-C3D	3.00	1.56	1.52
2	B	503	HEC	CMC-C2C	2.93	1.58	1.51
2	A	501	HEC	C4D-ND	2.93	1.42	1.36
2	A	505	HEC	CMC-C2C	2.90	1.58	1.51
2	A	501	HEC	CMB-C2B	2.76	1.58	1.51
2	B	501	HEC	CMB-C2B	2.76	1.58	1.51
2	B	505	HEC	O1A-CGA	2.73	1.31	1.22
2	A	504	HEC	CMC-C2C	2.69	1.58	1.51
2	A	505	HEC	CMB-C2B	2.67	1.57	1.51
2	B	501	HEC	C1D-CHD	-2.66	1.33	1.41
2	B	503	HEC	CAD-C3D	2.63	1.55	1.52
2	B	504	HEC	CAD-C3D	2.57	1.55	1.52
2	A	503	HEC	CAA-C2A	2.57	1.56	1.52
2	A	505	HEC	CMD-C2D	2.56	1.57	1.51
2	A	504	HEC	CMA-C3A	2.45	1.57	1.51
2	B	503	HEC	CMA-C3A	2.45	1.57	1.51
2	B	502	HEC	C2A-C1A	2.42	1.48	1.42
2	A	505	HEC	C2A-C3A	-2.40	1.30	1.37
2	B	505	HEC	C4D-ND	2.36	1.41	1.36
2	A	502	HEC	CMD-C2D	2.33	1.56	1.51
2	B	505	HEC	C1D-ND	2.31	1.40	1.36
2	B	503	HEC	CAA-C2A	2.30	1.56	1.52
2	B	504	HEC	CBD-CGD	2.28	1.55	1.50
2	A	504	HEC	C3A-C4A	2.27	1.47	1.42
2	A	503	HEC	CBA-CGA	2.21	1.55	1.50
2	A	502	HEC	C1D-CHD	-2.20	1.34	1.41
2	A	503	HEC	C3C-C4C	2.18	1.47	1.43
2	B	505	HEC	CMD-C2D	2.16	1.56	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	503	HEC	C4D-ND	2.16	1.40	1.36
2	A	502	HEC	CBD-CGD	2.15	1.55	1.50
2	B	502	HEC	CMD-C2D	2.14	1.56	1.51
2	B	502	HEC	C1C-CHC	-2.14	1.35	1.41
2	B	502	HEC	C1B-NB	2.12	1.40	1.36
2	A	503	HEC	C1B-NB	2.11	1.40	1.36
2	A	501	HEC	O1A-CGA	2.09	1.29	1.22
2	A	502	HEC	CMB-C2B	2.07	1.56	1.51
2	B	502	HEC	C4B-C3B	2.06	1.46	1.43
2	B	505	HEC	C3A-C4A	2.06	1.47	1.42
2	A	502	HEC	CAA-C2A	2.05	1.55	1.52
2	A	503	HEC	CMD-C2D	2.05	1.55	1.51
2	B	503	HEC	C1D-CHD	-2.03	1.35	1.41
2	A	504	HEC	C1C-NC	2.03	1.40	1.36
2	A	502	HEC	C1B-NB	2.02	1.40	1.36
2	A	502	HEC	C1D-ND	2.02	1.40	1.36
2	B	502	HEC	C1D-ND	2.01	1.40	1.36
2	A	503	HEC	C1C-NC	2.01	1.40	1.36

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	503	HEC	CBA-CAA-C2A	-5.55	103.25	112.60
2	B	505	HEC	CMC-C2C-C1C	-5.54	119.95	128.46
2	A	504	HEC	CMB-C2B-C1B	-5.41	120.15	128.46
2	A	502	HEC	C1D-C2D-C3D	-5.20	103.38	107.00
2	A	504	HEC	CMB-C2B-C3B	5.04	131.74	125.82
2	A	504	HEC	CMC-C2C-C3C	4.61	131.24	125.82
2	A	505	HEC	CMB-C2B-C3B	4.39	130.98	125.82
2	A	505	HEC	CMB-C2B-C1B	-4.35	121.77	128.46
2	B	505	HEC	C1D-C2D-C3D	-4.27	104.03	107.00
2	A	504	HEC	CMC-C2C-C1C	-4.25	121.94	128.46
2	A	503	HEC	CBD-CAD-C3D	-4.17	105.50	112.62
2	B	501	HEC	C2B-C3B-C4B	4.11	110.79	106.35
2	B	504	HEC	CMB-C2B-C1B	-4.06	122.22	128.46
2	B	505	HEC	CBA-CAA-C2A	-3.91	106.02	112.60
2	B	501	HEC	CMB-C2B-C3B	3.81	130.30	125.82
2	B	505	HEC	CMB-C2B-C1B	-3.58	122.96	128.46
2	B	501	HEC	C1D-C2D-C3D	-3.56	104.52	107.00
2	B	501	HEC	CBA-CAA-C2A	-3.52	106.68	112.60
2	A	501	HEC	CMB-C2B-C1B	-3.51	123.06	128.46
2	A	503	HEC	CMB-C2B-C1B	-3.42	123.20	128.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	HEC	CMC-C2C-C1C	-3.39	123.26	128.46
2	A	504	HEC	CBA-CAA-C2A	-3.25	107.13	112.60
2	A	505	HEC	C1D-C2D-C3D	-3.23	104.75	107.00
2	A	502	HEC	CMA-C3A-C2A	3.21	130.99	124.94
2	A	502	HEC	CMB-C2B-C1B	-3.20	123.54	128.46
2	B	503	HEC	CMB-C2B-C3B	3.18	129.56	125.82
2	A	503	HEC	O2A-CGA-CBA	3.14	124.13	114.03
2	A	502	HEC	CAD-CBD-CGD	-3.13	104.99	113.76
2	B	505	HEC	CAD-CBD-CGD	-3.13	104.99	113.76
2	B	505	HEC	CMC-C2C-C3C	3.10	129.47	125.82
2	A	501	HEC	CMC-C2C-C3C	3.03	129.38	125.82
2	A	501	HEC	CMC-C2C-C1C	-3.02	123.83	128.46
2	A	505	HEC	CBA-CAA-C2A	-3.00	107.55	112.60
2	B	503	HEC	C2B-C3B-C4B	2.95	109.54	106.35
2	A	503	HEC	CMB-C2B-C3B	2.94	129.28	125.82
2	A	502	HEC	CMC-C2C-C3C	2.89	129.22	125.82
2	B	502	HEC	CAD-CBD-CGD	-2.87	105.72	113.76
2	A	504	HEC	C4C-C3C-C2C	2.84	109.42	106.35
2	B	502	HEC	CMC-C2C-C3C	2.81	129.13	125.82
2	A	501	HEC	CBD-CAD-C3D	-2.81	107.82	112.62
2	B	502	HEC	CMB-C2B-C1B	-2.78	124.19	128.46
2	A	502	HEC	CMC-C2C-C1C	-2.77	124.20	128.46
2	B	503	HEC	O2A-CGA-CBA	2.75	122.87	114.03
2	B	504	HEC	CBA-CAA-C2A	-2.66	108.11	112.60
2	A	503	HEC	CAA-CBA-CGA	-2.66	106.30	113.76
2	B	504	HEC	CMB-C2B-C3B	2.64	128.92	125.82
2	A	505	HEC	CMC-C2C-C1C	-2.58	124.49	128.46
2	A	504	HEC	O2A-CGA-O1A	-2.58	116.88	123.30
2	A	501	HEC	CMB-C2B-C3B	2.55	128.82	125.82
2	B	504	HEC	O2D-CGD-CBD	2.54	122.20	114.03
2	B	503	HEC	CBD-CAD-C3D	-2.51	108.33	112.62
2	B	504	HEC	O1D-CGD-CBD	-2.50	115.05	123.08
2	B	503	HEC	CMC-C2C-C3C	2.43	128.68	125.82
2	B	504	HEC	CMC-C2C-C1C	-2.40	124.78	128.46
2	A	501	HEC	C2B-C3B-C4B	2.37	108.91	106.35
2	A	503	HEC	O1A-CGA-CBA	-2.34	115.57	123.08
2	A	502	HEC	CBA-CAA-C2A	-2.31	108.71	112.60
2	B	501	HEC	O1D-CGD-CBD	-2.31	115.67	123.08
2	B	501	HEC	CMB-C2B-C1B	-2.31	124.92	128.46
2	B	502	HEC	C4C-C3C-C2C	2.28	108.81	106.35
2	B	501	HEC	O2A-CGA-CBA	2.21	121.12	114.03
2	B	503	HEC	O2D-CGD-CBD	2.20	121.10	114.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	505	HEC	CMD-C2D-C3D	2.19	129.07	124.94
2	A	503	HEC	C4C-C3C-C2C	2.19	108.72	106.35
2	A	505	HEC	C2B-C3B-C4B	2.19	108.72	106.35
2	B	503	HEC	CMC-C2C-C1C	-2.18	125.11	128.46
2	B	501	HEC	CBD-CAD-C3D	-2.17	108.92	112.62
2	B	504	HEC	O2A-CGA-CBA	2.16	120.98	114.03
4	A	509	EDO	O1-C1-C2	-2.15	96.44	111.91
2	B	501	HEC	CMC-C2C-C1C	-2.14	125.17	128.46
2	A	503	HEC	CMC-C2C-C1C	-2.13	125.18	128.46
2	B	503	HEC	CBA-CAA-C2A	-2.11	109.04	112.60
2	A	503	HEC	CMC-C2C-C3C	2.10	128.29	125.82
2	A	505	HEC	CAD-CBD-CGD	-2.08	107.91	113.76
2	A	504	HEC	O2D-CGD-CBD	2.05	120.61	114.03
2	B	503	HEC	O2A-CGA-O1A	-2.04	118.22	123.30
2	A	501	HEC	CAA-CBA-CGA	-2.03	108.06	113.76
2	B	501	HEC	O2D-CGD-CBD	2.00	120.46	114.03

There are no chirality outliers.

All (21) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	508	EDO	O1-C1-C2-O2
2	B	505	HEC	CAA-CBA-CGA-O1A
2	A	502	HEC	CAA-CBA-CGA-O1A
4	A	509	EDO	O1-C1-C2-O2
2	B	502	HEC	CAA-CBA-CGA-O2A
2	A	505	HEC	CAA-CBA-CGA-O1A
2	B	502	HEC	CAA-CBA-CGA-O1A
2	B	505	HEC	CAD-CBD-CGD-O2D
2	A	505	HEC	CAD-CBD-CGD-O1D
2	A	501	HEC	CAA-CBA-CGA-O1A
2	B	501	HEC	CAA-CBA-CGA-O2A
2	A	505	HEC	CAA-CBA-CGA-O2A
2	A	501	HEC	CAA-CBA-CGA-O2A
2	B	505	HEC	CAA-CBA-CGA-O2A
2	A	505	HEC	CAD-CBD-CGD-O2D
2	A	502	HEC	CAA-CBA-CGA-O2A
2	B	505	HEC	CAD-CBD-CGD-O1D
2	B	501	HEC	C3D-CAD-CBD-CGD
2	B	501	HEC	CAA-CBA-CGA-O1A
2	B	504	HEC	CAA-CBA-CGA-O2A
2	A	502	HEC	CAD-CBD-CGD-O2D


There are no ring outliers.


12 monomers are involved in 82 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	509	EDO	1	0
2	A	502	HEC	6	0
4	A	508	EDO	2	0
2	B	505	HEC	7	0
2	A	503	HEC	6	0
2	A	505	HEC	10	0
2	B	503	HEC	6	0
2	B	504	HEC	10	0
2	A	501	HEC	5	0
2	B	501	HEC	16	0
2	B	502	HEC	9	0
2	A	504	HEC	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/452 (97%)	-0.65	1 (0%) 95 96	8, 18, 31, 45	8 (1%)
1	B	441/452 (97%)	-0.58	1 (0%) 95 96	11, 22, 39, 48	8 (1%)
All	All	882/904 (97%)	-0.62	2 (0%) 95 96	8, 20, 36, 48	16 (1%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	468[A]	GLU	2.4
1	A	221	LYS	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	508	4/4	0.88	0.28	52,54,54,57	0
4	EDO	A	509	4/4	0.89	0.14	23,23,28,37	0
4	EDO	B	508	4/4	0.89	0.21	39,41,46,48	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	HEC	B	502	43/43	0.98	0.09	14,19,23,23	0
2	HEC	B	504	43/43	0.98	0.10	7,12,30,36	0
2	HEC	B	505	43/43	0.98	0.09	10,16,34,44	0
3	CA	B	507	1/1	0.98	0.09	30,30,30,30	0
2	HEC	A	501	43/43	0.98	0.10	6,14,26,34	0
2	HEC	A	504	43/43	0.98	0.10	4,9,23,25	0
2	HEC	B	501	43/43	0.98	0.11	8,16,28,32	0
3	CA	A	507	1/1	0.99	0.08	21,21,21,21	0
3	CA	B	506	1/1	0.99	0.09	19,19,19,19	0
2	HEC	A	502	43/43	0.99	0.08	6,11,14,16	0
2	HEC	B	503	43/43	0.99	0.11	6,11,18,24	0
2	HEC	A	505	43/43	0.99	0.09	10,13,31,42	0
2	HEC	A	503	43/43	0.99	0.10	3,7,11,13	0
3	CA	A	506	1/1	1.00	0.09	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC B 502:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC B 504:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEC A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 502:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around HEC B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.