



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2020 – 11:52 PM BST

PDB ID : 3WN6
Title : Crystal structure of alpha-amylase AmyI-1 from *Oryza sativa*
Authors : Ochiai, A.; Sugai, H.; Harada, K.; Tanaka, S.; Ishiyama, Y.; Ito, K.; Tanaka, T.; Uchiumi, T.; Taniguchi, M.; Mitsui, T.
Deposited on : 2013-12-05
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	
1	B	404	
1	C	404	
1	D	404	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TAR	C	506	-	-	X	-
4	TAR	C	507	-	-	X	-
5	PEG	D	508	-	-	X	-

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 14765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-amylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	404	3222	2058	552	598	14	0	3	0
1	B	404	3280	2087	564	616	13	0	10	0
1	C	404	3209	2047	550	599	13	0	1	0
1	D	404	3249	2071	559	606	13	0	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	MET	GLY	ENGINEERED MUTATION	UNP P17654
B	25	MET	GLY	ENGINEERED MUTATION	UNP P17654
C	25	MET	GLY	ENGINEERED MUTATION	UNP P17654
D	25	MET	GLY	ENGINEERED MUTATION	UNP P17654

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total 3	Ca 3	0	0
2	A	3	Total 3	Ca 3	0	0
2	D	3	Total 3	Ca 3	0	0
2	C	3	Total 3	Ca 3	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0

- Molecule 4 is D(-)-TARTARIC ACID (three-letter code: TAR) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 10 4 6	0	0
4	A	1	Total C O 10 4 6	0	0
4	B	1	Total C O 10 4 6	0	0
4	C	1	Total C O 10 4 6	0	0
4	C	1	Total C O 10 4 6	0	0
4	D	1	Total C O 10 4 6	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0
5	D	1	Total C O 7 4 3	0	0
5	D	1	Total C O 7 4 3	0	0
5	D	1	Total C O 7 4 3	0	0
5	D	1	Total C O 7 4 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	405	Total O 405 405	0	0
6	B	420	Total O 420 420	0	0
6	C	393	Total O 393 393	0	0
6	D	412	Total O 412 412	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-amylase




- Molecule 1: Alpha-amylase



- Molecule 1: Alpha-amylase



- Molecule 1: Alpha-amylase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.92Å 125.28Å 96.64Å 90.00° 90.20° 90.00°	Depositor
Resolution (Å)	48.32 – 2.16 48.32 – 2.16	Depositor EDS
% Data completeness (in resolution range)	98.0 (48.32-2.16) 98.7 (48.32-2.16)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.199 , 0.243 0.220 , 0.263	Depositor DCC
R_{free} test set	4462 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	20.6	Xtriage
Anisotropy	0.210	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 33.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.288 for h,-k,-l	Xtriage
Reported twinning fraction	0.551 for H, K, L 0.449 for h,-k,-l	Depositor
Outliers	18 of 88953 reflections (0.020%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14765	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 61.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2758e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, PEG, TAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/3326	0.73	2/4520 (0.0%)
1	B	0.68	0/3378	0.74	4/4592 (0.1%)
1	C	0.69	0/3307	0.75	2/4496 (0.0%)
1	D	0.69	0/3347	0.74	5/4548 (0.1%)
All	All	0.68	0/13358	0.74	13/18156 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	182	ARG	NE-CZ-NH1	-6.30	117.15	120.30
1	A	277	LEU	CA-CB-CG	6.28	129.73	115.30
1	B	277	LEU	CA-CB-CG	6.25	129.67	115.30
1	D	277	LEU	CA-CB-CG	6.24	129.65	115.30
1	C	402	ARG	NE-CZ-NH1	5.89	123.25	120.30
1	D	368	ARG	CB-CA-C	-5.80	98.80	110.40
1	D	402	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	D	48	MET	CG-SD-CE	-5.55	91.32	100.20
1	D	368	ARG	CG-CD-NE	5.46	123.25	111.80
1	B	189[A]	ASP	CB-CG-OD1	-5.26	113.57	118.30
1	B	189[B]	ASP	CB-CG-OD1	-5.26	113.57	118.30
1	B	402	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	A	402	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3222	0	3045	32	0
1	B	3280	0	3081	23	0
1	C	3209	0	3020	31	0
1	D	3249	0	3064	39	2
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
3	A	12	0	16	1	0
3	B	18	0	24	2	0
3	C	12	0	16	5	0
3	D	12	0	16	4	0
4	A	20	0	8	1	0
4	B	10	0	4	0	0
4	C	20	0	8	5	0
4	D	10	0	4	1	0
5	A	14	0	20	3	0
5	B	7	0	10	0	0
5	D	28	0	40	5	0
6	A	405	0	0	21	2
6	B	420	0	0	10	0
6	C	393	0	0	19	0
6	D	412	0	0	20	0
All	All	14765	0	12376	137	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:ASP:HA	6:A:946:HOH:O	1.41	1.15
1:B:150[B]:ARG:HG2	1:B:150[B]:ARG:HH11	0.96	1.08
1:D:217:ILE:HA	6:D:827:HOH:O	1.62	0.96
1:D:418:HIS:CG	6:D:856:HOH:O	2.18	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150[B]:ARG:CG	1:B:150[B]:ARG:HH11	1.80	0.93
1:B:150[B]:ARG:HG2	1:B:150[B]:ARG:NH1	1.76	0.92
1:D:318:THR:HG23	6:D:875:HOH:O	1.74	0.87
4:C:506:TAR:O4	4:C:507:TAR:O1	1.93	0.86
4:C:506:TAR:H2	6:C:603:HOH:O	1.75	0.85
1:C:73:GLU:HB2	6:C:869:HOH:O	1.81	0.81
3:D:505:GOL:H32	6:D:602:HOH:O	1.82	0.79
1:C:37:TRP:CE2	6:C:869:HOH:O	2.37	0.77
1:D:418:HIS:CD2	6:D:856:HOH:O	2.37	0.75
1:A:96[B]:LYS:NZ	6:A:809:HOH:O	2.17	0.74
1:D:418:HIS:CE1	6:D:856:HOH:O	2.41	0.74
1:A:352:ASP:OD2	6:A:946:HOH:O	2.06	0.73
1:A:361:ARG:HD3	6:A:850:HOH:O	1.87	0.73
1:D:418:HIS:ND1	6:D:856:HOH:O	2.22	0.70
1:C:418:HIS:CE1	3:C:505:GOL:H2	2.26	0.69
1:A:368:ARG:HD3	6:A:848:HOH:O	1.91	0.69
1:C:192:LYS:HD2	1:C:197:PHE:O	1.93	0.69
1:A:178:LYS:NZ	6:A:974:HOH:O	2.26	0.68
1:B:327:ASP:OD2	6:B:755:HOH:O	2.12	0.68
1:A:182:ARG:NH2	6:A:997:HOH:O	2.27	0.66
1:A:156:ASP:OD2	6:A:936:HOH:O	2.13	0.66
3:D:504:GOL:H2	6:D:604:HOH:O	1.97	0.65
1:C:404:ASP:OD2	6:C:716:HOH:O	2.15	0.65
4:C:506:TAR:C4	4:C:507:TAR:O1	2.46	0.64
1:C:55:ALA:O	6:C:671:HOH:O	2.15	0.63
1:C:418:HIS:CD2	6:C:923:HOH:O	2.51	0.63
1:C:175:HIS:HD2	1:C:216:TYR:OH	1.81	0.62
1:C:37:TRP:NE1	6:C:869:HOH:O	2.32	0.62
1:B:410:PRO:HB3	6:B:1015:HOH:O	1.99	0.62
1:A:182:ARG:NE	6:A:955:HOH:O	2.34	0.61
1:C:192:LYS:HG3	1:C:193:MET:N	2.12	0.61
1:C:182:ARG:HB2	6:C:760:HOH:O	2.01	0.60
1:B:179:ARG:HH12	3:B:506:GOL:H31	1.66	0.60
1:D:364[B]:SER:O	1:D:368:ARG:HG3	2.02	0.60
4:D:506:TAR:C1	6:D:948:HOH:O	2.50	0.60
1:D:318:THR:N	6:D:875:HOH:O	2.35	0.60
4:C:506:TAR:O41	4:C:507:TAR:C1	2.50	0.59
1:D:25:MET:HG3	1:D:371:ILE:O	2.01	0.59
3:D:504:GOL:C2	6:D:604:HOH:O	2.49	0.59
1:A:108:GLN:NE2	6:A:719:HOH:O	2.37	0.58
1:C:198:ASP:O	6:C:724:HOH:O	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:248:HIS:HD2	1:B:272:THR:OG1	1.87	0.57
1:A:248:HIS:HD2	1:A:272:THR:OG1	1.87	0.56
1:B:192:LYS:HD3	6:B:987:HOH:O	2.06	0.56
1:D:248:HIS:HD2	1:D:272:THR:OG1	1.88	0.55
1:C:182:ARG:NE	6:C:873:HOH:O	2.28	0.54
1:C:352:ASP:OD2	6:C:749:HOH:O	2.18	0.54
1:D:317:SER:C	6:D:875:HOH:O	2.46	0.53
4:C:506:TAR:C4	4:C:507:TAR:C1	2.87	0.53
3:D:505:GOL:C3	6:D:602:HOH:O	2.48	0.53
1:D:45:ASN:O	1:D:48:MET:HB2	2.09	0.53
1:A:352:ASP:CG	6:A:946:HOH:O	2.47	0.52
1:B:231:THR:O	1:B:248:HIS:HE1	1.93	0.52
1:B:222:PRO:HA	6:B:987:HOH:O	2.09	0.52
1:C:37:TRP:CZ2	6:C:869:HOH:O	2.61	0.52
1:D:206:LYS:HA	5:D:508:PEG:C1	2.40	0.52
1:D:116:ASN:ND2	1:D:207:GLY:HA3	2.25	0.52
1:C:286:TRP:HB2	1:D:247:ALA:HB2	1.92	0.51
1:D:412:GLY:O	1:D:428:ILE:N	2.35	0.51
1:B:367[B]:ASN:ND2	6:B:802:HOH:O	2.43	0.50
1:B:411:GLU:CD	1:B:411:GLU:H	2.14	0.50
1:C:243:TYR:H	1:D:254:ASN:HD21	1.58	0.50
1:A:231:THR:O	1:A:248:HIS:HE1	1.95	0.49
1:D:231:THR:O	1:D:248:HIS:HE1	1.95	0.49
1:B:163:THR:HB	1:B:209[A]:SER:OG	2.13	0.49
1:D:411:GLU:CD	1:D:411:GLU:H	2.16	0.49
1:C:412:GLY:O	1:C:428:ILE:N	2.35	0.49
1:D:410:PRO:HB3	6:D:959:HOH:O	2.12	0.48
1:A:339:HIS:HE1	1:A:387:TYR:OH	1.95	0.48
1:A:48:MET:CE	6:A:834:HOH:O	2.61	0.48
1:C:416:VAL:HG21	1:C:426:GLU:HG3	1.96	0.48
1:A:193[A]:MET:HG2	6:A:878:HOH:O	2.13	0.48
1:B:339:HIS:HE1	1:B:387:TYR:OH	1.96	0.48
1:D:416:VAL:HG21	1:D:426:GLU:HG3	1.96	0.48
1:A:416:VAL:HG21	1:A:426:GLU:HG3	1.96	0.48
1:B:412:GLY:O	1:B:428:ILE:N	2.34	0.48
1:C:168:ALA:HB1	6:C:802:HOH:O	2.13	0.47
1:D:163:THR:O	5:D:508:PEG:H41	2.15	0.47
1:B:326:SER:N	6:B:716:HOH:O	2.22	0.47
1:B:416:VAL:HG21	1:B:426:GLU:HG3	1.96	0.47
1:D:361:ARG:NH2	6:D:977:HOH:O	2.37	0.47
1:C:243:TYR:H	1:D:254:ASN:ND2	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:339:HIS:HE1	1:D:387:TYR:OH	1.97	0.47
1:A:278:ASN:HB3	5:A:509:PEG:C4	2.44	0.47
1:C:116:ASN:ND2	1:C:207:GLY:HA3	2.30	0.47
1:C:339:HIS:HE1	1:C:387:TYR:OH	1.97	0.47
3:C:504:GOL:C1	6:C:602:HOH:O	2.62	0.47
1:A:347:TYR:HD1	6:A:946:HOH:O	1.98	0.46
1:C:320:HIS:CG	6:C:658:HOH:O	2.67	0.46
1:B:228:GLU:HG3	6:B:635:HOH:O	2.16	0.46
3:B:506:GOL:H2	6:B:771:HOH:O	2.14	0.46
1:A:278:ASN:HB3	5:A:509:PEG:H41	1.98	0.45
1:B:116:ASN:ND2	1:B:207:GLY:HA3	2.31	0.45
3:C:504:GOL:H11	6:C:602:HOH:O	2.16	0.45
1:D:163:THR:HB	1:D:209[B]:SER:OG	2.16	0.45
4:A:506:TAR:O11	4:A:506:TAR:C4	2.65	0.45
1:A:333:TYR:OH	1:A:349:HIS:HD2	1.99	0.44
6:A:713:HOH:O	1:D:240:LYS:HD3	2.17	0.44
1:B:108:GLN:OE1	6:B:950:HOH:O	2.21	0.44
3:A:505:GOL:H2	6:A:603:HOH:O	2.18	0.43
1:A:192:LYS:CG	1:A:193[B]:MET:N	2.80	0.43
1:D:372:HIS:HB2	1:D:373:PRO:CD	2.49	0.43
1:D:123:LYS:HE2	6:D:794:HOH:O	2.18	0.43
1:D:163:THR:O	5:D:508:PEG:C4	2.67	0.43
1:C:408:LEU:HD21	6:C:824:HOH:O	2.18	0.42
1:A:168:ALA:HB1	6:A:779:HOH:O	2.18	0.42
1:C:418:HIS:HE1	3:C:505:GOL:H2	1.77	0.42
1:D:217:ILE:HG12	6:D:827:HOH:O	2.18	0.42
1:C:285:LEU:HB2	1:C:383:ASP:O	2.20	0.42
1:C:67:PRO:O	1:C:87:SER:HB2	2.20	0.41
1:A:167:PHE:CD1	6:A:798:HOH:O	2.72	0.41
1:C:418:HIS:CE1	3:C:505:GOL:H12	2.56	0.41
1:B:285:LEU:HB2	1:B:383:ASP:O	2.20	0.41
1:A:372:HIS:HB2	1:A:373:PRO:CD	2.50	0.41
1:C:279:VAL:CG2	6:C:781:HOH:O	2.69	0.41
1:D:153:PRO:HA	5:D:510:PEG:H21	2.02	0.41
1:D:173:ILE:HG13	6:D:611:HOH:O	2.21	0.41
1:D:278:ASN:HB3	6:D:885:HOH:O	2.21	0.41
1:D:285:LEU:HB2	1:D:383:ASP:O	2.20	0.41
1:A:67:PRO:O	1:A:87:SER:HB2	2.21	0.41
1:A:285:LEU:HB2	1:A:383:ASP:O	2.20	0.41
1:A:390:GLU:OE2	1:A:393:GLY:HA2	2.21	0.41
1:A:44:TYR:OH	6:A:610:HOH:O	2.22	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:369:GLN:NE2	6:C:971:HOH:O	2.54	0.41
6:A:713:HOH:O	1:D:240:LYS:HE2	2.20	0.40
1:D:208:TYR:O	5:D:508:PEG:H11	2.21	0.40
1:D:67:PRO:O	1:D:87:SER:HB2	2.21	0.40
1:B:84:LEU:HD22	1:B:190:TRP:CH2	2.56	0.40
1:B:292:ASP:OD2	6:B:966:HOH:O	2.21	0.40
1:A:168:ALA:HB2	6:A:771:HOH:O	2.21	0.40
1:A:278:ASN:HB3	5:A:509:PEG:H32	2.04	0.40
1:A:64:LEU:HB3	1:A:65:PRO:HD2	2.02	0.40
1:D:222:PRO:HG3	6:D:827:HOH:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:189:ASP:OD2	6:A:955:HOH:O[2_645]	2.14	0.06
1:D:183:GLU:OE2	6:A:884:HOH:O[2_645]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	405/404 (100%)	388 (96%)	17 (4%)	0	100	100
1	B	412/404 (102%)	395 (96%)	17 (4%)	0	100	100
1	C	403/404 (100%)	387 (96%)	16 (4%)	0	100	100
1	D	408/404 (101%)	386 (95%)	22 (5%)	0	100	100
All	All	1628/1616 (101%)	1556 (96%)	72 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/326 (101%)	325 (99%)	4 (1%)	71	76
1	B	336/326 (103%)	330 (98%)	6 (2%)	59	63
1	C	327/326 (100%)	321 (98%)	6 (2%)	59	63
1	D	332/326 (102%)	327 (98%)	5 (2%)	65	69
All	All	1324/1304 (102%)	1303 (98%)	21 (2%)	65	67

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	172	ASP
1	A	192	LYS
1	A	322	TRP
1	A	398	LYS
1	B	84	LEU
1	B	172	ASP
1	B	215[A]	ILE
1	B	215[B]	ILE
1	B	376	GLU
1	B	398	LYS
1	C	172	ASP
1	C	192	LYS
1	C	215	ILE
1	C	277	LEU
1	C	322	TRP
1	C	398	LYS
1	D	172	ASP
1	D	259	VAL
1	D	376	GLU
1	D	398	LYS
1	D	428	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	GLN
1	A	235	ASN
1	A	248	HIS
1	A	278	ASN
1	A	339	HIS
1	A	349	HIS
1	B	235	ASN
1	B	246	ASN
1	B	248	HIS
1	B	250	GLN
1	B	278	ASN
1	B	339	HIS
1	B	372	HIS
1	C	26	GLN
1	C	175	HIS
1	C	235	ASN
1	C	278	ASN
1	C	339	HIS
1	C	369	GLN
1	C	418	HIS
1	D	26	GLN
1	D	45	ASN
1	D	108	GLN
1	D	116	ASN
1	D	242	ASN
1	D	248	HIS
1	D	250	GLN
1	D	254	ASN
1	D	278	ASN
1	D	339	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 12 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TAR	B	507	-	3,9,9	0.61	0	6,12,12	0.61	0
4	TAR	A	507	-	3,9,9	0.12	0	6,12,12	0.51	0
3	GOL	B	504	-	5,5,5	0.52	0	5,5,5	0.54	0
4	TAR	C	506	-	3,9,9	0.56	0	6,12,12	2.49	1 (16%)
4	TAR	C	507	-	3,9,9	0.32	0	6,12,12	2.30	3 (50%)
5	PEG	D	507	-	6,6,6	0.62	0	5,5,5	0.47	0
3	GOL	D	505	-	5,5,5	0.28	0	5,5,5	0.66	0
3	GOL	A	505	-	5,5,5	0.64	0	5,5,5	0.55	0
5	PEG	D	509	-	6,6,6	0.52	0	5,5,5	0.41	0
5	PEG	A	508	-	6,6,6	0.57	0	5,5,5	0.72	0
3	GOL	C	504	-	5,5,5	0.53	0	5,5,5	0.48	0
5	PEG	D	508	-	6,6,6	0.52	0	5,5,5	0.37	0
5	PEG	A	509	-	6,6,6	0.74	0	5,5,5	0.15	0
3	GOL	C	505	-	5,5,5	0.74	0	5,5,5	0.88	0
3	GOL	B	505	-	5,5,5	0.71	0	5,5,5	0.32	0
4	TAR	A	506	-	3,9,9	0.59	0	6,12,12	1.21	0
5	PEG	D	510	-	6,6,6	0.61	0	5,5,5	0.46	0
5	PEG	B	508	-	6,6,6	0.46	0	5,5,5	0.47	0
3	GOL	D	504	-	5,5,5	0.43	0	5,5,5	0.48	0
4	TAR	D	506	-	3,9,9	0.30	0	6,12,12	0.83	0
3	GOL	B	506	-	5,5,5	0.47	0	5,5,5	0.90	0
3	GOL	A	504	-	5,5,5	0.88	0	5,5,5	1.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TAR	B	507	-	-	4/4/12/12	-
4	TAR	A	507	-	-	0/4/12/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	504	-	-	4/4/4/4	-
4	TAR	C	506	-	-	4/4/12/12	-
4	TAR	C	507	-	-	4/4/12/12	-
5	PEG	D	507	-	-	4/4/4/4	-
3	GOL	D	505	-	-	0/4/4/4	-
3	GOL	A	505	-	-	4/4/4/4	-
5	PEG	D	509	-	-	2/4/4/4	-
5	PEG	A	508	-	-	3/4/4/4	-
3	GOL	C	504	-	-	2/4/4/4	-
5	PEG	D	508	-	-	2/4/4/4	-
5	PEG	A	509	-	-	3/4/4/4	-
3	GOL	C	505	-	-	4/4/4/4	-
3	GOL	B	505	-	-	4/4/4/4	-
4	TAR	A	506	-	-	0/4/12/12	-
5	PEG	D	510	-	-	1/4/4/4	-
5	PEG	B	508	-	-	3/4/4/4	-
3	GOL	D	504	-	-	4/4/4/4	-
4	TAR	D	506	-	-	4/4/12/12	-
3	GOL	B	506	-	-	4/4/4/4	-
3	GOL	A	504	-	-	4/4/4/4	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	506	TAR	C4-C3-C2	-5.58	101.09	113.11
4	C	507	TAR	C4-C3-C2	-3.83	104.86	113.11
4	C	507	TAR	O2-C2-C1	-3.06	103.74	111.10
4	C	507	TAR	O3-C3-C4	-2.03	106.22	111.10

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	507	TAR	C1-C2-C3-O3
4	B	507	TAR	C1-C2-C3-C4
4	B	507	TAR	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	507	TAR	O2-C2-C3-C4
3	B	504	GOL	C1-C2-C3-O3
4	C	506	TAR	C1-C2-C3-C4
4	C	507	TAR	C1-C2-C3-C4
3	A	505	GOL	O1-C1-C2-C3
3	C	504	GOL	C1-C2-C3-O3
3	B	505	GOL	O1-C1-C2-C3
3	B	505	GOL	C1-C2-C3-O3
3	D	504	GOL	O1-C1-C2-C3
4	D	506	TAR	C1-C2-C3-O3
4	D	506	TAR	C1-C2-C3-C4
4	D	506	TAR	O2-C2-C3-O3
4	D	506	TAR	O2-C2-C3-C4
3	C	505	GOL	O1-C1-C2-C3
3	C	505	GOL	C1-C2-C3-O3
3	C	505	GOL	O2-C2-C3-O3
3	B	506	GOL	O1-C1-C2-C3
3	B	506	GOL	C1-C2-C3-O3
3	A	504	GOL	O1-C1-C2-C3
3	A	504	GOL	O2-C2-C3-O3
5	D	507	PEG	O1-C1-C2-O2
3	C	504	GOL	O2-C2-C3-O3
3	B	505	GOL	O1-C1-C2-O2
3	D	504	GOL	O1-C1-C2-O2
5	D	507	PEG	O2-C3-C4-O4
5	D	510	PEG	O1-C1-C2-O2
5	D	509	PEG	O2-C3-C4-O4
3	B	504	GOL	O1-C1-C2-C3
3	A	505	GOL	C1-C2-C3-O3
3	A	504	GOL	C1-C2-C3-O3
4	C	506	TAR	O2-C2-C3-C4
4	C	507	TAR	C1-C2-C3-O3
4	C	507	TAR	O2-C2-C3-C4
5	D	508	PEG	O1-C1-C2-O2
5	A	508	PEG	O1-C1-C2-O2
3	B	504	GOL	O2-C2-C3-O3
3	A	505	GOL	O1-C1-C2-O2
3	B	505	GOL	O2-C2-C3-O3
3	C	505	GOL	O1-C1-C2-O2
3	B	506	GOL	O1-C1-C2-O2
3	B	506	GOL	O2-C2-C3-O3
3	A	504	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	509	PEG	O2-C3-C4-O4
4	C	507	TAR	O2-C2-C3-O3
5	A	508	PEG	O2-C3-C4-O4
3	A	505	GOL	O2-C2-C3-O3
5	B	508	PEG	O2-C3-C4-O4
5	A	509	PEG	O1-C1-C2-O2
5	D	509	PEG	C1-C2-O2-C3
5	D	508	PEG	C1-C2-O2-C3
5	D	507	PEG	C1-C2-O2-C3
5	D	507	PEG	C4-C3-O2-C2
5	A	509	PEG	C1-C2-O2-C3
5	B	508	PEG	C1-C2-O2-C3
3	B	504	GOL	O1-C1-C2-O2
4	C	506	TAR	O2-C2-C3-O3
3	D	504	GOL	C1-C2-C3-O3
4	C	506	TAR	C1-C2-C3-O3
5	B	508	PEG	C4-C3-O2-C2
5	A	508	PEG	C1-C2-O2-C3
3	D	504	GOL	O2-C2-C3-O3

There are no ring outliers.

13 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	506	TAR	5	0
4	C	507	TAR	4	0
3	D	505	GOL	2	0
3	A	505	GOL	1	0
3	C	504	GOL	2	0
5	D	508	PEG	4	0
5	A	509	PEG	3	0
3	C	505	GOL	3	0
4	A	506	TAR	1	0
5	D	510	PEG	1	0
3	D	504	GOL	2	0
4	D	506	TAR	1	0
3	B	506	GOL	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/404 (100%)	-0.14	2 (0%) 91 93	14, 22, 34, 49	0
1	B	404/404 (100%)	-0.18	1 (0%) 95 96	14, 20, 32, 49	0
1	C	404/404 (100%)	-0.15	1 (0%) 95 96	11, 20, 33, 54	0
1	D	404/404 (100%)	-0.24	0 100 100	11, 20, 31, 46	0
All	All	1616/1616 (100%)	-0.18	4 (0%) 95 96	11, 21, 33, 54	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	25	MET	2.7
1	B	219	ALA	2.6
1	A	428	ILE	2.2
1	A	25	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PEG	D	507	7/7	0.64	0.29	47,54,59,62	0
4	TAR	A	506	10/10	0.64	0.24	57,65,72,76	0
4	TAR	B	507	10/10	0.65	0.14	49,53,56,56	0
5	PEG	B	508	7/7	0.73	0.18	41,44,47,47	0
4	TAR	A	507	10/10	0.75	0.17	48,54,56,66	0
5	PEG	D	509	7/7	0.76	0.17	46,48,49,50	0
3	GOL	A	504	6/6	0.76	0.26	31,37,38,40	0
5	PEG	D	510	7/7	0.78	0.18	43,44,47,50	0
3	GOL	A	505	6/6	0.79	0.15	33,38,39,39	0
3	GOL	D	505	6/6	0.82	0.13	32,35,36,37	0
4	TAR	D	506	10/10	0.82	0.13	38,45,48,51	0
3	GOL	B	505	6/6	0.82	0.15	36,37,40,42	0
4	TAR	C	506	10/10	0.83	0.14	49,54,55,59	0
3	GOL	C	505	6/6	0.83	0.29	30,30,32,32	0
3	GOL	B	504	6/6	0.83	0.12	37,41,41,43	0
5	PEG	A	509	7/7	0.84	0.18	27,33,36,37	0
4	TAR	C	507	10/10	0.84	0.14	39,46,47,50	0
5	PEG	D	508	7/7	0.84	0.19	33,38,40,43	0
3	GOL	B	506	6/6	0.84	0.18	32,35,37,41	0
3	GOL	C	504	6/6	0.84	0.12	36,41,42,44	0
3	GOL	D	504	6/6	0.85	0.16	38,43,44,45	0
5	PEG	A	508	7/7	0.91	0.13	30,34,35,37	0
2	CA	B	501	1/1	0.97	0.05	21,21,21,21	0
2	CA	D	501	1/1	0.97	0.05	18,18,18,18	0
2	CA	B	503	1/1	0.98	0.04	21,21,21,21	0
2	CA	A	503	1/1	0.99	0.05	26,26,26,26	0
2	CA	D	503	1/1	0.99	0.06	26,26,26,26	0
2	CA	C	503	1/1	0.99	0.05	28,28,28,28	0
2	CA	B	502	1/1	0.99	0.05	16,16,16,16	0
2	CA	D	502	1/1	0.99	0.03	23,23,23,23	0
2	CA	C	501	1/1	0.99	0.04	16,16,16,16	0
2	CA	C	502	1/1	0.99	0.05	24,24,24,24	0
2	CA	A	502	1/1	0.99	0.03	24,24,24,24	0
2	CA	A	501	1/1	1.00	0.05	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.