



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2023 – 03:49 AM EDT

PDB ID : 5WPH  
Title : Crystal structure of ArsN, N-acetyltransferase with substrate AST from *Pseudomonas putida* KT2440  
Authors : Venkadesh, S.; Dheeman, D.S.; Yoshinaga, M.; Kandavelu, P.; Rosen, B.P.  
Deposited on : 2017-08-04  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	
1	B	207	
1	C	207	
1	D	207	
1	E	207	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	207	 74% 10% 14%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BLJ	A	301	-	-	X	-

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 9344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphinothricin N-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	179	1419	912	253	253	1	0	1	0
1	B	179	1420	912	250	257	1	0	1	0
1	C	177	1388	895	244	248	1	0	0	0
1	D	178	1427	916	260	250	1	0	2	0
1	E	178	1406	905	253	247	1	0	1	0
1	F	179	1383	890	246	246	1	0	0	0

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	184	LEU	-	expression tag	UNP Q88LK7
A	185	GLY	-	expression tag	UNP Q88LK7
A	186	PRO	-	expression tag	UNP Q88LK7
A	187	GLU	-	expression tag	UNP Q88LK7
A	188	GLN	-	expression tag	UNP Q88LK7
A	189	LYS	-	expression tag	UNP Q88LK7
A	190	LEU	-	expression tag	UNP Q88LK7
A	191	ILE	-	expression tag	UNP Q88LK7
A	192	SER	-	expression tag	UNP Q88LK7
A	193	GLU	-	expression tag	UNP Q88LK7
A	194	GLU	-	expression tag	UNP Q88LK7
A	195	ASP	-	expression tag	UNP Q88LK7
A	196	LEU	-	expression tag	UNP Q88LK7
A	197	ASN	-	expression tag	UNP Q88LK7
A	198	SER	-	expression tag	UNP Q88LK7
A	199	ALA	-	expression tag	UNP Q88LK7
A	200	VAL	-	expression tag	UNP Q88LK7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	201	ASP	-	expression tag	UNP Q88LK7
A	202	HIS	-	expression tag	UNP Q88LK7
A	203	HIS	-	expression tag	UNP Q88LK7
A	204	HIS	-	expression tag	UNP Q88LK7
A	205	HIS	-	expression tag	UNP Q88LK7
A	206	HIS	-	expression tag	UNP Q88LK7
A	207	HIS	-	expression tag	UNP Q88LK7
B	184	LEU	-	expression tag	UNP Q88LK7
B	185	GLY	-	expression tag	UNP Q88LK7
B	186	PRO	-	expression tag	UNP Q88LK7
B	187	GLU	-	expression tag	UNP Q88LK7
B	188	GLN	-	expression tag	UNP Q88LK7
B	189	LYS	-	expression tag	UNP Q88LK7
B	190	LEU	-	expression tag	UNP Q88LK7
B	191	ILE	-	expression tag	UNP Q88LK7
B	192	SER	-	expression tag	UNP Q88LK7
B	193	GLU	-	expression tag	UNP Q88LK7
B	194	GLU	-	expression tag	UNP Q88LK7
B	195	ASP	-	expression tag	UNP Q88LK7
B	196	LEU	-	expression tag	UNP Q88LK7
B	197	ASN	-	expression tag	UNP Q88LK7
B	198	SER	-	expression tag	UNP Q88LK7
B	199	ALA	-	expression tag	UNP Q88LK7
B	200	VAL	-	expression tag	UNP Q88LK7
B	201	ASP	-	expression tag	UNP Q88LK7
B	202	HIS	-	expression tag	UNP Q88LK7
B	203	HIS	-	expression tag	UNP Q88LK7
B	204	HIS	-	expression tag	UNP Q88LK7
B	205	HIS	-	expression tag	UNP Q88LK7
B	206	HIS	-	expression tag	UNP Q88LK7
B	207	HIS	-	expression tag	UNP Q88LK7
C	184	LEU	-	expression tag	UNP Q88LK7
C	185	GLY	-	expression tag	UNP Q88LK7
C	186	PRO	-	expression tag	UNP Q88LK7
C	187	GLU	-	expression tag	UNP Q88LK7
C	188	GLN	-	expression tag	UNP Q88LK7
C	189	LYS	-	expression tag	UNP Q88LK7
C	190	LEU	-	expression tag	UNP Q88LK7
C	191	ILE	-	expression tag	UNP Q88LK7
C	192	SER	-	expression tag	UNP Q88LK7
C	193	GLU	-	expression tag	UNP Q88LK7
C	194	GLU	-	expression tag	UNP Q88LK7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	195	ASP	-	expression tag	UNP Q88LK7
C	196	LEU	-	expression tag	UNP Q88LK7
C	197	ASN	-	expression tag	UNP Q88LK7
C	198	SER	-	expression tag	UNP Q88LK7
C	199	ALA	-	expression tag	UNP Q88LK7
C	200	VAL	-	expression tag	UNP Q88LK7
C	201	ASP	-	expression tag	UNP Q88LK7
C	202	HIS	-	expression tag	UNP Q88LK7
C	203	HIS	-	expression tag	UNP Q88LK7
C	204	HIS	-	expression tag	UNP Q88LK7
C	205	HIS	-	expression tag	UNP Q88LK7
C	206	HIS	-	expression tag	UNP Q88LK7
C	207	HIS	-	expression tag	UNP Q88LK7
D	184	LEU	-	expression tag	UNP Q88LK7
D	185	GLY	-	expression tag	UNP Q88LK7
D	186	PRO	-	expression tag	UNP Q88LK7
D	187	GLU	-	expression tag	UNP Q88LK7
D	188	GLN	-	expression tag	UNP Q88LK7
D	189	LYS	-	expression tag	UNP Q88LK7
D	190	LEU	-	expression tag	UNP Q88LK7
D	191	ILE	-	expression tag	UNP Q88LK7
D	192	SER	-	expression tag	UNP Q88LK7
D	193	GLU	-	expression tag	UNP Q88LK7
D	194	GLU	-	expression tag	UNP Q88LK7
D	195	ASP	-	expression tag	UNP Q88LK7
D	196	LEU	-	expression tag	UNP Q88LK7
D	197	ASN	-	expression tag	UNP Q88LK7
D	198	SER	-	expression tag	UNP Q88LK7
D	199	ALA	-	expression tag	UNP Q88LK7
D	200	VAL	-	expression tag	UNP Q88LK7
D	201	ASP	-	expression tag	UNP Q88LK7
D	202	HIS	-	expression tag	UNP Q88LK7
D	203	HIS	-	expression tag	UNP Q88LK7
D	204	HIS	-	expression tag	UNP Q88LK7
D	205	HIS	-	expression tag	UNP Q88LK7
D	206	HIS	-	expression tag	UNP Q88LK7
D	207	HIS	-	expression tag	UNP Q88LK7
E	184	LEU	-	expression tag	UNP Q88LK7
E	185	GLY	-	expression tag	UNP Q88LK7
E	186	PRO	-	expression tag	UNP Q88LK7
E	187	GLU	-	expression tag	UNP Q88LK7
E	188	GLN	-	expression tag	UNP Q88LK7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	189	LYS	-	expression tag	UNP Q88LK7
E	190	LEU	-	expression tag	UNP Q88LK7
E	191	ILE	-	expression tag	UNP Q88LK7
E	192	SER	-	expression tag	UNP Q88LK7
E	193	GLU	-	expression tag	UNP Q88LK7
E	194	GLU	-	expression tag	UNP Q88LK7
E	195	ASP	-	expression tag	UNP Q88LK7
E	196	LEU	-	expression tag	UNP Q88LK7
E	197	ASN	-	expression tag	UNP Q88LK7
E	198	SER	-	expression tag	UNP Q88LK7
E	199	ALA	-	expression tag	UNP Q88LK7
E	200	VAL	-	expression tag	UNP Q88LK7
E	201	ASP	-	expression tag	UNP Q88LK7
E	202	HIS	-	expression tag	UNP Q88LK7
E	203	HIS	-	expression tag	UNP Q88LK7
E	204	HIS	-	expression tag	UNP Q88LK7
E	205	HIS	-	expression tag	UNP Q88LK7
E	206	HIS	-	expression tag	UNP Q88LK7
E	207	HIS	-	expression tag	UNP Q88LK7
F	184	LEU	-	expression tag	UNP Q88LK7
F	185	GLY	-	expression tag	UNP Q88LK7
F	186	PRO	-	expression tag	UNP Q88LK7
F	187	GLU	-	expression tag	UNP Q88LK7
F	188	GLN	-	expression tag	UNP Q88LK7
F	189	LYS	-	expression tag	UNP Q88LK7
F	190	LEU	-	expression tag	UNP Q88LK7
F	191	ILE	-	expression tag	UNP Q88LK7
F	192	SER	-	expression tag	UNP Q88LK7
F	193	GLU	-	expression tag	UNP Q88LK7
F	194	GLU	-	expression tag	UNP Q88LK7
F	195	ASP	-	expression tag	UNP Q88LK7
F	196	LEU	-	expression tag	UNP Q88LK7
F	197	ASN	-	expression tag	UNP Q88LK7
F	198	SER	-	expression tag	UNP Q88LK7
F	199	ALA	-	expression tag	UNP Q88LK7
F	200	VAL	-	expression tag	UNP Q88LK7
F	201	ASP	-	expression tag	UNP Q88LK7
F	202	HIS	-	expression tag	UNP Q88LK7
F	203	HIS	-	expression tag	UNP Q88LK7
F	204	HIS	-	expression tag	UNP Q88LK7
F	205	HIS	-	expression tag	UNP Q88LK7
F	206	HIS	-	expression tag	UNP Q88LK7

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	207	HIS	-	expression tag	UNP Q88LK7

- Molecule 2 is (2S)-2-amino-4-[hydroxy(methyl)arsoryl]butanoic acid (three-letter code: BLJ) (formula: C<sub>5</sub>H<sub>12</sub>AsNO<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	As	C	N	O		
2	A	1	Total	As	C	N	O	0	0
			11	1	5	1	4		
2	B	1	Total	As	C	N	O	0	0
			11	1	5	1	4		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		
3	B	1	Total	Na	0	0
			1	1		
3	C	1	Total	Na	0	0
			1	1		
3	D	1	Total	Na	0	0
			1	1		

- Molecule 4 is water.




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	135	Total 135	O 135	0	0
4	B	143	Total 143	O 143	0	0
4	C	152	Total 152	O 152	0	0
4	D	148	Total 148	O 148	0	0
4	E	154	Total 154	O 154	0	0
4	F	143	Total 143	O 143	0	0



ASP  
LEU  
ASN  
SER  
ALA  
VAL  
ASP  
HIS  
HIS  
HIS  
HIS

- Molecule 1: Phosphinothricin N-acetyltransferase



MET  
HIS  
SER  
G4  
I5  
D6  
I7  
R8  
F33  
E34  
T53  
Y56  
R64  
A78  
R81  
V90  
R96  
S97  
R101  
Q102  
L103  
L108  
L111  
G132  
E135  
R136  
L137  
G138  
F139  
G149  
W161  
D167  
E173  
S180  
Q181  
ILE  
PRO  
LEU  
GLY  
PRO  
GLU  
GLN

LYS  
LEU  
ILE  
SER  
GLU  
ASP  
LEU  
ASN  
SER  
ALA  
VAL  
ASP  
HIS  
HIS  
HIS  
HIS

- Molecule 1: Phosphinothricin N-acetyltransferase



MET  
HIS  
SER  
G4  
I5  
D6  
V9  
A10  
I20  
E34  
Q52  
T53  
Y56  
I57  
V58  
R61  
A78  
A79  
R81  
Q94  
R101  
L108  
L133  
F139  
K151  
L152  
D153  
W161  
S180  
Q181  
I182  
PRO  
LEU  
GLY  
PRO  
GLU  
GLN  
LYS  
LEU  
ILE  
SER  
GLU  
ASP

LEU  
ASN  
SER  
ALA  
VAL  
ASP  
HIS  
HIS  
HIS  
HIS

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	185.27Å 141.74Å 54.55Å 90.00° 90.59° 90.00°	Depositor
Resolution (Å)	49.02 – 2.19 48.97 – 2.18	Depositor EDS
% Data completeness (in resolution range)	97.5 (49.02-2.19) 97.5 (48.97-2.18)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.27 (at 2.18Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.180 , 0.232 0.180 , 0.232	Depositor DCC
$R_{free}$ test set	3600 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.4	Xtrriage
Anisotropy	0.062	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 38.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.036 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9344	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, BLJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.69	0/1456	0.70	0/1982
1	B	0.65	0/1457	0.72	0/1984
1	C	0.67	0/1425	0.68	0/1942
1	D	0.68	0/1464	0.71	0/1991
1	E	0.64	0/1443	0.74	0/1965
1	F	0.68	0/1420	0.71	0/1937
All	All	0.67	0/8665	0.71	0/11801

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1419	0	1381	23	0
1	B	1420	0	1376	15	0
1	C	1388	0	1350	29	0
1	D	1427	0	1400	10	0
1	E	1406	0	1373	13	0
1	F	1383	0	1326	13	0
2	A	11	0	0	6	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	11	0	0	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	135	0	0	3	0
4	B	143	0	0	2	2
4	C	152	0	0	3	0
4	D	148	0	0	5	2
4	E	154	0	0	5	0
4	F	143	0	0	4	0
All	All	9344	0	8206	91	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:7:ILE:HD11	1:C:102:GLN:HB3	1.54	0.89
1:A:11:ARG:HH21	1:C:11:ARG:HG3	1.36	0.87
1:E:136[A]:ARG:NH1	4:E:301:HOH:O	2.11	0.83
1:A:179:LEU:H	1:C:113:ARG:HH12	1.26	0.82
1:B:7:ILE:HD11	1:B:102:GLN:HB3	1.61	0.81
1:D:96:ARG:O	1:D:98:GLY:N	2.16	0.76
1:C:35:GLU:OE2	4:C:401:HOH:O	2.04	0.76
1:E:7:ILE:HD11	1:E:102:GLN:HB3	1.68	0.75
1:A:101:ARG:NH1	4:A:402:HOH:O	2.22	0.73
1:E:180:SER:OG	1:E:181:GLN:HA	1.90	0.72
1:D:7:ILE:HD11	1:D:102:GLN:HB3	1.74	0.69
1:E:97:SER:OG	4:E:302:HOH:O	2.12	0.66
1:C:100:ALA:HB3	1:C:133:LEU:HD21	1.78	0.66
1:A:80:TYR:OH	2:A:301:BLJ:CG	2.45	0.65
1:B:75:ARG:NH2	2:B:301:BLJ:O1	2.29	0.65
1:B:91:ALA:O	1:B:96:ARG:NH1	2.30	0.65
1:A:61:ARG:NH2	1:A:94:GLN:OE1	2.31	0.64
1:A:7:ILE:HD12	1:A:103:LEU:HD13	1.79	0.64
1:A:11:ARG:NH2	1:C:11:ARG:HG3	2.10	0.63
1:E:180:SER:CB	1:E:181:GLN:HA	2.29	0.63
1:C:61:ARG:NH1	1:C:94:GLN:OE1	2.31	0.62
1:A:75:ARG:NH2	2:A:301:BLJ:O1	2.33	0.62

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:VAL:HA	1:A:113[B]:ARG:HD2	1.82	0.61
1:C:97:SER:H	1:C:98:GLY:HA2	1.67	0.60
1:F:182:ILE:O	4:F:301:HOH:O	2.16	0.60
1:A:75:ARG:NE	2:A:301:BLJ:O1	2.35	0.60
1:A:8:ARG:NH1	1:C:11:ARG:NH1	2.50	0.60
1:D:151:LYS:HG2	1:D:152:LEU:HG	1.85	0.59
1:D:101:ARG:HD2	4:D:514:HOH:O	2.02	0.59
1:A:179:LEU:H	1:C:113:ARG:NH1	1.99	0.58
4:A:442:HOH:O	1:C:11:ARG:HD3	2.03	0.57
1:D:4:GLY:N	4:D:405:HOH:O	2.37	0.57
1:A:77:ARG:HD2	2:A:301:BLJ:CA	2.34	0.57
1:F:151:LYS:HG2	1:F:152:LEU:HG	1.85	0.56
1:B:151:LYS:HG2	1:B:152:LEU:HG	1.85	0.56
1:F:153:ASP:OD1	4:F:302:HOH:O	2.18	0.55
1:A:113[B]:ARG:HG2	1:C:113:ARG:HD3	1.88	0.54
1:C:101:ARG:HG3	1:C:137:LEU:HD11	1.88	0.54
1:E:8:ARG:HD2	4:E:329:HOH:O	2.08	0.53
1:C:5:ILE:HD13	1:C:61:ARG:HB2	1.91	0.53
1:C:77:ARG:HG3	4:C:526:HOH:O	2.09	0.53
1:D:92:GLU:OE1	4:D:401:HOH:O	2.19	0.53
1:D:44:ARG:HD2	4:D:431:HOH:O	2.10	0.52
1:B:92:GLU:HA	1:B:96:ARG:HH12	1.74	0.52
1:C:78:ALA:HB1	1:C:81:ARG:HH12	1.74	0.52
1:E:64:ARG:NH2	4:E:309:HOH:O	2.43	0.51
1:C:21:ILE:O	1:C:24:PRO:HD2	2.11	0.50
1:F:78:ALA:O	1:F:81:ARG:NH1	2.44	0.50
1:A:5:ILE:HD13	1:A:61:ARG:HB2	1.94	0.50
1:F:101:ARG:HB2	1:F:133:LEU:HD11	1.93	0.49
1:B:5:ILE:HD13	1:B:99:ILE:HG12	1.95	0.48
1:C:110:VAL:O	1:C:113:ARG:HG3	2.13	0.48
1:A:25:ILE:HG23	1:A:31:ILE:HB	1.96	0.48
1:E:139:PHE:HB3	1:E:161:TRP:HB3	1.96	0.47
1:A:75:ARG:CZ	2:A:301:BLJ:O1	2.63	0.46
1:B:132:GLY:O	1:B:136:ARG:HG3	2.15	0.46
1:C:97:SER:N	1:C:98:GLY:HA2	2.29	0.46
1:B:96:ARG:HH11	1:B:96:ARG:HG2	1.81	0.46
1:C:77:ARG:HD2	1:F:34:GLU:HG3	1.98	0.45
1:A:113[B]:ARG:CG	1:C:113:ARG:HD3	2.47	0.45
1:D:113[A]:ARG:HG3	4:D:467:HOH:O	2.15	0.45
1:C:39:SER:OG	1:C:42:GLN:HG2	2.17	0.45
4:A:461:HOH:O	1:C:180:SER:HA	2.16	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:77:ARG:HD2	1:E:34:GLU:HG2	2.00	0.44
1:B:113:ARG:NH2	4:B:410:HOH:O	2.45	0.44
1:E:136[A]:ARG:HD3	4:E:301:HOH:O	2.18	0.44
1:F:61:ARG:HH12	1:F:94:GLN:HG3	1.82	0.44
1:F:53:THR:HG23	4:F:379:HOH:O	2.17	0.44
1:C:137:LEU:HD12	1:C:137:LEU:HA	1.87	0.43
1:A:75:ARG:HE	2:A:301:BLJ:C1	2.30	0.43
1:B:91:ALA:C	1:B:96:ARG:HH12	2.21	0.43
1:B:33:PHE:CE2	1:B:149:GLY:HA3	2.54	0.43
1:C:42:GLN:HE21	1:C:42:GLN:HB3	1.63	0.43
1:A:33:PHE:HB3	1:B:79:ALA:HB3	2.01	0.43
1:B:19:GLN:NE2	1:B:38:PRO:O	2.53	0.42
1:B:78:ALA:HB1	1:B:81:ARG:HH12	1.84	0.42
1:D:61:ARG:NH2	1:D:94:GLN:OE1	2.45	0.42
1:E:78:ALA:HB1	1:E:81:ARG:HH12	1.85	0.42
1:E:132:GLY:O	1:E:136[A]:ARG:HG2	2.20	0.42
1:C:11:ARG:HD2	4:C:513:HOH:O	2.19	0.42
1:E:33:PHE:CE2	1:E:149:GLY:HA3	2.55	0.41
1:C:107:LEU:HG	1:C:111:LEU:HD22	2.02	0.41
1:A:97:SER:O	1:A:97:SER:OG	2.34	0.41
1:A:113[B]:ARG:NH1	1:C:179:LEU:H	2.19	0.41
1:F:52:GLN:NE2	4:F:306:HOH:O	2.54	0.41
1:A:95:ARG:C	1:A:97:SER:H	2.24	0.41
1:B:44:ARG:HD2	4:B:409:HOH:O	2.20	0.41
1:C:33:PHE:HB3	1:F:79:ALA:HB3	2.02	0.40
1:F:10:ALA:HB2	1:F:58:VAL:HG13	2.03	0.40
1:F:139:PHE:HB3	1:F:161:TRP:HB3	2.02	0.40
1:F:108:LEU:HD12	1:F:108:LEU:HA	1.95	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:410:HOH:O	4:D:406:HOH:O[4_749]	2.12	0.08
4:B:529:HOH:O	4:D:510:HOH:O[4_749]	2.18	0.02



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	178/207 (86%)	170 (96%)	5 (3%)	3 (2%)	9 6
1	B	178/207 (86%)	172 (97%)	3 (2%)	3 (2%)	9 6
1	C	175/207 (84%)	171 (98%)	3 (2%)	1 (1%)	25 26
1	D	178/207 (86%)	172 (97%)	3 (2%)	3 (2%)	9 6
1	E	177/207 (86%)	170 (96%)	4 (2%)	3 (2%)	9 6
1	F	177/207 (86%)	171 (97%)	4 (2%)	2 (1%)	14 12
All	All	1063/1242 (86%)	1026 (96%)	22 (2%)	15 (1%)	11 8

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	97	SER
1	F	180	SER
1	A	179	LEU
1	B	179	LEU
1	D	5	ILE
1	E	96	ARG
1	F	181	GLN
1	B	5	ILE
1	B	180	SER
1	A	96	ARG
1	D	96	ARG
1	E	5	ILE
1	A	5	ILE
1	C	5	ILE
1	E	180	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/170 (82%)	131 (94%)	9 (6%)	17	20
1	B	141/170 (83%)	131 (93%)	10 (7%)	14	16
1	C	137/170 (81%)	127 (93%)	10 (7%)	14	15
1	D	141/170 (83%)	129 (92%)	12 (8%)	10	10
1	E	138/170 (81%)	126 (91%)	12 (9%)	10	10
1	F	133/170 (78%)	125 (94%)	8 (6%)	19	22
All	All	830/1020 (81%)	769 (93%)	61 (7%)	14	15

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	LEU
1	A	53	THR
1	A	56	TYR
1	A	81	ARG
1	A	92	GLU
1	A	97	SER
1	A	103	LEU
1	A	108	LEU
1	A	137	LEU
1	B	8	ARG
1	B	19	GLN
1	B	53	THR
1	B	56	TYR
1	B	95	ARG
1	B	96	ARG
1	B	103	LEU
1	B	108	LEU
1	B	137	LEU
1	B	170	LEU
1	C	9	VAL
1	C	11	ARG
1	C	42	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	53	THR
1	C	56	TYR
1	C	77	ARG
1	C	111	LEU
1	C	113	ARG
1	C	137	LEU
1	C	147	GLN
1	D	8[A]	ARG
1	D	8[B]	ARG
1	D	9	VAL
1	D	11	ARG
1	D	13	GLU
1	D	53	THR
1	D	56	TYR
1	D	64	ARG
1	D	77	ARG
1	D	101	ARG
1	D	108	LEU
1	D	137	LEU
1	E	8	ARG
1	E	53	THR
1	E	56	TYR
1	E	81	ARG
1	E	90	VAL
1	E	101	ARG
1	E	103	LEU
1	E	108	LEU
1	E	111	LEU
1	E	135	GLU
1	E	137	LEU
1	E	173	GLU
1	F	6	ASP
1	F	9	VAL
1	F	20	ILE
1	F	53	THR
1	F	56	TYR
1	F	94	GLN
1	F	101	ARG
1	F	108	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	52	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	BLJ	B	301	-	5,10,10	4.33	1 (20%)	6,14,14	2.55	4 (66%)
2	BLJ	A	301	-	5,10,10	4.36	1 (20%)	6,14,14	2.11	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BLJ	B	301	-	-	4/6/10/10	-
2	BLJ	A	301	-	-	6/6/10/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	BLJ	OEA-AS	9.55	1.94	1.70
2	B	301	BLJ	OEA-AS	9.52	1.94	1.70

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	BLJ	OT-C1-CA	3.61	125.68	113.38
2	A	301	BLJ	OT-C1-CA	2.89	123.24	113.38
2	B	301	BLJ	CB-CA-C1	2.88	117.17	110.30
2	B	301	BLJ	OT-C1-O1	-2.76	117.82	124.09
2	A	301	BLJ	CB-CA-N1	-2.76	102.94	110.17
2	B	301	BLJ	CG-CB-CA	2.46	118.10	113.86
2	A	301	BLJ	CB-CA-C1	2.25	115.65	110.30

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	BLJ	O1-C1-CA-N1
2	A	301	BLJ	C1-CA-CB-CG
2	A	301	BLJ	N1-CA-CB-CG
2	A	301	BLJ	OT-C1-CA-N1
2	B	301	BLJ	OT-C1-CA-N1
2	B	301	BLJ	N1-CA-CB-CG
2	B	301	BLJ	C1-CA-CB-CG
2	A	301	BLJ	O1-C1-CA-CB
2	A	301	BLJ	OT-C1-CA-CB
2	B	301	BLJ	O1-C1-CA-N1

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	BLJ	1	0
2	A	301	BLJ	6	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	179/207 (86%)	-0.28	0 <a href="#">100</a> <a href="#">100</a>	20, 27, 49, 70	0
1	B	179/207 (86%)	-0.21	2 (1%) <a href="#">80</a> <a href="#">79</a>	20, 27, 46, 62	0
1	C	177/207 (85%)	-0.13	4 (2%) <a href="#">60</a> <a href="#">58</a>	16, 27, 49, 95	0
1	D	178/207 (85%)	-0.33	0 <a href="#">100</a> <a href="#">100</a>	19, 27, 47, 71	0
1	E	178/207 (85%)	-0.31	3 (1%) <a href="#">70</a> <a href="#">68</a>	21, 28, 47, 73	0
1	F	179/207 (86%)	-0.35	1 (0%) <a href="#">89</a> <a href="#">88</a>	20, 28, 48, 67	0
All	All	1070/1242 (86%)	-0.27	10 (0%) <a href="#">84</a> <a href="#">83</a>	16, 27, 48, 95	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	4	GLY	3.9
1	E	97	SER	3.8
1	C	167	ASP	3.7
1	C	96	ARG	2.9
1	F	180	SER	2.6
1	C	170	LEU	2.3
1	E	4	GLY	2.2
1	E	167	ASP	2.0
1	B	95	ARG	2.0
1	C	4	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BLJ	A	301	11/11	0.83	0.26	23,49,58,78	0
3	NA	C	301	1/1	0.89	0.13	35,35,35,35	0
2	BLJ	B	301	11/11	0.94	0.20	26,44,53,71	0
3	NA	D	301	1/1	0.94	0.13	35,35,35,35	0
3	NA	A	302	1/1	0.96	0.24	32,32,32,32	0
3	NA	B	302	1/1	0.97	0.27	32,32,32,32	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.