



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 03:54 PM JST

PDB ID : 5WRF  
Title : Crystal structure of dodecameric type II dehydroquinase dehydratase from *Acinetobacter baumannii* with unexplained connecting electron density between free cysteine residues of molecular pairs  
Authors : Iqbal, N.; Singh, P.K.; Kaur, P.; Sharma, S.; Singh, T.P.  
Deposited on : 2016-12-01  
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*







The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	145	 3% 86% 11% .
1	B	145	 5% 79% 16% . .
1	C	145	 5% 83% 15% .
1	D	145	 10% 82% 13% . .
1	E	145	 8% 80% 16% .
1	F	145	 5% 88% 10% . .

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	145	
1	H	145	
1	I	145	
1	J	145	
1	K	145	
1	L	145	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 13645 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-dehydroquinate dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	145	1120	713	199	207	1	0	0	0
1	B	145	1120	713	199	207	1	0	0	0
1	C	145	1120	713	199	207	1	0	0	0
1	D	145	1120	713	199	207	1	0	0	0
1	E	145	1120	713	199	207	1	0	0	0
1	F	145	1120	713	199	207	1	0	0	0
1	G	145	1120	713	199	207	1	0	0	0
1	H	145	1120	713	199	207	1	0	0	0
1	I	145	1120	713	199	207	1	0	0	0
1	J	145	1120	713	199	207	1	0	0	0
1	K	145	1120	713	199	207	1	0	0	0
1	L	145	1120	713	199	207	1	0	0	0

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C O	0	0
			4	2 2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	34	Total	O	0	0
			34	34		
3	B	23	Total	O	0	0
			23	23		
3	C	27	Total	O	0	0
			27	27		
3	D	17	Total	O	0	0
			17	17		
3	E	16	Total	O	0	0
			16	16		
3	F	19	Total	O	0	0
			19	19		
3	G	11	Total	O	0	0
			11	11		
3	H	9	Total	O	0	0
			9	9		
3	I	6	Total	O	0	0
			6	6		
3	J	17	Total	O	0	0
			17	17		
3	K	14	Total	O	0	0
			14	14		

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	L	8	Total	O	0	0
			8	8		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-dehydroquinatase dehydratase




- Molecule 1: 3-dehydroquinatase dehydratase




- Molecule 1: 3-dehydroquinatase dehydratase




- Molecule 1: 3-dehydroquinatase dehydratase





- Molecule 1: 3-dehydroquinatase dehydratase




- Molecule 1: 3-dehydroquinatase dehydratase





- Molecule 1: 3-dehydroquinate dehydratase





- Molecule 1: 3-dehydroquinate dehydratase




- Molecule 1: 3-dehydroquinate dehydratase




- Molecule 1: 3-dehydroquinate dehydratase




- Molecule 1: 3-dehydroquinate dehydratase



- Molecule 1: 3-dehydroquinate dehydratase







## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.80Å 135.75Å 142.74Å 90.00° 97.53° 90.00°	Depositor
Resolution (Å)	37.75 – 2.51 37.75 – 2.51	Depositor EDS
% Data completeness (in resolution range)	94.7 (37.75-2.51) 94.7 (37.75-2.51)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.77 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.209 , 0.256 0.213 , 0.259	Depositor DCC
$R_{free}$ test set	1159 reflections (1.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.9	Xtrriage
Anisotropy	0.306	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 45.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	13645	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.91	1/1141 (0.1%)	0.98	3/1551 (0.2%)
1	B	0.89	1/1141 (0.1%)	1.15	9/1551 (0.6%)
1	C	0.89	0/1141	1.03	10/1551 (0.6%)
1	D	1.01	0/1141	1.16	8/1551 (0.5%)
1	E	0.94	1/1141 (0.1%)	1.08	9/1551 (0.6%)
1	F	0.91	1/1141 (0.1%)	1.03	7/1551 (0.5%)
1	G	0.93	2/1141 (0.2%)	1.03	7/1551 (0.5%)
1	H	0.89	0/1141	1.15	12/1551 (0.8%)
1	I	0.99	0/1141	1.13	9/1551 (0.6%)
1	J	0.98	2/1141 (0.2%)	1.25	17/1551 (1.1%)
1	K	0.99	2/1141 (0.2%)	1.15	11/1551 (0.7%)
1	L	1.02	2/1141 (0.2%)	1.19	12/1551 (0.8%)
All	All	0.95	12/13692 (0.1%)	1.11	114/18612 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	D	0	2
1	E	0	1
1	G	0	2
1	H	0	3
1	J	0	1
1	K	0	1
1	L	0	1
All	All	0	13

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	20	GLU	CD-OE2	-5.96	1.19	1.25
1	A	55	GLU	CD-OE1	5.90	1.32	1.25
1	E	55	GLU	CD-OE1	-5.83	1.19	1.25
1	K	30	ASP	C-O	-5.80	1.12	1.23
1	L	135	SER	CB-OG	-5.74	1.34	1.42
1	K	25	GLY	N-CA	5.60	1.54	1.46
1	B	68	GLU	CD-OE2	5.49	1.31	1.25
1	G	20	GLU	CD-OE1	5.41	1.31	1.25
1	L	110	GLU	CD-OE1	-5.37	1.19	1.25
1	J	20	GLU	CD-OE2	-5.34	1.19	1.25
1	J	65	ALA	C-O	-5.25	1.13	1.23
1	G	2	SER	CA-CB	5.13	1.60	1.52

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	146	GLN	N-CA-CB	13.38	134.69	110.60
1	B	145	ILE	CB-CA-C	12.38	136.36	111.60
1	H	61	ARG	NE-CZ-NH1	-10.33	115.14	120.30
1	J	113	ARG	NE-CZ-NH1	-10.02	115.29	120.30
1	K	109	ARG	NE-CZ-NH1	-9.73	115.43	120.30
1	J	30	ASP	CB-CG-OD1	9.28	126.65	118.30
1	J	113	ARG	CG-CD-NE	-9.22	92.44	111.80
1	H	48	ASP	CB-CG-OD2	9.07	126.46	118.30
1	J	120	ASP	CB-CG-OD1	-9.03	110.18	118.30
1	D	61	ARG	NE-CZ-NH1	8.88	124.74	120.30
1	L	45	ILE	CG1-CB-CG2	-8.60	92.49	111.40
1	K	109	ARG	CG-CD-NE	8.41	129.46	111.80
1	H	30	ASP	CB-CG-OD2	-8.40	110.74	118.30
1	L	16	LEU	CA-CB-CG	8.37	134.55	115.30
1	I	109	ARG	NE-CZ-NH2	-8.18	116.21	120.30
1	K	109	ARG	NE-CZ-NH2	8.16	124.38	120.30
1	D	61	ARG	NE-CZ-NH2	-8.14	116.23	120.30
1	D	30	ASP	CB-CG-OD2	-8.14	110.98	118.30
1	H	5	ILE	CG1-CB-CG2	-8.10	93.58	111.40
1	F	139	ASP	CB-CG-OD1	8.03	125.53	118.30
1	J	65	ALA	N-CA-CB	7.66	120.82	110.10
1	A	30	ASP	CB-CG-OD2	7.59	125.13	118.30
1	L	144	LYS	CD-CE-NZ	7.51	128.96	111.70
1	E	55	GLU	OE1-CD-OE2	-7.44	114.37	123.30
1	H	144	LYS	CD-CE-NZ	7.44	128.81	111.70
1	B	106	VAL	O-C-N	7.35	134.47	122.70
1	D	30	ASP	CB-CG-OD1	7.33	124.89	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	61	ARG	NE-CZ-NH2	-7.28	116.66	120.30
1	L	110	GLU	CG-CD-OE1	-7.23	103.84	118.30
1	J	61	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	L	109	ARG	CG-CD-NE	7.16	126.83	111.80
1	J	120	ASP	CB-CG-OD2	7.10	124.69	118.30
1	J	30	ASP	CB-CG-OD2	-7.07	111.94	118.30
1	J	88	ARG	NE-CZ-NH2	6.91	123.76	120.30
1	C	139	ASP	CB-CG-OD1	6.87	124.48	118.30
1	C	61	ARG	NE-CZ-NH2	-6.86	116.87	120.30
1	F	139	ASP	CB-CG-OD2	-6.85	112.14	118.30
1	K	29	LEU	CB-CG-CD2	6.84	122.63	111.00
1	B	61	ARG	NE-CZ-NH1	6.80	123.70	120.30
1	I	45	ILE	CG1-CB-CG2	-6.78	96.49	111.40
1	J	71	LYS	CD-CE-NZ	6.74	127.21	111.70
1	J	113	ARG	NE-CZ-NH2	6.72	123.66	120.30
1	F	34	ARG	NE-CZ-NH2	6.70	123.65	120.30
1	A	127	CYS	CA-CB-SG	6.68	126.02	114.00
1	E	19	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	K	34	ARG	NE-CZ-NH2	6.68	123.64	120.30
1	B	106	VAL	CA-C-N	-6.63	102.61	117.20
1	I	71	LYS	CD-CE-NZ	6.62	126.93	111.70
1	C	61	ARG	CG-CD-NE	6.52	125.50	111.80
1	G	113	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	L	55	GLU	OE1-CD-OE2	-6.47	115.53	123.30
1	J	144	LYS	CD-CE-NZ	6.39	126.39	111.70
1	E	30	ASP	CB-CG-OD2	6.38	124.05	118.30
1	J	34	ARG	CA-CB-CG	6.36	127.40	113.40
1	J	139	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	L	110	GLU	CG-CD-OE2	6.33	130.96	118.30
1	F	62	ILE	CB-CA-C	6.32	124.24	111.60
1	I	61	ARG	CG-CD-NE	6.27	124.97	111.80
1	B	55	GLU	OE1-CD-OE2	-6.22	115.83	123.30
1	H	139	ASP	CB-CG-OD1	6.22	123.90	118.30
1	E	109	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	E	41	GLU	CA-CB-CG	6.13	126.88	113.40
1	E	45	ILE	CG1-CB-CG2	-6.11	97.95	111.40
1	B	2	SER	N-CA-CB	6.02	119.53	110.50
1	K	89	ASP	CB-CG-OD1	6.00	123.70	118.30
1	D	85	VAL	CA-CB-CG2	5.99	119.89	110.90
1	J	61	ARG	NE-CZ-NH1	-5.99	117.31	120.30
1	L	142	ILE	CA-CB-CG1	5.98	122.37	111.00
1	G	29	LEU	CB-CG-CD2	5.98	121.16	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	139	ASP	CB-CG-OD2	-5.87	113.02	118.30
1	D	61	ARG	CG-CD-NE	5.82	124.01	111.80
1	I	127	CYS	CA-CB-SG	5.81	124.46	114.00
1	G	139	ASP	CB-CG-OD1	5.81	123.53	118.30
1	G	20	GLU	CG-CD-OE1	5.80	129.91	118.30
1	K	113	ARG	NE-CZ-NH1	5.77	123.19	120.30
1	C	61	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	I	139	ASP	CB-CG-OD2	5.70	123.43	118.30
1	F	144	LYS	CD-CE-NZ	5.69	124.78	111.70
1	B	30	ASP	CB-CG-OD2	5.69	123.42	118.30
1	H	113	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	G	30	ASP	CB-CG-OD2	-5.62	113.24	118.30
1	L	139	ASP	CB-CG-OD2	-5.59	113.27	118.30
1	L	109	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	G	118	LEU	CB-CG-CD1	5.53	120.39	111.00
1	H	61	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	C	19	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	C	144	LYS	CD-CE-NZ	5.47	124.28	111.70
1	J	20	GLU	CG-CD-OE1	5.47	129.23	118.30
1	I	19	ARG	NE-CZ-NH2	5.45	123.02	120.30
1	C	24	TYR	CB-CG-CD1	-5.45	117.73	121.00
1	F	20	GLU	OE1-CD-OE2	-5.44	116.78	123.30
1	I	55	GLU	OE1-CD-OE2	-5.44	116.78	123.30
1	H	30	ASP	CB-CG-OD1	5.42	123.18	118.30
1	A	139	ASP	CB-CG-OD1	5.41	123.17	118.30
1	D	144	LYS	CD-CE-NZ	5.39	124.09	111.70
1	K	19	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	L	113	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	C	30	ASP	CB-CG-OD2	5.31	123.08	118.30
1	E	144	LYS	CD-CE-NZ	5.30	123.88	111.70
1	H	13	LEU	CB-CG-CD1	5.26	119.94	111.00
1	D	109	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	C	24	TYR	CB-CG-CD2	5.23	124.14	121.00
1	L	81	THR	CB-CA-C	-5.23	97.49	111.60
1	K	139	ASP	CB-CG-OD1	5.18	122.96	118.30
1	E	139	ASP	CB-CG-OD2	-5.14	113.67	118.30
1	B	113	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	C	113	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	J	34	ARG	CG-CD-NE	5.10	122.50	111.80
1	E	24	TYR	CB-CG-CD2	-5.07	117.96	121.00
1	K	144	LYS	CD-CE-NZ	5.05	123.31	111.70
1	F	142	ILE	CA-CB-CG1	5.04	120.59	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	118	LEU	CB-CG-CD1	5.03	119.55	111.00
1	H	48	ASP	OD1-CG-OD2	-5.03	113.75	123.30
1	I	64	GLN	CB-CG-CD	5.02	124.65	111.60

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	105	ASN	Mainchain
1	B	18	LYS	Peptide
1	D	61	ARG	Sidechain
1	D	69	GLY	Peptide
1	E	19	ARG	Peptide
1	G	3	SER	Peptide
1	G	47	LEU	Mainchain
1	H	19	ARG	Peptide
1	H	2	SER	Peptide
1	H	22	GLU	Peptide
1	J	22	GLU	Peptide
1	K	23	VAL	Peptide
1	L	15	LEU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1120	0	1131	14	0
1	B	1120	0	1131	17	0
1	C	1120	0	1131	7	0
1	D	1120	0	1131	9	0
1	E	1120	0	1131	10	0
1	F	1120	0	1131	6	0
1	G	1120	0	1131	7	0
1	H	1120	0	1131	11	0
1	I	1120	0	1131	11	0
1	J	1120	0	1131	10	0
1	K	1120	0	1131	9	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1120	0	1131	12	0
2	A	4	0	6	0	0
3	A	34	0	0	0	0
3	B	23	0	0	0	0
3	C	27	0	0	1	0
3	D	17	0	0	1	0
3	E	16	0	0	0	0
3	F	19	0	0	0	0
3	G	11	0	0	0	0
3	H	9	0	0	0	0
3	I	6	0	0	1	0
3	J	17	0	0	0	0
3	K	14	0	0	0	0
3	L	8	0	0	0	0
All	All	13645	0	13578	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:79:ALA:HB1	1:J:85:VAL:HG13	1.50	0.90
1:L:16:LEU:HG	1:L:28:THR:HB	1.61	0.82
1:L:16:LEU:HD12	1:L:29:LEU:HB2	1.61	0.82
1:L:14:ASN:O	1:L:16:LEU:HD13	1.89	0.72
1:B:3:SER:HB2	1:B:48:ASP:HB2	1.72	0.71
1:F:62:ILE:C	1:F:62:ILE:HD13	2.12	0.70
1:F:79:ALA:HB1	1:G:85:VAL:HG22	1.78	0.66
1:D:79:ALA:HB1	1:H:85:VAL:HG22	1.76	0.66
1:I:85:VAL:HG22	1:K:79:ALA:HB1	1.77	0.65
1:I:77:PRO:HG2	1:I:81:THR:HB	1.78	0.65
1:A:20:GLU:HB2	1:A:21:PRO:HD2	1.77	0.64
1:C:77:PRO:HG2	1:C:81:THR:HB	1.79	0.64
1:K:145:ILE:O	1:K:145:ILE:HG22	1.98	0.64
1:H:5:ILE:HD13	1:H:45:ILE:HG21	1.80	0.64
1:A:85:VAL:HG22	1:C:79:ALA:HB1	1.80	0.63
1:D:20:GLU:HB2	1:D:21:PRO:CD	2.30	0.62
1:E:77:PRO:HG2	1:E:81:THR:HB	1.82	0.62
1:J:79:ALA:HB1	1:K:85:VAL:HG22	1.82	0.62
1:A:29:LEU:HD21	1:A:51:GLN:HG3	1.81	0.62

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:GLU:CB	1:A:21:PRO:HD2	2.31	0.61
1:J:77:PRO:HG2	1:J:81:THR:HB	1.82	0.61
1:J:33:ASN:O	1:J:37:ILE:HG13	1.99	0.61
1:I:45:ILE:HD11	1:I:145:ILE:HD11	1.82	0.61
1:B:19:ARG:HB3	1:B:22:GLU:CG	2.33	0.59
1:A:79:ALA:HB1	1:B:85:VAL:HG22	1.85	0.59
1:B:77:PRO:HG2	1:B:81:THR:HB	1.84	0.58
1:G:77:PRO:HG2	1:G:81:THR:HB	1.86	0.58
1:H:77:PRO:HG2	1:H:81:THR:HB	1.85	0.58
1:B:79:ALA:HB1	1:C:85:VAL:HG22	1.86	0.57
1:D:20:GLU:HB2	1:D:21:PRO:HD2	1.86	0.57
1:A:77:PRO:HG2	1:A:81:THR:HB	1.86	0.57
1:B:4:THR:HB	1:B:46:THR:OG1	2.05	0.57
1:E:37:ILE:O	1:E:41:GLU:HG2	2.05	0.57
1:E:85:VAL:HG22	1:G:79:ALA:HB1	1.87	0.56
1:I:61:ARG:HG2	1:I:61:ARG:HH11	1.71	0.55
1:B:20:GLU:HB3	1:B:21:PRO:CD	2.37	0.55
1:L:18:LYS:HE2	1:L:18:LYS:HA	1.90	0.54
1:D:8:ILE:HD11	1:D:62:ILE:HG22	1.88	0.54
1:G:11:PRO:HA	1:G:53:ASN:HD22	1.71	0.54
1:I:27:LEU:HD12	1:I:27:LEU:O	2.08	0.53
1:L:45:ILE:HD12	1:L:142:ILE:HD12	1.90	0.53
1:H:79:ALA:HB1	1:L:85:VAL:HG22	1.91	0.53
1:L:132:LYS:HG2	1:L:136:PHE:CZ	2.44	0.52
1:B:3:SER:CB	1:B:48:ASP:HB2	2.38	0.52
1:F:62:ILE:HD12	1:F:90:ALA:HB1	1.92	0.51
1:J:106:VAL:HG13	1:J:107:HIS:HD2	1.76	0.50
1:G:132:LYS:HZ2	1:J:143:GLU:HG3	1.76	0.50
1:H:50:PHE:CE2	1:H:61:ARG:HG3	2.46	0.50
1:B:4:THR:HB	1:B:46:THR:O	2.11	0.50
1:H:18:LYS:CE	1:H:18:LYS:HA	2.42	0.50
1:E:79:ALA:HB1	1:F:85:VAL:HG22	1.93	0.50
1:K:77:PRO:HG3	1:K:118:LEU:HD12	1.93	0.49
1:I:35:GLN:HG2	3:I:203:HOH:O	2.13	0.49
1:L:16:LEU:HD12	1:L:29:LEU:CB	2.39	0.49
1:A:20:GLU:HB2	1:A:21:PRO:CD	2.40	0.49
1:B:29:LEU:CD2	1:B:51:GLN:HG3	2.43	0.49
1:B:18:LYS:HD2	1:C:66:GLN:OE1	2.13	0.49
1:L:4:THR:HG23	1:L:70:VAL:HA	1.96	0.48
1:E:115:HIS:HE1	1:E:117:TYR:CE2	2.30	0.48
1:I:45:ILE:HD11	1:I:145:ILE:CD1	2.42	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:76:ASN:HD22	1:J:76:ASN:C	2.17	0.47
1:D:8:ILE:CD1	1:D:62:ILE:CG2	2.93	0.47
1:G:132:LYS:NZ	1:J:143:GLU:HG3	2.29	0.47
1:K:4:THR:O	1:K:5:ILE:HG23	2.15	0.47
1:B:145:ILE:O	1:B:146:GLN:HG3	2.15	0.47
1:L:110:GLU:HG3	1:L:112:PHE:CE2	2.50	0.47
1:K:5:ILE:HG13	1:K:47:LEU:HD12	1.97	0.46
1:D:115:HIS:HB2	3:D:214:HOH:O	2.16	0.46
1:B:4:THR:HG22	1:B:5:ILE:N	2.30	0.46
1:A:29:LEU:CD2	1:A:51:GLN:HG3	2.46	0.45
1:A:106:VAL:HG23	1:A:107:HIS:HD2	1.81	0.45
1:K:16:LEU:HD23	1:K:24:TYR:CE1	2.51	0.45
1:E:27:LEU:HD12	1:E:31:ASN:HD22	1.82	0.45
1:B:142:ILE:O	1:B:146:GLN:N	2.48	0.45
1:A:20:GLU:CB	1:A:21:PRO:CD	2.94	0.45
1:A:146:GLN:HE21	1:A:146:GLN:HA	1.82	0.44
1:B:18:LYS:C	1:B:19:ARG:HG2	2.37	0.44
1:H:18:LYS:HA	1:H:18:LYS:HE3	1.99	0.44
1:C:145:ILE:CG2	1:C:146:GLN:N	2.81	0.43
1:B:21:PRO:HA	1:B:24:TYR:O	2.18	0.43
1:E:139:ASP:OD1	1:H:132:LYS:HE3	2.19	0.43
1:K:4:THR:O	1:K:5:ILE:CG2	2.67	0.43
1:A:34:ARG:O	1:A:34:ARG:HD2	2.19	0.43
1:K:2:SER:O	1:K:3:SER:CB	2.67	0.42
1:D:27:LEU:HD11	1:D:32:ILE:HG13	2.01	0.42
1:A:145:ILE:O	1:A:146:GLN:C	2.57	0.42
1:A:146:GLN:NE2	1:A:146:GLN:CA	2.82	0.42
1:D:20:GLU:CB	1:D:21:PRO:CD	2.98	0.42
1:G:111:ALA:HA	1:G:114:HIS:CE1	2.55	0.42
1:E:145:ILE:O	1:E:146:GLN:HB3	2.20	0.42
1:J:19:ARG:CG	1:J:23:VAL:HG22	2.50	0.42
1:D:2:SER:HB3	1:D:71:LYS:HG2	2.01	0.41
1:B:4:THR:CB	1:B:46:THR:OG1	2.66	0.41
1:H:50:PHE:CD2	1:H:61:ARG:HG3	2.55	0.41
1:H:76:ASN:C	1:H:76:ASN:HD22	2.23	0.41
1:F:17:GLY:C	1:F:18:LYS:HD2	2.40	0.41
1:I:4:THR:HA	1:I:46:THR:HG23	2.02	0.41
1:J:106:VAL:HG22	1:J:113:ARG:HB3	2.03	0.41
1:E:76:ASN:C	1:E:76:ASN:HD22	2.22	0.41
1:L:76:ASN:C	1:L:76:ASN:HD22	2.23	0.41
1:C:20:GLU:O	1:C:22:GLU:N	2.54	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:LEU:HD13	3:C:202:HOH:O	2.19	0.41
1:I:45:ILE:HD12	1:I:142:ILE:HG12	2.02	0.41
1:H:106:VAL:HG12	1:H:113:ARG:HB3	2.02	0.41
1:I:38:ALA:HA	1:I:41:GLU:HG2	2.04	0.41
1:E:32:ILE:O	1:E:35:GLN:HG3	2.20	0.40
1:L:80:LEU:HD12	1:L:80:LEU:HA	1.85	0.40
1:F:76:ASN:C	1:F:76:ASN:HD22	2.25	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	143/145 (99%)	136 (95%)	5 (4%)	2 (1%)	11 20
1	B	143/145 (99%)	133 (93%)	8 (6%)	2 (1%)	11 20
1	C	143/145 (99%)	138 (96%)	5 (4%)	0	100 100
1	D	143/145 (99%)	134 (94%)	6 (4%)	3 (2%)	7 11
1	E	143/145 (99%)	134 (94%)	7 (5%)	2 (1%)	11 20
1	F	143/145 (99%)	134 (94%)	7 (5%)	2 (1%)	11 20
1	G	143/145 (99%)	131 (92%)	9 (6%)	3 (2%)	7 11
1	H	143/145 (99%)	133 (93%)	10 (7%)	0	100 100
1	I	143/145 (99%)	133 (93%)	9 (6%)	1 (1%)	22 39
1	J	143/145 (99%)	132 (92%)	8 (6%)	3 (2%)	7 11
1	K	143/145 (99%)	134 (94%)	7 (5%)	2 (1%)	11 20
1	L	143/145 (99%)	135 (94%)	8 (6%)	0	100 100
All	All	1716/1740 (99%)	1607 (94%)	89 (5%)	20 (1%)	13 24

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	20	GLU
1	D	20	GLU
1	D	26	HIS
1	F	4	THR
1	K	21	PRO
1	A	24	TYR
1	D	21	PRO
1	F	22	GLU
1	G	24	TYR
1	J	19	ARG
1	E	22	GLU
1	K	3	SER
1	A	19	ARG
1	G	19	ARG
1	G	21	PRO
1	J	26	HIS
1	B	21	PRO
1	E	21	PRO
1	I	145	ILE
1	J	21	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	119/119 (100%)	114 (96%)	5 (4%)	30 54
1	B	119/119 (100%)	111 (93%)	8 (7%)	16 31
1	C	119/119 (100%)	110 (92%)	9 (8%)	13 25
1	D	119/119 (100%)	105 (88%)	14 (12%)	5 10
1	E	119/119 (100%)	112 (94%)	7 (6%)	19 37
1	F	119/119 (100%)	111 (93%)	8 (7%)	16 31
1	G	119/119 (100%)	106 (89%)	13 (11%)	6 12
1	H	119/119 (100%)	107 (90%)	12 (10%)	7 14
1	I	119/119 (100%)	107 (90%)	12 (10%)	7 14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	119/119 (100%)	111 (93%)	8 (7%)	16	31
1	K	119/119 (100%)	109 (92%)	10 (8%)	11	21
1	L	119/119 (100%)	108 (91%)	11 (9%)	9	18
All	All	1428/1428 (100%)	1311 (92%)	117 (8%)	11	22

All (117) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	GLU
1	A	24	TYR
1	A	127	CYS
1	A	145	ILE
1	A	146	GLN
1	B	2	SER
1	B	4	THR
1	B	18	LYS
1	B	19	ARG
1	B	36	LEU
1	B	42	GLN
1	B	132	LYS
1	B	146	GLN
1	C	2	SER
1	C	13	LEU
1	C	24	TYR
1	C	29	LEU
1	C	34	ARG
1	C	36	LEU
1	C	61	ARG
1	C	67	THR
1	C	135	SER
1	D	13	LEU
1	D	18	LYS
1	D	19	ARG
1	D	24	TYR
1	D	27	LEU
1	D	29	LEU
1	D	35	GLN
1	D	36	LEU
1	D	47	LEU
1	D	61	ARG
1	D	71	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	D	85	VAL
1	D	109	ARG
1	D	132	LYS
1	E	13	LEU
1	E	18	LYS
1	E	24	TYR
1	E	29	LEU
1	E	36	LEU
1	E	76	ASN
1	E	109	ARG
1	F	13	LEU
1	F	18	LYS
1	F	29	LEU
1	F	34	ARG
1	F	36	LEU
1	F	62	ILE
1	F	76	ASN
1	F	132	LYS
1	G	2	SER
1	G	4	THR
1	G	13	LEU
1	G	20	GLU
1	G	27	LEU
1	G	29	LEU
1	G	35	GLN
1	G	36	LEU
1	G	44	SER
1	G	46	THR
1	G	47	LEU
1	G	143	GLU
1	G	146	GLN
1	H	13	LEU
1	H	14	ASN
1	H	18	LYS
1	H	29	LEU
1	H	36	LEU
1	H	42	GLN
1	H	46	THR
1	H	61	ARG
1	H	71	LYS
1	H	76	ASN
1	H	144	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	H	146	GLN
1	I	13	LEU
1	I	18	LYS
1	I	24	TYR
1	I	29	LEU
1	I	34	ARG
1	I	36	LEU
1	I	61	ARG
1	I	66	GLN
1	I	76	ASN
1	I	107	HIS
1	I	127	CYS
1	I	146	GLN
1	J	4	THR
1	J	13	LEU
1	J	29	LEU
1	J	35	GLN
1	J	36	LEU
1	J	47	LEU
1	J	61	ARG
1	J	76	ASN
1	K	4	THR
1	K	13	LEU
1	K	19	ARG
1	K	26	HIS
1	K	29	LEU
1	K	36	LEU
1	K	61	ARG
1	K	76	ASN
1	K	106	VAL
1	K	144	LYS
1	L	2	SER
1	L	13	LEU
1	L	14	ASN
1	L	27	LEU
1	L	29	LEU
1	L	30	ASP
1	L	35	GLN
1	L	36	LEU
1	L	61	ARG
1	L	76	ASN
1	L	80	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	107	HIS
1	A	146	GLN
1	B	146	GLN
1	C	14	ASN
1	C	114	HIS
1	D	12	ASN
1	D	64	GLN
1	D	114	HIS
1	E	39	GLN
1	E	76	ASN
1	E	115	HIS
1	E	146	GLN
1	F	35	GLN
1	F	76	ASN
1	F	114	HIS
1	G	53	ASN
1	G	114	HIS
1	G	146	GLN
1	H	14	ASN
1	H	76	ASN
1	H	146	GLN
1	I	76	ASN
1	I	114	HIS
1	J	14	ASN
1	J	76	ASN
1	J	107	HIS
1	K	76	ASN
1	L	14	ASN
1	L	76	ASN
1	L	114	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	EDO	A	201	-	3,3,3	0.51	0	2,2,2	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	201	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	145/145 (100%)	-0.03	5 (3%) 45 48	23, 34, 82, 108	0
1	B	145/145 (100%)	0.16	7 (4%) 30 32	24, 38, 82, 132	0
1	C	145/145 (100%)	0.14	7 (4%) 30 32	24, 36, 73, 139	0
1	D	145/145 (100%)	0.52	14 (9%) 7 7	35, 50, 111, 139	0
1	E	145/145 (100%)	0.42	11 (7%) 13 14	32, 43, 96, 149	0
1	F	145/145 (100%)	0.07	7 (4%) 30 32	28, 37, 83, 134	0
1	G	145/145 (100%)	0.45	14 (9%) 7 7	32, 47, 96, 130	0
1	H	145/145 (100%)	0.48	13 (8%) 9 9	35, 50, 110, 157	0
1	I	145/145 (100%)	0.85	18 (12%) 4 3	44, 62, 124, 142	0
1	J	145/145 (100%)	0.61	13 (8%) 9 9	39, 56, 114, 154	0
1	K	145/145 (100%)	0.49	10 (6%) 16 17	37, 52, 110, 156	0
1	L	145/145 (100%)	0.59	19 (13%) 3 3	40, 62, 112, 151	0
All	All	1740/1740 (100%)	0.40	138 (7%) 12 12	23, 49, 104, 157	0

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	23	VAL	11.4
1	J	2	SER	11.1
1	K	24	TYR	10.8
1	D	24	TYR	10.4
1	K	23	VAL	10.2
1	C	24	TYR	9.2
1	E	24	TYR	9.0
1	E	22	GLU	8.8
1	H	2	SER	8.4
1	H	23	VAL	8.4
1	H	24	TYR	8.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	H	21	PRO	8.0
1	K	21	PRO	8.0
1	D	2	SER	8.0
1	D	3	SER	7.9
1	F	24	TYR	7.9
1	I	23	VAL	7.4
1	A	24	TYR	7.3
1	G	3	SER	7.2
1	E	2	SER	7.1
1	G	2	SER	7.1
1	C	21	PRO	7.0
1	C	23	VAL	6.7
1	B	23	VAL	6.7
1	E	25	GLY	6.6
1	I	22	GLU	6.6
1	J	21	PRO	6.5
1	L	22	GLU	6.4
1	K	2	SER	6.4
1	B	24	TYR	6.4
1	J	22	GLU	6.2
1	D	23	VAL	6.2
1	L	23	VAL	6.1
1	I	24	TYR	6.1
1	I	21	PRO	6.1
1	F	23	VAL	6.0
1	I	3	SER	6.0
1	E	21	PRO	5.9
1	G	22	GLU	5.8
1	J	3	SER	5.7
1	L	24	TYR	5.6
1	G	24	TYR	5.4
1	G	23	VAL	5.4
1	I	2	SER	5.4
1	H	3	SER	5.2
1	L	19	ARG	5.2
1	K	22	GLU	5.1
1	L	34	ARG	4.9
1	H	22	GLU	4.8
1	B	3	SER	4.8
1	K	19	ARG	4.8
1	C	20	GLU	4.6
1	I	26	HIS	4.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	L	37	ILE	4.5
1	J	24	TYR	4.4
1	E	20	GLU	4.4
1	K	20	GLU	4.3
1	J	26	HIS	4.3
1	L	2	SER	4.2
1	B	22	GLU	4.2
1	F	21	PRO	4.1
1	F	22	GLU	4.1
1	E	26	HIS	4.1
1	I	45	ILE	4.0
1	D	21	PRO	3.9
1	G	38	ALA	3.8
1	I	34	ARG	3.8
1	H	20	GLU	3.7
1	K	17	GLY	3.7
1	L	21	PRO	3.5
1	C	22	GLU	3.5
1	G	45	ILE	3.4
1	B	4	THR	3.4
1	D	22	GLU	3.4
1	F	20	GLU	3.4
1	I	47	LEU	3.3
1	G	21	PRO	3.2
1	B	42	GLN	3.2
1	H	26	HIS	3.2
1	L	145	ILE	3.2
1	D	20	GLU	3.2
1	L	38	ALA	3.1
1	C	146	GLN	3.1
1	E	19	ARG	3.0
1	E	3	SER	3.0
1	F	26	HIS	3.0
1	L	25	GLY	3.0
1	L	44	SER	3.0
1	I	25	GLY	2.9
1	I	46	THR	2.9
1	G	19	ARG	2.9
1	L	16	LEU	2.9
1	I	41	GLU	2.8
1	L	3	SER	2.8
1	D	19	ARG	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	45	ILE	2.7
1	J	145	ILE	2.7
1	L	47	LEU	2.7
1	J	34	ARG	2.7
1	I	36	LEU	2.6
1	K	25	GLY	2.6
1	H	25	GLY	2.6
1	I	20	GLU	2.6
1	K	26	HIS	2.5
1	D	146	GLN	2.5
1	D	69	GLY	2.5
1	D	145	ILE	2.5
1	J	20	GLU	2.5
1	G	20	GLU	2.4
1	G	5	ILE	2.4
1	G	46	THR	2.4
1	J	71	LYS	2.4
1	G	142	ILE	2.3
1	I	35	GLN	2.3
1	D	71	LYS	2.3
1	J	48	ASP	2.3
1	B	54	TRP	2.3
1	L	131	ALA	2.3
1	G	41	GLU	2.3
1	D	44	SER	2.3
1	I	44	SER	2.3
1	C	26	HIS	2.3
1	J	23	VAL	2.3
1	I	19	ARG	2.2
1	F	25	GLY	2.2
1	E	44	SER	2.2
1	H	145	ILE	2.2
1	A	23	VAL	2.2
1	A	22	GLU	2.2
1	L	41	GLU	2.1
1	H	19	ARG	2.1
1	D	46	THR	2.1
1	A	54	TRP	2.1
1	J	69	GLY	2.1
1	L	30	ASP	2.1
1	L	45	ILE	2.1
1	A	146	GLN	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	42	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	EDO	A	201	4/4	0.92	0.14	38,45,46,47	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.