



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 22, 2023 – 01:33 PM JST

PDB ID : 7WSK  
Title : Crystal structure of SARS-CoV-2 Omicron spike receptor-binding domain in complex with civet ACE2  
Authors : Huang, B.; Han, P.; Qi, J.  
Deposited on : 2022-01-29  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	600	
2	B	223	
3	C	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAN	C	3	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6514 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Processed angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	596	4853	3094	815	916	28	0	0	0

- Molecule 2 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	195	1565	1009	264	284	8	0	0	0

There are 15 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	339	ASP	GLY	variant	UNP P0DTC2
B	371	LEU	SER	variant	UNP P0DTC2
B	373	PRO	SER	variant	UNP P0DTC2
B	375	PHE	SER	variant	UNP P0DTC2
B	417	ASN	LYS	variant	UNP P0DTC2
B	440	LYS	ASN	variant	UNP P0DTC2
B	446	SER	GLY	variant	UNP P0DTC2
B	477	ASN	SER	variant	UNP P0DTC2
B	478	LYS	THR	variant	UNP P0DTC2
B	484	ALA	GLU	variant	UNP P0DTC2
B	493	ARG	GLN	variant	UNP P0DTC2
B	496	SER	GLY	variant	UNP P0DTC2
B	498	ARG	GLN	variant	UNP P0DTC2
B	501	TYR	ASN	variant	UNP P0DTC2
B	505	HIS	TYR	variant	UNP P0DTC2

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	3	39	22	2	15	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	B	1	14	8	1	5	14	0


- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
5	A	1	1	1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Processed angiotensin-converting enzyme 2



- Molecule 2: Spike protein S1



- Molecule 3: alpha-D-mannopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	152.66Å 152.66Å 187.12Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.66 – 3.30 48.30 – 3.30	Depositor EDS
% Data completeness (in resolution range)	93.2 (20.66-3.30) 93.2 (48.30-3.30)	Depositor EDS
$R_{merge}$	0.45	Depositor
$R_{sym}$	0.45	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 3.33Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.223 , 0.275 0.223 , 0.274	Depositor DCC
$R_{free}$ test set	868 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	68.2	Xtrriage
Anisotropy	0.185	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 30.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	6514	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/4988	0.47	0/6776
2	B	0.32	0/1612	0.51	0/2195
All	All	0.29	0/6600	0.48	0/8971

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4853	0	4619	112	0
2	B	1565	0	1493	23	0
3	C	39	0	34	0	0
4	A	42	0	39	1	0
4	B	14	0	13	0	0
5	A	1	0	0	0	0
All	All	6514	0	6198	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:403:ARG:NH2	2:B:405:ASP:OD2	2.15	0.78
2:B:393:THR:HA	2:B:522:ALA:HA	1.70	0.73
1:A:134:ASN:HB3	1:A:137:ASN:H	1.55	0.72
1:A:152:MET:O	1:A:161:ARG:NH1	2.22	0.72
2:B:412:PRO:HG3	2:B:429:PHE:HB3	1.73	0.69
1:A:493:HIS:ND1	1:A:499:ASP:OD2	2.25	0.68
2:B:362:VAL:HG13	2:B:526:GLY:HA2	1.77	0.67
1:A:142:LEU:HD22	1:A:147:GLY:HA3	1.78	0.64
1:A:108:LEU:HB3	1:A:112:LYS:HB2	1.80	0.64
1:A:95:ARG:NH1	1:A:209:GLU:OE1	2.30	0.61
1:A:177:ARG:NH2	1:A:470:LYS:O	2.34	0.61
1:A:322:ASN:OD1	1:A:322:ASN:N	2.34	0.60
1:A:170:ALA:HA	1:A:174:LYS:HG3	1.82	0.60
1:A:402:GLU:HB3	1:A:518:ARG:HG3	1.85	0.58
1:A:244:VAL:HG13	1:A:248:LEU:HD13	1.86	0.57
1:A:105:SER:HA	1:A:190:MET:HG3	1.87	0.56
1:A:439:LEU:HD11	1:A:540:HIS:CD2	2.41	0.56
2:B:372:ALA:HB3	2:B:436:TRP:HB2	1.86	0.56
1:A:168:TRP:CD1	1:A:502:SER:HB2	2.42	0.54
1:A:524:GLN:HG2	1:A:583:PRO:HG2	1.90	0.54
1:A:231:GLU:HA	1:A:234:LYS:HD3	1.91	0.53
2:B:350:VAL:HG22	2:B:422:ASN:HB3	1.91	0.52
1:A:116:LEU:HD13	1:A:186:LEU:HB2	1.92	0.52
1:A:225:ASP:OD2	1:A:578:ASN:ND2	2.43	0.52
1:A:318:VAL:O	1:A:551:GLY:HA3	2.09	0.52
1:A:307:ILE:HD11	1:A:364:VAL:HA	1.91	0.52
2:B:520:ALA:HB1	2:B:521:PRO:HD2	1.92	0.52
1:A:237:TYR:CD1	1:A:451:PRO:HG2	2.45	0.52
1:A:446:ILE:HD13	1:A:523:PHE:HZ	1.75	0.52
1:A:144:LEU:HA	1:A:148:LEU:HB2	1.93	0.51
2:B:365:TYR:HA	2:B:368:LEU:HD13	1.91	0.51
1:A:119:ILE:HD13	1:A:182:GLU:HB3	1.92	0.51
1:A:236:LEU:HD23	1:A:585:LEU:HD22	1.93	0.51
1:A:180:TYR:HA	1:A:183:TYR:HB3	1.93	0.50
1:A:439:LEU:HD11	1:A:540:HIS:CG	2.47	0.50
1:A:478:TRP:HA	1:A:481:LYS:HB2	1.94	0.50
1:A:98:GLN:O	1:A:102:GLN:HG2	2.12	0.50
1:A:482:ARG:NH1	1:A:489:GLU:OE2	2.44	0.49
1:A:516:TYR:O	1:A:520:ILE:HG12	2.12	0.49
2:B:371:LEU:HD12	2:B:375:PHE:HE1	1.78	0.49
1:A:294:THR:HG23	1:A:365:THR:HA	1.93	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:315:PHE:HB3	1:A:320:LEU:HB2	1.95	0.49
1:A:460:ARG:NH1	1:A:506:VAL:HA	2.27	0.49
1:A:201:ASP:OD2	1:A:219:ARG:NH1	2.40	0.49
1:A:556:GLU:O	1:A:560:LEU:HG	2.13	0.49
1:A:503:LEU:HD12	1:A:504:PHE:H	1.76	0.49
1:A:161:ARG:NE	1:A:265:HIS:O	2.46	0.49
1:A:419:LYS:HE3	1:A:428:PHE:HA	1.95	0.48
1:A:468:ILE:HG22	1:A:473:TRP:HD1	1.77	0.48
1:A:475:GLN:HG3	1:A:495:GLU:OE2	2.14	0.48
2:B:376:THR:HB	2:B:435:ALA:HB3	1.95	0.48
1:A:237:TYR:CG	1:A:451:PRO:HG2	2.48	0.48
2:B:497:PHE:CE2	2:B:507:PRO:HB3	2.49	0.48
1:A:574:VAL:HG23	1:A:576:ALA:H	1.79	0.47
1:A:284:PRO:HB3	1:A:594:TRP:CH2	2.49	0.47
1:A:50:TYR:O	1:A:54:ILE:N	2.41	0.47
2:B:372:ALA:HB1	2:B:373:PRO:HD2	1.96	0.47
2:B:490:PHE:O	2:B:493:ARG:NH1	2.47	0.47
1:A:126:ILE:HB	1:A:176:LEU:HD21	1.97	0.47
1:A:142:LEU:HA	1:A:142:LEU:HD23	1.79	0.47
1:A:455:MET:HE3	1:A:480:MET:HB2	1.96	0.47
1:A:143:LEU:HD23	1:A:144:LEU:N	2.29	0.46
1:A:169:ARG:HH22	1:A:271:TRP:HA	1.80	0.46
1:A:305:ARG:HH11	1:A:305:ARG:HB3	1.80	0.46
1:A:398:GLU:HB2	1:A:514:ARG:NH1	2.30	0.46
1:A:524:GLN:HB3	1:A:574:VAL:HG11	1.97	0.46
1:A:230:PHE:HE1	1:A:451:PRO:HG3	1.80	0.46
1:A:257:SER:HB2	1:A:610:TRP:CE2	2.50	0.46
1:A:31:THR:OG1	2:B:493:ARG:NH2	2.48	0.46
1:A:592:PHE:O	1:A:596:LYS:HG3	2.15	0.46
1:A:555:LEU:O	1:A:559:SER:OG	2.26	0.45
1:A:144:LEU:HB2	1:A:168:TRP:CH2	2.51	0.45
2:B:358:ILE:HB	2:B:395:VAL:O	2.17	0.45
1:A:244:VAL:O	1:A:248:LEU:HB2	2.16	0.45
1:A:292:ASP:OD2	1:A:294:THR:HB	2.15	0.45
1:A:398:GLU:CD	1:A:514:ARG:HG2	2.36	0.45
1:A:593:THR:HA	1:A:596:LYS:NZ	2.32	0.45
1:A:485:VAL:HG12	1:A:487:VAL:HG23	1.98	0.44
1:A:305:ARG:HB3	1:A:305:ARG:NH1	2.32	0.44
1:A:457:GLU:HG2	1:A:513:ILE:HB	1.99	0.44
1:A:351:LEU:HD12	1:A:351:LEU:H	1.82	0.44
1:A:400:PHE:HZ	1:A:570:LEU:HB2	1.83	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:499:ASP:O	1:A:502:SER:OG	2.33	0.44
1:A:311:ALA:HA	1:A:373:HIS:NE2	2.33	0.44
1:A:144:LEU:HD13	1:A:168:TRP:CE2	2.53	0.44
4:A:701:NAG:O7	4:A:701:NAG:O3	2.29	0.44
1:A:24:LEU:HD21	2:B:476:GLY:HA2	1.98	0.44
1:A:205:GLY:HA2	1:A:219:ARG:HG2	1.98	0.44
1:A:26:LYS:HG2	1:A:93:ILE:HG13	1.99	0.44
1:A:477:TRP:CZ3	1:A:500:PRO:HB3	2.53	0.43
1:A:554:LEU:HG	1:A:558:LEU:HG	1.99	0.43
2:B:457:ARG:NE	2:B:467:ASP:OD2	2.47	0.43
1:A:230:PHE:HA	1:A:233:ILE:HD12	1.99	0.43
1:A:400:PHE:CE1	1:A:566:TRP:HB2	2.53	0.43
1:A:240:LEU:HD21	1:A:444:LEU:HD23	2.01	0.43
1:A:96:GLN:HG2	1:A:391:LEU:HB2	2.01	0.43
2:B:425:LEU:HD21	2:B:512:VAL:HG11	2.00	0.43
1:A:326:GLY:O	1:A:330:ASN:HB2	2.18	0.43
1:A:251:THR:HG22	1:A:252:TYR:H	1.83	0.42
1:A:430:GLU:HG2	1:A:431:ASP:N	2.34	0.42
1:A:501:ALA:O	1:A:507:ALA:HB2	2.19	0.42
1:A:144:LEU:HB2	1:A:168:TRP:CZ3	2.53	0.42
1:A:187:LYS:HB3	1:A:199:TYR:CG	2.54	0.42
2:B:418:ILE:HA	2:B:422:ASN:HD22	1.84	0.42
1:A:259:THR:HA	1:A:603:PHE:HD2	1.83	0.42
1:A:115:ARG:HA	1:A:115:ARG:HD2	1.90	0.42
1:A:293:VAL:HB	1:A:423:LEU:HB3	2.02	0.42
1:A:247:LYS:HB2	1:A:282:THR:HG22	2.01	0.42
1:A:273:ARG:HG2	1:A:274:PHE:CE2	2.55	0.42
1:A:429:SER:O	1:A:430:GLU:HB3	2.20	0.42
1:A:518:ARG:NH2	1:A:519:THR:OG1	2.53	0.42
1:A:28:PHE:O	1:A:31:THR:HG22	2.20	0.42
1:A:324:THR:O	1:A:327:PHE:HB3	2.20	0.42
2:B:350:VAL:HG21	2:B:418:ILE:HG23	2.02	0.42
1:A:165:TRP:HZ2	1:A:478:TRP:CH2	2.38	0.41
1:A:284:PRO:HG2	1:A:436:ILE:HG22	2.01	0.41
1:A:524:GLN:CD	1:A:580:ASN:H	2.24	0.41
2:B:384:PRO:O	2:B:386:LYS:N	2.53	0.41
1:A:521:TYR:CE1	1:A:579:MET:HG3	2.56	0.41
1:A:217:TYR:HE1	1:A:578:ASN:ND2	2.19	0.41
1:A:483:ASN:OD1	1:A:608:THR:HG21	2.21	0.41
2:B:431:GLY:HA2	2:B:515:PHE:CD2	2.56	0.41
1:A:217:TYR:HE1	1:A:578:ASN:HD21	1.67	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:ALA:O	1:A:75:GLU:HG3	2.20	0.41
1:A:470:LYS:HA	1:A:473:TRP:CD1	2.56	0.41
1:A:461:TRP:O	1:A:465:LYS:HB2	2.21	0.41
2:B:447:GLY:HA2	2:B:498:ARG:HG3	2.03	0.41
1:A:580:ASN:O	1:A:583:PRO:HD2	2.21	0.41
1:A:22:GLU:OE1	1:A:89:GLN:HG3	2.21	0.40
1:A:61:ASN:N	1:A:61:ASN:OD1	2.54	0.40
1:A:593:THR:HA	1:A:596:LYS:HZ3	1.84	0.40
1:A:29:LEU:HD23	1:A:29:LEU:HA	1.91	0.40
1:A:123:MET:HG2	1:A:176:LEU:HD22	2.04	0.40
1:A:169:ARG:NH2	1:A:271:TRP:HA	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	594/600 (99%)	562 (95%)	29 (5%)	3 (0%)	29	61
2	B	193/223 (86%)	179 (93%)	13 (7%)	1 (0%)	29	61
All	All	787/823 (96%)	741 (94%)	42 (5%)	4 (0%)	29	61

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	54	ILE
1	A	429	SER
2	B	385	THR
1	A	284	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/523 (99%)	509 (99%)	7 (1%)	67	82
2	B	170/198 (86%)	167 (98%)	3 (2%)	59	78
All	All	686/721 (95%)	676 (98%)	10 (2%)	65	81

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	322	ASN
1	A	381	TYR
1	A	385	TYR
1	A	431	ASP
1	A	441	LYS
1	A	455	MET
1	A	611	ARG
2	B	377	PHE
2	B	390	LEU
2	B	500	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	81	GLN
2	B	487	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates i

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	C	1	1,3	14,14,15	0.43	0	17,19,21	0.68	1 (5%)
3	NAG	C	2	3	14,14,15	0.51	0	17,19,21	0.57	0
3	MAN	C	3	3	11,11,12	1.17	1 (9%)	15,15,17	1.46	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1
3	MAN	C	3	3	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	3	MAN	C1-C2	3.11	1.59	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3	MAN	C1-O5-C5	3.74	117.26	112.19
3	C	1	NAG	C1-O5-C5	2.41	115.46	112.19
3	C	3	MAN	C1-C2-C3	2.38	112.59	109.67
3	C	3	MAN	O2-C2-C3	-2.02	106.08	110.14

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1	NAG	O5-C5-C6-O6
3	C	2	NAG	O5-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
3	C	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	B	601	2	14,14,15	0.20	0	17,19,21	0.48	0
4	NAG	A	703	1	14,14,15	0.33	0	17,19,21	0.74	0
4	NAG	A	701	1	14,14,15	0.55	0	17,19,21	0.53	0
4	NAG	A	702	1	14,14,15	0.56	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	601	2	-	0/6/23/26	0/1/1/1
4	NAG	A	703	1	-	4/6/23/26	0/1/1/1
4	NAG	A	701	1	-	3/6/23/26	0/1/1/1
4	NAG	A	702	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	701	NAG	C1-C2-N2-C7
4	A	702	NAG	C4-C5-C6-O6
4	A	702	NAG	O5-C5-C6-O6
4	A	703	NAG	O5-C5-C6-O6
4	A	702	NAG	C1-C2-N2-C7
4	A	703	NAG	C4-C5-C6-O6
4	A	701	NAG	C3-C2-N2-C7
4	A	702	NAG	C3-C2-N2-C7
4	A	703	NAG	C3-C2-N2-C7
4	A	701	NAG	O5-C5-C6-O6
4	A	703	NAG	C1-C2-N2-C7



There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	596/600 (99%)	0.43	26 (4%) 34 33	31, 66, 110, 137	0
2	B	195/223 (87%)	0.50	21 (10%) 5 5	32, 63, 127, 165	0
All	All	791/823 (96%)	0.44	47 (5%) 22 22	31, 65, 116, 165	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	299	ASN	4.5
2	B	360	ASN	4.3
1	A	475	GLN	4.1
2	B	386	LYS	3.8
2	B	333	THR	3.8
2	B	390	LEU	3.7
2	B	521	PRO	3.5
1	A	603	PHE	3.5
2	B	389	ASP	3.4
2	B	391	CYS	3.0
2	B	393	THR	3.0
1	A	339	GLY	2.8
1	A	302	TRP	2.8
2	B	362	VAL	2.6
1	A	336	PRO	2.6
2	B	394	ASN	2.6
2	B	387	LEU	2.6
2	B	364	ASP	2.5
1	A	604	VAL	2.5
1	A	613	TYR	2.5
2	B	369	TYR	2.5
1	A	287	GLN	2.4
2	B	527	PRO	2.4
1	A	428	PHE	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	163	TRP	2.4
1	A	328	TRP	2.3
1	A	298	VAL	2.3
2	B	522	ALA	2.3
2	B	366	SER	2.3
1	A	364	VAL	2.2
2	B	363	ALA	2.2
1	A	609	ASP	2.2
1	A	141	CYS	2.2
1	A	168	TRP	2.2
1	A	362	THR	2.2
2	B	518	LEU	2.1
2	B	517	LEU	2.1
1	A	186	LEU	2.1
1	A	419	LYS	2.1
1	A	340	ARG	2.1
1	A	363	LYS	2.1
1	A	335	GLU	2.1
2	B	365	TYR	2.1
1	A	614	SER	2.1
1	A	493	HIS	2.0
2	B	385	THR	2.0
1	A	334	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.


## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MAN	C	3	11/12	0.50	0.42	109,133,139,139	0
3	NAG	C	2	14/15	0.79	0.39	86,114,123,127	0
3	NAG	C	1	14/15	0.89	0.36	67,78,92,92	0

The following is a graphical depiction of the model fit to experimental electron density for oligosac-

charide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)

LIGAND-RSR INFOmissingINFO

## 6.5 Other polymers [i](#)

There are no such residues in this entry.