

Full wwPDB X-ray Structure Validation Report (i)

Oct 10, 2023 – 03:59 PM EDT

:	6WTY
:	Plasmodium vivax reticulocyte binding protein 2b (PvRBP2b) bound to hu-
	man monoclonal antibody 253245
:	Chan, L.J.; Dietrich, M.H.; Tham, W.H.
:	2020-05-04
:	3.48 Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1379(3.56-3.40)
Clashscore	141614	1461 (3.56-3.40)
Ramachandran outliers	138981	1424 (3.56-3.40)
Sidechain outliers	138945	1425 (3.56-3.40)
RSRZ outliers	127900	1289 (3.56-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	307	2% 91%	5%	6 5%
1	D	307	83%	12%	5%
1	G	307	93%		6%
1	J	307	2% 90%	•	6%
2	С	221	% 86%	10%	5%



Mol	Chain	Length	Quality of chain	
2	F	221	% 90%	6% •
2	Ι	221	3% 90%	6% •
2	L	221	86%	9% 5%
3	В	241	2% 8 4%	8% 8%
3	Е	241	2% 8 2%	11% 7%
3	Н	241	74%	16% 10%
3	K	241	80%	10% 10%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 19922 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Л	202	Total	С	Ν	Ο	S	0	0	0
	D	292	2209	1409	361	430	9	0	0	0
1	т	280	Total	С	Ν	0	S	0	0	0
	J	269	1862	1157	327	373	5	0	0	0
1	C	200	Total	С	Ν	0	S	0	0	0
	G	290	1881	1168	323	383	7	0	0	0
1	Δ	203	Total	С	Ν	Ο	S	0	0	0
	А	293	2188	1394	364	422	8		0	0

• Molecule 1 is a protein called reticulocyte binding protein 2b.

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	164	GLY	-	expression tag	UNP A5K736
D	165	ALA	-	expression tag	UNP A5K736
D	166	MET	-	expression tag	UNP A5K736
D	167	GLY	-	expression tag	UNP A5K736
D	168	SER	-	expression tag	UNP A5K736
J	164	GLY	-	expression tag	UNP A5K736
J	165	ALA	-	expression tag	UNP A5K736
J	166	MET	-	expression tag	UNP A5K736
J	167	GLY	-	expression tag	UNP A5K736
J	168	SER	-	expression tag	UNP A5K736
G	164	GLY	-	expression tag	UNP A5K736
G	165	ALA	-	expression tag	UNP A5K736
G	166	MET	-	expression tag	UNP A5K736
G	167	GLY	-	expression tag	UNP A5K736
G	168	SER	-	expression tag	UNP A5K736
А	164	GLY	-	expression tag	UNP A5K736
А	165	ALA	-	expression tag	UNP A5K736
A	166	MET	-	expression tag	UNP A5K736
A	167	GLY	-	expression tag	UNP A5K736
A	168	SER	_	expression tag	UNP A5K736



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	С	911	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	U	211	1449	902	239	303	5	0	0	0
2	Б	919	Total	С	Ν	0	S	0	0	0
	Г	212	1476	921	244	306	5	0	0	0
9	т	911	Total	С	Ν	0	S	0	0	0
		211	1420	884	235	296	5	0	0	0
9	т	919	Total	С	Ν	0	S	0	0	0
	1	212	1435	889	236	305	5	0	0	0

• Molecule 2 is a protein called 253245 Fab light chain.

• Molecule 3 is a protein called 253245 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Р	222	Total	С	Ν	0	\mathbf{S}	0	0	0
0	D		1538	976	255	302	5	0	0	0
2	и	218	Total	С	Ν	0	S	0	0	0
0	п	210	1492	948	243	296	5	0	0	0
2	K	217	Total	С	Ν	0	S	0	0	0
0	Γ	211	1434	899	235	295	5	0	0	0
2	F	224	Total	С	Ν	0	S	0	0	0
0	Ľ		1538	968	253	310	7	0		U



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: reticulocyte binding protein 2b





• Molecule 3: 253245 Fab heavy chain







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	70.56Å 78.19Å 312.08Å	Deperitor
a, b, c, α , β , γ	90.00° 94.16° 90.00°	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	48.70 - 3.48	Depositor
Resolution (A)	48.70 - 3.48	EDS
% Data completeness	98.3 (48.70-3.48)	Depositor
(in resolution range)	98.3(48.70-3.48)	EDS
R _{merge}	0.77	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.03 (at 3.48 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.15_3459	Depositor
D D.	0.262 , 0.301	Depositor
Π, Π_{free}	0.283 , 0.329	DCC
R_{free} test set	1997 reflections (4.61%)	wwPDB-VP
Wilson B-factor $(Å^2)$	86.2	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31,63.0	EDS
L-test for twinning ²	$< L >=0.37, < L^2>=0.20$	Xtriage
Estimated twinning fraction	0.088 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	19922	wwPDB-VP
Average B, all atoms $(Å^2)$	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Ullaill	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.23	0/2230	0.34	0/3039
1	D	0.23	0/2252	0.33	0/3067
1	G	0.22	0/1910	0.33	0/2628
1	J	0.22	0/1892	0.34	0/2600
2	С	0.25	0/1484	0.44	0/2042
2	F	0.25	0/1513	0.44	0/2080
2	Ι	0.24	0/1469	0.45	0/2023
2	L	0.25	0/1455	0.44	0/2006
3	В	0.24	0/1577	0.44	0/2169
3	Ε	0.24	0/1577	0.45	0/2171
3	Η	0.25	0/1531	0.46	0/2112
3	Κ	0.26	0/1466	0.46	0/2020
All	All	0.24	0/20356	0.41	0/27957

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2188	0	1916	7	0
1	D	2209	0	1939	20	0
1	G	1881	0	1334	2	0
1	J	1862	0	1312	6	0



	J	1	1			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	С	1449	0	1270	12	0
2	F	1476	0	1298	8	0
2	Ι	1435	0	1224	8	0
2	L	1420	0	1210	13	0
3	В	1538	0	1366	11	0
3	Ε	1538	0	1349	15	0
3	Н	1492	0	1312	27	0
3	Κ	1434	0	1209	13	0
All	All	19922	0	16739	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:157:TRP:HE1	2:C:185:SER:HG	1.33	0.73
3:H:40:SER:HB2	3:H:117:LEU:HD21	1.72	0.71
3:K:137:PRO:HB3	3:K:163:TYR:HB3	1.73	0.70
3:E:106:HIS:HB2	3:E:110:TRP:HB2	1.75	0.69
1:D:388:PHE:HA	1:D:443:LEU:HD13	1.80	0.64
2:L:40:VAL:HG23	2:L:58:VAL:HA	1.80	0.64
1:A:172:THR:N	1:A:255:GLU:OE2	2.31	0.63
2:C:68:ARG:NH2	2:C:89:ASP:OD2	2.31	0.63
2:C:41:SER:HG	3:B:113:TYR:HH	1.45	0.62
3:H:218:HIS:ND1	3:H:221:SER:OG	2.28	0.61
3:K:96:THR:HG23	3:K:128:THR:HA	1.82	0.61
1:D:336:PRO:HB2	1:D:339:ASN:HB2	1.82	0.61
2:C:68:ARG:NH2	2:C:84:GLY:O	2.32	0.61
3:H:72:ARG:NH1	3:H:90:SER:O	2.34	0.60
1:J:189:ILE:HG12	1:J:196:PHE:HE1	1.67	0.60
3:E:186:ALA:HA	3:E:196:LEU:HB3	1.84	0.59
2:L:129:PRO:HD3	2:L:141:LEU:HG	1.85	0.59
3:B:96:THR:HG23	3:B:128:THR:HA	1.84	0.57
1:J:194:PRO:HB2	1:J:199:ILE:HD12	1.85	0.57
2:L:68:ARG:NH1	2:L:84:GLY:O	2.39	0.56
3:E:104:ASP:OD1	3:E:105:GLU:N	2.39	0.56
2:C:58:VAL:HG12	2:C:59:THR:HG23	1.88	0.55
3:K:157:GLY:HA3	3:K:199:VAL:HG22	1.89	0.55
2:C:45:TYR:HB2	2:C:51:PRO:HB3	1.89	0.54
3:H:101:CYS:O	3:H:122:GLY:N	2.40	0.54



	lo de page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:374:ILE:HD13	1:A:458:LEU:HD23	1.89	0.54
2:L:98:TYR:CE1	3:K:115:PRO:HD2	2.43	0.53
3:B:186:ALA:HB2	3:B:196:LEU:HD23	1.89	0.53
3:H:206:SER:OG	3:H:212:TYR:OH	2.27	0.53
3:E:186:ALA:HB2	3:E:196:LEU:HD23	1.91	0.53
1:A:332:PHE:HB3	1:A:399:ILE:HG12	1.91	0.53
2:L:122:PRO:HB3	2:L:148:PHE:HB3	1.91	0.52
3:E:137:PRO:HB3	3:E:163:TYR:HB3	1.92	0.52
3:H:156:LEU:HD13	3:H:172:TRP:CH2	2.45	0.52
1:A:179:ASP:O	1:A:282:ARG:NH2	2.42	0.52
1:G:194:PRO:HB2	1:G:199:ILE:HD12	1.93	0.51
1:D:380:GLU:OE1	1:D:450:LYS:NZ	2.39	0.50
3:H:186:ALA:HA	3:H:196:LEU:HB3	1.92	0.50
3:E:170:VAL:HG22	3:E:216:VAL:HG22	1.93	0.50
1:D:289:ASN:OD1	1:D:292:ASN:ND2	2.43	0.50
3:H:156:LEU:CD1	3:H:172:TRP:CH2	2.95	0.49
2:I:176:GLN:N	2:I:180:LYS:O	2.37	0.49
3:K:19:PRO:HB3	3:K:92:THR:HA	1.94	0.49
3:K:44:GLN:HB2	3:K:50:LEU:HD23	1.93	0.49
2:F:33:ASP:OD1	2:F:33:ASP:N	2.46	0.48
1:D:213:THR:HA	1:D:216:LYS:HB2	1.96	0.48
2:F:33:ASP:O	2:F:97:SER:OG	2.31	0.47
2:L:40:VAL:HG12	2:L:97:SER:HB2	1.96	0.47
3:E:156:LEU:HB2	3:E:229:VAL:HG11	1.95	0.47
1:D:318:THR:OG1	1:D:411:PRO:O	2.25	0.47
3:B:114:ARG:NH2	1:A:389:GLU:OE1	2.48	0.47
2:F:10:THR:HB	2:F:28:THR:HB	1.96	0.47
1:D:399:ILE:O	1:D:403:THR:OG1	2.26	0.47
3:H:133:SER:HB3	3:E:149:THR:OG1	2.15	0.47
3:K:78:ASP:N	3:K:78:ASP:OD1	2.48	0.47
1:D:313:SER:O	1:D:416:LYS:N	2.48	0.46
3:E:9:LEU:HB2	3:E:122:GLY:HA2	1.97	0.46
1:D:182:ASP:OD1	1:D:185:ASN:N	2.48	0.46
3:H:45:ALA:HB3	3:H:48:GLN:HB2	1.97	0.46
2:C:137:ASN:HA	2:C:191:PRO:HG2	1.98	0.46
2:L:34:VAL:O	2:L:73:LYS:NZ	2.49	0.46
3:H:156:LEU:HD12	3:H:157:GLY:N	2.31	0.46
3:H:156:LEU:HD12	3:H:156:LEU:C	2.35	0.46
1:D:344:ILE:HG13	1:D:348:LYS:HD2	1.98	0.46
3:H:106:HIS:HB2	3:H:110:TRP:HB2	1.97	0.46
2:C:33:ASP:O	2:C:97:SER:OG	2.34	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:K:20:GLY:N	3:K:91:LEU:O	2.49	0.45
2:F:211:VAL:HG13	3:H:225:VAL:HG22	1.98	0.45
3:H:177:LEU:HD21	3:H:200:VAL:HG11	1.98	0.45
3:B:42:VAL:HG22	3:B:52:TRP:HA	1.98	0.45
2:F:174:SER:O	2:F:182:ALA:N	2.48	0.45
1:J:439:SER:O	1:J:443:LEU:N	2.41	0.45
3:H:104:ASP:OD2	3:H:116:SER:N	2.46	0.45
3:H:156:LEU:CD1	3:H:157:GLY:N	2.80	0.45
3:K:36:ARG:CB	3:K:108:TYR:HB2	2.47	0.45
2:C:42:TRP:N	2:C:55:ILE:O	2.48	0.44
3:H:39:PHE:CG	3:H:84:VAL:HG21	2.52	0.44
3:H:113:TYR:HB2	2:I:39:TYR:CE1	2.52	0.44
2:L:206:HIS:CD2	2:L:207:GLU:HG2	2.53	0.44
3:K:215:ASN:ND2	3:K:226:ASP:OD1	2.46	0.44
2:C:211:VAL:HA	3:K:225:VAL:HG22	2.00	0.43
3:H:96:THR:HG23	3:H:128:THR:HA	2.00	0.43
3:E:114:ARG:HA	3:E:116:SER:H	1.84	0.43
1:D:324:MET:HB3	1:D:328:TYR:CE2	2.53	0.43
1:D:237:ILE:HD12	1:D:285:LEU:HD22	1.99	0.43
3:B:186:ALA:HA	3:B:196:LEU:HB3	2.00	0.43
3:B:218:HIS:ND1	3:B:221:SER:OG	2.35	0.43
1:A:235:ARG:O	1:A:239:ILE:HG13	2.19	0.43
1:D:259:LYS:O	1:D:262:THR:OG1	2.36	0.43
1:G:384:ILE:HG23	1:G:443:LEU:HD22	1.99	0.43
3:H:117:LEU:HD23	3:H:117:LEU:HA	1.83	0.43
3:B:107:ASP:N	3:B:107:ASP:OD1	2.52	0.43
2:C:12:PRO:HA	2:C:13:PRO:HD3	1.92	0.43
1:J:316:CYS:HB3	1:J:419:LEU:HD22	2.01	0.42
3:H:126:LEU:HB3	3:H:167:PRO:HD3	2.00	0.42
3:H:219:LYS:N	3:H:220:PRO:HD2	2.35	0.42
2:L:37:PHE:O	2:L:73:LYS:NZ	2.50	0.42
1:D:380:GLU:O	1:D:384:ILE:HG12	2.20	0.42
3:K:186:ALA:HA	3:K:196:LEU:HB3	2.01	0.42
2:F:68:ARG:NH2	2:F:86:GLN:OE1	2.53	0.42
2:I:158:LYS:HG2	2:I:163:PRO:HA	2.01	0.42
3:B:164:PHE:HA	3:B:165:PRO:HA	1.85	0.42
1:A:227:ASN:O	1:A:231:ASN:ND2	2.34	0.42
3:E:73:VAL:HG22	3:E:88:LEU:HD13	2.02	0.42
1:J:358:ILE:HD13	1:J:361:ILE:HD11	2.02	0.42
2:L:122:PRO:HD3	2:L:206:HIS:ND1	2.35	0.42
1:D:352:LEU:HD23	3:E:36:ARG:HD3	2.01	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	$distance (\text{\AA})$	overlap (Å)
2:F:122:PRO:HB3	2:F:148:PHE:HB3	2.00	0.41
2:L:98:TYR:HE1	3:K:115:PRO:HD2	1.85	0.41
3:E:44:GLN:HB2	3:E:50:LEU:HD23	2.02	0.41
1:D:319:ASN:OD1	1:D:319:ASN:N	2.53	0.41
1:D:195:HIS:CD2	1:D:237:ILE:HG13	2.55	0.41
2:I:27:CYS:N	2:I:78:ALA:O	2.51	0.41
3:H:110:TRP:NE1	2:I:57:GLU:OE2	2.44	0.41
2:I:73:LYS:HA	2:I:78:ALA:HA	2.02	0.41
2:I:141:LEU:HB2	2:I:187:LEU:HB3	2.03	0.41
3:H:137:PRO:HB3	3:H:163:TYR:HB3	2.01	0.41
2:L:54:ILE:HG22	2:L:55:ILE:HG12	2.02	0.41
2:I:42:TRP:HB2	2:I:55:ILE:HB	2.03	0.41
2:C:33:ASP:OD1	2:C:33:ASP:N	2.47	0.41
3:H:59:ILE:HD12	3:H:59:ILE:HA	1.96	0.41
3:E:39:PHE:CG	3:E:84:VAL:HG21	2.55	0.41
3:B:45:ALA:HB3	3:B:48:GLN:HG3	2.03	0.40
3:E:144:PRO:HB3	3:E:156:LEU:HB3	2.02	0.40
3:B:11:GLN:HA	3:B:27:CYS:HA	2.03	0.40
2:F:27:CYS:N	2:F:78:ALA:O	2.53	0.40
2:L:176:GLN:N	2:L:180:LYS:O	2.54	0.40
1:D:381:MET:HB3	1:D:381:MET:HE2	2.01	0.40
1:D:173:ASP:HA	1:D:248:LYS:HE2	2.02	0.40
1:D:397:HIS:CD2	1:D:401:GLN:HG3	2.56	0.40
1:J:178:PHE:HB2	1:J:191:GLN:NE2	2.37	0.40
3:H:116:SER:H	3:H:116:SER:HG	1.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	А	291/307~(95%)	283 (97%)	8(3%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	D	290/307~(94%)	279~(96%)	11 (4%)	0	100	100
1	G	288/307~(94%)	279~(97%)	9~(3%)	0	100	100
1	J	287/307~(94%)	276~(96%)	11 (4%)	0	100	100
2	С	209/221~(95%)	197 (94%)	12~(6%)	0	100	100
2	F	210/221~(95%)	195~(93%)	15 (7%)	0	100	100
2	Ι	210/221~(95%)	193 (92%)	17 (8%)	0	100	100
2	L	209/221~(95%)	189 (90%)	20 (10%)	0	100	100
3	В	216/241~(90%)	203 (94%)	13 (6%)	0	100	100
3	Е	220/241~(91%)	207~(94%)	13 (6%)	0	100	100
3	Н	214/241~(89%)	203~(95%)	11 (5%)	0	100	100
3	К	211/241 (88%)	203 (96%)	8 (4%)	0	100	100
All	All	2855/3076 (93%)	2707 (95%)	148 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	207/286~(72%)	206 (100%)	1 (0%)	88	95
1	D	212/286~(74%)	211 (100%)	1 (0%)	88	95
1	G	128/286~(45%)	128 (100%)	0	100	100
1	J	121/286~(42%)	121 (100%)	0	100	100
2	С	145/188~(77%)	143~(99%)	2(1%)	67	85
2	F	148/188~(79%)	148 (100%)	0	100	100
2	Ι	138/188~(73%)	138 (100%)	0	100	100
2	L	134/188~(71%)	133~(99%)	1 (1%)	84	93
3	В	149/206~(72%)	147 (99%)	2(1%)	69	86
3	Е	151/206~(73%)	149 (99%)	2(1%)	69	86





Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	Н	143/206~(69%)	141 (99%)	2(1%)	67 85
3	Κ	131/206~(64%)	129~(98%)	2(2%)	65 84
All	All	1807/2720~(66%)	1794 (99%)	13 (1%)	84 93

Continued from previous page...

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	D	335	MET
2	С	37	PHE
2	С	53	LEU
3	В	108	TYR
3	В	110	TRP
3	Н	34	PHE
3	Н	182	HIS
2	L	45	TYR
1	А	379	LYS
3	Κ	113	TYR
3	Κ	182	HIS
3	Е	23	MET
3	Ε	108	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	367	ASN
3	Е	189	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	# RSRZ	>2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	А	293/307~(95%)	0.26	7 (2%) 59	55	52, 68, 88, 106	0
1	D	292/307~(95%)	0.13	5 (1%) 70	66	51, 67, 84, 103	0
1	G	290/307~(94%)	0.28	11 (3%) 40	37	54, 85, 116, 135	0
1	J	289/307~(94%)	0.04	6 (2%) 63	60	67, 86, 100, 119	0
2	С	211/221~(95%)	0.33	3 (1%) 75	71	42, 72, 86, 102	0
2	F	212/221~(95%)	0.31	3 (1%) 75	71	43, 66, 88, 120	0
2	Ι	212/221~(95%)	0.34	7 (3%) 46	43	57, 75, 93, 108	0
2	L	211/221~(95%)	0.32	7 (3%) 46	43	48, 76, 97, 106	0
3	В	222/241~(92%)	0.22	4 (1%) 68	64	47, 65, 82, 103	0
3	Ε	224/241~(92%)	0.26	4 (1%) 68	64	41, 68, 82, 99	0
3	Н	218/241~(90%)	0.37	8 (3%) 41	39	54, 74, 93, 110	0
3	Κ	217/241~(90%)	0.51	12 (5%) 25	24	57, 85, 115, 122	0
All	All	2891/3076~(93%)	0.27	77 (2%) 54	51	41, 74, 98, 135	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	224	THR	5.7
3	Κ	83	THR	4.4
1	G	413	GLN	4.1
3	Κ	50	LEU	3.6
3	Н	199	VAL	3.5
3	Н	180	GLY	3.5
3	Е	172	TRP	3.4
3	Κ	16	VAL	3.3
2	Ι	120	PRO	3.3
2	F	116	VAL	3.2
3	Κ	75	ILE	3.1



Mol	Chain	Res	Type	RSRZ
1	D	171	THR	3.1
1	А	318	THR	3.1
3	Н	209	THR	3.0
1	G	325	ILE	2.9
1	А	313	SER	2.9
2	Ι	116	VAL	2.9
2	Ι	71	GLY	2.9
1	G	263	GLN	2.8
1	А	408	GLY	2.8
3	Н	40	SER	2.7
2	Ι	126	CYS	2.7
2	L	83	SER	2.7
1	D	172	THR	2.6
3	Κ	145	SER	2.6
2	Ι	183	ALA	2.6
2	L	66	PRO	2.6
1	G	175	ILE	2.6
1	А	172	THR	2.5
3	Н	179	SER	2.5
3	Н	127	VAL	2.5
1	J	356	ASP	2.5
1	G	324	MET	2.4
1	А	258	GLN	2.4
3	Κ	128	THR	2.4
1	G	281	PHE	2.3
2	Ι	211	VAL	2.3
1	G	251	ILE	2.3
2	L	82	ILE	2.3
2	L	28	THR	2.3
1	G	264	ARG	2.3
3	Н	171	SER	2.3
3	Κ	89	SER	2.2
2	L	22	SER	2.2
1	G	314	GLN	2.2
1	А	191	GLN	2.2
3	Е	112	SER	2.2
3	Κ	140	PHE	2.2
3	Е	53	MET	2.2
1	D	222	HIS	2.2
3	В	88	LEU	2.1
1	D	224	THR	2.1
3	В	41	TRP	2.1



Mol	Chain	Res	Type	RSRZ
3	В	209	THR	2.1
2	L	217	PRO	2.1
2	С	116	VAL	2.1
1	А	253	ILE	2.1
1	J	208	TYR	2.1
2	С	142	VAL	2.1
3	Н	229	VAL	2.1
1	J	321	TYR	2.1
1	G	250	LEU	2.1
3	Κ	70	LYS	2.1
3	Κ	77	ALA	2.1
2	L	16	SER	2.1
1	D	196	PHE	2.0
2	С	188	SER	2.0
2	F	69	PHE	2.0
1	J	179	ASP	2.0
2	F	194	TRP	2.0
1	G	211	TYR	2.0
3	Е	225	VAL	2.0
1	J	180	ILE	2.0
3	К	159	LEU	2.0
3	К	69	PHE	2.0
3	В	102	ALA	2.0
2	Ι	36	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

