



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 24, 2024 – 06:19 PM JST

PDB ID : 8WUL
Title : Crystal structure of affinity enhanced TCR in complex with HLA-A*11:01 bound to KRAS-G12V peptide (VVGAVGVGK)
Authors : Zhang, M.Y.; Luo, L.J.; Xu, W.; Guan, F.H.; Wang, X.Y.; Zhu, P.; Zhang, J.H.; Zhou, X.Y.; Wang, F.; Ye, S.
Deposited on : 2023-10-20
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	198	 12% 80% 8% • 12%
1	C	198	 10% 80% 8% • 12%
1	E	198	 17% 79% 10% 11%
1	G	198	 14% 77% 11% • 11%
2	B	239	 6% 93% 6% •
2	D	239	 3% 90% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	239	
2	H	239	
3	I	274	
3	L	274	
3	O	274	
3	R	274	
4	J	99	
4	M	99	
4	P	99	
4	S	99	
5	K	9	
5	N	9	
5	Q	9	
5	T	9	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 26016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TCR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	175	1362	850	232	269	11	0	0	0
1	A	175	1362	850	232	269	11	0	0	0
1	E	176	1371	855	234	271	11	0	0	0
1	G	177	1380	860	236	273	11	0	0	0

- Molecule 2 is a protein called TCR beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	239	1923	1219	335	359	10	0	0	0
2	B	237	1909	1211	333	355	10	0	0	0
2	F	239	1923	1219	335	359	10	0	0	0
2	H	238	1915	1215	334	356	10	0	0	0

- Molecule 3 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	L	274	2235	1389	407	430	9	0	0	0
3	I	274	2235	1389	407	430	9	0	0	0
3	O	274	2235	1389	407	430	9	0	0	0
3	R	274	2235	1389	407	430	9	0	0	0

- Molecule 4 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	M	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			
4	J	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			
4	P	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			
4	S	99	Total	C	N	O	S	0	0	0
			828	528	140	157	3			

- Molecule 5 is a protein called KRAS-G12V nonamer peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	N	9	Total	C	N	O	0	0	0
			54	35	10	9			
5	K	9	Total	C	N	O	0	0	0
			54	35	10	9			
5	Q	9	Total	C	N	O	0	0	0
			54	35	10	9			
5	T	9	Total	C	N	O	0	0	0
			54	35	10	9			

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	14	Total	O	0	0
			14	14		
6	D	26	Total	O	0	0
			26	26		
6	A	18	Total	O	0	0
			18	18		
6	B	29	Total	O	0	0
			29	29		
6	E	20	Total	O	0	0
			20	20		
6	F	26	Total	O	0	0
			26	26		
6	G	18	Total	O	0	0
			18	18		
6	H	32	Total	O	0	0
			32	32		
6	L	33	Total	O	0	0
			33	33		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	M	12	Total 12	O 12	0	0
6	N	1	Total 1	O 1	0	0
6	I	31	Total 31	O 31	0	0
6	J	3	Total 3	O 3	0	0
6	O	51	Total 51	O 51	0	0
6	P	26	Total 26	O 26	0	0
6	R	53	Total 53	O 53	0	0
6	S	10	Total 10	O 10	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TCR alpha chain




- Molecule 1: TCR alpha chain




- Molecule 1: TCR alpha chain




- Molecule 1: TCR alpha chain








• Molecule 2: TCR beta chain





• Molecule 2: TCR beta chain



• Molecule 2: TCR beta chain




• Molecule 2: TCR beta chain




• Molecule 3: MHC class I antigen




• Molecule 3: MHC class I antigen








- Molecule 3: MHC class I antigen





- Molecule 3: MHC class I antigen





- Molecule 4: Beta-2-microglobulin




- Molecule 4: Beta-2-microglobulin



- Molecule 4: Beta-2-microglobulin




- Molecule 4: Beta-2-microglobulin






- Molecule 5: KRAS-G12V nonamer peptide





- Molecule 5: KRAS-G12V nonamer peptide



- Molecule 5: KRAS-G12V nonamer peptide



- Molecule 5: KRAS-G12V nonamer peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	87.75Å 96.33Å 123.12Å 94.56° 90.63° 93.20°	Depositor
Resolution (Å)	29.67 – 2.36 29.95 – 2.36	Depositor EDS
% Data completeness (in resolution range)	97.9 (29.67-2.36) 97.8 (29.95-2.36)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.36Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.190 , 0.235 0.191 , 0.235	Depositor DCC
R_{free} test set	8042 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	52.0	Xtrriage
Anisotropy	0.346	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 42.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	26016	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.87 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.7639e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/1393	0.46	0/1885
1	C	0.26	0/1393	0.46	0/1885
1	E	0.25	0/1402	0.46	0/1897
1	G	0.25	0/1411	0.47	0/1909
2	B	0.25	0/1963	0.42	0/2659
2	D	0.25	0/1977	0.43	0/2679
2	F	0.25	0/1977	0.43	0/2679
2	H	0.25	0/1969	0.43	0/2668
3	I	0.24	0/2296	0.43	0/3117
3	L	0.24	0/2296	0.43	0/3117
3	O	0.24	0/2296	0.43	0/3117
3	R	0.23	0/2296	0.43	0/3117
4	J	0.23	0/851	0.44	0/1152
4	M	0.24	0/851	0.45	0/1152
4	P	0.24	0/851	0.45	0/1152
4	S	0.24	0/851	0.45	0/1152
5	K	0.25	0/53	0.43	0/70
5	N	0.23	0/53	0.45	0/70
5	Q	0.26	0/53	0.40	0/70
5	T	0.25	0/53	0.41	0/70
All	All	0.25	0/26285	0.44	0/35617

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1362	0	1313	9	0
1	C	1362	0	1313	9	0
1	E	1371	0	1321	10	0
1	G	1380	0	1332	15	0
2	B	1909	0	1843	9	0
2	D	1923	0	1856	12	0
2	F	1923	0	1856	8	0
2	H	1915	0	1852	13	0
3	I	2235	0	2085	21	0
3	L	2235	0	2085	16	0
3	O	2235	0	2085	10	0
3	R	2235	0	2085	9	0
4	J	828	0	794	9	0
4	M	828	0	794	5	0
4	P	828	0	794	3	0
4	S	828	0	794	5	0
5	K	54	0	65	0	0
5	N	54	0	65	3	0
5	Q	54	0	65	0	0
5	T	54	0	65	0	0
6	A	18	0	0	0	0
6	B	29	0	0	1	0
6	C	14	0	0	0	0
6	D	26	0	0	0	0
6	E	20	0	0	0	0
6	F	26	0	0	0	0
6	G	18	0	0	0	0
6	H	32	0	0	0	0
6	I	31	0	0	0	0
6	J	3	0	0	0	0
6	L	33	0	0	0	0
6	M	12	0	0	0	0
6	N	1	0	0	0	0
6	O	51	0	0	0	0
6	P	26	0	0	0	0
6	R	53	0	0	1	0
6	S	10	0	0	0	0
All	All	26016	0	24462	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:159:CYS:HB3	2:H:188:ARG:HH12	1.51	0.76
3:R:200:THR:HG22	3:R:248:VAL:HG12	1.74	0.69
3:L:32:GLN:NE2	4:M:53:ASP:OD2	2.27	0.66
1:C:66:ASN:ND2	1:E:12:ILE:O	2.29	0.65
2:H:179:SER:HG	2:H:182:SER:HG	1.41	0.64
1:C:21:LEU:HD22	1:C:105:THR:HG21	1.80	0.64
4:M:36:GLU:HG3	4:M:83:ASN:HB3	1.80	0.63
3:L:189:MET:HE2	3:L:274:TRP:HB2	1.81	0.61
1:A:31:ASP:HA	1:A:67:LYS:HD3	1.82	0.61
3:R:266:LEU:HD13	3:R:270:LEU:HD13	1.83	0.60
4:J:39:LEU:HD23	4:J:80:CYS:HB3	1.83	0.60
3:O:220:ASP:OD2	3:O:256:ARG:NH1	2.35	0.59
1:G:111:PRO:HG3	1:G:160:VAL:HG11	1.85	0.59
3:O:114:ARG:NH1	3:O:116:ASP:OD1	2.36	0.59
3:R:230:LEU:HD11	3:R:243:LYS:HE2	1.85	0.58
4:P:39:LEU:HD23	4:P:80:CYS:HB3	1.84	0.58
2:D:192:SER:HB2	2:D:195:PHE:H	1.69	0.57
1:G:137:THR:OG1	2:H:190:ARG:NH2	2.38	0.57
4:J:19:LYS:NZ	4:J:20:SER:O	2.37	0.57
3:I:214:THR:HB	3:I:262:GLN:HB2	1.87	0.57
4:S:39:LEU:HD23	4:S:80:CYS:HB3	1.86	0.57
3:L:35:ARG:HH11	3:L:48:ARG:HH21	1.51	0.56
1:G:140:ASP:HB3	1:G:143:ILE:HD13	1.88	0.56
1:C:165:ALA:HB3	1:C:168:SER:HB2	1.88	0.54
4:J:20:SER:HA	4:J:71:THR:HG22	1.89	0.54
1:C:32:TYR:HB3	1:C:51:PHE:HA	1.89	0.54
1:E:55:GLU:HG3	1:E:64:HIS:CD2	2.42	0.54
3:R:131:ARG:NH1	6:R:302:HOH:O	2.41	0.54
2:D:224:LYS:HG3	2:D:226:VAL:HG13	1.89	0.54
3:I:220:ASP:OD2	3:I:256:ARG:NH2	2.41	0.53
1:A:32:TYR:HB3	1:A:51:PHE:HA	1.91	0.53
3:I:218:GLN:HG2	3:I:223:ASP:HA	1.90	0.53
3:L:5:MET:HB2	3:L:168:LEU:HD13	1.90	0.53
4:M:45:ARG:NH1	4:M:47:GLU:OE1	2.42	0.53
1:A:21:LEU:HD22	1:A:105:THR:HG21	1.91	0.53
2:H:171:THR:HG23	2:H:187:SER:HB2	1.90	0.52
1:A:28:ARG:NH1	3:I:166:GLU:OE2	2.41	0.52
3:I:196:ASP:OD1	3:I:196:ASP:N	2.40	0.52
3:O:189:MET:HE2	3:O:201:LEU:HD22	1.91	0.51
3:I:216:THR:HB	3:I:260:HIS:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:19:ALA:HB3	1:C:76:ILE:HB	1.92	0.51
3:R:227:ASP:HB3	3:R:248:VAL:HG22	1.93	0.51
3:L:216:THR:HG23	3:L:260:HIS:HB2	1.93	0.51
1:E:111:PRO:HG3	1:E:160:VAL:HG11	1.92	0.50
2:F:139:LYS:HD2	2:F:190:ARG:HH21	1.76	0.50
1:G:150:GLU:HB3	1:G:153:THR:HG22	1.93	0.50
1:G:38:GLN:HB3	1:G:44:PRO:HA	1.92	0.50
1:C:27:ASP:HB3	1:C:30:VAL:HG23	1.94	0.50
3:R:187:THR:HG22	3:R:272:LEU:HD22	1.93	0.50
2:D:19:LEU:HD22	2:D:108:THR:HG21	1.93	0.49
1:E:93:SER:O	1:E:96:SER:OG	2.30	0.49
2:D:153:HIS:HB3	2:D:210:HIS:HB2	1.93	0.49
2:B:57:THR:HG22	2:B:59:SER:H	1.77	0.49
2:B:150:PHE:HA	6:B:303:HOH:O	2.11	0.49
3:L:35:ARG:HG2	3:L:48:ARG:HG2	1.94	0.49
1:C:129:GLN:HG3	1:C:130:ASP:H	1.76	0.49
2:B:128:GLU:OE1	2:B:237:ARG:NH2	2.38	0.49
1:E:19:ALA:HB3	1:E:76:ILE:HB	1.93	0.49
2:H:211:GLY:H	2:H:227:THR:HG22	1.77	0.49
2:D:22:GLU:OE1	2:D:71:HIS:NE2	2.46	0.49
4:P:45:ARG:NH2	4:P:47:GLU:OE2	2.46	0.48
3:O:200:THR:HG22	3:O:248:VAL:HG22	1.95	0.48
2:F:215:GLU:N	2:F:215:GLU:OE1	2.44	0.48
3:L:109:PHE:HB2	3:L:165:VAL:HG21	1.94	0.48
1:G:50:ILE:HD12	1:G:63:VAL:HG13	1.95	0.48
2:H:153:HIS:HB3	2:H:210:HIS:HB2	1.95	0.48
3:I:5:MET:HB2	3:I:168:LEU:HD13	1.95	0.47
2:F:81:PRO:HA	2:F:112:VAL:HB	1.97	0.47
1:A:27:ASP:HB3	1:A:30:VAL:HG23	1.96	0.47
2:H:237:ARG:NH1	2:H:238:ALA:O	2.47	0.47
1:G:32:TYR:HB3	1:G:51:PHE:HA	1.95	0.47
3:I:187:THR:HG21	3:I:261:VAL:HG21	1.97	0.47
3:I:99:TYR:HB3	3:I:114:ARG:HG3	1.97	0.47
3:I:192:HIS:NE2	4:J:98:ASP:O	2.48	0.47
3:R:117:ALA:HB2	4:S:60:TRP:CE2	2.50	0.47
1:A:140:ASP:HB3	1:A:143:ILE:HG23	1.97	0.46
3:I:117:ALA:HB2	4:J:60:TRP:CE2	2.50	0.46
2:D:171:THR:HG23	2:D:187:SER:HB2	1.98	0.45
4:J:37:VAL:HG22	4:J:82:VAL:HG22	1.97	0.45
3:O:117:ALA:HB2	4:P:60:TRP:CE2	2.50	0.45
2:D:81:PRO:HA	2:D:112:VAL:HB	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:GLY:HA3	2:B:188:ARG:NH1	2.32	0.45
2:H:19:LEU:HD22	2:H:108:THR:HG21	1.99	0.45
1:E:139:PHE:HB2	1:E:143:ILE:HD12	1.98	0.45
3:I:207:GLY:HA2	3:I:240:THR:HB	1.99	0.45
1:G:56:LYS:HB3	1:G:63:VAL:HG12	1.99	0.45
2:H:122:PRO:HB3	2:H:149:PHE:HB3	1.99	0.45
3:L:189:MET:HE3	3:L:201:LEU:HB3	1.98	0.45
3:I:266:LEU:HD13	3:I:270:LEU:HD13	1.99	0.44
3:R:9:TYR:HB2	3:R:97:ILE:HB	1.99	0.44
1:G:90:ALA:HB2	1:G:101:PHE:CD1	2.53	0.44
3:O:219:ARG:HE	3:O:256:ARG:HH11	1.65	0.44
2:B:81:PRO:HA	2:B:112:VAL:HB	2.00	0.44
3:I:64:THR:HG22	3:I:68:LYS:HE2	1.98	0.44
4:S:23:LEU:O	4:S:67:TYR:HA	2.18	0.44
2:D:122:PRO:HB3	2:D:149:PHE:HB3	1.98	0.44
1:C:22:ASN:OD1	1:C:23:CYS:N	2.51	0.43
3:I:228:THR:HA	3:I:247:VAL:HG12	1.99	0.43
1:G:140:ASP:OD1	1:G:141:SER:N	2.52	0.43
2:F:198:ASN:HB3	2:F:201:ASN:ND2	2.33	0.43
1:G:161:LEU:HD23	2:H:188:ARG:NE	2.33	0.43
3:I:189:MET:HE3	3:I:201:LEU:HB3	2.01	0.43
3:R:202:ARG:HG3	3:R:246:ALA:HB2	2.01	0.43
3:O:9:TYR:CE2	3:O:70:GLN:HG2	2.54	0.43
2:B:41:LEU:HD23	2:B:41:LEU:HA	1.84	0.43
3:I:185:PRO:HD2	3:I:266:LEU:HG	2.01	0.43
1:A:94:SER:O	3:I:163:ARG:HD2	2.19	0.42
1:E:129:GLN:HG2	1:E:130:ASP:H	1.82	0.42
1:E:174:ILE:HD11	2:F:188:ARG:HH12	1.84	0.42
3:L:228:THR:HG22	3:L:247:VAL:HG12	2.01	0.42
3:O:219:ARG:HE	3:O:256:ARG:NH1	2.16	0.42
3:O:230:LEU:HD11	3:O:243:LYS:HE3	2.01	0.42
3:L:35:ARG:HH11	3:L:48:ARG:NH2	2.15	0.42
1:G:164:LYS:HB3	1:G:164:LYS:HE2	1.67	0.42
3:I:189:MET:HE2	3:I:201:LEU:HD22	2.00	0.42
2:D:95:ARG:NH2	5:N:4:ALA:O	2.53	0.42
2:D:202:HIS:HB3	2:D:235:TRP:CD1	2.55	0.41
1:G:166:MET:HG3	1:G:167:ASP:H	1.85	0.41
2:H:41:LEU:HD23	2:H:41:LEU:HA	1.88	0.41
2:B:123:LYS:HE3	2:B:123:LYS:HB2	1.91	0.41
3:L:192:HIS:NE2	4:M:98:ASP:O	2.52	0.41
3:I:222:GLU:OE1	3:I:222:GLU:N	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:202:HIS:CE1	2:F:233:GLU:HB3	2.55	0.41
1:A:133:LEU:HB3	1:A:176:TRP:HB3	2.03	0.41
3:L:159:TYR:CE1	5:N:3:GLY:HA3	2.55	0.41
3:L:220:ASP:OD2	3:L:256:ARG:NH1	2.54	0.41
3:I:154:GLU:OE1	3:I:154:GLU:N	2.48	0.41
4:S:6:LYS:O	4:S:27:VAL:HA	2.20	0.41
2:B:172:ASP:HB2	2:B:185:LEU:HD12	2.03	0.41
2:H:211:GLY:N	2:H:227:THR:HG22	2.36	0.41
3:L:117:ALA:HB2	4:M:60:TRP:CE2	2.55	0.41
3:O:5:MET:HB2	3:O:168:LEU:HD13	2.03	0.41
3:L:99:TYR:CE1	5:N:4:ALA:HB2	2.56	0.41
2:B:122:PRO:HB3	2:B:149:PHE:HB3	2.03	0.40
3:L:15:PRO:HB3	3:L:89:GLU:O	2.22	0.40
1:C:88:LEU:HD13	2:D:41:LEU:HD12	2.04	0.40
2:F:41:LEU:HD23	2:F:41:LEU:HA	1.90	0.40
1:G:13:VAL:HG21	1:G:19:ALA:HB2	2.03	0.40
1:E:27:ASP:HB3	1:E:30:VAL:HG23	2.04	0.40
4:S:20:SER:HA	4:S:71:THR:HG22	2.04	0.40
2:D:121:PRO:HD3	2:D:225:PRO:HB3	2.03	0.40
2:H:43:PHE:CZ	2:H:46:SER:HB2	2.57	0.40
4:J:38:ASP:N	4:J:38:ASP:OD1	2.54	0.40
1:E:154:PHE:O	1:E:175:ALA:HA	2.22	0.40
2:F:177:LYS:HE3	2:F:180:ASN:HA	2.04	0.40
4:J:6:LYS:O	4:J:27:VAL:HA	2.21	0.40
4:J:73:THR:O	4:J:97:ARG:NH2	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	173/198 (87%)	166 (96%)	7 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	173/198 (87%)	170 (98%)	3 (2%)	0	100	100
1	E	174/198 (88%)	171 (98%)	3 (2%)	0	100	100
1	G	175/198 (88%)	170 (97%)	5 (3%)	0	100	100
2	B	235/239 (98%)	228 (97%)	7 (3%)	0	100	100
2	D	237/239 (99%)	226 (95%)	11 (5%)	0	100	100
2	F	237/239 (99%)	226 (95%)	11 (5%)	0	100	100
2	H	236/239 (99%)	227 (96%)	9 (4%)	0	100	100
3	I	272/274 (99%)	267 (98%)	5 (2%)	0	100	100
3	L	272/274 (99%)	267 (98%)	5 (2%)	0	100	100
3	O	272/274 (99%)	269 (99%)	3 (1%)	0	100	100
3	R	272/274 (99%)	263 (97%)	9 (3%)	0	100	100
4	J	97/99 (98%)	94 (97%)	3 (3%)	0	100	100
4	M	97/99 (98%)	97 (100%)	0	0	100	100
4	P	97/99 (98%)	96 (99%)	1 (1%)	0	100	100
4	S	97/99 (98%)	97 (100%)	0	0	100	100
5	K	7/9 (78%)	5 (71%)	1 (14%)	1 (14%)	0	0
5	N	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
5	Q	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
5	T	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
All	All	3144/3276 (96%)	3054 (97%)	89 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	K	3	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	156/178 (88%)	154 (99%)	2 (1%)	69	80
1	C	156/178 (88%)	155 (99%)	1 (1%)	86	93
1	E	157/178 (88%)	155 (99%)	2 (1%)	69	80
1	G	158/178 (89%)	156 (99%)	2 (1%)	69	80
2	B	210/211 (100%)	210 (100%)	0	100	100
2	D	211/211 (100%)	210 (100%)	1 (0%)	88	94
2	F	211/211 (100%)	211 (100%)	0	100	100
2	H	210/211 (100%)	209 (100%)	1 (0%)	88	94
3	I	231/231 (100%)	229 (99%)	2 (1%)	78	87
3	L	231/231 (100%)	230 (100%)	1 (0%)	91	95
3	O	231/231 (100%)	230 (100%)	1 (0%)	91	95
3	R	231/231 (100%)	228 (99%)	3 (1%)	69	80
4	J	94/94 (100%)	94 (100%)	0	100	100
4	M	94/94 (100%)	94 (100%)	0	100	100
4	P	94/94 (100%)	93 (99%)	1 (1%)	73	84
4	S	94/94 (100%)	94 (100%)	0	100	100
5	K	5/5 (100%)	5 (100%)	0	100	100
5	N	5/5 (100%)	5 (100%)	0	100	100
5	Q	5/5 (100%)	5 (100%)	0	100	100
5	T	5/5 (100%)	5 (100%)	0	100	100
All	All	2789/2876 (97%)	2772 (99%)	17 (1%)	86	93

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	32	TYR
2	D	31	TYR
1	A	32	TYR
1	A	159	CYS
1	E	32	TYR
1	E	161	LEU
1	G	32	TYR
1	G	38	GLN
2	H	147	ARG
3	L	116	ASP
3	I	35	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	I	116	ASP
3	O	35	ARG
4	P	70	PHE
3	R	113	TYR
3	R	114	ARG
3	R	116	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	175/198 (88%)	0.71	24 (13%) 3 4	42, 74, 150, 211	0
1	C	175/198 (88%)	0.70	20 (11%) 5 7	44, 70, 132, 180	0
1	E	176/198 (88%)	0.99	33 (18%) 1 2	42, 70, 168, 230	0
1	G	177/198 (89%)	0.94	27 (15%) 2 3	41, 74, 153, 212	0
2	B	237/239 (99%)	0.40	14 (5%) 22 33	36, 75, 123, 146	0
2	D	239/239 (100%)	0.25	7 (2%) 51 62	39, 65, 105, 151	0
2	F	239/239 (100%)	0.41	15 (6%) 20 29	41, 76, 126, 176	0
2	H	238/239 (99%)	0.38	15 (6%) 20 29	37, 67, 126, 168	0
3	I	274/274 (100%)	0.31	13 (4%) 31 44	37, 65, 131, 165	0
3	L	274/274 (100%)	0.30	14 (5%) 28 40	39, 66, 100, 137	0
3	O	274/274 (100%)	0.12	6 (2%) 62 72	34, 57, 98, 121	0
3	R	274/274 (100%)	0.34	14 (5%) 28 40	39, 63, 140, 179	0
4	J	99/99 (100%)	0.72	12 (12%) 4 7	49, 90, 125, 152	0
4	M	99/99 (100%)	0.11	3 (3%) 50 61	46, 68, 93, 115	0
4	P	99/99 (100%)	-0.05	2 (2%) 65 75	39, 59, 88, 107	0
4	S	99/99 (100%)	0.28	3 (3%) 50 61	53, 78, 110, 121	0
5	K	9/9 (100%)	1.24	0 100 100	40, 44, 52, 53	0
5	N	9/9 (100%)	1.56	4 (44%) 0 0	43, 44, 51, 53	0
5	Q	9/9 (100%)	1.48	1 (11%) 5 8	36, 41, 46, 47	0
5	T	9/9 (100%)	1.96	4 (44%) 0 0	44, 48, 54, 56	0
All	All	3184/3276 (97%)	0.43	231 (7%) 15 22	34, 68, 129, 230	0

All (231) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	149	MET	8.7
1	E	166	MET	7.7
1	C	149	MET	7.1
1	G	149	MET	7.1
1	A	149	MET	6.6
1	G	131	SER	6.4
1	E	165	ALA	6.4
1	G	153	THR	6.3
1	E	129	GLN	6.3
1	A	166	MET	6.2
1	E	150	GLU	6.1
1	G	167	ASP	6.1
1	G	166	MET	5.9
1	C	129	GLN	5.7
1	C	166	MET	5.6
1	A	165	ALA	5.4
2	F	176	TYR	5.3
1	E	153	THR	5.2
2	F	239	ASP	5.2
3	R	225	THR	5.0
1	E	152	GLY	5.0
1	A	167	ASP	5.0
1	E	164	LYS	5.0
1	C	167	ASP	4.9
1	E	148	THR	4.9
1	E	140	ASP	4.9
2	D	200	ARG	4.8
2	H	176	TYR	4.8
1	G	130	ASP	4.8
1	G	114	GLN	4.8
1	E	167	ASP	4.7
1	A	129	GLN	4.7
1	E	115	ASN	4.6
1	G	140	ASP	4.6
1	C	151	SER	4.6
3	R	230	LEU	4.6
1	G	150	GLU	4.5
2	B	131	LYS	4.5
3	I	225	THR	4.5
1	A	151	SER	4.4
1	A	150	GLU	4.4
3	R	266	LEU	4.4
1	G	148	THR	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	150	GLU	4.4
1	C	20	SER	4.4
3	R	226	GLN	4.3
3	L	225	THR	4.3
1	G	142	GLN	4.3
1	G	129	GLN	4.2
5	T	4	ALA	4.2
3	I	264	GLU	4.1
1	E	127	ARG	4.1
3	I	226	GLN	4.1
2	F	200	ARG	4.1
3	R	257	TYR	3.9
1	G	154	PHE	3.9
2	F	220	GLU	3.9
1	E	114	GLN	3.9
2	H	201	ASN	3.8
1	C	21	LEU	3.8
1	A	164	LYS	3.8
1	A	140	ASP	3.8
4	M	48	LYS	3.8
1	C	164	LYS	3.8
3	R	261	VAL	3.7
1	E	143	ILE	3.7
1	A	131	SER	3.6
1	A	148	THR	3.6
3	I	266	LEU	3.6
4	M	19	LYS	3.6
4	J	99	MET	3.6
1	E	121	TYR	3.5
1	E	136	PHE	3.5
1	A	130	ASP	3.5
1	E	130	ASP	3.5
2	D	176	TYR	3.5
4	J	19	LYS	3.5
1	G	151	SER	3.5
2	B	220	GLU	3.5
3	R	228	THR	3.4
2	B	200	ARG	3.4
1	C	130	ASP	3.4
4	J	80	CYS	3.4
3	R	224	GLN	3.4
2	H	200	ARG	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	220	GLU	3.3
4	J	22	PHE	3.3
2	F	24	TYR	3.3
1	G	145	VAL	3.3
4	J	49	VAL	3.2
1	A	27	ASP	3.2
1	E	28	ARG	3.2
3	I	268	LYS	3.2
1	A	26	SER	3.2
1	G	147	LYS	3.1
2	H	221	GLY	3.1
1	E	154	PHE	3.1
4	J	48	LYS	3.1
1	E	151	SER	3.1
1	A	132	THR	3.1
1	E	132	THR	3.1
1	E	139	PHE	3.1
3	I	267	PRO	3.0
2	D	58	ALA	3.0
1	G	164	LYS	3.0
3	I	194	ILE	3.0
2	H	69	LYS	3.0
4	P	48	LYS	3.0
1	E	122	GLN	3.0
1	A	136	PHE	3.0
4	J	45	ARG	2.9
1	E	145	VAL	2.9
1	G	144	ASN	2.9
1	E	118	PRO	2.9
1	A	153	THR	2.8
1	C	148	THR	2.8
2	H	220	GLU	2.8
4	J	73	THR	2.8
1	G	165	ALA	2.8
2	F	222	SER	2.8
2	F	162	GLY	2.8
4	M	75	LYS	2.8
2	H	131	LYS	2.8
2	H	214	GLU	2.8
1	A	119	ALA	2.7
3	R	249	VAL	2.7
2	D	141	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	20	SER	2.7
4	S	19	LYS	2.7
1	E	99	LEU	2.7
2	F	188	ARG	2.7
2	H	141	THR	2.7
4	J	14	PRO	2.6
3	R	1	GLY	2.6
3	R	219	ARG	2.6
2	D	38	LYS	2.6
1	E	117	GLU	2.6
1	C	73	SER	2.6
2	B	3	ILE	2.6
1	C	74	LEU	2.6
2	F	195	PHE	2.6
3	I	223	ASP	2.6
4	S	48	LYS	2.5
1	C	136	PHE	2.5
5	T	2	VAL	2.5
1	C	131	SER	2.5
3	L	228	THR	2.5
2	B	142	LEU	2.5
1	A	121	TYR	2.5
4	P	19	LYS	2.5
1	C	19	ALA	2.5
5	N	4	ALA	2.5
3	L	267	PRO	2.5
3	I	197	HIS	2.5
5	N	6	GLY	2.5
3	O	225	THR	2.5
3	O	264	GLU	2.5
4	J	43	GLY	2.5
3	O	265	GLY	2.4
1	C	28	ARG	2.4
2	B	117	ARG	2.4
3	O	226	GLN	2.4
1	E	142	GLN	2.4
3	I	41	ALA	2.4
2	B	181	TYR	2.4
2	F	166	HIS	2.4
2	F	221	GLY	2.4
3	L	177	GLU	2.4
3	L	73	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	155	ILE	2.4
3	L	1	GLY	2.4
3	L	67	VAL	2.4
3	R	256	ARG	2.4
3	O	9	TYR	2.3
1	G	168	SER	2.3
2	H	237	ARG	2.3
3	L	226	GLN	2.3
3	I	228	THR	2.3
2	B	218	TRP	2.3
1	A	139	PHE	2.3
1	A	116	PRO	2.3
2	F	163	LYS	2.3
1	G	136	PHE	2.3
2	H	24	TYR	2.3
2	B	198	ASN	2.3
3	R	267	PRO	2.3
3	L	70	GLN	2.3
1	G	73	SER	2.2
2	B	39	LYS	2.2
3	L	266	LEU	2.2
1	C	114	GLN	2.2
3	L	7	TYR	2.2
3	I	222	GLU	2.2
2	F	214	GLU	2.2
2	H	117	ARG	2.2
1	E	116	PRO	2.2
2	B	215	GLU	2.2
1	C	140	ASP	2.2
1	E	131	SER	2.2
2	F	82	ASP	2.2
3	L	16	GLY	2.2
1	G	19	ALA	2.1
4	J	75	LYS	2.1
2	H	162	GLY	2.1
2	B	31	TYR	2.1
5	T	5	VAL	2.1
3	L	69	ALA	2.1
2	H	142	LEU	2.1
2	B	237	ARG	2.1
1	A	99	LEU	2.1
1	E	163	MET	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	O	224	GLN	2.1
2	B	193	ALA	2.1
5	N	2	VAL	2.1
1	A	32	TYR	2.1
2	H	98	SER	2.1
3	L	91	GLY	2.1
3	R	215	LEU	2.1
3	I	89	GLU	2.1
1	C	22	ASN	2.1
5	T	6	GLY	2.1
4	J	70	PHE	2.1
2	F	141	THR	2.0
4	S	14	PRO	2.0
5	N	5	VAL	2.0
1	G	115	ASN	2.0
1	A	152	GLY	2.0
1	G	132	THR	2.0
5	Q	2	VAL	2.0
1	E	74	LEU	2.0
2	D	117	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.