



Full wwPDB EM Validation Report ⓘ

Oct 6, 2024 – 08:16 AM JST

PDB ID : 7WWM
EMDB ID : EMD-32871
Title : S protein of Delta variant in complex with ZWC6
Authors : Guo, Y.Y.; Zhang, Y.Y.; Zhou, Q.
Deposited on : 2022-02-13
Resolution : 2.80 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1271	
1	B	1271	
1	C	1271	
2	H	122	
2	I	122	
2	J	122	
3	L	107	
3	M	107	
3	N	107	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	2	
4	E	2	
4	F	2	
4	G	2	
4	K	2	
4	O	2	
4	P	2	
4	Q	2	
4	R	2	
4	S	2	
4	T	2	
4	U	2	
4	V	2	
4	W	2	
4	X	2	
4	Y	2	
4	Z	2	
4	a	2	
4	b	2	
4	c	2	
4	d	2	
4	e	2	
4	f	2	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 29536 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	994	7765	4958	1294	1478	35	0	0
1	B	993	7759	4955	1293	1476	35	0	0
1	C	993	7759	4955	1293	1476	35	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	ARG	THR	variant	UNP P0DTC2
A	144	ASP	GLY	variant	UNP P0DTC2
A	?	-	GLU	deletion	UNP P0DTC2
A	?	-	PHE	deletion	UNP P0DTC2
A	158	GLY	ARG	variant	UNP P0DTC2
A	452	ARG	LEU	variant	UNP P0DTC2
A	478	LYS	THR	variant	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	681	ARG	PRO	variant	UNP P0DTC2
A	817	PRO	PHE	engineered mutation	UNP P0DTC2
A	892	PRO	ALA	engineered mutation	UNP P0DTC2
A	899	PRO	ALA	engineered mutation	UNP P0DTC2
A	942	PRO	ALA	engineered mutation	UNP P0DTC2
A	950	ASN	ASP	variant	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	19	ARG	THR	variant	UNP P0DTC2
B	144	ASP	GLY	variant	UNP P0DTC2
B	?	-	GLU	deletion	UNP P0DTC2
B	?	-	PHE	deletion	UNP P0DTC2
B	158	GLY	ARG	variant	UNP P0DTC2
B	452	ARG	LEU	variant	UNP P0DTC2
B	478	LYS	THR	variant	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	681	ARG	PRO	variant	UNP P0DTC2
B	817	PRO	PHE	engineered mutation	UNP P0DTC2
B	892	PRO	ALA	engineered mutation	UNP P0DTC2
B	899	PRO	ALA	engineered mutation	UNP P0DTC2
B	942	PRO	ALA	engineered mutation	UNP P0DTC2
B	950	ASN	ASP	variant	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	19	ARG	THR	variant	UNP P0DTC2
C	144	ASP	GLY	variant	UNP P0DTC2
C	?	-	GLU	deletion	UNP P0DTC2
C	?	-	PHE	deletion	UNP P0DTC2
C	158	GLY	ARG	variant	UNP P0DTC2
C	452	ARG	LEU	variant	UNP P0DTC2
C	478	LYS	THR	variant	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	681	ARG	PRO	variant	UNP P0DTC2
C	817	PRO	PHE	engineered mutation	UNP P0DTC2
C	892	PRO	ALA	engineered mutation	UNP P0DTC2
C	899	PRO	ALA	engineered mutation	UNP P0DTC2
C	942	PRO	ALA	engineered mutation	UNP P0DTC2
C	950	ASN	ASP	variant	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2

- Molecule 2 is a protein called heavy chain of ZWC6.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	120	Total	C	N	O	S	0	0
			934	597	156	177	4		
2	I	120	Total	C	N	O	S	0	0
			934	597	156	177	4		
2	J	120	Total	C	N	O	S	0	0
			934	597	156	177	4		

- Molecule 3 is a protein called heavy chain of ZWC6.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	105	Total	C	N	O	S	0	0
			819	517	141	158	3		
3	M	105	Total	C	N	O	S	0	0
			819	517	141	158	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	N	105	819	517	141	158	3	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	D	2	28	16	2	10	0	0
4	E	2	28	16	2	10	0	0
4	F	2	28	16	2	10	0	0
4	G	2	28	16	2	10	0	0
4	K	2	28	16	2	10	0	0
4	O	2	28	16	2	10	0	0
4	P	2	28	16	2	10	0	0
4	Q	2	28	16	2	10	0	0
4	R	2	28	16	2	10	0	0
4	S	2	28	16	2	10	0	0
4	T	2	28	16	2	10	0	0
4	U	2	28	16	2	10	0	0
4	V	2	28	16	2	10	0	0
4	W	2	28	16	2	10	0	0
4	X	2	28	16	2	10	0	0
4	Y	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	Z	2	Total 28	C 16	N 2	O 10	0	0
4	a	2	Total 28	C 16	N 2	O 10	0	0
4	b	2	Total 28	C 16	N 2	O 10	0	0
4	c	2	Total 28	C 16	N 2	O 10	0	0
4	d	2	Total 28	C 16	N 2	O 10	0	0
4	e	2	Total 28	C 16	N 2	O 10	0	0
4	f	2	Total 28	C 16	N 2	O 10	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0
5	A	1	Total 14	C 8	N 1	O 5	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	A	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	B	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0
5	C	1	Total 14	8	1	5	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein







• Molecule 2: heavy chain of ZWC6




• Molecule 2: heavy chain of ZWC6




• Molecule 2: heavy chain of ZWC6




• Molecule 3: heavy chain of ZWC6



• Molecule 3: heavy chain of ZWC6



• Molecule 3: heavy chain of ZWC6



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%

 MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

 MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

 MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50% 50%

 MAG1
MAG2
MAG3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50% 100%

 MAG1
MAG2
MAG3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50% 50%

 MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%


MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50% 50%

MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	137204	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	4.305	Depositor
Minimum map value	-2.316	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.112	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	313.056, 313.056, 313.056	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/7941	0.58	0/10805
1	B	0.52	0/7935	0.58	0/10797
1	C	0.53	0/7935	0.57	0/10797
2	H	0.52	0/959	0.61	0/1303
2	I	0.52	0/959	0.61	0/1303
2	J	0.52	0/959	0.61	0/1303
3	L	0.43	0/841	0.63	0/1147
3	M	0.43	0/841	0.63	0/1147
3	N	0.43	0/841	0.63	0/1147
All	All	0.52	0/29211	0.58	0/39749

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	976/1271 (77%)	857 (88%)	97 (10%)	22 (2%)	5	19
1	B	975/1271 (77%)	858 (88%)	98 (10%)	19 (2%)	6	23
1	C	975/1271 (77%)	847 (87%)	103 (11%)	25 (3%)	4	16
2	H	118/122 (97%)	91 (77%)	26 (22%)	1 (1%)	16	44
2	I	118/122 (97%)	91 (77%)	26 (22%)	1 (1%)	16	44
2	J	118/122 (97%)	91 (77%)	26 (22%)	1 (1%)	16	44
3	L	103/107 (96%)	79 (77%)	20 (19%)	4 (4%)	2	9
3	M	103/107 (96%)	78 (76%)	21 (20%)	4 (4%)	2	9
3	N	103/107 (96%)	78 (76%)	21 (20%)	4 (4%)	2	9
All	All	3589/4500 (80%)	3070 (86%)	438 (12%)	81 (2%)	7	19

All (81) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	42	VAL
1	A	332	ILE
1	A	333	THR
1	A	388	ASN
1	A	462	LYS
1	A	562	PHE
1	A	701	ALA
1	A	855	PHE
1	B	41	LYS
1	B	42	VAL
1	B	46	SER
1	B	331	ASN
1	B	332	ILE
1	B	333	THR
1	B	388	ASN
1	B	562	PHE
1	C	48	LEU
1	C	330	PRO
1	C	335	LEU
1	C	388	ASN
1	C	530	SER
1	C	562	PHE
1	C	814	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	78	LEU
3	L	79	GLU
3	M	78	LEU
3	M	79	GLU
3	N	78	LEU
3	N	79	GLU
1	A	41	LYS
1	A	160	TYR
1	A	327	VAL
1	B	160	TYR
1	B	530	SER
1	B	742	ILE
1	B	743	CYS
1	C	41	LYS
1	C	43	PHE
1	C	44	ARG
1	C	46	SER
1	C	160	TYR
1	C	338	PHE
1	C	697	MET
1	C	810	SER
1	A	44	ARG
1	A	48	LEU
1	A	532	ASN
1	A	695	TYR
1	A	710	ASN
1	C	42	VAL
1	C	532	ASN
1	C	691	SER
1	A	40	ASP
1	A	531	THR
1	A	561	PRO
1	B	48	LEU
1	B	324	GLU
1	B	561	PRO
1	B	746	SER
1	C	324	GLU
1	C	561	PRO
1	C	813	SER
2	H	53	PHE
2	I	53	PHE
2	J	53	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	40	ASP
1	B	293	LEU
1	C	40	ASP
1	C	47	VAL
1	C	812	PRO
1	A	591	SER
1	C	811	LYS
1	B	294	ASP
1	A	326	ILE
1	A	692	ILE
3	L	80	PRO
3	M	80	PRO
3	N	80	PRO
3	L	95	PRO
3	M	95	PRO
3	N	95	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	871/1112 (78%)	771 (88%)	100 (12%)	4	15
1	B	870/1112 (78%)	787 (90%)	83 (10%)	7	22
1	C	870/1112 (78%)	789 (91%)	81 (9%)	7	23
2	H	99/101 (98%)	98 (99%)	1 (1%)	73	91
2	I	99/101 (98%)	98 (99%)	1 (1%)	73	91
2	J	99/101 (98%)	98 (99%)	1 (1%)	73	91
3	L	91/92 (99%)	87 (96%)	4 (4%)	24	56
3	M	91/92 (99%)	87 (96%)	4 (4%)	24	56
3	N	91/92 (99%)	87 (96%)	4 (4%)	24	56
All	All	3181/3915 (81%)	2902 (91%)	279 (9%)	11	26

All (279) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LYS
1	A	42	VAL
1	A	46	SER
1	A	48	LEU
1	A	97	LYS
1	A	109	THR
1	A	116	SER
1	A	118	LEU
1	A	122	ASN
1	A	137	ASN
1	A	161	SER
1	A	164	ASN
1	A	169	GLU
1	A	195	LYS
1	A	205	SER
1	A	208	THR
1	A	221	SER
1	A	282	ASN
1	A	296	LEU
1	A	301	CYS
1	A	308	VAL
1	A	314	GLN
1	A	315	THR
1	A	319	ARG
1	A	324	GLU
1	A	326	ILE
1	A	329	PHE
1	A	332	ILE
1	A	333	THR
1	A	386	LYS
1	A	390	LEU
1	A	450	ASN
1	A	457	ARG
1	A	459	SER
1	A	488	CYS
1	A	518	LEU
1	A	523	THR
1	A	531	THR
1	A	533	LEU
1	A	540	ASN
1	A	546	LEU
1	A	553	THR
1	A	554	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	556	ASN
1	A	558	LYS
1	A	559	PHE
1	A	564	GLN
1	A	565	PHE
1	A	567	ARG
1	A	568	ASP
1	A	576	VAL
1	A	583	GLU
1	A	591	SER
1	A	592	PHE
1	A	599	THR
1	A	646	ARG
1	A	673	SER
1	A	676	THR
1	A	690	GLN
1	A	696	THR
1	A	702	GLU
1	A	704	SER
1	A	722	VAL
1	A	727	LEU
1	A	729	VAL
1	A	738	CYS
1	A	746	SER
1	A	773	GLU
1	A	785	VAL
1	A	787	GLN
1	A	791	THR
1	A	826	VAL
1	A	855	PHE
1	A	868	GLU
1	A	878	LEU
1	A	883	THR
1	A	900	MET
1	A	902	MET
1	A	916	LEU
1	A	929	SER
1	A	937	SER
1	A	939	SER
1	A	951	VAL
1	A	967	SER
1	A	982	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	994	ASP
1	A	1005	GLN
1	A	1074	ASN
1	A	1076	THR
1	A	1077	THR
1	A	1092	GLU
1	A	1094	VAL
1	A	1100	THR
1	A	1104	VAL
1	A	1123	SER
1	A	1125	ASN
1	A	1132	ILE
1	A	1141	LEU
1	A	1142	GLN
1	A	1144	GLU
1	B	40	ASP
1	B	43	PHE
1	B	46	SER
1	B	48	LEU
1	B	97	LYS
1	B	109	THR
1	B	116	SER
1	B	118	LEU
1	B	122	ASN
1	B	137	ASN
1	B	161	SER
1	B	164	ASN
1	B	169	GLU
1	B	195	LYS
1	B	205	SER
1	B	208	THR
1	B	221	SER
1	B	282	ASN
1	B	296	LEU
1	B	301	CYS
1	B	308	VAL
1	B	314	GLN
1	B	315	THR
1	B	319	ARG
1	B	324	GLU
1	B	328	ARG
1	B	333	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	386	LYS
1	B	390	LEU
1	B	450	ASN
1	B	488	CYS
1	B	518	LEU
1	B	523	THR
1	B	528	LYS
1	B	532	ASN
1	B	540	ASN
1	B	546	LEU
1	B	553	THR
1	B	554	GLU
1	B	556	ASN
1	B	558	LYS
1	B	559	PHE
1	B	564	GLN
1	B	565	PHE
1	B	567	ARG
1	B	568	ASP
1	B	576	VAL
1	B	583	GLU
1	B	599	THR
1	B	646	ARG
1	B	673	SER
1	B	704	SER
1	B	710	ASN
1	B	735	SER
1	B	747	THR
1	B	748	GLU
1	B	779	GLN
1	B	786	LYS
1	B	787	GLN
1	B	791	THR
1	B	808	ASP
1	B	854	LYS
1	B	855	PHE
1	B	856	ASN
1	B	868	GLU
1	B	878	LEU
1	B	912	THR
1	B	916	LEU
1	B	935	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	964	LYS
1	B	968	SER
1	B	969	ASN
1	B	974	SER
1	B	976	VAL
1	B	1030	SER
1	B	1037	SER
1	B	1045	LYS
1	B	1074	ASN
1	B	1094	VAL
1	B	1104	VAL
1	B	1114	ILE
1	B	1126	CYS
1	B	1141	LEU
1	C	40	ASP
1	C	46	SER
1	C	48	LEU
1	C	97	LYS
1	C	109	THR
1	C	116	SER
1	C	118	LEU
1	C	122	ASN
1	C	137	ASN
1	C	161	SER
1	C	164	ASN
1	C	169	GLU
1	C	195	LYS
1	C	205	SER
1	C	208	THR
1	C	221	SER
1	C	282	ASN
1	C	296	LEU
1	C	301	CYS
1	C	308	VAL
1	C	314	GLN
1	C	315	THR
1	C	324	GLU
1	C	328	ARG
1	C	334	ASN
1	C	335	LEU
1	C	336	CYS
1	C	386	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	390	LEU
1	C	450	ASN
1	C	488	CYS
1	C	518	LEU
1	C	523	THR
1	C	530	SER
1	C	531	THR
1	C	533	LEU
1	C	540	ASN
1	C	544	ASN
1	C	546	LEU
1	C	553	THR
1	C	554	GLU
1	C	556	ASN
1	C	558	LYS
1	C	559	PHE
1	C	564	GLN
1	C	565	PHE
1	C	567	ARG
1	C	568	ASP
1	C	576	VAL
1	C	583	GLU
1	C	591	SER
1	C	599	THR
1	C	602	THR
1	C	646	ARG
1	C	673	SER
1	C	690	GLN
1	C	691	SER
1	C	692	ILE
1	C	696	THR
1	C	703	ASN
1	C	727	LEU
1	C	778	THR
1	C	787	GLN
1	C	814	LYS
1	C	816	SER
1	C	856	ASN
1	C	886	TRP
1	C	937	SER
1	C	974	SER
1	C	975	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	976	VAL
1	C	977	LEU
1	C	1017	GLU
1	C	1077	THR
1	C	1094	VAL
1	C	1104	VAL
1	C	1126	CYS
1	C	1129	VAL
1	C	1132	ILE
1	C	1136	THR
1	C	1145	LEU
2	H	46	ASP
3	L	18	ARG
3	L	51	THR
3	L	54	ARG
3	L	78	LEU
2	I	46	ASP
3	M	18	ARG
3	M	51	THR
3	M	54	ARG
3	M	78	LEU
2	J	46	ASP
3	N	18	ARG
3	N	51	THR
3	N	54	ARG
3	N	78	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (77) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	GLN
1	A	137	ASN
1	A	188	ASN
1	A	239	GLN
1	A	317	ASN
1	A	540	ASN
1	A	556	ASN
1	A	564	GLN
1	A	644	GLN
1	A	658	ASN
1	A	703	ASN
1	A	762	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	787	GLN
1	A	901	GLN
1	A	914	ASN
1	A	919	ASN
1	A	926	GLN
1	A	955	ASN
1	A	969	ASN
1	A	978	ASN
1	A	992	GLN
1	A	1125	ASN
1	A	1142	GLN
1	B	134	GLN
1	B	137	ASN
1	B	188	ASN
1	B	239	GLN
1	B	317	ASN
1	B	331	ASN
1	B	394	ASN
1	B	532	ASN
1	B	540	ASN
1	B	556	ASN
1	B	564	GLN
1	B	644	GLN
1	B	655	HIS
1	B	658	ASN
1	B	710	ASN
1	B	804	GLN
1	B	901	GLN
1	B	914	ASN
1	B	919	ASN
1	B	920	GLN
1	B	926	GLN
1	B	992	GLN
1	B	1054	GLN
1	C	134	GLN
1	C	137	ASN
1	C	188	ASN
1	C	239	GLN
1	C	317	ASN
1	C	394	ASN
1	C	540	ASN
1	C	544	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	556	ASN
1	C	564	GLN
1	C	644	GLN
1	C	658	ASN
1	C	703	ASN
1	C	784	GLN
1	C	804	GLN
1	C	901	GLN
1	C	907	ASN
1	C	914	ASN
1	C	926	GLN
1	C	935	GLN
1	C	969	ASN
1	C	992	GLN
1	C	1010	GLN
1	C	1071	GLN
1	C	1101	HIS
1	C	1106	GLN
3	L	37	GLN
3	M	27	GLN
3	M	37	GLN
3	N	27	GLN
3	N	37	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

46 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	D	1	4,1	14,14,15	0.55	0	17,19,21	0.50	0
4	NAG	D	2	4	14,14,15	0.25	0	17,19,21	0.58	0
4	NAG	E	1	4,1	14,14,15	0.33	0	17,19,21	0.84	1 (5%)
4	NAG	E	2	4	14,14,15	0.34	0	17,19,21	0.40	0
4	NAG	F	1	4,1	14,14,15	0.31	0	17,19,21	0.62	0
4	NAG	F	2	4	14,14,15	0.53	0	17,19,21	0.48	0
4	NAG	G	1	4,1	14,14,15	0.39	0	17,19,21	0.72	0
4	NAG	G	2	4	14,14,15	0.28	0	17,19,21	1.31	2 (11%)
4	NAG	K	1	4,1	14,14,15	0.70	1 (7%)	17,19,21	0.70	0
4	NAG	K	2	4	14,14,15	0.40	0	17,19,21	1.41	3 (17%)
4	NAG	O	1	4,1	14,14,15	0.71	1 (7%)	17,19,21	0.66	0
4	NAG	O	2	4	14,14,15	0.29	0	17,19,21	0.65	0
4	NAG	P	1	4,1	14,14,15	0.24	0	17,19,21	0.68	1 (5%)
4	NAG	P	2	4	14,14,15	0.16	0	17,19,21	0.48	0
4	NAG	Q	1	4,1	14,14,15	0.55	0	17,19,21	0.49	0
4	NAG	Q	2	4	14,14,15	0.26	0	17,19,21	0.58	0
4	NAG	R	1	4,1	14,14,15	0.33	0	17,19,21	0.84	1 (5%)
4	NAG	R	2	4	14,14,15	0.34	0	17,19,21	0.40	0
4	NAG	S	1	4,1	14,14,15	0.33	0	17,19,21	0.39	0
4	NAG	S	2	4	14,14,15	0.40	0	17,19,21	0.36	0
4	NAG	T	1	4,1	14,14,15	0.34	0	17,19,21	1.13	1 (5%)
4	NAG	T	2	4	14,14,15	0.27	0	17,19,21	0.48	0
4	NAG	U	1	4,1	14,14,15	0.30	0	17,19,21	0.70	1 (5%)
4	NAG	U	2	4	14,14,15	0.22	0	17,19,21	0.40	0
4	NAG	V	1	4,1	14,14,15	0.74	1 (7%)	17,19,21	0.91	1 (5%)
4	NAG	V	2	4	14,14,15	0.34	0	17,19,21	0.70	1 (5%)
4	NAG	W	1	4,1	14,14,15	0.22	0	17,19,21	0.43	0
4	NAG	W	2	4	14,14,15	0.28	0	17,19,21	0.38	0
4	NAG	X	1	4,1	14,14,15	0.42	0	17,19,21	1.17	2 (11%)
4	NAG	X	2	4	14,14,15	0.24	0	17,19,21	0.59	0
4	NAG	Y	1	4,1	14,14,15	0.33	0	17,19,21	0.85	1 (5%)
4	NAG	Y	2	4	14,14,15	0.35	0	17,19,21	0.40	0
4	NAG	Z	1	4,1	14,14,15	0.22	0	17,19,21	1.36	1 (5%)
4	NAG	Z	2	4	14,14,15	0.19	0	17,19,21	0.50	0
4	NAG	a	1	4,1	14,14,15	0.53	0	17,19,21	0.70	1 (5%)
4	NAG	a	2	4	14,14,15	0.38	0	17,19,21	0.47	0
4	NAG	b	1	4,1	14,14,15	0.38	0	17,19,21	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	b	2	4	14,14,15	0.20	0	17,19,21	0.74	0
4	NAG	c	1	4,1	14,14,15	0.39	0	17,19,21	0.49	0
4	NAG	c	2	4	14,14,15	0.55	0	17,19,21	1.30	1 (5%)
4	NAG	d	1	4,1	14,14,15	0.63	1 (7%)	17,19,21	0.43	0
4	NAG	d	2	4	14,14,15	0.34	0	17,19,21	1.35	2 (11%)
4	NAG	e	1	4,1	14,14,15	0.39	0	17,19,21	0.45	0
4	NAG	e	2	4	14,14,15	0.23	0	17,19,21	0.49	0
4	NAG	f	1	4,1	14,14,15	0.41	0	17,19,21	1.14	2 (11%)
4	NAG	f	2	4	14,14,15	0.35	0	17,19,21	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	NAG	E	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	NAG	F	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	2/6/23/26	0/1/1/1
4	NAG	G	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	3/6/23/26	0/1/1/1
4	NAG	K	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	K	2	4	-	5/6/23/26	0/1/1/1
4	NAG	O	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	O	2	4	-	3/6/23/26	0/1/1/1
4	NAG	P	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	2/6/23/26	0/1/1/1
4	NAG	R	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	R	2	4	-	0/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	S	2	4	-	1/6/23/26	0/1/1/1
4	NAG	T	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	T	2	4	-	0/6/23/26	0/1/1/1
4	NAG	U	1	4,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	U	2	4	-	3/6/23/26	0/1/1/1
4	NAG	V	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	V	2	4	-	3/6/23/26	0/1/1/1
4	NAG	W	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	W	2	4	-	2/6/23/26	0/1/1/1
4	NAG	X	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	X	2	4	-	2/6/23/26	0/1/1/1
4	NAG	Y	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Z	1	4,1	-	6/6/23/26	0/1/1/1
4	NAG	Z	2	4	-	2/6/23/26	0/1/1/1
4	NAG	a	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	a	2	4	-	2/6/23/26	0/1/1/1
4	NAG	b	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	b	2	4	-	1/6/23/26	0/1/1/1
4	NAG	c	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	c	2	4	-	5/6/23/26	0/1/1/1
4	NAG	d	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	d	2	4	-	4/6/23/26	0/1/1/1
4	NAG	e	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	e	2	4	-	2/6/23/26	0/1/1/1
4	NAG	f	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	f	2	4	-	0/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	V	1	NAG	O5-C1	-2.68	1.39	1.43
4	O	1	NAG	O5-C1	-2.60	1.39	1.43
4	K	1	NAG	O5-C1	-2.34	1.40	1.43
4	d	1	NAG	O5-C1	-2.14	1.40	1.43

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	Z	1	NAG	C2-N2-C7	4.66	129.54	122.90
4	K	2	NAG	C2-N2-C7	4.46	129.26	122.90
4	d	2	NAG	C2-N2-C7	4.33	129.07	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	c	2	NAG	C2-N2-C7	4.30	129.02	122.90
4	G	2	NAG	C2-N2-C7	4.27	128.98	122.90
4	T	1	NAG	C1-O5-C5	3.29	116.64	112.19
4	Y	1	NAG	C1-O5-C5	2.83	116.03	112.19
4	R	1	NAG	C1-O5-C5	2.81	116.00	112.19
4	E	1	NAG	C1-O5-C5	2.79	115.98	112.19
4	K	2	NAG	C1-C2-N2	2.39	114.57	110.49
4	V	1	NAG	O4-C4-C3	-2.37	104.87	110.35
4	G	2	NAG	C1-C2-N2	2.37	114.53	110.49
4	X	1	NAG	C8-C7-N2	2.33	120.04	116.10
4	U	1	NAG	C1-O5-C5	2.28	115.28	112.19
4	f	1	NAG	C8-C7-N2	2.24	119.89	116.10
4	a	1	NAG	C1-O5-C5	2.23	115.22	112.19
4	d	2	NAG	C1-C2-N2	2.22	114.28	110.49
4	K	2	NAG	C1-O5-C5	2.08	115.00	112.19
4	P	1	NAG	C1-O5-C5	2.07	115.00	112.19
4	f	1	NAG	C2-N2-C7	-2.06	119.97	122.90
4	V	2	NAG	C1-O5-C5	2.04	114.95	112.19
4	X	1	NAG	C2-N2-C7	-2.03	120.01	122.90

There are no chirality outliers.

All (81) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	Z	2	NAG	O5-C5-C6-O6
4	b	1	NAG	O5-C5-C6-O6
4	a	2	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	O	1	NAG	O5-C5-C6-O6
4	Q	2	NAG	O5-C5-C6-O6
4	V	1	NAG	O5-C5-C6-O6
4	X	2	NAG	O5-C5-C6-O6
4	a	1	NAG	O5-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
4	Q	2	NAG	C4-C5-C6-O6
4	V	1	NAG	C4-C5-C6-O6
4	X	2	NAG	C4-C5-C6-O6
4	W	1	NAG	C4-C5-C6-O6
4	a	1	NAG	C4-C5-C6-O6
4	V	2	NAG	O5-C5-C6-O6
4	O	1	NAG	C4-C5-C6-O6
4	b	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	a	2	NAG	C4-C5-C6-O6
4	c	2	NAG	O5-C5-C6-O6
4	Z	2	NAG	C4-C5-C6-O6
4	W	2	NAG	O5-C5-C6-O6
4	V	2	NAG	C4-C5-C6-O6
4	G	2	NAG	C8-C7-N2-C2
4	G	2	NAG	O7-C7-N2-C2
4	K	2	NAG	C8-C7-N2-C2
4	K	2	NAG	O7-C7-N2-C2
4	U	2	NAG	C8-C7-N2-C2
4	U	2	NAG	O7-C7-N2-C2
4	Z	1	NAG	C8-C7-N2-C2
4	Z	1	NAG	O7-C7-N2-C2
4	c	2	NAG	C8-C7-N2-C2
4	c	2	NAG	O7-C7-N2-C2
4	d	2	NAG	C8-C7-N2-C2
4	d	2	NAG	O7-C7-N2-C2
4	K	1	NAG	C4-C5-C6-O6
4	c	2	NAG	C4-C5-C6-O6
4	Z	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6
4	R	1	NAG	O5-C5-C6-O6
4	Y	1	NAG	O5-C5-C6-O6
4	Z	1	NAG	C4-C5-C6-O6
4	W	2	NAG	C4-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
4	R	1	NAG	C4-C5-C6-O6
4	Y	1	NAG	C4-C5-C6-O6
4	W	1	NAG	O5-C5-C6-O6
4	O	2	NAG	O5-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
4	K	1	NAG	O5-C5-C6-O6
4	d	1	NAG	O5-C5-C6-O6
4	O	2	NAG	C4-C5-C6-O6
4	d	1	NAG	C4-C5-C6-O6
4	P	1	NAG	C4-C5-C6-O6
4	P	1	NAG	O5-C5-C6-O6
4	d	2	NAG	O5-C5-C6-O6
4	U	2	NAG	O5-C5-C6-O6
4	Q	1	NAG	O5-C5-C6-O6
4	D	1	NAG	O5-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	U	1	NAG	C4-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
4	e	2	NAG	C4-C5-C6-O6
4	c	1	NAG	C4-C5-C6-O6
4	e	2	NAG	O5-C5-C6-O6
4	S	2	NAG	C4-C5-C6-O6
4	O	2	NAG	C3-C2-N2-C7
4	T	1	NAG	C3-C2-N2-C7
4	V	2	NAG	C3-C2-N2-C7
4	b	2	NAG	C3-C2-N2-C7
4	K	2	NAG	C4-C5-C6-O6
4	c	1	NAG	O5-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
4	Z	1	NAG	C1-C2-N2-C7
4	U	1	NAG	O5-C5-C6-O6
4	G	2	NAG	C3-C2-N2-C7
4	K	2	NAG	C3-C2-N2-C7
4	Z	1	NAG	C3-C2-N2-C7
4	c	2	NAG	C3-C2-N2-C7
4	d	2	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

































































5.6 Ligand geometry [i](#)

25 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	C	1403	1	14,14,15	0.21	0	17,19,21	0.42	0
5	NAG	A	1404	1	14,14,15	0.47	0	17,19,21	0.53	0
5	NAG	A	1405	1	14,14,15	0.54	0	17,19,21	1.26	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	1409	1	14,14,15	0.52	0	17,19,21	0.36	0
5	NAG	A	1407	1	14,14,15	0.23	0	17,19,21	0.49	0
5	NAG	C	1406	1	14,14,15	0.29	0	17,19,21	0.38	0
5	NAG	A	1402	1	14,14,15	0.21	0	17,19,21	0.64	0
5	NAG	C	1402	1	14,14,15	0.22	0	17,19,21	0.63	0
5	NAG	A	1401	1	14,14,15	0.31	0	17,19,21	0.33	0
5	NAG	B	1404	1	14,14,15	0.47	0	17,19,21	0.52	0
5	NAG	B	1402	1	14,14,15	0.20	0	17,19,21	0.63	0
5	NAG	B	1405	1	14,14,15	0.55	0	17,19,21	1.26	1 (5%)
5	NAG	A	1406	1	14,14,15	0.28	0	17,19,21	0.38	0
5	NAG	C	1404	1	14,14,15	0.47	0	17,19,21	0.54	0
5	NAG	B	1401	1	14,14,15	0.29	0	17,19,21	0.34	0
5	NAG	B	1403	1	14,14,15	0.21	0	17,19,21	0.42	0
5	NAG	C	1407	1	14,14,15	0.24	0	17,19,21	0.49	0
5	NAG	C	1408	1	14,14,15	0.30	0	17,19,21	0.39	0
5	NAG	C	1405	1	14,14,15	0.57	0	17,19,21	1.26	1 (5%)
5	NAG	C	1401	1	14,14,15	0.31	0	17,19,21	0.33	0
5	NAG	A	1408	1	14,14,15	0.31	0	17,19,21	0.39	0
5	NAG	A	1403	1	14,14,15	0.20	0	17,19,21	0.42	0
5	NAG	B	1408	1	14,14,15	0.31	0	17,19,21	0.39	0
5	NAG	B	1406	1	14,14,15	0.28	0	17,19,21	0.38	0
5	NAG	B	1407	1	14,14,15	0.23	0	17,19,21	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	1403	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1404	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1405	1	-	5/6/23/26	0/1/1/1
5	NAG	A	1409	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1407	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1406	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1402	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1402	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1401	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1404	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1402	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	1405	1	-	5/6/23/26	0/1/1/1
5	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1404	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1403	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1407	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1408	1	-	2/6/23/26	0/1/1/1
5	NAG	C	1405	1	-	5/6/23/26	0/1/1/1
5	NAG	C	1401	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1408	1	-	2/6/23/26	0/1/1/1
5	NAG	A	1403	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1408	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1406	1	-	2/6/23/26	0/1/1/1
5	NAG	B	1407	1	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1405	NAG	C2-N2-C7	4.36	129.11	122.90
5	A	1405	NAG	C2-N2-C7	4.35	129.10	122.90
5	B	1405	NAG	C2-N2-C7	4.31	129.05	122.90

There are no chirality outliers.

All (56) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1406	NAG	O5-C5-C6-O6
5	B	1406	NAG	O5-C5-C6-O6
5	C	1406	NAG	O5-C5-C6-O6
5	A	1401	NAG	O5-C5-C6-O6
5	B	1401	NAG	O5-C5-C6-O6
5	C	1401	NAG	O5-C5-C6-O6
5	A	1402	NAG	C4-C5-C6-O6
5	B	1402	NAG	C4-C5-C6-O6
5	C	1402	NAG	C4-C5-C6-O6
5	A	1402	NAG	O5-C5-C6-O6
5	A	1404	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	1404	NAG	O5-C5-C6-O6
5	C	1402	NAG	O5-C5-C6-O6
5	C	1404	NAG	O5-C5-C6-O6
5	B	1402	NAG	O5-C5-C6-O6
5	A	1405	NAG	O5-C5-C6-O6
5	B	1405	NAG	O5-C5-C6-O6
5	C	1405	NAG	O5-C5-C6-O6
5	A	1409	NAG	C4-C5-C6-O6
5	A	1408	NAG	O5-C5-C6-O6
5	B	1408	NAG	O5-C5-C6-O6
5	C	1408	NAG	O5-C5-C6-O6
5	A	1405	NAG	C4-C5-C6-O6
5	B	1405	NAG	C4-C5-C6-O6
5	C	1405	NAG	C4-C5-C6-O6
5	A	1405	NAG	C8-C7-N2-C2
5	A	1405	NAG	O7-C7-N2-C2
5	B	1405	NAG	C8-C7-N2-C2
5	B	1405	NAG	O7-C7-N2-C2
5	C	1405	NAG	C8-C7-N2-C2
5	C	1405	NAG	O7-C7-N2-C2
5	A	1409	NAG	O5-C5-C6-O6
5	A	1406	NAG	C4-C5-C6-O6
5	B	1406	NAG	C4-C5-C6-O6
5	C	1406	NAG	C4-C5-C6-O6
5	A	1404	NAG	C4-C5-C6-O6
5	B	1404	NAG	C4-C5-C6-O6
5	C	1404	NAG	C4-C5-C6-O6
5	A	1403	NAG	O5-C5-C6-O6
5	B	1403	NAG	O5-C5-C6-O6
5	C	1403	NAG	O5-C5-C6-O6
5	A	1403	NAG	C4-C5-C6-O6
5	B	1403	NAG	C4-C5-C6-O6
5	C	1403	NAG	C4-C5-C6-O6
5	A	1408	NAG	C4-C5-C6-O6
5	B	1408	NAG	C4-C5-C6-O6
5	C	1408	NAG	C4-C5-C6-O6
5	A	1401	NAG	C4-C5-C6-O6
5	C	1401	NAG	C4-C5-C6-O6
5	B	1401	NAG	C4-C5-C6-O6
5	A	1407	NAG	C1-C2-N2-C7
5	B	1407	NAG	C1-C2-N2-C7
5	C	1407	NAG	C1-C2-N2-C7

Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	A	1405	NAG	C3-C2-N2-C7
5	B	1405	NAG	C3-C2-N2-C7
5	C	1405	NAG	C3-C2-N2-C7



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32871. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 132



Y Index: 120




Z Index: 167


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 303 nm³; this corresponds to an approximate mass of 273 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32871 and PDB model 7WWM. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6590	 0.3380
A	 0.7350	 0.3850
B	 0.8410	 0.4270
C	 0.7680	 0.4060
D	 0.5000	 0.1490
E	 0.0360	 0.0060
F	 0.9290	 0.4930
G	 0.7500	 0.3710
H	 0.0120	 -0.0010
I	 0.2770	 0.0530
J	 0.0490	 0.0530
K	 0.6430	 0.3630
L	 0.0000	 0.0090
M	 0.2020	 0.0520
N	 0.0130	 0.0200
O	 0.9640	 0.4720
P	 0.7140	 0.2930
Q	 0.3570	 0.0630
R	 0.6790	 0.2150
S	 0.8210	 0.3570
T	 0.9640	 0.4710
U	 0.8570	 0.4520
V	 0.8570	 0.4180
W	 0.8930	 0.4210
X	 0.5710	 0.2260
Y	 0.0710	 0.0220
Z	 0.8570	 0.3540
a	 0.9290	 0.5130
b	 0.9640	 0.4530
c	 0.7140	 0.4220
d	 0.8570	 0.3730
e	 0.8930	 0.4250
f	 0.6790	 0.4110

