



Full wwPDB X-ray Structure Validation Report

May 15, 2020 – 10:54 pm BST

PDB ID : 3WZU
Title : THE STRUCTURE OF MAP2K7 IN COMPLEX WITH 5Z-7-oxozeaenol
Authors : Sogabe, Y.; Hashimoto, Y.; Matsumoto, T.; Kinoshita, T.
Deposited on : 2014-10-07
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2399 (3.04-3.00)
Clashscore	141614	2734 (3.04-3.00)
Ramachandran outliers	138981	2640 (3.04-3.00)
Sidechain outliers	138945	2643 (3.04-3.00)
RSRZ outliers	127900	2287 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	324	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	1FM	A	600	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2200 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Dual specificity mitogen-activated protein kinase kinase 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	270	2150	1374	371	387	18	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	118	MET	-	EXPRESSION TAG	UNP O14733
A	436	HIS	-	EXPRESSION TAG	UNP O14733
A	437	HIS	-	EXPRESSION TAG	UNP O14733
A	438	HIS	-	EXPRESSION TAG	UNP O14733
A	439	HIS	-	EXPRESSION TAG	UNP O14733
A	440	HIS	-	EXPRESSION TAG	UNP O14733
A	441	HIS	-	EXPRESSION TAG	UNP O14733

- Molecule 2 is (3S,5Z,8S,9S,11E)-8,9,16-trihydroxy-14-methoxy-3-methyl-3,4,9,10-tetrahydro-1H-2-benzoxacyclotetradecine-1,7(8H)-dione (three-letter code: 1FM) (formula: C₁₉H₂₂O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			26	19	7		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	24	Total	O	0	0
			24	24		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dual specificity mitogen-activated protein kinase kinase 7



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	71.39Å 71.39Å 268.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.28 – 3.01 36.28 – 3.01	Depositor EDS
% Data completeness (in resolution range)	82.9 (36.28-3.01) 83.0 (36.28-3.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.93 (at 3.00Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.236 , 0.322 0.232 , 0.322	Depositor DCC
R_{free} test set	339 reflections (4.65%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtrriage
Anisotropy	0.513	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 69.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2200	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1FM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.62	3/2194 (0.1%)	0.87	3/2948 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	322	TRP	CD2-CE2	5.46	1.48	1.41
1	A	409	TRP	CD2-CE2	5.08	1.47	1.41
1	A	151	TRP	CD2-CE2	5.01	1.47	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207	ASP	C-N-CA	5.64	135.80	121.70
1	A	208	VAL	N-CA-C	5.38	125.52	111.00
1	A	207	ASP	N-CA-C	-5.09	97.26	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	167	MET	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	201	THR	Peptide
1	A	207	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2150	0	2173	162	0
2	A	26	0	20	10	0
3	A	24	0	0	1	0
All	All	2200	0	2193	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:LEU:HD12	1:A:360:PRO:HD2	1.29	1.07
1:A:342:LYS:HG2	1:A:343:THR:HB	1.37	1.06
1:A:120:GLY:HA3	1:A:121:TYR:HB2	1.34	1.05
1:A:169:ARG:HG2	1:A:169:ARG:HH11	1.20	1.05
1:A:167:MET:HA	1:A:168:ARG:HG2	1.33	1.03
1:A:341:CYS:HB3	1:A:342:LYS:HA	1.43	1.00
1:A:143:GLY:HA2	1:A:144:SER:HB2	1.46	0.97
1:A:212:MET:HE2	2:A:600:1FM:H14	1.47	0.94
1:A:186:VAL:HA	1:A:187:LEU:O	1.67	0.94
1:A:359:LEU:CD1	1:A:360:PRO:HD2	1.98	0.93
1:A:150:VAL:HG23	1:A:165:LYS:HD3	1.50	0.92
1:A:186:VAL:HB	3:A:720:HOH:O	1.73	0.89
1:A:186:VAL:HA	1:A:187:LEU:C	1.95	0.87
1:A:306:ASP:HB2	1:A:307:PRO:HD2	1.55	0.86
1:A:229:PRO:HB3	1:A:332:ALA:O	1.75	0.86
1:A:201:THR:HA	1:A:202:PHE:HB2	1.56	0.85
1:A:294:ALA:HB3	1:A:295:GLY:HA2	1.57	0.85
1:A:359:LEU:HD12	1:A:360:PRO:CD	2.07	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:LYS:CG	1:A:343:THR:HB	2.07	0.84
1:A:167:MET:HA	1:A:168:ARG:CG	2.07	0.84
1:A:256:ILE:HG22	1:A:256:ILE:O	1.76	0.84
2:A:600:1FM:H39	2:A:600:1FM:H23	1.62	0.81
1:A:342:LYS:HG2	1:A:343:THR:CB	2.10	0.81
1:A:221:LYS:HG3	2:A:600:1FM:H18A	1.64	0.80
1:A:137:GLU:O	1:A:153:MET:HB2	1.81	0.80
1:A:212:MET:CE	2:A:600:1FM:H59B	2.15	0.76
1:A:143:GLY:HA2	1:A:144:SER:CB	2.18	0.74
1:A:335:GLN:HB3	1:A:339:LYS:HE3	1.68	0.74
1:A:201:THR:HG22	1:A:210:ILE:HB	1.69	0.74
1:A:304:ARG:O	1:A:305:ILE:HG13	1.88	0.74
1:A:212:MET:HE2	2:A:600:1FM:H59B	1.68	0.74
1:A:201:THR:CG2	1:A:210:ILE:HB	2.19	0.72
1:A:169:ARG:HB2	1:A:206:THR:O	1.90	0.72
1:A:150:VAL:CG2	1:A:165:LYS:HD3	2.20	0.71
1:A:340:ASN:HB2	1:A:350:LYS:NZ	2.06	0.70
1:A:345:PHE:C	1:A:347:VAL:H	1.91	0.70
1:A:167:MET:HB3	1:A:168:ARG:HB2	1.73	0.69
1:A:167:MET:O	1:A:207:ASP:HA	1.93	0.69
2:A:600:1FM:C23	2:A:600:1FM:H39	2.21	0.68
1:A:322:TRP:HE3	1:A:384:ARG:NH1	1.92	0.67
1:A:256:ILE:O	1:A:256:ILE:CG2	2.43	0.67
1:A:213:GLU:O	2:A:600:1FM:H59	1.95	0.66
1:A:341:CYS:CB	1:A:342:LYS:HA	2.23	0.66
1:A:130:GLN:HE21	1:A:131:ALA:N	1.93	0.66
1:A:384:ARG:HG3	1:A:385:PRO:HD2	1.77	0.66
1:A:147:CYS:H	1:A:165:LYS:HZ1	1.43	0.66
1:A:163:ALA:HB3	1:A:212:MET:HG3	1.78	0.65
1:A:212:MET:CE	2:A:600:1FM:H14	2.23	0.64
1:A:162:ILE:HG22	1:A:199:PHE:HE2	1.60	0.64
1:A:130:GLN:NE2	1:A:131:ALA:O	2.30	0.64
1:A:260:VAL:HB	1:A:323:SER:HB2	1.80	0.63
1:A:169:ARG:HG2	1:A:169:ARG:NH1	1.98	0.62
1:A:374:LYS:C	1:A:374:LYS:HD3	2.20	0.62
1:A:132:GLU:O	1:A:135:ASP:N	2.32	0.61
1:A:143:GLY:CA	1:A:144:SER:HB2	2.27	0.61
1:A:341:CYS:SG	1:A:347:VAL:HG22	2.41	0.61
1:A:139:LEU:HD22	1:A:153:MET:HA	1.81	0.61
1:A:201:THR:CA	1:A:202:PHE:HB2	2.30	0.61
1:A:202:PHE:HB3	1:A:209:PHE:HB2	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:ASP:OD2	1:A:277:ASP:N	2.31	0.61
1:A:363:MET:HB2	1:A:365:PHE:CE2	2.36	0.60
1:A:388:ASN:HD22	1:A:389:LYS:H	1.47	0.60
1:A:162:ILE:HG22	1:A:199:PHE:CE2	2.36	0.60
1:A:225:ARG:NH2	1:A:414:MET:HA	2.17	0.60
1:A:229:PRO:CB	1:A:332:ALA:O	2.48	0.59
1:A:322:TRP:CE3	1:A:384:ARG:NH1	2.69	0.59
1:A:327:SER:O	1:A:331:LEU:HB2	2.03	0.59
1:A:345:PHE:C	1:A:347:VAL:N	2.56	0.58
1:A:138:ASN:HB2	1:A:153:MET:HE3	1.84	0.58
1:A:340:ASN:HB2	1:A:350:LYS:HZ1	1.66	0.58
1:A:186:VAL:O	1:A:198:CYS:HB3	2.02	0.58
1:A:405:ASP:HB3	1:A:408:SER:OG	2.04	0.58
2:A:600:IFM:H23	2:A:600:IFM:C39	2.32	0.58
1:A:190:HIS:HA	1:A:197:GLN:HE21	1.68	0.58
1:A:133:ILE:HG23	1:A:202:PHE:HD2	1.69	0.57
1:A:388:ASN:HD22	1:A:389:LYS:N	2.03	0.57
1:A:233:ARG:HA	1:A:399:TYR:OH	2.04	0.57
1:A:133:ILE:HG23	1:A:202:PHE:CD2	2.40	0.57
1:A:120:GLY:HA3	1:A:121:TYR:CB	2.17	0.57
1:A:294:ALA:HA	1:A:344:ASP:HB3	1.88	0.56
1:A:246:LEU:HB3	1:A:387:TYR:CZ	2.41	0.56
1:A:373:VAL:O	1:A:373:VAL:CG1	2.52	0.56
1:A:306:ASP:CB	1:A:307:PRO:HD2	2.30	0.55
1:A:244:LYS:HG2	1:A:391:LEU:HD21	1.88	0.55
1:A:387:TYR:HA	1:A:390:LEU:HD12	1.88	0.55
1:A:162:ILE:CG2	1:A:199:PHE:CE2	2.89	0.55
1:A:374:LYS:HD3	1:A:375:ASP:N	2.22	0.54
1:A:294:ALA:HB3	1:A:295:GLY:CA	2.36	0.53
1:A:355:GLU:HB3	1:A:356:PRO:HD2	1.90	0.53
1:A:163:ALA:HB3	1:A:212:MET:CG	2.39	0.52
1:A:221:LYS:O	1:A:225:ARG:HB2	2.09	0.52
1:A:322:TRP:HB2	1:A:384:ARG:NH2	2.24	0.52
1:A:237:LYS:HE2	1:A:404:VAL:HG23	1.91	0.52
1:A:143:GLY:CA	1:A:145:GLY:H	2.23	0.51
1:A:130:GLN:NE2	1:A:131:ALA:N	2.59	0.51
1:A:392:GLU:OE2	1:A:397:LYS:HE2	2.10	0.51
1:A:132:GLU:O	1:A:135:ASP:HB2	2.11	0.50
1:A:201:THR:C	1:A:202:PHE:HD1	2.15	0.50
1:A:341:CYS:HB3	1:A:342:LYS:CA	2.28	0.50
1:A:384:ARG:CG	1:A:385:PRO:HD2	2.40	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:CYS:SG	1:A:347:VAL:CG2	3.00	0.49
1:A:169:ARG:HB3	1:A:170:SER:HB2	1.93	0.49
1:A:161:VAL:HG12	1:A:214:LEU:HD22	1.93	0.49
1:A:202:PHE:HB2	1:A:209:PHE:O	2.12	0.48
1:A:365:PHE:O	1:A:366:SER:C	2.52	0.48
1:A:130:GLN:NE2	1:A:131:ALA:H	2.12	0.47
1:A:340:ASN:HB2	1:A:350:LYS:HZ3	1.77	0.47
1:A:257:HIS:CD2	1:A:277:ASP:HA	2.50	0.47
1:A:342:LYS:HG2	1:A:343:THR:CG2	2.44	0.47
1:A:139:LEU:HD11	1:A:154:ARG:HH12	1.80	0.47
1:A:186:VAL:CA	1:A:187:LEU:O	2.53	0.46
1:A:186:VAL:CA	1:A:187:LEU:C	2.78	0.46
1:A:138:ASN:CB	1:A:153:MET:HE3	2.45	0.46
1:A:344:ASP:HA	1:A:346:GLU:OE1	2.15	0.46
1:A:268:ASP:OD1	1:A:268:ASP:C	2.53	0.46
1:A:139:LEU:HD11	1:A:154:ARG:NH1	2.31	0.46
1:A:417:THR:O	1:A:418:GLU:HB2	2.16	0.46
1:A:230:ILE:HA	1:A:231:PRO:HD2	1.66	0.45
1:A:315:TYR:HD1	1:A:381:HIS:HE2	1.65	0.45
1:A:360:PRO:C	1:A:362:HIS:H	2.19	0.45
1:A:398:ARG:HB2	1:A:398:ARG:NH1	2.31	0.45
1:A:294:ALA:CB	1:A:295:GLY:HA2	2.30	0.45
1:A:381:HIS:HA	1:A:384:ARG:HB2	1.99	0.45
1:A:397:LYS:HA	1:A:397:LYS:HD3	1.80	0.45
1:A:393:HIS:ND1	1:A:394:SER:N	2.65	0.45
1:A:259:ASP:O	1:A:264:ASN:ND2	2.50	0.45
1:A:235:LEU:HA	1:A:238:MET:HB2	1.97	0.45
1:A:313:PRO:HA	1:A:314:ASP:HA	1.79	0.45
1:A:306:ASP:HB2	1:A:307:PRO:CD	2.39	0.45
1:A:150:VAL:HG22	1:A:165:LYS:HB2	2.00	0.44
1:A:138:ASN:HA	1:A:153:MET:HB3	1.99	0.44
1:A:133:ILE:HG21	1:A:209:PHE:CG	2.52	0.44
1:A:146:THR:HA	1:A:147:CYS:HA	1.78	0.44
1:A:212:MET:HE3	2:A:600:1FM:H59B	1.96	0.43
1:A:238:MET:O	1:A:239:THR:C	2.57	0.43
1:A:307:PRO:HA	1:A:308:PRO:HD3	1.92	0.43
1:A:396:ILE:HG22	1:A:397:LYS:N	2.32	0.43
1:A:239:THR:HG21	1:A:372:PHE:CE2	2.53	0.43
1:A:298:ALA:CB	1:A:336:PHE:HZ	2.31	0.43
1:A:256:ILE:O	1:A:257:HIS:C	2.57	0.43
1:A:266:LEU:HD13	1:A:276:CYS:HB2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:340:ASN:OD1	1:A:340:ASN:N	2.52	0.43
1:A:246:LEU:HD23	1:A:387:TYR:CE2	2.54	0.42
1:A:124:ILE:O	1:A:125:GLY:C	2.58	0.42
1:A:219:ALA:O	1:A:222:LEU:N	2.41	0.42
1:A:162:ILE:HD12	1:A:211:ALA:HB1	2.01	0.42
1:A:192:CYS:HB2	1:A:248:TYR:CD1	2.54	0.42
1:A:349:THR:O	1:A:350:LYS:C	2.58	0.42
1:A:416:LYS:HA	1:A:417:THR:HA	1.74	0.42
1:A:127:GLN:HB3	1:A:129:TYR:CZ	2.55	0.42
1:A:143:GLY:C	1:A:145:GLY:H	2.23	0.42
1:A:305:ILE:HD13	1:A:352:LEU:HD12	2.02	0.41
1:A:372:PHE:CE1	1:A:396:ILE:CD1	3.03	0.41
1:A:236:GLY:HA2	1:A:395:PHE:CZ	2.56	0.41
1:A:122:LEU:HD12	1:A:199:PHE:O	2.20	0.41
1:A:194:TYR:O	1:A:274:LYS:HA	2.21	0.41
1:A:230:ILE:CG2	1:A:234:ILE:HB	2.51	0.41
1:A:222:LEU:HD12	1:A:267:LEU:CD2	2.51	0.41
1:A:359:LEU:HA	1:A:360:PRO:HD2	1.83	0.41
1:A:317:ILE:O	1:A:319:ALA:N	2.54	0.40
1:A:328:LEU:O	1:A:332:ALA:N	2.42	0.40
1:A:169:ARG:CG	1:A:169:ARG:NH1	2.76	0.40
1:A:329:VAL:O	1:A:330:GLU:C	2.59	0.40
1:A:298:ALA:HB1	1:A:336:PHE:HZ	1.87	0.40
1:A:376:CYS:C	1:A:378:THR:H	2.23	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	262/324 (81%)	217 (83%)	32 (12%)	13 (5%)	2 12

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	146	THR
1	A	187	LEU
1	A	202	PHE
1	A	216	GLY
1	A	125	GLY
1	A	168	ARG
1	A	208	VAL
1	A	373	VAL
1	A	305	ILE
1	A	377	LEU
1	A	257	HIS
1	A	306	ASP
1	A	369	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	234/285 (82%)	187 (80%)	47 (20%)	1 6

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	THR
1	A	130	GLN
1	A	132	GLU
1	A	133	ILE
1	A	134	ASN
1	A	135	ASP
1	A	139	LEU
1	A	141	GLU
1	A	147	CYS
1	A	152	LYS
1	A	164	VAL
1	A	169	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	185	VAL
1	A	186	VAL
1	A	191	ASP
1	A	206	THR
1	A	207	ASP
1	A	210	ILE
1	A	217	THR
1	A	220	GLU
1	A	223	LYS
1	A	225	ARG
1	A	250	LYS
1	A	263	SER
1	A	267	LEU
1	A	268	ASP
1	A	272	GLN
1	A	275	LEU
1	A	276	CYS
1	A	277	ASP
1	A	305	ILE
1	A	313	PRO
1	A	314	ASP
1	A	318	ARG
1	A	323	SER
1	A	324	LEU
1	A	340	ASN
1	A	342	LYS
1	A	346	GLU
1	A	348	LEU
1	A	352	LEU
1	A	359	LEU
1	A	362	HIS
1	A	374	LYS
1	A	388	ASN
1	A	396	ILE
1	A	408	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	130	GLN
1	A	197	GLN
1	A	353	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	388	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1FM	A	600	-	26,27,27	2.70	4 (15%)	30,37,37	2.27	9 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1FM	A	600	-	-	8/30/30/30	0/1/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	1FM	C41-C42	8.53	1.54	1.32
2	A	600	1FM	O15-C26	6.67	1.48	1.34
2	A	600	1FM	C2-C3	6.45	1.50	1.42
2	A	600	1FM	C2-C11	4.30	1.48	1.41

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	1FM	C18-C42-C41	-6.80	110.79	126.00
2	A	600	1FM	C34-C17-C23	-4.96	117.17	124.34
2	A	600	1FM	O15-C26-O38	-4.14	116.78	123.53
2	A	600	1FM	C3-C2-C11	-3.78	115.24	118.91
2	A	600	1FM	O15-C26-C2	3.31	121.74	113.33
2	A	600	1FM	C24-C39-C40	2.83	117.05	110.75
2	A	600	1FM	C59-O48-C15	2.47	122.88	117.51
2	A	600	1FM	C11-C16-C15	2.46	121.95	119.53
2	A	600	1FM	C62-C31-C18	-2.27	110.10	113.26

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600	1FM	C24-C39-C40-C41
2	A	600	1FM	O44-C39-C40-O40
2	A	600	1FM	O44-C39-C40-C41
2	A	600	1FM	C39-C40-C41-C42
2	A	600	1FM	O40-C40-C41-C42
2	A	600	1FM	C31-C18-C42-C41
2	A	600	1FM	C23-C17-C34-C24
2	A	600	1FM	C11-C2-C26-O15


There are no ring outliers.

1 monomer is involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	1FM	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/324 (83%)	-0.03	17 (6%) 20 6	20, 52, 109, 131	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	313	PRO	4.8
1	A	172	ASN	4.1
1	A	417	THR	3.4
1	A	418	GLU	3.4
1	A	171	GLY	3.1
1	A	170	SER	2.8
1	A	188	LYS	2.8
1	A	315	TYR	2.6
1	A	340	ASN	2.6
1	A	294	ALA	2.5
1	A	173	LYS	2.5
1	A	302	PRO	2.4
1	A	307	PRO	2.4
1	A	190	HIS	2.3
1	A	226	MET	2.3
1	A	306	ASP	2.2
1	A	342	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	1FM	A	600	26/26	0.78	0.29	53,86,99,114	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.