



Full wwPDB X-ray Structure Validation Report

(i)

Oct 18, 2023 – 07:22 AM EDT

PDB ID : 1X1O
Title : Crystal structure of project ID TT0268 from Thermus thermophilus HB8
Authors : Shimizu, K.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-04-08
Resolution : 1.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 7079 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called nicotinate-nucleotide pyrophosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	277	Total	C 2124	N 1338	O 392	S 393	1	0	11	0
1	B	276	Total	C 2089	N 1314	O 388	S 386	1	0	4	0
1	C	277	Total	C 2093	N 1317	O 388	S 387	1	0	1	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	307	Total O 307 307	0	0
2	B	357	Total O 357 357	0	0
2	C	109	Total O 109 109	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: nicotinate-nucleotide pyrophosphorylase




- Molecule 1: nicotinate-nucleotide pyrophosphorylase



- Molecule 1: nicotinate-nucleotide pyrophosphorylase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	112.51Å 73.68Å 108.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.13 – 1.90 39.12 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (39.13-1.90) 99.9 (39.12-1.90)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle^1$	3.14 (at 1.89Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.221 , 0.246 0.225 , 0.222	Depositor DCC
R_{free} test set	3631 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.334	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.007 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7079	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/2206	0.61	2/2986 (0.1%)
1	B	0.31	0/2134	0.57	0/2888
1	C	0.39	0/2125	0.68	2/2875 (0.1%)
All	All	0.34	0/6465	0.62	4/8749 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	227	LEU	O-C-N	-5.96	113.17	122.70
1	C	234	VAL	CB-CA-C	-5.55	100.86	111.40
1	A	219[A]	LEU	O-C-N	-5.14	114.47	122.70
1	A	219[B]	LEU	O-C-N	-5.14	114.47	122.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2124	0	2216	47	0
1	B	2089	0	2178	34	0
1	C	2093	0	2169	77	0
2	A	307	0	0	1	0
2	B	357	0	0	4	0
2	C	109	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7079	0	6563	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:SER:O	1:B:37[B]:VAL:HG12	1.61	1.00
1:A:132[A]:LYS:HD2	1:A:133:ALA:N	1.83	0.92
1:A:58[B]:LEU:HD21	1:A:76:PRO:HB3	1.64	0.80
1:C:120:LEU:O	1:C:123:ALA:HB3	1.85	0.75
1:C:49:ALA:HA	1:C:279:LEU:HD23	1.67	0.75
1:C:221:LEU:HD11	1:C:246:SER:HB2	1.69	0.73
1:C:210:GLU:OE1	1:C:236:ARG:HD3	1.89	0.71
1:A:46:VAL:HG12	1:A:92:ARG:HG2	1.72	0.71
1:A:284:VAL:O	1:A:285:ARG:HD3	1.94	0.68
1:B:22:LEU:HG	1:B:26:LEU:HD12	1.77	0.66
1:C:250:THR:HG23	1:C:253:ARG:H	1.61	0.66
1:A:61:ALA:O	1:A:64[A]:VAL:HG22	1.96	0.64
1:A:48:LEU:CD2	1:A:89:GLU:HG2	2.28	0.64
1:C:267:VAL:HB	1:C:270:LEU:HG	1.79	0.64
1:C:31:LEU:O	1:C:35:LEU:HD13	1.97	0.63
1:C:203:VAL:HG22	1:C:220:ILE:HD11	1.81	0.63
1:A:58[B]:LEU:CD2	1:A:76:PRO:HB3	2.28	0.63
1:B:195:HIS:O	1:C:219:LEU:HD11	1.99	0.62
1:C:251:LEU:H	1:C:251:LEU:HD12	1.65	0.61
1:A:227:LEU:HG	1:A:231:ARG:NH1	2.15	0.61
1:A:255:LYS:O	1:A:259:GLU:HG3	2.01	0.60
1:A:200:GLU:CB	1:A:219[B]:LEU:HB3	2.31	0.60
1:C:172:LYS:HA	1:C:202:GLU:HG2	1.83	0.60
1:C:237:VAL:HG21	1:C:243:LEU:HD21	1.83	0.60
1:C:227:LEU:HD21	1:C:231:ARG:HH11	1.66	0.60
1:B:230:LEU:HD21	1:B:262:VAL:HG13	1.83	0.59
1:C:128:LEU:HB2	1:C:258:ALA:CB	2.33	0.59
1:B:179:ALA:O	1:B:184:GLU:HG2	2.03	0.58
1:C:221:LEU:HD12	1:C:244:GLU:O	2.04	0.58
1:C:171:LEU:HB2	1:C:201:VAL:HG23	1.86	0.58
1:C:58:LEU:HD21	1:C:90:VAL:CG1	2.32	0.58
1:B:37[B]:VAL:CG1	1:B:98:ARG:HG2	2.33	0.58
1:C:58:LEU:HD21	1:C:90:VAL:HG12	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:227:LEU:HD21	1:C:231:ARG:NH1	2.20	0.57
1:C:232:GLU:HG3	1:C:235:ARG:HH21	1.70	0.57
1:A:200:GLU:CB	1:A:219[A]:LEU:HB2	2.35	0.56
1:A:200:GLU:HB2	1:A:219[A]:LEU:HB2	1.87	0.56
1:A:200:GLU:HA	1:A:219[A]:LEU:HB2	1.88	0.56
1:C:122:ARG:O	1:C:126:GLU:HG3	2.05	0.56
1:C:220:ILE:CG2	1:C:243:LEU:HD23	2.35	0.56
1:C:234:VAL:HG12	1:C:234:VAL:O	2.05	0.55
1:C:128:LEU:HD22	1:C:258:ALA:HB2	1.87	0.55
2:B:580:HOH:O	1:C:197:LEU:HD21	2.06	0.55
1:B:49:ALA:HA	1:B:279:LEU:HD23	1.90	0.53
1:A:64[A]:VAL:HG21	1:A:107:ALA:HB2	1.91	0.53
1:A:275:LYS:HE2	2:A:542:HOH:O	2.08	0.53
1:B:182:VAL:HG21	1:B:208:GLU:HB3	1.91	0.53
1:C:122:ARG:HG3	1:C:156:GLY:O	2.09	0.53
1:C:237:VAL:O	1:C:240:ARG:HG3	2.08	0.53
1:A:200:GLU:CG	1:A:219[B]:LEU:HB3	2.39	0.53
1:B:40:ASP:HA	2:B:434:HOH:O	2.08	0.52
1:C:49:ALA:O	1:C:86:GLU:HA	2.09	0.52
1:C:232:GLU:HG2	2:C:347:HOH:O	2.10	0.52
1:B:37[B]:VAL:HG13	1:B:98:ARG:HG2	1.92	0.52
1:A:237:VAL:HG21	1:A:243:LEU:HD21	1.90	0.52
1:A:200:GLU:HB2	1:A:219[A]:LEU:HD12	1.91	0.52
1:B:62:GLU:HG3	1:B:74:PHE:HB3	1.92	0.52
1:C:219:LEU:HD22	1:C:242:PRO:HB2	1.92	0.52
1:A:132[A]:LYS:HE2	1:A:262:VAL:O	2.10	0.51
1:C:112:GLN:HG2	1:C:277:LEU:O	2.10	0.51
1:C:10:TRP:HD1	1:C:12:GLY:H	1.59	0.51
1:C:128:LEU:HA	1:C:255[B]:LYS:HG3	1.93	0.51
1:C:10:TRP:CD1	1:C:11:GLN:HG2	2.46	0.51
1:C:182:VAL:HG21	1:C:208:GLU:HB3	1.92	0.51
1:C:10:TRP:HD1	1:C:12:GLY:N	2.09	0.51
1:C:69:ASP:HB3	1:C:72:THR:HG23	1.94	0.50
1:B:169:ILE:HD11	1:B:194:PRO:HD2	1.93	0.50
1:C:235:ARG:HH11	1:C:235:ARG:HG2	1.77	0.50
1:A:200:GLU:HB2	1:A:219[B]:LEU:HB3	1.93	0.50
1:B:192:ARG:HB2	2:B:555:HOH:O	2.12	0.50
1:C:200:GLU:HB2	1:C:219:LEU:HB2	1.93	0.50
1:B:15:GLU:OE2	1:B:67:LEU:HD21	2.11	0.50
1:B:146:ARG:O	1:B:150:LYS:HG3	2.11	0.50
1:A:285:ARG:HA	1:A:286:PRO:C	2.32	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:GLU:CA	1:A:219[A]:LEU:HB2	2.43	0.49
1:C:230:LEU:HD22	1:C:260:ALA:CB	2.42	0.49
1:A:64[A]:VAL:CG2	1:A:107:ALA:HB2	2.43	0.49
1:C:77:LEU:HD11	1:C:92:ARG:HG3	1.94	0.49
1:A:77:LEU:HD11	1:A:92:ARG:HG3	1.93	0.49
1:A:109:ASN:ND2	1:B:141:THR:O	2.46	0.49
1:A:64[A]:VAL:HG21	1:A:107:ALA:HA	1.95	0.49
1:A:267:VAL:HB	1:A:270:LEU:HG	1.95	0.49
1:C:203:VAL:CG2	1:C:220:ILE:HD11	2.42	0.48
1:A:48:LEU:HD11	1:A:282:LEU:HD22	1.95	0.48
1:A:228:GLU:H	1:A:228:GLU:CD	2.16	0.48
1:A:64[A]:VAL:HG21	1:A:107:ALA:CB	2.42	0.48
1:B:219:LEU:HD11	1:C:195:HIS:O	2.14	0.47
1:C:285:ARG:HA	1:C:286:PRO:C	2.34	0.47
1:A:108[B]:LEU:HD11	1:A:281:LEU:HB2	1.96	0.47
1:C:63:ARG:HG2	1:C:63:ARG:NH1	2.30	0.47
1:B:190:LYS:HG2	1:B:199:VAL:HG21	1.96	0.47
1:C:69:ASP:O	1:C:72:THR:HG23	2.15	0.47
1:C:251:LEU:HD12	1:C:251:LEU:N	2.28	0.47
1:A:200:GLU:HG3	1:A:219[B]:LEU:HB3	1.96	0.46
1:B:267:VAL:HB	1:B:270:LEU:HG	1.97	0.46
1:C:42:GLU:O	1:C:42:GLU:HG3	2.14	0.46
1:C:189:ALA:O	1:C:193:ALA:HB2	2.15	0.46
1:B:15:GLU:O	1:B:19[B]:ARG:HG3	2.15	0.46
1:B:169:ILE:CD1	1:B:193:ALA:HB1	2.45	0.46
1:C:63:ARG:HG2	1:C:63:ARG:HH11	1.79	0.46
1:A:93:VAL:HG13	1:A:93:VAL:O	2.16	0.46
1:C:268:GLY:O	1:C:272:HIS:HB2	2.15	0.45
1:A:112:GLN:HE21	1:A:279:LEU:H	1.64	0.45
1:C:219:LEU:CD2	1:C:242:PRO:HB2	2.47	0.45
1:B:61:ALA:HB2	1:B:111[A]:LEU:HG	1.98	0.45
1:B:77:LEU:HD11	1:B:92:ARG:HD2	1.98	0.45
1:B:37[B]:VAL:HG13	1:B:98:ARG:CG	2.47	0.45
1:A:44:GLU:O	1:A:284:VAL:HG22	2.17	0.45
1:B:122:ARG:O	1:B:126:GLU:HG3	2.17	0.45
1:A:64[A]:VAL:HG21	1:A:107:ALA:CA	2.47	0.44
1:B:255:LYS:O	1:B:259:GLU:HG3	2.17	0.44
1:C:56:ALA:HA	1:C:80:GLU:OE2	2.17	0.44
1:A:124:TYR:HB3	1:A:135:ILE:CD1	2.48	0.44
1:C:10:TRP:C	1:C:12:GLY:H	2.21	0.44
1:C:55:LEU:CD2	1:C:90:VAL:HG13	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:PRO:HB3	1:C:196:TYR:CE2	2.53	0.44
1:A:20:ALA:HA	1:A:23:ARG:NH1	2.33	0.44
1:C:253:ARG:NH1	2:C:350:HOH:O	2.42	0.43
1:A:92:ARG:HB3	1:A:94:ARG:HH12	1.84	0.43
1:B:136:LEU:HD23	1:B:159:ARG:HB2	2.01	0.43
1:C:186:VAL:O	1:C:190:LYS:HB2	2.19	0.43
1:C:136:LEU:O	1:C:266:SER:HA	2.19	0.43
1:C:206:LEU:HD23	1:C:209:LEU:HD23	2.00	0.43
1:A:11:GLN:HG3	1:A:12:GLY:H	1.83	0.42
1:C:282:LEU:C	1:C:282:LEU:HD23	2.39	0.42
1:C:173:GLU:N	1:C:202:GLU:OE1	2.39	0.42
1:C:281:LEU:C	1:C:281:LEU:HD23	2.39	0.42
1:A:181:GLY:HA3	1:A:184:GLU:OE1	2.20	0.42
1:C:54:VAL:HG13	1:C:81:GLY:O	2.18	0.42
1:B:194:PRO:HB3	1:B:196:TYR:CE2	2.55	0.42
1:C:257:ALA:O	1:C:262:VAL:HG22	2.19	0.42
1:C:184:GLU:OE1	1:C:188:ARG:NH2	2.53	0.42
1:C:176:VAL:HG13	1:C:181:GLY:C	2.41	0.41
1:B:15:GLU:HB3	2:B:533:HOH:O	2.19	0.41
1:B:37[B]:VAL:HG11	1:B:98:ARG:HG2	2.00	0.41
1:C:30:ASP:O	1:C:34:LEU:HG	2.20	0.41
1:B:45:ALA:HB3	1:B:93:VAL:CG1	2.51	0.41
1:C:220:ILE:HG23	1:C:243:LEU:HD23	2.03	0.41
1:C:57:GLY:N	1:C:80:GLU:OE2	2.47	0.41
1:B:237:VAL:HG21	1:B:243:LEU:HD21	2.02	0.41
1:A:221:LEU:HA	1:A:244:GLU:O	2.20	0.40
1:C:232:GLU:O	1:C:235:ARG:HB3	2.21	0.40
1:C:233:ALA:O	1:C:237:VAL:HG23	2.22	0.40
1:A:128:LEU:HG	1:A:258:ALA:HB2	2.02	0.40
1:C:231:ARG:HH11	1:C:231:ARG:HD3	1.62	0.40
1:B:230:LEU:HD21	1:B:262:VAL:CG1	2.49	0.40
1:C:250:THR:CG2	1:C:253:ARG:H	2.33	0.40
1:A:62:GLU:HB2	1:A:74:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	286/286 (100%)	283 (99%)	3 (1%)	0	100 100
1	B	278/286 (97%)	275 (99%)	2 (1%)	1 (0%)	34 24
1	C	276/286 (96%)	261 (95%)	14 (5%)	1 (0%)	34 24
All	All	840/858 (98%)	819 (98%)	19 (2%)	2 (0%)	47 38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	12	GLY
1	C	127	ALA

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	216/210 (103%)	212 (98%)	4 (2%)	57 53
1	B	208/210 (99%)	206 (99%)	2 (1%)	76 76
1	C	206/210 (98%)	199 (97%)	7 (3%)	37 28
All	All	630/630 (100%)	617 (98%)	13 (2%)	59 48

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	132[A]	LYS
1	A	132[B]	LYS
1	A	170	LEU
1	B	42	GLU
1	B	50	LYS
1	C	94	ARG
1	C	122	ARG
1	C	206	LEU
1	C	225	PHE
1	C	231	ARG
1	C	255[A]	LYS
1	C	255[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	248	ASN
1	B	134	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/286 (96%)	0.10	7 (2%) 57 60	13, 22, 40, 59	0
1	B	276/286 (96%)	0.03	3 (1%) 80 82	14, 23, 40, 59	0
1	C	277/286 (96%)	1.49	75 (27%) 0 0	25, 49, 67, 75	0
All	All	830/858 (96%)	0.54	85 (10%) 6 8	13, 29, 61, 75	0

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	230	LEU	7.5
1	C	130	GLY	7.2
1	C	85	ALA	6.1
1	C	225	PHE	6.1
1	A	11	GLN	5.7
1	A	10	TRP	5.6
1	C	228	GLU	5.0
1	C	214	GLU	5.0
1	C	82	ALA	4.9
1	C	231	ARG	4.8
1	C	84	VAL	4.5
1	C	129	ALA	4.4
1	C	94	ARG	4.3
1	C	55	LEU	4.2
1	C	226	PRO	4.2
1	C	234	VAL	4.2
1	C	251	LEU	4.1
1	C	261	GLY	3.9
1	C	235	ARG	3.7
1	B	286	PRO	3.6
1	C	252	GLU	3.6
1	C	128	LEU	3.6
1	C	127	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	48	LEU	3.5
1	C	213	LEU	3.5
1	C	73	ALA	3.5
1	C	40	ASP	3.4
1	C	282	LEU	3.4
1	C	10	TRP	3.4
1	A	286	PRO	3.3
1	C	59	TRP	3.2
1	C	123	ALA	3.2
1	C	125	VAL	3.2
1	C	70	PRO	3.2
1	C	241	VAL	3.2
1	C	233	ALA	3.1
1	C	232	GLU	3.0
1	C	262	VAL	3.0
1	C	237	VAL	3.0
1	C	259	GLU	2.9
1	C	177	ARG	2.9
1	C	216	GLY	2.9
1	C	119	THR	2.9
1	C	224	ASN	2.9
1	C	83	ARG	2.8
1	C	243	LEU	2.8
1	C	11	GLN	2.8
1	C	90	VAL	2.8
1	C	255[A]	LYS	2.7
1	C	220	ILE	2.7
1	C	245	ALA	2.7
1	C	285	ARG	2.6
1	C	260	ALA	2.6
1	C	254	ALA	2.6
1	C	74	PHE	2.5
1	C	76	PRO	2.5
1	C	47	ILE	2.5
1	C	36	VAL	2.4
1	C	265	VAL	2.4
1	C	203	VAL	2.4
1	C	35	LEU	2.4
1	C	87	GLY	2.4
1	B	129	ALA	2.4
1	C	179	ALA	2.3
1	C	229	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	285	ARG	2.3
1	C	41	LEU	2.3
1	C	49	ALA	2.3
1	A	40	ASP	2.3
1	B	40	ASP	2.3
1	C	192	ARG	2.2
1	A	42	GLU	2.2
1	C	240	ARG	2.1
1	C	39	GLU	2.1
1	C	95	GLY	2.1
1	C	121	THR	2.1
1	C	126	GLU	2.1
1	C	53	GLY	2.1
1	C	239	GLY	2.1
1	C	207	GLU	2.0
1	C	176	VAL	2.0
1	C	227	LEU	2.0
1	C	217	ALA	2.0
1	C	257	ALA	2.0
1	A	228	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.