



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2018 – 02:55 pm GMT

PDB ID : 5X2U  
Title : Direct Observation of Conformational Population Shifts in Hemoglobin: Crystal Structure of Half-Liganded Hemoglobin after Adding 80 mM phosphate pH 6.7.  
Authors : Ohki, M.; Park, S.-Y.  
Deposited on : 2017-02-02  
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	5045 (2.54-2.50)
Clashscore	122126	5751 (2.54-2.50)
Ramachandran outliers	120053	5650 (2.54-2.50)
Sidechain outliers	120020	5652 (2.54-2.50)
RSRZ outliers	108989	4938 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
1	E	141	
1	G	141	
1	I	141	
1	K	141	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	B	146	 <p>% 89% 10% .</p>
2	D	146	 <p>8% 90% 10% ..</p>
2	F	146	 <p>90% 9% .</p>
2	H	146	 <p>6% 89% 10% ..</p>
2	J	146	 <p>10% 92% 7% ..</p>
2	L	146	 <p>18% 86% 13% .</p>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 13548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hemoglobin subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	140	1062	680	186	193	3	0	0	0
1	C	140	1062	680	186	193	3	0	0	0
1	E	140	1062	680	186	193	3	0	0	0
1	G	140	1062	680	186	193	3	0	0	0
1	I	140	1062	680	186	193	3	0	0	0
1	K	140	1062	680	186	193	3	0	0	0

- Molecule 2 is a protein called Hemoglobin subunit beta.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	145	1110	715	192	200	3	0	0	0
2	D	145	1110	715	192	200	3	0	0	0
2	F	145	1110	715	192	200	3	0	0	0
2	H	145	1110	715	192	200	3	0	0	0
2	J	145	1110	715	192	200	3	0	0	0
2	L	145	1110	715	192	200	3	0	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING NI(II) (three-letter code: HNI) (formula: C<sub>34</sub>H<sub>32</sub>N<sub>4</sub>NiO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	Ni			O
3	A	1	Total 43	34	4	1	4	0	0
3	D	1	Total 43	34	4	1	4	0	0
3	E	1	Total 43	34	4	1	4	0	0
3	H	1	Total 43	34	4	1	4	0	0
3	I	1	Total 43	34	4	1	4	0	0
3	L	1	Total 43	34	4	1	4	0	0

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
4	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	J	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
4	K	1	Total 43	C 34	Fe 1	N 4	O 4	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Hemoglobin subunit alpha



- Molecule 1: Hemoglobin subunit alpha





- Molecule 1: Hemoglobin subunit alpha




- Molecule 1: Hemoglobin subunit alpha




- Molecule 1: Hemoglobin subunit alpha




- Molecule 1: Hemoglobin subunit alpha




- Molecule 2: Hemoglobin subunit beta




- Molecule 2: Hemoglobin subunit beta




- Molecule 2: Hemoglobin subunit beta




- Molecule 2: Hemoglobin subunit beta




- Molecule 2: Hemoglobin subunit beta



- Molecule 2: Hemoglobin subunit beta







## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	228.89Å 55.81Å 139.96Å 90.00° 102.39° 90.00°	Depositor
Resolution (Å)	39.74 – 2.53 39.74 – 2.53	Depositor EDS
% Data completeness (in resolution range)	97.8 (39.74-2.53) 97.5 (39.74-2.53)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.61 (at 2.54Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, $R_{free}$	0.231 , 0.274 0.236 , 0.279	Depositor DCC
$R_{free}$ test set	2892 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.8	Xtrriage
Anisotropy	0.391	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 50.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13548	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HNI, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/1090	0.59	0/1481
1	C	0.46	0/1090	0.61	0/1481
1	E	0.47	0/1090	0.60	0/1481
1	G	0.44	0/1090	0.58	0/1481
1	I	0.44	0/1090	0.61	0/1481
1	K	0.45	0/1090	0.61	0/1481
2	B	0.49	0/1139	0.61	0/1546
2	D	0.48	0/1139	0.59	0/1546
2	F	0.48	0/1139	0.61	0/1546
2	H	0.43	0/1139	0.57	0/1546
2	J	0.46	0/1139	0.63	0/1546
2	L	0.45	0/1139	0.60	0/1546
All	All	0.46	0/13374	0.60	0/18162

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1062	0	1061	5	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1062	0	1061	9	0
1	E	1062	0	1061	2	0
1	G	1062	0	1061	3	0
1	I	1062	0	1061	8	0
1	K	1062	0	1061	11	0
2	B	1110	0	1100	10	0
2	D	1110	0	1100	8	0
2	F	1110	0	1100	6	0
2	H	1110	0	1100	4	0
2	J	1110	0	1100	5	0
2	L	1110	0	1100	11	0
3	A	43	0	30	1	0
3	D	43	0	32	2	0
3	E	43	0	30	1	0
3	H	43	0	30	2	0
3	I	43	0	30	0	0
3	L	43	0	30	2	0
4	B	43	0	30	2	0
4	C	43	0	30	1	0
4	F	43	0	30	1	0
4	G	43	0	30	1	0
4	J	43	0	30	0	0
4	K	43	0	30	4	0
All	All	13548	0	13328	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:201:HNI:HBC1	3:H:201:HNI:HMC1	1.76	0.65
1:I:137:THR:HA	1:I:140:TYR:HE1	1.62	0.64
1:K:119:PRO:HG2	2:L:55:MET:HG3	1.80	0.62
1:K:91:LEU:HD11	4:K:201:HEM:HAD2	1.84	0.59
2:F:100:PRO:HD3	2:F:145:TYR:CE2	2.37	0.59
1:I:43:PHE:HB3	1:I:46:PHE:HB2	1.86	0.57
2:J:40:ARG:HD3	1:K:92:ARG:HB2	1.91	0.53
1:I:92:ARG:HB2	2:L:37:TRP:HB2	1.90	0.53
1:I:87:HIS:HA	1:I:91:LEU:HB2	1.90	0.52
1:A:58:HIS:HE1	3:A:201:HNI:CHA	2.23	0.52

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:63:HIS:CE1	4:F:201:HEM:HBD2	2.44	0.52
4:K:201:HEM:HBB2	4:K:201:HEM:HMB2	1.91	0.52
1:E:35:SER:HB3	2:F:131:GLN:HG3	1.92	0.52
1:K:97:ASN:HD22	4:K:201:HEM:HBC1	1.73	0.52
2:D:92:HIS:HA	2:D:96:LEU:HD12	1.91	0.52
2:L:72:SER:HA	2:L:75:LEU:HD12	1.92	0.51
2:B:7:GLU:HB2	2:B:129:ALA:HB2	1.93	0.50
2:B:63:HIS:CE1	4:B:201:HEM:HBD2	2.47	0.49
1:G:83:LEU:HD21	4:G:201:HEM:HMA3	1.93	0.49
2:B:45:PHE:HA	2:B:59:LYS:HD3	1.94	0.49
1:K:43:PHE:HB3	1:K:46:PHE:HB2	1.94	0.49
2:F:97:HIS:CG	1:G:41:THR:HG21	2.48	0.48
2:H:75:LEU:HD21	2:H:133:VAL:HG11	1.95	0.48
1:G:85:ASP:O	1:G:89:HIS:HB2	2.13	0.48
1:C:35:SER:HB3	2:D:131:GLN:HG3	1.96	0.48
2:B:42:PHE:O	2:B:45:PHE:HB2	2.14	0.48
1:I:35:SER:HB3	2:J:131:GLN:HG3	1.96	0.48
1:K:102:SER:HA	1:K:105:LEU:HD12	1.95	0.47
1:K:58:HIS:CE1	4:K:201:HEM:HBD2	2.50	0.47
1:C:66:LEU:O	1:C:70:VAL:HG23	2.15	0.47
1:A:35:SER:HB3	2:B:131:GLN:HG3	1.97	0.46
1:C:58:HIS:HA	1:C:61:LYS:HE3	1.97	0.46
1:C:83:LEU:HD11	4:C:201:HEM:HMA3	1.97	0.46
1:K:113:LEU:HB3	1:K:116:GLU:HB2	1.98	0.46
2:B:100:PRO:HD3	2:B:145:TYR:CE2	2.51	0.46
2:J:93:CYS:HB2	2:J:145:TYR:CZ	2.51	0.46
2:B:93:CYS:SG	2:B:145:TYR:CD2	3.07	0.46
1:E:10:VAL:HG21	1:E:128:PHE:HB2	1.98	0.46
1:A:92:ARG:HB2	2:D:40:ARG:HB2	1.98	0.45
1:C:113:LEU:HB3	1:C:116:GLU:HB2	1.98	0.45
2:L:45:PHE:HA	2:L:59:LYS:HD3	1.98	0.45
1:K:38:THR:O	1:K:41:THR:HB	2.16	0.45
2:L:92:HIS:HA	2:L:96:LEU:HB2	1.99	0.45
2:H:63:HIS:CE1	3:H:201:HNI:HBD2	2.52	0.44
2:D:3:LEU:HD23	2:D:7:GLU:HB3	1.98	0.44
2:L:93:CYS:SG	2:L:144:LYS:HB2	2.57	0.44
1:C:123:ALA:HA	2:D:34:VAL:HG13	2.00	0.43
1:I:42:TYR:CE1	1:I:93:VAL:HA	2.53	0.43
2:B:92:HIS:HA	2:B:96:LEU:HD12	1.99	0.43
1:I:137:THR:HA	1:I:140:TYR:CE1	2.48	0.43
2:L:93:CYS:SG	2:L:145:TYR:CZ	3.05	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:137:THR:HA	1:K:140:TYR:HE1	1.84	0.42
2:H:3:LEU:HD23	2:H:7:GLU:HB3	2.02	0.42
3:E:201:HNI:HMC1	3:E:201:HNI:HBC1	2.01	0.42
2:B:63:HIS:CE1	4:B:201:HEM:CHA	3.02	0.42
3:D:201:HNI:HHA	3:D:201:HNI:HBA2	2.00	0.42
2:D:30:ARG:O	2:D:34:VAL:HG23	2.19	0.42
2:J:145:TYR:H	2:J:145:TYR:HD1	1.66	0.41
2:J:92:HIS:HA	2:J:96:LEU:HB2	2.03	0.41
2:F:18:VAL:HG13	2:F:23:VAL:HG21	2.02	0.41
2:L:71:PHE:CE2	3:L:201:HNI:HAB	2.56	0.41
2:F:20:VAL:HA	2:F:68:LEU:HD23	2.01	0.41
2:B:127:GLN:O	2:B:131:GLN:HG2	2.21	0.41
2:D:51:PRO:O	2:D:55:MET:HG2	2.20	0.41
1:C:22:GLY:HA2	1:C:60:LYS:HA	2.02	0.41
2:L:57:ASN:HB3	2:L:60:VAL:HB	2.02	0.40
1:C:128:PHE:O	1:C:132:VAL:HG23	2.20	0.40
1:K:58:HIS:HA	1:K:61:LYS:HD2	2.03	0.40
1:C:105:LEU:O	1:C:109:LEU:HG	2.21	0.40
1:I:92:ARG:HG3	2:L:40:ARG:HB2	2.03	0.40
1:A:84:SER:HB3	1:A:139:LYS:HG3	2.03	0.40
1:A:43:PHE:HB3	1:A:46:PHE:HB2	2.02	0.40
2:D:63:HIS:CE1	3:D:201:HNI:CHA	3.04	0.40
2:H:17:LYS:HB2	2:H:118:PHE:HE1	1.87	0.40
2:L:102:ASN:HB3	3:L:201:HNI:HMC1	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	138/141 (98%)	135 (98%)	3 (2%)	0	<b>100</b> <b>100</b>

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	138/141 (98%)	129 (94%)	9 (6%)	0	100	100
1	E	138/141 (98%)	134 (97%)	4 (3%)	0	100	100
1	G	138/141 (98%)	137 (99%)	0	1 (1%)	24	40
1	I	138/141 (98%)	133 (96%)	5 (4%)	0	100	100
1	K	138/141 (98%)	133 (96%)	5 (4%)	0	100	100
2	B	143/146 (98%)	141 (99%)	2 (1%)	0	100	100
2	D	143/146 (98%)	138 (96%)	4 (3%)	1 (1%)	24	40
2	F	143/146 (98%)	141 (99%)	2 (1%)	0	100	100
2	H	143/146 (98%)	138 (96%)	5 (4%)	0	100	100
2	J	143/146 (98%)	135 (94%)	8 (6%)	0	100	100
2	L	143/146 (98%)	138 (96%)	5 (4%)	0	100	100
All	All	1686/1722 (98%)	1632 (97%)	52 (3%)	2 (0%)	53	74

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	18	GLY
2	D	20	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	112/113 (99%)	111 (99%)	1 (1%)	81	92
1	C	112/113 (99%)	107 (96%)	5 (4%)	30	52
1	E	112/113 (99%)	101 (90%)	11 (10%)	9	16
1	G	112/113 (99%)	110 (98%)	2 (2%)	62	83
1	I	112/113 (99%)	108 (96%)	4 (4%)	38	63
1	K	112/113 (99%)	106 (95%)	6 (5%)	24	43
2	B	116/118 (98%)	114 (98%)	2 (2%)	63	84

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	116/118 (98%)	114 (98%)	2 (2%)	63	84
2	F	116/118 (98%)	112 (97%)	4 (3%)	40	65
2	H	116/118 (98%)	107 (92%)	9 (8%)	14	25
2	J	116/118 (98%)	110 (95%)	6 (5%)	25	45
2	L	116/118 (98%)	113 (97%)	3 (3%)	49	74
All	All	1368/1386 (99%)	1313 (96%)	55 (4%)	34	58

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	ASN
2	B	82	LYS
2	B	120	LYS
1	C	2	LEU
1	C	11	LYS
1	C	14	TRP
1	C	45	HIS
1	C	141	ARG
2	D	14	LEU
2	D	21	ASP
1	E	2	LEU
1	E	7	LYS
1	E	14	TRP
1	E	17	VAL
1	E	86	LEU
1	E	89	HIS
1	E	92	ARG
1	E	105	LEU
1	E	116	GLU
1	E	127	LYS
1	E	141	ARG
2	F	14	LEU
2	F	94	ASP
2	F	117	HIS
2	F	120	LYS
1	G	92	ARG
1	G	141	ARG
2	H	3	LEU
2	H	6	GLU
2	H	9	SER

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	H	14	LEU
2	H	21	ASP
2	H	40	ARG
2	H	43	GLU
2	H	82	LYS
2	H	144	LYS
1	I	30	GLU
1	I	38	THR
1	I	92	ARG
1	I	141	ARG
2	J	9	SER
2	J	14	LEU
2	J	68	LEU
2	J	73	ASP
2	J	82	LYS
2	J	96	LEU
1	K	41	THR
1	K	52	SER
1	K	81	SER
1	K	83	LEU
1	K	109	LEU
1	K	141	ARG
2	L	65	LYS
2	L	68	LEU
2	L	95	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	58	HIS
2	B	63	HIS
1	C	89	HIS
2	F	63	HIS
2	H	146	HIS
2	J	63	HIS
1	K	58	HIS
1	K	97	ASN
2	L	102	ASN
2	L	131	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	HNI	A	201	1	28,50,50	4.54	12 (42%)	22,82,82	5.36	11 (50%)
4	HEM	B	201	2	27,50,50	1.23	3 (11%)	17,82,82	2.20	4 (23%)
4	HEM	C	201	1	27,50,50	1.31	2 (7%)	17,82,82	1.88	5 (29%)
3	HNI	D	201	2	28,50,50	4.48	14 (50%)	22,82,82	5.25	12 (54%)
3	HNI	E	201	1	28,50,50	4.52	14 (50%)	22,82,82	5.14	11 (50%)
4	HEM	F	201	2	27,50,50	1.36	3 (11%)	17,82,82	1.49	4 (23%)
4	HEM	G	201	1	27,50,50	1.27	3 (11%)	17,82,82	2.30	4 (23%)
3	HNI	H	201	2	28,50,50	4.49	14 (50%)	22,82,82	5.41	12 (54%)
3	HNI	I	201	1	28,50,50	4.35	13 (46%)	22,82,82	5.37	14 (63%)
4	HEM	J	201	2	27,50,50	1.22	3 (11%)	17,82,82	1.59	6 (35%)
4	HEM	K	201	-	27,50,50	1.16	2 (7%)	17,82,82	1.55	4 (23%)
3	HNI	L	201	2	28,50,50	4.60	14 (50%)	22,82,82	5.62	11 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HNI	A	201	1	-	0/8/94/94	0/0/8/8
4	HEM	B	201	2	-	0/6/54/54	0/0/8/8
4	HEM	C	201	1	-	0/6/54/54	0/0/8/8
3	HNI	D	201	2	-	0/8/94/94	0/0/8/8
3	HNI	E	201	1	-	0/8/94/94	0/0/8/8
4	HEM	F	201	2	-	0/6/54/54	0/0/8/8
4	HEM	G	201	1	-	0/6/54/54	0/0/8/8
3	HNI	H	201	2	-	0/8/94/94	0/0/8/8
3	HNI	I	201	1	-	0/8/94/94	0/0/8/8
4	HEM	J	201	2	-	0/6/54/54	0/0/8/8
4	HEM	K	201	-	-	0/6/54/54	0/0/8/8
3	HNI	L	201	2	-	0/8/94/94	0/0/8/8

All (97) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	201	HNI	CHA-C1A	-9.86	1.34	1.53
3	A	201	HNI	CHC-C1C	-9.59	1.35	1.53
3	L	201	HNI	CHD-C4C	-9.08	1.36	1.53
3	H	201	HNI	CHA-C1A	-9.08	1.36	1.53
3	D	201	HNI	CHA-C1A	-9.06	1.36	1.53
3	D	201	HNI	CHD-C4C	-8.98	1.36	1.53
3	A	201	HNI	CHA-C1A	-8.93	1.36	1.53
3	D	201	HNI	CHC-C1C	-8.92	1.36	1.53
3	E	201	HNI	CHD-C4C	-8.87	1.36	1.53
3	H	201	HNI	CHC-C1C	-8.74	1.36	1.53
3	A	201	HNI	CHD-C4C	-8.63	1.36	1.53
3	I	201	HNI	CHD-C4C	-8.58	1.37	1.53
3	I	201	HNI	CHC-C1C	-8.52	1.37	1.53
3	I	201	HNI	CHA-C1A	-8.46	1.37	1.53
3	H	201	HNI	CHD-C4C	-8.44	1.37	1.53
3	H	201	HNI	CHB-C4A	-8.34	1.37	1.53
3	L	201	HNI	CHA-C1A	-8.24	1.37	1.53
3	L	201	HNI	CHB-C4A	-8.17	1.37	1.53
3	E	201	HNI	CHB-C4A	-8.13	1.37	1.53
3	A	201	HNI	CHB-C4A	-8.06	1.37	1.53
3	L	201	HNI	CHC-C1C	-8.05	1.38	1.53
3	E	201	HNI	CHC-C1C	-8.00	1.38	1.53
3	I	201	HNI	CHB-C4A	-8.00	1.38	1.53
3	D	201	HNI	CHB-C4A	-7.76	1.38	1.53
3	E	201	HNI	CHA-C4D	-5.98	1.36	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	201	HNI	CHA-C4D	-5.51	1.37	1.51
3	D	201	HNI	CHC-C4B	-5.51	1.37	1.51
3	H	201	HNI	CHA-C4D	-5.42	1.37	1.51
3	A	201	HNI	CHC-C4B	-5.38	1.37	1.51
3	A	201	HNI	CHA-C4D	-5.30	1.37	1.51
3	A	201	HNI	CHD-C1D	-5.21	1.38	1.51
3	E	201	HNI	CHC-C4B	-5.16	1.38	1.51
3	I	201	HNI	CHD-C1D	-5.08	1.38	1.51
3	I	201	HNI	CHA-C4D	-5.08	1.38	1.51
3	H	201	HNI	CHC-C4B	-5.04	1.38	1.51
3	E	201	HNI	CHD-C1D	-5.04	1.38	1.51
3	L	201	HNI	CHA-C4D	-5.03	1.38	1.51
3	L	201	HNI	C3B-C2B	-4.98	1.33	1.40
3	L	201	HNI	CHD-C1D	-4.97	1.38	1.51
3	E	201	HNI	CHB-C1B	-4.90	1.38	1.51
3	H	201	HNI	CHD-C1D	-4.84	1.39	1.51
3	D	201	HNI	CHD-C1D	-4.82	1.39	1.51
3	L	201	HNI	CHC-C4B	-4.73	1.39	1.51
3	I	201	HNI	CHC-C4B	-4.69	1.39	1.51
3	L	201	HNI	CHB-C1B	-4.62	1.39	1.51
3	H	201	HNI	CHB-C1B	-4.55	1.39	1.51
3	A	201	HNI	CHB-C1B	-4.47	1.40	1.51
3	I	201	HNI	C4C-C3C	-4.36	1.44	1.51
3	A	201	HNI	C4C-C3C	-4.34	1.44	1.51
3	D	201	HNI	CHB-C1B	-4.33	1.40	1.51
3	L	201	HNI	C4C-C3C	-4.30	1.44	1.51
3	H	201	HNI	C4C-C3C	-4.19	1.44	1.51
4	K	201	HEM	C3B-C2B	-4.13	1.34	1.40
4	C	201	HEM	C3B-C2B	-4.08	1.34	1.40
3	D	201	HNI	C4C-C3C	-4.06	1.44	1.51
3	I	201	HNI	CHB-C1B	-4.03	1.41	1.51
4	F	201	HEM	C3B-C2B	-3.89	1.35	1.40
3	E	201	HNI	C4C-C3C	-3.73	1.45	1.51
4	J	201	HEM	C3B-C2B	-3.36	1.35	1.40
3	H	201	HNI	C3B-C2B	-3.27	1.35	1.40
4	B	201	HEM	C3B-C2B	-3.05	1.36	1.40
4	G	201	HEM	C3B-C2B	-3.03	1.36	1.40
3	D	201	HNI	C3B-C2B	-2.73	1.36	1.40
4	G	201	HEM	CAA-C2A	-2.53	1.47	1.52
4	G	201	HEM	C3C-C2C	-2.36	1.37	1.40
4	B	201	HEM	C4D-C3D	2.07	1.47	1.42
3	L	201	HNI	C2C-C3C	2.09	1.41	1.35

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	201	HEM	C4D-C3D	2.21	1.47	1.42
3	I	201	HNI	C2C-C3C	2.24	1.41	1.35
3	E	201	HNI	CAA-C2A	2.25	1.54	1.51
3	E	201	HNI	C2C-C3C	2.32	1.41	1.35
4	J	201	HEM	C4A-NA	2.34	1.41	1.36
4	K	201	HEM	C4D-C3D	2.40	1.48	1.42
4	J	201	HEM	C4D-C3D	2.41	1.48	1.42
3	H	201	HNI	C2C-C3C	2.48	1.41	1.35
3	D	201	HNI	C2C-C3C	2.48	1.41	1.35
4	F	201	HEM	C4A-NA	2.90	1.42	1.36
4	B	201	HEM	C1A-NA	3.15	1.42	1.36
3	L	201	HNI	C1B-C2B	3.42	1.42	1.38
4	F	201	HEM	C1A-NA	3.49	1.43	1.36
3	H	201	HNI	C1B-C2B	4.35	1.44	1.38
3	D	201	HNI	C1B-C2B	4.66	1.44	1.38
3	E	201	HNI	C1B-C2B	4.92	1.44	1.38
3	A	201	HNI	C1B-C2B	5.36	1.45	1.38
3	I	201	HNI	C1B-C2B	5.54	1.45	1.38
3	E	201	HNI	C4D-C3D	6.57	1.47	1.38
3	I	201	HNI	C1D-C2D	6.72	1.47	1.38
3	D	201	HNI	C4D-C3D	7.06	1.47	1.38
3	H	201	HNI	C4D-C3D	7.07	1.47	1.38
3	I	201	HNI	C4D-C3D	7.10	1.47	1.38
3	A	201	HNI	C4D-C3D	7.14	1.47	1.38
3	D	201	HNI	C1D-C2D	7.28	1.48	1.38
3	A	201	HNI	C1D-C2D	7.44	1.48	1.38
3	H	201	HNI	C1D-C2D	7.56	1.48	1.38
3	L	201	HNI	C1D-C2D	7.64	1.48	1.38
3	E	201	HNI	C1D-C2D	7.66	1.48	1.38
3	L	201	HNI	C4D-C3D	9.81	1.51	1.38

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	201	HEM	CBD-CAD-C3D	-6.27	100.50	112.47
3	L	201	HNI	CHD-C1D-C2D	-5.77	119.46	129.45
3	I	201	HNI	CAD-CBD-CGD	-5.58	103.12	112.66
3	L	201	HNI	CBA-CAA-C2A	-5.47	104.53	114.28
3	I	201	HNI	CHD-C1D-C2D	-5.32	120.24	129.45
4	G	201	HEM	CBD-CAD-C3D	-5.25	102.46	112.47
3	A	201	HNI	CHD-C1D-C2D	-5.14	120.55	129.45
3	E	201	HNI	CHC-C4B-C3B	-5.11	122.68	129.55

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	201	HNI	CHB-C1B-C2B	-5.06	120.69	129.45
3	A	201	HNI	CBD-CAD-C3D	-5.05	102.83	112.48
3	L	201	HNI	CHB-C1B-C2B	-5.01	120.78	129.45
3	D	201	HNI	CHD-C1D-C2D	-4.96	120.87	129.45
4	G	201	HEM	CBA-CAA-C2A	-4.93	103.06	112.48
3	A	201	HNI	CHC-C4B-C3B	-4.80	123.09	129.55
3	D	201	HNI	CHB-C1B-C2B	-4.80	121.14	129.45
3	I	201	HNI	CHB-C1B-C2B	-4.77	121.19	129.45
3	I	201	HNI	CHC-C4B-C3B	-4.74	123.18	129.55
3	E	201	HNI	CHD-C1D-C2D	-4.55	121.57	129.45
3	H	201	HNI	CHD-C1D-C2D	-4.53	121.61	129.45
3	A	201	HNI	CHB-C1B-C2B	-4.52	121.62	129.45
3	E	201	HNI	CHB-C1B-C2B	-4.26	122.07	129.45
3	D	201	HNI	CHC-C4B-C3B	-4.13	124.00	129.55
3	L	201	HNI	CHC-C4B-C3B	-4.01	124.16	129.55
4	C	201	HEM	CBD-CAD-C3D	-3.54	105.71	112.47
4	K	201	HEM	C1D-C2D-C3D	-3.40	104.63	107.00
3	I	201	HNI	CBA-CAA-C2A	-3.38	108.25	114.28
3	H	201	HNI	CHC-C4B-C3B	-3.35	125.04	129.55
4	C	201	HEM	C1D-C2D-C3D	-3.29	104.71	107.00
4	B	201	HEM	CAD-CBD-CGD	-3.14	107.30	112.66
3	H	201	HNI	CAD-C3D-C4D	-3.10	125.12	127.30
3	E	201	HNI	CBD-CAD-C3D	-2.96	106.82	112.48
4	J	201	HEM	C1D-C2D-C3D	-2.75	105.08	107.00
4	C	201	HEM	CAD-CBD-CGD	-2.73	108.00	112.66
4	F	201	HEM	CAD-CBD-CGD	-2.72	108.01	112.66
4	B	201	HEM	CAD-C3D-C2D	-2.38	122.20	129.00
3	H	201	HNI	CAD-CBD-CGD	-2.25	108.82	112.66
4	B	201	HEM	C1D-C2D-C3D	-2.21	105.46	107.00
4	F	201	HEM	C1D-C2D-C3D	-2.20	105.47	107.00
4	J	201	HEM	CBA-CAA-C2A	-2.16	108.35	112.48
3	I	201	HNI	CBD-CAD-C3D	-2.16	108.36	112.48
4	C	201	HEM	C4C-C3C-C2C	-2.07	105.45	106.90
4	F	201	HEM	CAA-C2A-C3A	-2.06	123.11	129.00
4	J	201	HEM	C4C-C3C-C2C	-2.00	105.50	106.90
4	J	201	HEM	CMC-C2C-C3C	2.00	128.53	124.88
3	I	201	HNI	CMC-C2C-C1C	2.07	126.30	120.24
3	I	201	HNI	CMA-C3A-C4A	2.09	126.34	120.24
3	D	201	HNI	CMD-C2D-C3D	2.09	128.88	124.94
3	H	201	HNI	C3B-C4B-NB	2.10	110.06	107.17
3	D	201	HNI	CMA-C3A-C4A	2.11	126.42	120.24
3	D	201	HNI	CMC-C2C-C1C	2.11	126.42	120.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	201	HEM	C3B-C4B-NB	2.13	111.97	109.21
4	K	201	HEM	CMB-C2B-C3B	2.16	128.82	124.88
3	D	201	HNI	C3B-C4B-NB	2.17	110.17	107.17
3	I	201	HNI	CMB-C2B-C3B	2.19	128.87	124.88
4	K	201	HEM	CMD-C2D-C3D	2.22	129.13	124.94
3	L	201	HNI	CMD-C2D-C3D	2.28	129.25	124.94
3	H	201	HNI	CMA-C3A-C4A	2.32	127.02	120.24
3	E	201	HNI	CMA-C3A-C4A	2.34	127.08	120.24
4	J	201	HEM	CMD-C2D-C3D	2.36	129.40	124.94
4	G	201	HEM	C3B-C4B-NB	2.37	112.27	109.21
3	L	201	HNI	CMA-C3A-C4A	2.41	127.28	120.24
3	A	201	HNI	CMC-C2C-C1C	2.49	127.51	120.24
4	J	201	HEM	C3B-C4B-NB	2.55	112.50	109.21
3	E	201	HNI	C3B-C4B-NB	2.61	110.78	107.17
3	I	201	HNI	C3B-C4B-NB	2.68	110.86	107.17
3	E	201	HNI	CMB-C2B-C3B	2.73	129.85	124.88
3	L	201	HNI	C3B-C4B-NB	2.76	110.98	107.17
4	F	201	HEM	CMC-C2C-C3C	2.84	130.04	124.88
3	D	201	HNI	CAA-C2A-C1A	2.88	128.23	122.48
3	H	201	HNI	CBD-CAD-C3D	3.04	118.30	112.48
4	C	201	HEM	CMB-C2B-C3B	3.11	130.55	124.88
3	A	201	HNI	C3B-C4B-NB	3.18	111.56	107.17
3	A	201	HNI	CMB-C2B-C3B	3.21	130.73	124.88
4	G	201	HEM	CMB-C2B-C3B	3.90	131.98	124.88
3	I	201	HNI	CHC-C1C-NC	10.18	122.91	110.03
3	A	201	HNI	CHA-C1A-NA	10.51	123.33	110.03
3	D	201	HNI	CHA-C1A-NA	10.56	123.40	110.03
3	D	201	HNI	CHB-C4A-NA	10.64	123.49	110.03
3	A	201	HNI	CHC-C1C-NC	10.70	123.57	110.03
3	E	201	HNI	CHD-C4C-NC	10.71	123.59	110.03
3	E	201	HNI	CHB-C4A-NA	10.82	123.72	110.03
3	E	201	HNI	CHC-C1C-NC	10.86	123.77	110.03
3	I	201	HNI	CHA-C1A-NA	10.92	123.85	110.03
3	H	201	HNI	CHA-C1A-NA	11.02	123.97	110.03
3	A	201	HNI	CHB-C4A-NA	11.21	124.22	110.03
3	E	201	HNI	CHA-C1A-NA	11.28	124.30	110.03
3	L	201	HNI	CHB-C4A-NA	11.29	124.31	110.03
3	H	201	HNI	CHB-C4A-NA	11.30	124.33	110.03
3	I	201	HNI	CHB-C4A-NA	11.43	124.49	110.03
3	D	201	HNI	CHC-C1C-NC	11.44	124.51	110.03
3	I	201	HNI	CHD-C4C-NC	11.63	124.74	110.03
3	H	201	HNI	CHC-C1C-NC	11.71	124.85	110.03

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	201	HNI	CHC-C1C-NC	11.81	124.97	110.03
3	L	201	HNI	CHA-C1A-NA	12.02	125.25	110.03
3	A	201	HNI	CHD-C4C-NC	12.07	125.30	110.03
3	L	201	HNI	CHD-C4C-NC	12.09	125.33	110.03
3	H	201	HNI	CHD-C4C-NC	12.26	125.54	110.03
3	D	201	HNI	CHD-C4C-NC	12.38	125.69	110.03

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	201	HNI	1	0
4	B	201	HEM	2	0
4	C	201	HEM	1	0
3	D	201	HNI	2	0
3	E	201	HNI	1	0
4	F	201	HEM	1	0
4	G	201	HEM	1	0
3	H	201	HNI	2	0
4	K	201	HEM	4	0
3	L	201	HNI	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	140/141 (99%)	0.58	8 (5%) 24 25	36, 69, 99, 135	0
1	C	140/141 (99%)	0.54	9 (6%) 19 20	39, 66, 94, 111	0
1	E	140/141 (99%)	0.60	12 (8%) 10 11	42, 71, 102, 141	0
1	G	140/141 (99%)	0.08	2 (1%) 75 77	33, 55, 78, 125	0
1	I	140/141 (99%)	0.57	14 (10%) 7 7	42, 72, 97, 117	0
1	K	140/141 (99%)	1.08	26 (18%) 1 1	56, 83, 109, 118	0
2	B	145/146 (99%)	0.05	1 (0%) 87 89	25, 44, 67, 86	0
2	D	145/146 (99%)	0.65	12 (8%) 11 12	45, 74, 93, 105	0
2	F	145/146 (99%)	0.02	0 100 100	29, 45, 69, 89	0
2	H	145/146 (99%)	0.43	9 (6%) 20 22	49, 75, 94, 108	0
2	J	145/146 (99%)	0.65	14 (9%) 8 7	43, 74, 100, 114	0
2	L	145/146 (99%)	1.20	26 (17%) 1 1	54, 83, 107, 117	0
All	All	1710/1722 (99%)	0.54	133 (7%) 13 14	25, 68, 99, 141	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	140	TYR	11.4
2	L	145	TYR	8.8
1	E	141	ARG	8.7
2	L	146	HIS	7.0
1	G	141	ARG	6.9
1	K	141	ARG	6.8
1	K	2	LEU	6.5
1	C	45	HIS	6.4
1	C	14	TRP	5.3
1	I	141	ARG	5.2
2	L	49	SER	5.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	J	146	HIS	5.2
2	J	145	TYR	5.2
1	C	141	ARG	5.0
2	D	54	VAL	4.8
2	J	94	ASP	4.7
1	A	141	ARG	4.5
2	H	43	GLU	4.5
1	C	88	ALA	4.2
1	E	48	LEU	4.0
2	L	3	LEU	4.0
2	L	93	CYS	4.0
1	E	140	TYR	4.0
1	C	80	LEU	3.9
1	K	91	LEU	3.8
1	K	53	ALA	3.8
2	D	56	GLY	3.7
1	K	55	VAL	3.7
1	C	79	ALA	3.6
2	L	95	LYS	3.6
2	H	76	ALA	3.5
2	L	82	LYS	3.5
1	I	96	VAL	3.5
1	A	53	ALA	3.5
2	L	2	HIS	3.5
1	E	88	ALA	3.3
1	E	51	GLY	3.2
1	C	140	TYR	3.2
1	K	10	VAL	3.2
1	I	45	HIS	3.2
1	C	89	HIS	3.1
2	H	77	HIS	3.1
2	H	14	LEU	3.1
1	K	4	PRO	3.1
1	I	25	GLY	3.1
1	K	17	VAL	3.1
1	K	59	GLY	3.0
1	E	78	ASN	3.0
1	K	48	LEU	3.0
1	K	14	TRP	3.0
2	L	94	ASP	2.9
2	L	11	VAL	2.9
2	L	5	PRO	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	K	51	GLY	2.9
2	J	83	GLY	2.9
2	J	96	LEU	2.9
1	I	89	HIS	2.8
1	E	75	ASP	2.8
2	L	58	PRO	2.8
2	J	91	LEU	2.8
1	I	73	VAL	2.7
2	L	71	PHE	2.7
2	L	56	GLY	2.7
1	A	139	LYS	2.7
2	L	8	LYS	2.7
2	H	59	LYS	2.7
1	I	69	ALA	2.7
1	I	80	LEU	2.7
1	I	70	VAL	2.6
2	D	58	PRO	2.6
2	D	55	MET	2.6
1	E	14	TRP	2.6
2	J	90	GLU	2.6
1	E	96	VAL	2.6
1	K	76	MET	2.6
2	D	79	ASP	2.6
1	A	73	VAL	2.5
2	L	126	VAL	2.5
1	I	46	PHE	2.5
2	L	21	ASP	2.5
1	K	45	HIS	2.5
1	K	99	LYS	2.5
1	I	11	LYS	2.5
1	G	89	HIS	2.4
2	D	59	LYS	2.4
2	B	79	ASP	2.4
2	H	66	LYS	2.4
1	K	33	PHE	2.4
2	L	74	GLY	2.4
2	D	90	GLU	2.4
2	J	20	VAL	2.4
2	L	65	LYS	2.4
2	L	10	ALA	2.4
1	K	121	VAL	2.3
2	D	77	HIS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	43	PHE	2.3
2	J	85	PHE	2.3
2	L	104	ARG	2.3
1	A	96	VAL	2.3
1	K	11	LYS	2.3
2	L	81	LEU	2.3
2	D	86	ALA	2.3
2	J	93	CYS	2.3
1	K	58	HIS	2.3
1	K	66	LEU	2.2
2	H	145	TYR	2.2
2	D	117	HIS	2.2
2	D	5	PRO	2.2
1	A	95	PRO	2.2
1	K	24	TYR	2.2
1	K	26	ALA	2.2
2	J	95	LYS	2.2
1	E	72	HIS	2.2
2	J	49	SER	2.2
2	L	60	VAL	2.2
2	J	23	VAL	2.1
1	I	53	ALA	2.1
2	D	87	THR	2.1
2	L	15	TRP	2.1
1	K	47	ASP	2.1
2	L	7	GLU	2.1
1	K	72	HIS	2.1
1	I	21	ALA	2.0
1	C	67	THR	2.0
1	K	46	PHE	2.0
1	A	89	HIS	2.0
1	E	89	HIS	2.0
2	L	42	PHE	2.0
1	K	75	ASP	2.0
1	I	91	LEU	2.0
2	H	105	LEU	2.0
2	J	22	GLU	2.0
2	H	8	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	HEM	K	201	43/43	0.89	0.22	77,79,88,90	0
3	HNI	L	201	43/43	0.90	0.18	72,75,85,87	0
4	HEM	J	201	43/43	0.92	0.20	74,77,85,85	0
3	HNI	D	201	43/43	0.93	0.20	73,77,89,91	0
3	HNI	E	201	43/43	0.94	0.17	59,62,71,73	0
3	HNI	A	201	43/43	0.95	0.14	58,60,67,69	0
3	HNI	H	201	43/43	0.95	0.16	67,71,79,81	0
3	HNI	I	201	43/43	0.95	0.16	58,61,70,71	0
4	HEM	C	201	43/43	0.97	0.13	51,53,61,64	0
4	HEM	G	201	43/43	0.97	0.14	40,42,50,54	0
4	HEM	F	201	43/43	0.97	0.14	29,32,42,47	0
4	HEM	B	201	43/43	0.98	0.15	27,30,43,45	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.