



# Full wwPDB X-ray Structure Validation Report i

Oct 15, 2023 – 02:04 PM EDT

PDB ID : 6X7Q  
Title : Chloramphenicol acetyltransferase type III in complex with chloramphenicol and acetyl-oxa(dethia)-CoA  
Authors : Benjamin, A.B.; Stunkard, L.M.; Ling, J.; Nice, J.N.; Lohman, J.R.  
Deposited on : 2020-05-30  
Resolution : 1.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6780 (1.70-1.66)
Clashscore	141614	7310 (1.70-1.66)
Ramachandran outliers	138981	7173 (1.70-1.66)
Sidechain outliers	138945	7172 (1.70-1.66)
RSRZ outliers	127900	6661 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 6530 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Chloramphenicol acetyltransferase 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	212	Total	C 1791	N 1158	O 293	S 329	11	0	7	0
1	B	213	Total	C 1827	N 1182	O 298	S 337	10	0	10	0
1	C	213	Total	C 1867	N 1201	O 304	S 350	12	0	16	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	expression tag	UNP P00484
A	0	GLY	-	expression tag	UNP P00484
A	1	GLY	-	expression tag	UNP P00484
B	-1	SER	-	expression tag	UNP P00484
B	0	GLY	-	expression tag	UNP P00484
B	1	GLY	-	expression tag	UNP P00484
C	-1	SER	-	expression tag	UNP P00484
C	0	GLY	-	expression tag	UNP P00484
C	1	GLY	-	expression tag	UNP P00484

- Molecule 2 is acetyl-oxa(dethia)-CoA (three-letter code: UTA) (formula: C<sub>23</sub>H<sub>38</sub>N<sub>7</sub>O<sub>18</sub>P<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	51	23	7	18	3	0	0
2	B	1	51	23	7	18	3	0	0
2	C	1	52	23	8	18	3	0	1

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total Zn		0	0
3	C	1	Total Zn		0	0

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is CHLORAMPHENICOL (three-letter code: CLM) (formula:  $C_{11}H_{12}Cl_2N_2O_5$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	0	0
			20	11	2	2	5		
5	B	1	Total	C	Cl	N	O	0	0
			20	11	2	2	5		
5	C	1	Total	C	Cl	N	O	0	0
			20	11	2	2	5		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total 7 4 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	260	Total 261 261	0	1
7	B	294	Total 295 295	0	1
7	C	252	Total 253 253	0	1


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chloramphenicol acetyltransferase 3



- Molecule 1: Chloramphenicol acetyltransferase 3



- Molecule 1: Chloramphenicol acetyltransferase 3



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.92Å    106.92Å    126.60Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	34.33 – 1.68 34.31 – 1.68	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.33-1.68) 99.9 (34.31-1.68)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	0.09	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.97 (at 1.68Å)	Xtriage
Refinement program	REFMAC 5.8.0352	Depositor
$R$ , $R_{free}$	0.159 , 0.201 0.172 , 0.211	Depositor DCC
$R_{free}$ test set	4005 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	18.3	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 41.4	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50$ , $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6530	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CLM, UTA, PEG, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

<b>Mol</b>	<b>Chain</b>	<b>Bond lengths</b>		<b>Bond angles</b>	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/1852	0.81	2/2511 (0.1%)
1	B	0.49	0/1884	0.76	0/2557
1	C	0.50	0/1927	0.80	0/2613
All	All	0.49	0/5663	0.79	2/7681 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

<b>Mol</b>	<b>Chain</b>	<b>#Chirality outliers</b>	<b>#Planarity outliers</b>
1	A	0	1
1	C	0	2
All	All	0	3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>	<b>Z</b>	<b>Observed(°)</b>	<b>Ideal(°)</b>
1	A	21	ARG	NE-CZ-NH2	-7.29	116.65	120.30
1	A	203	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
1	A	23	ARG	Sidechain
1	C	178	ARG	Sidechain
1	C	23	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1791	0	1746	19	0
1	B	1827	0	1784	14	0
1	C	1867	0	1808	23	1
2	A	51	0	0	2	0
2	B	51	0	0	1	0
2	C	52	0	0	3	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	13	0	18	1	0
5	A	20	0	11	0	0
5	B	20	0	11	0	0
5	C	20	0	11	0	0
6	B	7	0	10	0	0
7	A	261	0	0	10	2
7	B	295	0	0	1	1
7	C	253	0	0	12	1
All	All	6530	0	5399	59	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:302[B]:UTA:C2P	7:C:404[B]:HOH:O	2.00	1.09
2:A:301:UTA:C5B	7:A:480:HOH:O	2.21	0.89
1:B:167:ILE:HD12	1:B:185[B]:VAL:HG12	1.55	0.87
1:C:92[A]:GLN:HG2	7:C:445:HOH:O	1.76	0.83
1:A:40:LYS:NZ	7:A:401:HOH:O	2.10	0.82
1:C:102:CYS:HB3	1:C:118[A]:VAL:HG21	1.65	0.79
2:A:301:UTA:O1P	7:A:402:HOH:O	2.11	0.68
1:C:92[A]:GLN:NE2	7:C:407:HOH:O	2.27	0.68
1:B:151[B]:SER:HB2	1:C:151[B]:SER:HB2	1.81	0.63
1:B:167:ILE:CD1	1:B:185[B]:VAL:HG12	2.28	0.61
1:A:175:GLU:HG3	7:A:571:HOH:O	2.02	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67[A]:GLU:OE1	1:B:199:ARG:NH2	2.33	0.59
1:A:49:LYS:HE3	7:A:404:HOH:O	2.02	0.58
4:A:303:PG4:H62	1:B:24[A]:LEU:HD22	1.86	0.58
1:C:89:VAL:HG21	1:C:100:LEU:HD12	1.86	0.57
1:A:48:TYR:HE1	7:A:406:HOH:O	1.87	0.57
1:A:151[B]:SER:HB2	1:C:151[B]:SER:HB2	1.87	0.57
1:B:93:GLU:CD	1:B:93:GLU:H	2.08	0.57
1:A:177:ASP:O	7:A:403:HOH:O	2.18	0.56
1:A:151[B]:SER:HB2	1:B:151[B]:SER:HB2	1.88	0.56
1:C:192[B]:CYS:SG	1:C:197:VAL:HG23	2.47	0.55
1:A:139[A]:LEU:HD11	1:A:141:ILE:HD11	1.89	0.55
1:C:192[B]:CYS:SG	1:C:196:HIS:HB2	2.48	0.53
1:C:114:ASN:O	1:C:118[A]:VAL:HG23	2.09	0.53
1:B:169[B]:MET:HG2	1:B:183:LEU:HD12	1.92	0.52
1:C:206[B]:GLU:CD	7:C:410:HOH:O	2.47	0.51
1:C:125:ASP:OD1	7:C:403:HOH:O	2.18	0.51
1:B:62:VAL:HG21	1:B:139[A]:LEU:HD13	1.93	0.50
1:A:10:ASN:ND2	7:A:411:HOH:O	2.44	0.50
1:A:139[A]:LEU:O	1:A:139[A]:LEU:HG	2.10	0.50
1:A:192[B]:CYS:SG	1:A:196:HIS:HB2	2.51	0.50
1:C:93[B]:GLU:OE2	7:C:402:HOH:O	2.18	0.50
1:A:212:LEU:O	1:A:213:LYS:CB	2.59	0.50
1:C:203:ARG:NH1	1:C:206[A]:GLU:OE1	2.45	0.49
2:C:302[A]:UTA:O1P	7:C:404[A]:HOH:O	2.20	0.48
1:B:82[B]:SER:OG	7:B:401:HOH:O	2.18	0.48
2:C:302[A]:UTA:C2P	7:C:404[A]:HOH:O	2.61	0.48
1:C:158:ASN:ND2	1:C:160:THR:H	2.12	0.47
1:A:175:GLU:HG3	7:A:617:HOH:O	2.13	0.47
1:C:102:CYS:HB3	1:C:118[A]:VAL:CG2	2.41	0.47
1:A:163:PHE:HB3	1:A:191:VAL:HG21	1.96	0.46
1:A:30:LEU:C	1:A:30:LEU:HD12	2.36	0.45
1:A:175:GLU:CG	7:A:571:HOH:O	2.62	0.45
1:C:93[A]:GLU:H	1:C:93[A]:GLU:CD	2.19	0.45
1:B:119:MET:O	1:B:123:LYS:HG2	2.17	0.45
1:C:112[B]:MET:CE	7:C:566:HOH:O	2.65	0.45
1:C:112[B]:MET:HE1	7:C:566:HOH:O	2.16	0.45
1:C:30:LEU:C	1:C:30:LEU:HD12	2.37	0.44
1:A:192[B]:CYS:SG	1:A:197:VAL:HG23	2.58	0.43
1:B:171:LYS:HA	2:B:302:UTA:N1A	2.34	0.43
1:C:87:PHE:HA	1:C:141:ILE:O	2.19	0.43
1:C:108:ILE:O	1:C:112[B]:MET:HG2	2.18	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:169[A]:MET:HE3	1:C:169[A]:MET:HB3	1.88	0.42
1:A:169[A]:MET:HG2	1:A:183:LEU:HD12	2.01	0.42
1:B:62:VAL:HG11	1:B:139[B]:LEU:HG	2.00	0.42
1:B:185[B]:VAL:HG11	1:B:200:PHE:HE2	1.84	0.41
1:C:118[B]:VAL:HG13	7:C:436:HOH:O	2.21	0.41
1:A:87:PHE:HA	1:A:141:ILE:O	2.21	0.41

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:581:HOH:O	7:B:420:HOH:O[5_545]	2.17	0.03
1:C:118[B]:VAL:CG1	7:A:428:HOH:O[5_545]	2.18	0.02
7:C:507:HOH:O	7:C:507:HOH:O[2_655]	2.19	0.01

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	217/215 (101%)	217 (100%)	0	0	100 100
1	B	221/215 (103%)	221 (100%)	0	0	100 100
1	C	227/215 (106%)	227 (100%)	0	0	100 100
All	All	665/645 (103%)	665 (100%)	0	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	204/198 (103%)	201 (98%)	3 (2%)	65 48
1	B	207/198 (104%)	201 (97%)	6 (3%)	42 21
1	C	213/198 (108%)	208 (98%)	5 (2%)	50 30
All	All	624/594 (105%)	610 (98%)	14 (2%)	57 32

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LEU
1	A	139[A]	LEU
1	A	139[B]	LEU
1	B	5	LYS
1	B	151[A]	SER
1	B	151[B]	SER
1	B	177	ASP
1	B	183	LEU
1	B	213	LYS
1	C	30	LEU
1	C	139	LEU
1	C	169[A]	MET
1	C	169[B]	MET
1	C	213	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	158	ASN
1	A	209	ASN
1	B	86	GLN
1	B	140	ASN
1	B	158	ASN
1	C	158	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	CLM	C	301	-	19,20,20	1.19	1 (5%)	23,27,27	1.16	2 (8%)
2	UTA	B	302	-	45,53,53	1.18	6 (13%)	57,79,79	1.38	9 (15%)
5	CLM	A	304	-	19,20,20	0.89	1 (5%)	23,27,27	1.25	3 (13%)
4	PG4	A	303	-	12,12,12	0.32	0	11,11,11	0.34	0
6	PEG	B	303	-	6,6,6	0.24	0	5,5,5	0.19	0
2	UTA	C	302[B]	-	42,50,53	1.23	4 (9%)	53,75,79	1.91	16 (30%)
5	CLM	B	301	-	19,20,20	1.06	1 (5%)	23,27,27	1.15	2 (8%)
2	UTA	C	302[A]	-	42,50,53	1.15	3 (7%)	53,75,79	1.86	14 (26%)
2	UTA	A	301	-	45,53,53	1.37	6 (13%)	57,79,79	1.36	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CLM	C	301	-	-	0/20/22/22	0/1/1/1
2	UTA	B	302	-	-	11/47/67/67	0/3/3/3
5	CLM	A	304	-	-	0/20/22/22	0/1/1/1
4	PG4	A	303	-	-	3/10/10/10	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PEG	B	303	-	-	0/4/4/4	-
2	UTA	C	302[B]	-	-	5/44/64/67	0/3/3/3
5	CLM	B	301	-	-	0/20/22/22	0/1/1/1
2	UTA	C	302[A]	-	-	4/44/64/67	0/3/3/3
2	UTA	A	301	-	-	6/47/67/67	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	301	CLM	C1-C2	-4.54	1.46	1.53
2	A	301	UTA	P3B-O3B	4.24	1.67	1.59
2	C	302[A]	UTA	OAP-CAP	3.77	1.49	1.42
2	C	302[B]	UTA	OAP-CAP	3.77	1.49	1.42
2	A	301	UTA	OAP-CAP	3.66	1.49	1.42
2	A	301	UTA	O4B-C1B	3.23	1.45	1.41
2	A	301	UTA	O1P-C	3.16	1.48	1.33
2	C	302[A]	UTA	C2A-N3A	3.07	1.37	1.32
2	C	302[B]	UTA	C2A-N3A	3.07	1.37	1.32
5	B	301	CLM	C1-C2	-3.05	1.48	1.53
2	B	302	UTA	O4B-C1B	3.01	1.45	1.41
2	B	302	UTA	O1P-C	2.70	1.46	1.33
2	B	302	UTA	C2A-N3A	2.64	1.36	1.32
5	A	304	CLM	C1-C2	-2.62	1.49	1.53
2	A	301	UTA	C5A-C4A	2.55	1.47	1.40
2	B	302	UTA	P1A-O5B	2.53	1.69	1.59
2	A	301	UTA	P1A-O2A	2.43	1.59	1.50
2	B	302	UTA	OAP-CAP	2.37	1.46	1.42
2	C	302[A]	UTA	O4B-C1B	2.29	1.44	1.41
2	C	302[B]	UTA	O4B-C1B	2.29	1.44	1.41
2	C	302[B]	UTA	C3P-N4P	2.05	1.50	1.46
2	B	302	UTA	C5A-C4A	2.01	1.46	1.40

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	302[A]	UTA	N6A-C6A-N1A	5.05	129.06	118.57
2	C	302[B]	UTA	N6A-C6A-N1A	5.05	129.06	118.57
2	C	302[A]	UTA	N3A-C2A-N1A	-4.77	121.22	128.68
2	C	302[B]	UTA	N3A-C2A-N1A	-4.77	121.22	128.68
2	C	302[A]	UTA	C2A-N1A-C6A	4.50	126.45	118.75
2	C	302[B]	UTA	C2A-N1A-C6A	4.50	126.45	118.75

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	UTA	N3A-C2A-N1A	-4.36	121.86	128.68
2	C	302[A]	UTA	OAP-CAP-CBP	4.24	120.24	110.25
2	C	302[B]	UTA	OAP-CAP-CBP	4.24	120.24	110.25
2	B	302	UTA	N3A-C2A-N1A	-3.57	123.10	128.68
2	B	302	UTA	O3B-C3B-C2B	-3.50	98.99	111.68
2	A	301	UTA	O6A-CCP-CBP	-3.14	105.49	110.55
2	C	302[A]	UTA	C1B-N9A-C4A	-3.13	121.15	126.64
2	C	302[B]	UTA	C1B-N9A-C4A	-3.13	121.15	126.64
2	B	302	UTA	CEP-CBP-CAP	3.00	114.03	108.82
2	C	302[A]	UTA	C5A-C6A-N6A	-2.98	115.83	120.35
2	C	302[B]	UTA	C5A-C6A-N6A	-2.98	115.83	120.35
5	A	304	CLM	C8-C9-N9	-2.88	117.21	119.38
5	A	304	CLM	C2-C1-CL2	-2.62	104.44	109.61
2	A	301	UTA	C5A-C6A-N6A	-2.54	116.49	120.35
2	B	302	UTA	C7P-C6P-C5P	-2.51	108.19	112.36
2	A	301	UTA	N6A-C6A-N1A	2.49	123.75	118.57
2	C	302[B]	UTA	C3P-N4P-C5P	2.47	127.43	122.84
2	A	301	UTA	CEP-CBP-CAP	2.46	113.09	108.82
5	A	304	CLM	C4-C3-N2	2.44	113.15	109.27
2	C	302[A]	UTA	O5P-C5P-C6P	-2.39	117.64	122.02
2	C	302[B]	UTA	O5P-C5P-C6P	-2.39	117.64	122.02
2	C	302[A]	UTA	C5A-C6A-N1A	-2.36	115.00	120.35
2	C	302[B]	UTA	C5A-C6A-N1A	-2.36	115.00	120.35
5	B	301	CLM	O2-C2-C1	-2.36	116.56	121.24
2	C	302[A]	UTA	C5B-C4B-C3B	-2.34	106.63	114.40
2	C	302[B]	UTA	C5B-C4B-C3B	-2.34	106.63	114.40
2	B	302	UTA	C1B-N9A-C4A	-2.34	122.53	126.64
2	C	302[B]	UTA	C2P-C3P-N4P	2.32	116.87	111.64
2	C	302[A]	UTA	O9P-C9P-N8P	2.27	127.86	122.99
2	C	302[B]	UTA	O9P-C9P-N8P	2.27	127.86	122.99
2	A	301	UTA	C3P-N4P-C5P	-2.26	118.64	122.84
2	C	302[A]	UTA	CEP-CBP-CAP	2.25	112.73	108.82
2	C	302[B]	UTA	CEP-CBP-CAP	2.25	112.73	108.82
2	A	301	UTA	C2P-C3P-N4P	-2.22	106.57	111.83
5	C	301	CLM	C2-C1-CL2	-2.20	105.27	109.61
2	A	301	UTA	O3B-C3B-C4B	-2.15	102.30	110.08
5	B	301	CLM	C10-C9-N9	-2.15	117.76	119.38
2	B	302	UTA	OAP-CAP-CBP	2.14	115.30	110.25
5	C	301	CLM	O2-C2-C1	-2.12	117.04	121.24
2	C	302[A]	UTA	C6P-C7P-N8P	2.11	116.16	111.90
2	C	302[B]	UTA	C6P-C7P-N8P	2.11	116.16	111.90
2	B	302	UTA	O8A-P3B-O7A	2.09	115.62	107.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	302	UTA	N6A-C6A-N1A	2.07	122.87	118.57
2	C	302[A]	UTA	O8A-P3B-O3B	2.07	115.26	105.99
2	C	302[B]	UTA	O8A-P3B-O3B	2.07	115.26	105.99
2	B	302	UTA	O2B-C2B-C3B	2.07	117.04	111.17
2	C	302[A]	UTA	O4B-C1B-C2B	-2.01	103.99	106.93
2	C	302[B]	UTA	O4B-C1B-C2B	-2.01	103.99	106.93

There are no chirality outliers.

All (29) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	UTA	P2A-O3A-P1A-O5B
2	A	301	UTA	P1A-O3A-P2A-O6A
2	B	302	UTA	P2A-O3A-P1A-O5B
2	B	302	UTA	P1A-O3A-P2A-O6A
4	A	303	PG4	O4-C7-C8-O5
2	C	302[B]	UTA	C6P-C5P-N4P-C3P
2	C	302[B]	UTA	O1P-C2P-C3P-N4P
2	C	302[A]	UTA	C3B-C4B-C5B-O5B
2	C	302[B]	UTA	C3B-C4B-C5B-O5B
2	B	302	UTA	CH3-C-O1P-C2P
2	A	301	UTA	CCP-O6A-P2A-O3A
2	B	302	UTA	CCP-O6A-P2A-O3A
2	C	302[A]	UTA	P1A-O3A-P2A-O4A
2	C	302[B]	UTA	P1A-O3A-P2A-O4A
4	A	303	PG4	C6-C5-O3-C4
2	B	302	UTA	O-C-O1P-C2P
2	C	302[A]	UTA	O4B-C4B-C5B-O5B
2	C	302[B]	UTA	O4B-C4B-C5B-O5B
2	C	302[A]	UTA	O1P-C2P-C3P-N4P
2	B	302	UTA	O1P-C2P-C3P-N4P
2	B	302	UTA	C4B-C5B-O5B-P1A
4	A	303	PG4	C8-C7-O4-C6
2	A	301	UTA	C3B-O3B-P3B-O8A
2	B	302	UTA	C5B-O5B-P1A-O3A
2	B	302	UTA	P2A-O3A-P1A-O1A
2	A	301	UTA	C4B-C5B-O5B-P1A
2	A	301	UTA	CCP-O6A-P2A-O4A
2	B	302	UTA	C5B-O5B-P1A-O2A
2	B	302	UTA	CCP-O6A-P2A-O4A


There are no ring outliers.



5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	302	UTA	1	0
4	A	303	PG4	1	0
2	C	302[B]	UTA	1	0
2	C	302[A]	UTA	2	0
2	A	301	UTA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	212/215 (98%)	-0.19	6 (2%) 53 55	11, 18, 40, 72	0
1	B	213/215 (99%)	-0.44	0 100 100	12, 18, 33, 41	0
1	C	213/215 (99%)	-0.22	4 (1%) 66 70	12, 18, 38, 81	0
All	All	638/645 (98%)	-0.28	10 (1%) 72 75	11, 18, 37, 81	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	213	LYS	5.8
1	C	213	LYS	5.7
1	A	47	ALA	3.1
1	A	45	ASP	2.7
1	C	45	ASP	2.5
1	C	47	ALA	2.4
1	A	133	VAL	2.1
1	A	116	LEU	2.1
1	A	48	TYR	2.1
1	C	177[A]	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates i


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	UTA	C	302[A]	48/51	0.81	0.20	20,36,77,104	4
2	UTA	C	302[B]	48/51	0.81	0.20	20,39,77,104	4
4	PG4	A	303	13/13	0.87	0.12	35,41,49,54	0
5	CLM	A	304	20/20	0.88	0.11	22,26,41,59	0
5	CLM	B	301	20/20	0.88	0.11	24,27,54,72	0
5	CLM	C	301	20/20	0.88	0.10	23,28,45,59	0
6	PEG	B	303	7/7	0.90	0.09	39,42,45,45	0
2	UTA	B	302	51/51	0.92	0.11	18,30,44,56	0
2	UTA	A	301	51/51	0.92	0.10	16,23,37,44	0
3	ZN	C	303	1/1	0.98	0.03	17,17,17,17	1
3	ZN	A	302	1/1	1.00	0.01	14,14,14,14	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.














## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.