

Full wwPDB X-ray Structure Validation Report (i)

Nov 21, 2023 – 09:47 PM JST

| PDB ID | : | 7X7O |
|--------------|---|---|
| Title | : | SARS-CoV-2 spike RBD in complex with neutralizing antibody UT28K |
| Authors | : | Ozawa, T.; Tani, H.; Anraku, Y.; Kita, S.; Igarashi, E.; Saga, Y.; Inasaki, N.; |
| | | Kawasuji, H.; Yamada, H.; Sasaki, S.; Somekawa, M.; Sasaki, J.; Hayakawa, |
| | | Y.; Yamamoto, Y.; Morinaga, Y.; Kurosawa, N.; Isobe, M.; Fukuhara, H.; |
| | | Maenaka, K.; Hashiguchi, T.; Kishi, H.; Kitajima, I.; Saito, S.; Niimi, H. |
| Deposited on | : | 2022-03-10 |
| Resolution | : | 3.75 Å(reported) |

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

| MolProbity Xtriage (Phenix) EDS Percentile statistics Refmac CCP4 Ideal geometry (protens) | :: | 4.02b-467 1.13 2.36 20191225.v01 (using entries in the PDB archive December 25th 2019) 5.8.0158 7.0.044 (Gargrove) Engh & Huber (2001) |
|--|----|--|
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.36 |

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | $egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$ | ${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$ |
|-----------------------|--|---|
| R_{free} | 130704 | 1039 (3.94-3.58) |
| Clashscore | 141614 | 1051 (3.92 - 3.60) |
| Ramachandran outliers | 138981 | 1015 (3.92 - 3.60) |
| Sidechain outliers | 138945 | 1011 (3.92-3.60) |
| RSRZ outliers | 127900 | 1050 (3.96-3.56) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain | | | | | |
|-----|-------|--------|------------------|--------|---|-----|-----|-----|
| 1 | А | 215 | 57% | 7% | | 20% | • | 22% |
| 1 | В | 215 | 6% | | | 29% | • | 20% |
| 1 | С | 215 | 5% | 5% | | | • | 27% |
| 1 | D | 215 | 53% | , D | | 20% | • | 24% |
| 2 | Е | 257 | 30% | 16% | • | | 53% | |
| 2 | G | 257 | 3% | 16% | • | | 53% | |



| Conti | Continuea from previous page | | | | | | | | | |
|-------|------------------------------|--------|------------------|-----|-------|-------|--|--|--|--|
| Mol | Chain | Length | Quality of chain | | | | | | | |
| 0 | TT | 057 | 3% | | | | | | | |
| | п | 237 | 3: | 1% | 13% • | 53% | | | | |
| | т | ~~~ | 2% | | | | | | | |
| 2 | J | 257 | 30 |)% | 16% | • 53% | | | | |
| | | | 4% | | | | | | | |
| 3 | F | 235 | | 36% | 9% | 54% | | | | |
| | | | 3% | | | | | | | |
| 3 | Ι | 235 | | 36% | 10% | 54% | | | | |
| | | | 2% | | | | | | | |
| 3 | K | 235 | 3 | 33% | 12% • | 54% | | | | |
| | - | | 3% | | _ | | | | | |
| 3 | L | 235 | | 35% | 10% | 54% | | | | |





2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 12279 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

| Mol | Chain | Residues | | At | oms | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--------------|---------|---------|-------|
| 1 | Δ | 167 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | A | 107 | 1334 | 854 | 225 | 249 | 6 | 0 | 0 | 0 |
| 1 | р | 179 | Total | С | Ν | 0 5 | S | 0 | 0 | 0 |
| 1 | D | 172 | 1371 | 880 | 231 | 253 | 7 | | 0 | 0 |
| 1 | C | 157 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| 1 | | 157 | 1261 | 809 | 213 | 233 | 6 | 0 | 0 | 0 |
| 1 | П | 162 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | 103 | 1309 | 840 | 220 | 243 | 6 | 0 | 0 | U | |

• Molecule 1 is a protein called Spike protein S1.

• Molecule 2 is a protein called UT28K Fab, heavy chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--------------|---------|---------|-------|
| 0 | Б | 199 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | E | 122 | 935 | 587 | 159 | 181 | 8 | 0 | 0 | 0 |
| 0 | C | 199 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | G | 122 | 935 | 587 | 159 | 181 | 8 | | | 0 |
| 0 | и | 199 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | П | 122 | 935 | 587 | 159 | 181 | 8 | 0 | | 0 |
| 0 | т | 199 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | | 122 | 935 | 587 | 159 | 181 | 8 | | | U |

• Molecule 3 is a protein called UT28K Fab, light chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|------------|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 2 | Б | 107 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| J | Г | 107 | 816 | 513 | 138 | 163 | 2 | 0 | 0 | 0 |
| 2 | Т | 107 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| J | 1 | 107 | 816 | 513 | 138 | 163 | 2 | | | 0 |
| 2 | K | 107 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| ່ <u>ບ</u> | Γ | 107 | 816 | 513 | 138 | 163 | 2 | 0 | 0 | 0 |
| 2 | 3 L | 107 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| ່ <u>ວ</u> | | 107 | 816 | 513 | 138 | 163 | 2 | 0 | U | 0 |



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Spike protein S1









 \bullet Molecule 3: UT28K Fab, light chain







4 Data and refinement statistics (i)

| Property | Value | Source |
|--|---|------------|
| Space group | I 1 2 1 | Depositor |
| Cell constants | 138.25Å 138.41Å 221.11Å | Derreriter |
| a, b, c, α , β , γ | 90.00° 90.05° 90.00° | Depositor |
| $\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$ | 48.14 - 3.75 | Depositor |
| Resolution (A) | 48.91 - 3.75 | EDS |
| % Data completeness | 99.9 (48.14-3.75) | Depositor |
| (in resolution range) | $99.7 \ (48.91 - 3.75)$ | EDS |
| R_{merge} | (Not available) | Depositor |
| R_{sym} | (Not available) | Depositor |
| $< I/\sigma(I) > 1$ | $1.60 (at 3.77 \text{\AA})$ | Xtriage |
| Refinement program | REFMAC 5.8.0267, PHENIX 1.18_3845 | Depositor |
| B B. | 0.303 , 0.336 | Depositor |
| It, Itfree | 0.315 , 0.339 | DCC |
| R_{free} test set | 2193 reflections $(5.11%)$ | wwPDB-VP |
| Wilson B-factor $(Å^2)$ | 111.2 | Xtriage |
| Anisotropy | 0.307 | Xtriage |
| Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$ | 0.32, 94.8 | EDS |
| L-test for twinning ² | $< L >=0.48, < L^2>=0.30$ | Xtriage |
| | 0.398 for k,h,-l | |
| Estimated twinning fraction | 0.367 for -k,-h,-l | Xtriage |
| | 0.380 for h,-k,-l | |
| F_o, F_c correlation | 0.84 | EDS |
| Total number of atoms | 12279 | wwPDB-VP |
| Average B, all atoms $(Å^2)$ | 133.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mal | Chain | Bond | lengths | Bond angles | | |
|-------|---------|------|----------|-------------|----------|--|
| IVIOI | Ullalli | RMSZ | # Z > 5 | RMSZ | # Z > 5 | |
| 1 | А | 0.33 | 0/1367 | 0.48 | 0/1851 | |
| 1 | В | 0.35 | 0/1408 | 0.51 | 0/1909 | |
| 1 | С | 0.34 | 0/1295 | 0.48 | 0/1755 | |
| 1 | D | 0.36 | 0/1342 | 0.50 | 0/1817 | |
| 2 | Ε | 0.34 | 0/955 | 0.53 | 0/1293 | |
| 2 | G | 0.33 | 0/955 | 0.54 | 0/1293 | |
| 2 | Н | 0.39 | 0/955 | 0.55 | 0/1293 | |
| 2 | J | 0.36 | 0/955 | 0.55 | 0/1293 | |
| 3 | F | 0.28 | 0/836 | 0.48 | 0/1137 | |
| 3 | Ι | 0.29 | 0/836 | 0.48 | 0/1137 | |
| 3 | Κ | 0.35 | 0/836 | 0.52 | 0/1137 | |
| 3 | L | 0.31 | 0/836 | 0.50 | 0/1137 | |
| All | All | 0.34 | 0/12576 | 0.51 | 0/17052 | |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | А | 1334 | 0 | 1261 | 39 | 0 |
| 1 | В | 1371 | 0 | 1290 | 46 | 0 |
| 1 | С | 1261 | 0 | 1190 | 16 | 0 |
| 1 | D | 1309 | 0 | 1232 | 26 | 0 |



| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes | | | | |
|-----|-------|-------|----------|----------|---------|--------------|--|--|--|--|
| 2 | Е | 935 | 0 | 899 | 30 | 0 | | | | |
| 2 | G | 935 | 0 | 899 | 40 | 0 | | | | |
| 2 | Н | 935 | 0 | 899 | 24 | 0 | | | | |
| 2 | J | 935 | 0 | 899 | 28 | 0 | | | | |
| 3 | F | 816 | 0 | 786 | 14 | 0 | | | | |
| 3 | Ι | 816 | 0 | 786 | 14 | 0 | | | | |
| 3 | Κ | 816 | 0 | 786 | 13 | 0 | | | | |
| 3 | L | 816 | 0 | 786 | 14 | 0 | | | | |
| All | All | 12279 | 0 | 11713 | 282 | 0 | | | | |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom 1 | Atom 2 | Interatomic | Clash |
|------------------|------------------|--------------|-------------|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) |
| 1:A:475:ALA:CB | 2:G:31:ILE:HD11 | 1.71 | 1.20 |
| 1:A:475:ALA:HB1 | 2:G:31:ILE:HD11 | 1.10 | 1.09 |
| 1:A:473:TYR:HE2 | 2:G:31:ILE:HD12 | 1.20 | 1.05 |
| 2:G:31:ILE:HG13 | 2:G:31:ILE:O | 1.61 | 0.97 |
| 2:G:31:ILE:HG12 | 2:G:101:CYS:SG | 2.08 | 0.93 |
| 1:A:473:TYR:CE2 | 2:G:31:ILE:HD12 | 2.04 | 0.92 |
| 1:A:473:TYR:HE2 | 2:G:31:ILE:CD1 | 1.87 | 0.88 |
| 2:G:31:ILE:HG12 | 2:G:105:CYS:SG | 2.13 | 0.87 |
| 1:A:475:ALA:CB | 2:G:31:ILE:CD1 | 2.54 | 0.84 |
| 1:B:381:GLY:HA3 | 1:B:430:THR:HA | 1.61 | 0.81 |
| 1:A:410:ILE:HD12 | 1:A:433:VAL:HG11 | 1.65 | 0.77 |
| 1:B:412:PRO:HB3 | 1:B:427:ASP:HA | 1.70 | 0.73 |
| 2:G:101:CYS:HA | 2:G:105:CYS:HA | 1.70 | 0.72 |
| 1:A:475:ALA:HB1 | 2:G:31:ILE:CD1 | 2.05 | 0.72 |
| 1:D:358:ILE:HD12 | 1:D:395:VAL:HG22 | 1.71 | 0.72 |
| 2:G:31:ILE:O | 2:G:31:ILE:CG1 | 2.36 | 0.72 |
| 2:G:31:ILE:CG1 | 2:G:105:CYS:SG | 2.77 | 0.72 |
| 2:E:2:MET:N | 2:E:25:SER:O | 2.23 | 0.72 |
| 1:A:403:ARG:HB3 | 1:A:406:GLU:HG3 | 1.73 | 0.71 |
| 1:D:358:ILE:HB | 1:D:395:VAL:HG13 | 1.74 | 0.70 |
| 3:K:18:ARG:HE | 3:K:77:SER:HA | 1.54 | 0.70 |
| 1:A:407:VAL:O | 1:A:410:ILE:HG12 | 1.92 | 0.70 |
| 1:D:358:ILE:HD11 | 1:D:397:ALA:HB2 | 1.73 | 0.69 |
| 1:A:334:ASN:ND2 | 1:A:335:LEU:O | 2.25 | 0.68 |
| 2:G:10:GLU:HB2 | 2:G:118:VAL:HG12 | 1.73 | 0.68 |



| | | Interatomic | Clash |
|------------------|------------------|--------------|-------------|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) |
| 1:D:334:ASN:ND2 | 1:D:335:LEU:O | 2.26 | 0.68 |
| 1:B:455:LEU:HD23 | 1:B:493:GLN:HB2 | 1.76 | 0.67 |
| 3:I:40:LYS:HB2 | 3:I:43:GLN:HB2 | 1.75 | 0.67 |
| 1:A:467:ASP:HA | 1:B:481:ASN:HB3 | 1.77 | 0.67 |
| 1:B:455:LEU:HD12 | 1:B:456:PHE:CG | 2.30 | 0.67 |
| 1:A:475:ALA:HB2 | 2:G:31:ILE:HD11 | 1.74 | 0.67 |
| 2:H:39:GLN:HB2 | 2:H:45:LEU:HD23 | 1.76 | 0.67 |
| 1:A:358:ILE:HD11 | 1:A:397:ALA:HB2 | 1.76 | 0.66 |
| 1:A:475:ALA:HB2 | 2:G:31:ILE:CD1 | 2.25 | 0.65 |
| 1:B:350:VAL:HG12 | 1:B:422:ASN:HB3 | 1.78 | 0.64 |
| 1:D:498:GLN:HE21 | 1:D:501:ASN:HD21 | 1.42 | 0.64 |
| 3:I:67:GLY:HA3 | 3:I:72:PHE:HA | 1.80 | 0.64 |
| 2:J:39:GLN:HB2 | 2:J:45:LEU:HD23 | 1.80 | 0.63 |
| 2:E:27:PHE:HA | 3:L:57:THR:HG22 | 1.80 | 0.63 |
| 1:B:442:ASP:OD2 | 1:B:509:ARG:NE | 2.32 | 0.63 |
| 1:A:410:ILE:HG13 | 1:A:410:ILE:O | 1.99 | 0.62 |
| 2:E:101:CYS:HA | 2:E:105:CYS:HA | 1.80 | 0.62 |
| 3:K:67:GLY:HA3 | 3:K:72:PHE:HA | 1.81 | 0.62 |
| 2:H:40:ALA:N | 2:H:43:GLN:OE1 | 2.30 | 0.61 |
| 3:K:37:TYR:HE1 | 3:K:90:GLN:HG2 | 1.65 | 0.61 |
| 3:L:55:ARG:NH1 | 3:L:63:PHE:O | 2.32 | 0.61 |
| 2:G:19:LYS:HG3 | 2:G:82:GLU:HB2 | 1.82 | 0.60 |
| 1:D:402:ILE:HD11 | 1:D:510:VAL:HG21 | 1.85 | 0.59 |
| 1:A:350:VAL:HA | 1:A:400:PHE:HB2 | 1.84 | 0.59 |
| 1:C:402:ILE:HD13 | 1:C:410:ILE:HD11 | 1.84 | 0.59 |
| 1:D:461:LEU:HD22 | 1:D:465:GLU:HB3 | 1.85 | 0.59 |
| 2:J:91:THR:HG22 | 2:J:120:VAL:H | 1.68 | 0.59 |
| 1:B:461:LEU:HD22 | 1:B:465:GLU:HB3 | 1.83 | 0.59 |
| 2:E:44:ARG:HG3 | 3:F:101:GLN:HA | 1.84 | 0.59 |
| 2:H:38:ARG:HE | 2:H:64:PHE:HZ | 1.50 | 0.58 |
| 1:B:395:VAL:HG23 | 1:B:524:VAL:HG11 | 1.85 | 0.58 |
| 1:A:358:ILE:HB | 1:A:395:VAL:HG13 | 1.86 | 0.58 |
| 2:H:23:LYS:NZ | 2:H:76:THR:O | 2.23 | 0.58 |
| 2:H:19:LYS:HD2 | 2:H:80:TYR:HB3 | 1.84 | 0.58 |
| 2:J:10:GLU:HB2 | 2:J:118:VAL:HG22 | 1.86 | 0.58 |
| 1:C:357:ARG:NH2 | 1:C:394:ASN:OD1 | 2.38 | 0.57 |
| 1:D:455:LEU:HD12 | 1:D:456:PHE:CG | 2.39 | 0.57 |
| 3:I:29:VAL:HG11 | 3:I:91:GLN:HB2 | 1.86 | 0.57 |
| 2:E:19:LYS:HA | 2:E:82:GLU:HG2 | 1.86 | 0.57 |
| 1:A:409:GLN:HA | 1:A:414:GLN:HG2 | 1.85 | 0.56 |
| 1:B:350:VAL:CG1 | 1:B:422:ASN:HB3 | 2.36 | 0.56 |



| | | Interatomic | Clash | |
|------------------|------------------|--------------|-------------|--|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) | |
| 2:J:40:ALA:N | 2:J:43:GLN:OE1 | 2.36 | 0.56 | |
| 3:I:35:ALA:HB1 | 3:I:47:LEU:CD1 | 2.36 | 0.55 | |
| 2:E:105:CYS:SG | 2:E:106:SER:N | 2.78 | 0.55 | |
| 1:B:403:ARG:HB2 | 1:B:406:GLU:HG3 | 1.89 | 0.55 | |
| 3:K:77:SER:OG | 3:K:78:ARG:CZ | 2.55 | 0.55 | |
| 2:E:41:ARG:NH1 | 2:E:92:ALA:HA | 2.22 | 0.55 | |
| 2:J:44:ARG:HG2 | 2:J:45:LEU:N | 2.22 | 0.55 | |
| 1:B:438:SER:HB2 | 1:B:441:LEU:HB2 | 1.87 | 0.54 | |
| 1:C:411:ALA:HB3 | 1:C:414:GLN:HG3 | 1.90 | 0.54 | |
| 1:A:473:TYR:CE2 | 2:G:31:ILE:CD1 | 2.78 | 0.54 | |
| 2:E:2:MET:HB3 | 2:H:2:MET:O | 2.07 | 0.54 | |
| 2:G:38:ARG:HG3 | 2:G:46:GLU:HB2 | 1.90 | 0.54 | |
| 1:A:444:LYS:H | 1:A:448:ASN:HB2 | 1.73 | 0.53 | |
| 2:J:2:MET:N | 2:J:3:GLN:OE1 | 2.40 | 0.53 | |
| 1:B:455:LEU:HD11 | 1:B:456:PHE:CD2 | 2.43 | 0.53 | |
| 1:C:461:LEU:HD22 | 1:C:465:GLU:HB3 | 1.91 | 0.53 | |
| 2:J:18:VAL:HG13 | 2:J:86:LEU:HD11 | 1.90 | 0.53 | |
| 2:E:44:ARG:NH1 | 3:F:99:PHE:O | 2.41 | 0.53 | |
| 1:B:455:LEU:CD1 | 1:B:456:PHE:CG | 2.92 | 0.53 | |
| 3:L:62:ARG:NE | 3:L:83:ASP:OD2 | 2.41 | 0.52 | |
| 1:A:356:LYS:HD3 | 1:A:358:ILE:HG12 | 1.91 | 0.52 | |
| 1:B:358:ILE:HD11 | 1:B:397:ALA:HB2 | 1.90 | 0.52 | |
| 1:B:455:LEU:HD12 | 1:B:455:LEU:C | 2.29 | 0.52 | |
| 1:B:345:THR:HG23 | 1:B:346:ARG:N | 2.24 | 0.52 | |
| 2:E:41:ARG:HH12 | 2:E:92:ALA:HA | 1.74 | 0.52 | |
| 1:B:411:ALA:HB3 | 1:B:414:GLN:CG | 2.40 | 0.52 | |
| 2:J:36:TRP:CE2 | 2:J:81:MET:HB2 | 2.43 | 0.52 | |
| 1:A:410:ILE:CD1 | 1:A:433:VAL:HG11 | 2.35 | 0.52 | |
| 1:A:440:ASN:OD1 | 1:A:441:LEU:HG | 2.10 | 0.52 | |
| 2:G:60:TYR:HE1 | 2:G:70:ILE:HG13 | 1.74 | 0.52 | |
| 1:B:356:LYS:HD3 | 1:B:358:ILE:HG12 | 1.93 | 0.51 | |
| 2:E:28:THR:HG23 | 3:L:57:THR:HG23 | 1.92 | 0.51 | |
| 1:D:367:VAL:HG13 | 1:D:368:LEU:HD12 | 1.92 | 0.51 | |
| 1:A:401:VAL:HG22 | 1:A:509:ARG:HD3 | 1.93 | 0.51 | |
| 1:D:438:SER:HB2 | 1:D:441:LEU:HB2 | 1.93 | 0.51 | |
| 2:H:60:TYR:HE2 | 2:H:70:ILE:HG13 | 1.76 | 0.51 | |
| 1:B:393:THR:HA | 1:B:522:ALA:HA | 1.91 | 0.51 | |
| 2:J:91:THR:HG22 | 2:J:119:THR:HA | 1.93 | 0.51 | |
| 3:L:38:GLN:HB2 | 3:L:48:LEU:HD11 | 1.93 | 0.51 | |
| 2:G:36:TRP:CE2 | 2:G:81:MET:HB2 | 2.45 | 0.51 | |
| 1:B:437:ASN:HB2 | 1:B:508:TYR:CZ | 2.45 | 0.51 | |



| | | Interatomic | Clash | |
|------------------|------------------|--------------|-------------|--|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) | |
| 2:E:19:LYS:HG2 | 2:E:82:GLU:OE2 | 2.10 | 0.50 | |
| 2:G:12:LYS:NZ | 2:G:18:VAL:HA | 2.27 | 0.50 | |
| 1:B:338:PHE:HE1 | 1:B:358:ILE:HD13 | 1.76 | 0.50 | |
| 3:K:6:GLN:H | 3:K:101:GLN:HE22 | 1.59 | 0.50 | |
| 1:D:444:LYS:H | 1:D:448:ASN:HB2 | 1.76 | 0.50 | |
| 2:H:35:GLN:HB2 | 2:H:47:TRP:HE1 | 1.76 | 0.50 | |
| 2:J:85:SER:HB2 | 2:J:87:ARG:HH21 | 1.75 | 0.50 | |
| 3:K:84:PHE:CD1 | 3:K:105:VAL:HG12 | 2.47 | 0.50 | |
| 1:A:410:ILE:HD12 | 1:A:433:VAL:CG1 | 2.40 | 0.49 | |
| 1:A:424:LYS:NZ | 1:A:425:LEU:O | 2.45 | 0.49 | |
| 2:E:64:PHE:O | 2:E:68:VAL:HG22 | 2.12 | 0.49 | |
| 1:D:405:ASP:O | 1:D:408:ARG:HG2 | 2.12 | 0.49 | |
| 2:H:4:LEU:HD23 | 2:H:24:ALA:HA | 1.94 | 0.49 | |
| 3:K:38:GLN:HB2 | 3:K:48:LEU:HD11 | 1.94 | 0.49 | |
| 1:D:403:ARG:HB3 | 1:D:406:GLU:HG3 | 1.92 | 0.49 | |
| 2:J:32:SER:OG | 2:J:101:CYS:HB2 | 2.12 | 0.49 | |
| 2:G:12:LYS:O | 2:G:120:VAL:HA | 2.13 | 0.49 | |
| 1:B:353:TRP:CD1 | 1:B:466:ARG:HD3 | 2.48 | 0.49 | |
| 1:D:344:ALA:HB3 | 1:D:347:PHE:HE1 | 1.78 | 0.49 | |
| 3:I:35:ALA:HB1 | 3:I:47:LEU:HD11 | 1.95 | 0.48 | |
| 2:J:12:LYS:HG3 | 2:J:18:VAL:CG1 | 2.43 | 0.48 | |
| 1:B:501:ASN:HB3 | 1:B:505:TYR:HB3 | 1.94 | 0.48 | |
| 1:A:461:LEU:HG | 1:A:465:GLU:HB3 | 1.95 | 0.48 | |
| 2:E:36:TRP:CE2 | 2:E:81:MET:HB2 | 2.47 | 0.48 | |
| 1:B:376:THR:CG2 | 1:B:435:ALA:HB3 | 2.43 | 0.48 | |
| 1:C:344:ALA:HB3 | 1:C:347:PHE:HE1 | 1.77 | 0.48 | |
| 3:L:2:ILE:HD11 | 3:L:94:ASN:HB2 | 1.95 | 0.48 | |
| 1:A:393:THR:N | 1:A:517:LEU:HA | 2.29 | 0.48 | |
| 1:D:456:PHE:CZ | 2:J:54:GLY:HA3 | 2.48 | 0.48 | |
| 2:G:38:ARG:NH2 | 2:G:94:TYR:OH | 2.47 | 0.48 | |
| 3:I:3:VAL:O | 3:I:25:ALA:HA | 2.14 | 0.48 | |
| 3:L:67:GLY:HA3 | 3:L:72:PHE:HA | 1.95 | 0.48 | |
| 2:G:100:TYR:HB3 | 2:G:110:ASP:OD2 | 2.14 | 0.48 | |
| 1:B:444:LYS:HB3 | 1:B:448:ASN:HB2 | 1.94 | 0.47 | |
| 2:E:2:MET:N | 2:E:26:GLY:HA3 | 2.29 | 0.47 | |
| 3:F:63:PHE:CD1 | 3:F:76:ILE:HD12 | 2.49 | 0.47 | |
| 2:G:64:PHE:HB3 | 2:G:68:VAL:HG13 | 1.96 | 0.47 | |
| 1:C:417:LYS:HD2 | 1:C:455:LEU:HA | 1.97 | 0.47 | |
| 2:H:43:GLN:HG2 | 2:H:44:ARG:N | 2.30 | 0.47 | |
| 2:G:110:ASP:O | 3:I:46:ARG:NH2 | 2.47 | 0.47 | |
| 1:C:342:PHE:CE1 | 1:C:511:VAL:HG11 | 2.49 | 0.47 | |



| | | Interatomic | Clash |
|------------------|------------------|--------------|-------------|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) |
| 3:F:48:LEU:HA | 3:F:59:ILE:HG12 | 1.96 | 0.47 |
| 2:H:110:ASP:O | 3:L:46:ARG:NH1 | 2.47 | 0.47 |
| 3:I:6:GLN:H | 3:I:101:GLN:HE22 | 1.60 | 0.47 |
| 1:B:411:ALA:HB3 | 1:B:414:GLN:HG3 | 1.97 | 0.47 |
| 1:B:455:LEU:CD1 | 1:B:456:PHE:CD2 | 2.97 | 0.47 |
| 3:F:38:GLN:HB2 | 3:F:48:LEU:HD11 | 1.97 | 0.47 |
| 2:G:63:LYS:HD3 | 2:G:64:PHE:CE2 | 2.50 | 0.47 |
| 2:E:18:VAL:HG11 | 2:E:118:VAL:HG11 | 1.97 | 0.47 |
| 1:B:403:ARG:HG3 | 1:B:495:TYR:CE1 | 2.49 | 0.46 |
| 2:J:43:GLN:HG2 | 2:J:44:ARG:N | 2.29 | 0.46 |
| 3:L:6:GLN:H | 3:L:101:GLN:HE22 | 1.63 | 0.46 |
| 1:A:457:ARG:HD2 | 1:A:457:ARG:HA | 1.51 | 0.46 |
| 1:C:456:PHE:CZ | 2:E:54:GLY:HA3 | 2.51 | 0.46 |
| 1:B:336:CYS:N | 1:B:361:CYS:SG | 2.88 | 0.46 |
| 1:D:438:SER:HB3 | 1:D:509:ARG:HG3 | 1.96 | 0.46 |
| 2:E:39:GLN:NE2 | 2:E:43:GLN:O | 2.49 | 0.46 |
| 1:D:444:LYS:NZ | 1:D:448:ASN:HA | 2.31 | 0.46 |
| 2:H:43:GLN:HG2 | 2:H:44:ARG:H | 1.81 | 0.46 |
| 2:E:60:TYR:HE2 | 2:E:70:ILE:HG13 | 1.80 | 0.46 |
| 1:B:417:LYS:HG2 | 1:B:455:LEU:HA | 1.97 | 0.46 |
| 1:B:419:ALA:O | 1:B:424:LYS:HD3 | 2.16 | 0.46 |
| 2:G:68:VAL:HA | 2:G:82:GLU:O | 2.15 | 0.46 |
| 2:J:12:LYS:O | 2:J:120:VAL:HA | 2.16 | 0.46 |
| 1:C:437:ASN:HB2 | 1:C:508:TYR:CZ | 2.51 | 0.46 |
| 3:I:47:LEU:HD21 | 3:I:50:TYR:HB3 | 1.97 | 0.46 |
| 2:J:4:LEU:HD23 | 2:J:24:ALA:HA | 1.98 | 0.45 |
| 1:B:411:ALA:O | 1:B:414:GLN:HG2 | 2.15 | 0.45 |
| 3:K:6:GLN:H | 3:K:101:GLN:NE2 | 2.13 | 0.45 |
| 1:A:437:ASN:HB2 | 1:A:508:TYR:CZ | 2.51 | 0.45 |
| 3:I:6:GLN:H | 3:I:101:GLN:NE2 | 2.13 | 0.45 |
| 1:A:353:TRP:CE2 | 1:A:466:ARG:HD2 | 2.52 | 0.45 |
| 1:D:363:ALA:HB1 | 1:D:365:TYR:CE1 | 2.51 | 0.45 |
| 2:G:13:LYS:O | 2:G:16:THR:HG22 | 2.16 | 0.45 |
| 1:A:468:ILE:H | 1:A:468:ILE:HG12 | 1.66 | 0.45 |
| 1:B:455:LEU:HD12 | 1:B:456:PHE:N | 2.31 | 0.45 |
| 2:E:4:LEU:HD23 | 2:E:24:ALA:HA | 1.99 | 0.45 |
| 2:H:69:THR:HG23 | 2:H:82:GLU:HG3 | 1.99 | 0.45 |
| 2:H:38:ARG:HD3 | 2:H:94:TYR:CZ | 2.52 | 0.44 |
| 1:A:454:ARG:HA | 1:A:492:LEU:HD23 | 1.99 | 0.44 |
| 1:B:357:ARG:NH2 | 1:B:394:ASN:ND2 | 2.65 | 0.44 |
| 1:B:405:ASP:O | 1:B:408:ARG:HG2 | 2.18 | 0.44 |



| | jugen. | Interatomic | Clash | |
|------------------|------------------|----------------|-------------|--|
| Atom-1 | Atom-2 | distance $(Å)$ | overlap (Å) | |
| 2:J:18:VAL:O | 2:J:82:GLU:HA | 2.16 | 0.44 | |
| 1:B:337:PRO:HB2 | 1:B:340:GLU:HG3 | 1.99 | 0.44 | |
| 3:F:29:VAL:HG11 | 3:F:91:GLN:HB2 | 1.99 | 0.44 | |
| 1:A:347:PHE:CD2 | 1:A:509:ARG:HD2 | 2.52 | 0.44 | |
| 1:A:344:ALA:HB3 | 1:A:347:PHE:HE1 | 1.81 | 0.44 | |
| 2:E:35:GLN:HB2 | 2:E:47:TRP:HE1 | 1.82 | 0.44 | |
| 1:B:378:LYS:HD2 | 1:B:378:LYS:HA | 1.70 | 0.44 | |
| 2:E:88:PHE:O | 2:E:91:THR:HG22 | 2.18 | 0.44 | |
| 2:J:64:PHE:O | 2:J:68:VAL:HG22 | 2.18 | 0.44 | |
| 2:J:68:VAL:HA | 2:J:82:GLU:O | 2.17 | 0.44 | |
| 2:H:7:SER:HB3 | 2:H:21:SER:H | 1.83 | 0.43 | |
| 2:H:36:TRP:CE2 | 2:H:81:MET:HB2 | 2.52 | 0.43 | |
| 2:J:101:CYS:HA | 2:J:105:CYS:HA | 2.00 | 0.43 | |
| 3:L:84:PHE:CE2 | 3:L:107:ILE:HD11 | 2.53 | 0.43 | |
| 2:G:28:THR:OG1 | 2:G:101:CYS:O | 2.35 | 0.43 | |
| 3:K:59:ILE:HD13 | 3:K:59:ILE:HA | 1.85 | 0.43 | |
| 1:C:350:VAL:HG22 | 1:C:401:VAL:O | 2.18 | 0.43 | |
| 2:E:18:VAL:HG12 | 2:E:86:LEU:HD21 | 1.99 | 0.43 | |
| 3:K:2:ILE:HD13 | 3:K:29:VAL:HG12 | 1.99 | 0.43 | |
| 1:B:498:GLN:H | 1:B:501:ASN:ND2 | 2.16 | 0.43 | |
| 3:F:56:ALA:HB3 | 3:F:59:ILE:HD13 | 2.00 | 0.43 | |
| 3:I:50:TYR:O | 3:I:54:SER:OG | 2.29 | 0.43 | |
| 1:B:452:LEU:HD23 | 1:B:494:SER:HA | 2.01 | 0.43 | |
| 1:D:344:ALA:HB3 | 1:D:347:PHE:CE1 | 2.54 | 0.43 | |
| 1:D:417:LYS:HD3 | 1:D:417:LYS:HA | 1.79 | 0.43 | |
| 2:E:12:LYS:O | 2:E:120:VAL:HA | 2.19 | 0.43 | |
| 2:G:100:TYR:O | 2:G:106:SER:HB3 | 2.18 | 0.43 | |
| 2:J:18:VAL:HG22 | 2:J:86:LEU:HD21 | 2.00 | 0.43 | |
| 1:B:357:ARG:NH1 | 1:B:396:TYR:OH | 2.52 | 0.43 | |
| 1:C:344:ALA:HB3 | 1:C:347:PHE:CE1 | 2.53 | 0.43 | |
| 2:H:53:VAL:O | 2:H:72:ARG:HD3 | 2.18 | 0.43 | |
| 2:J:43:GLN:HG2 | 2:J:44:ARG:H | 1.84 | 0.43 | |
| 3:L:29:VAL:HG11 | 3:L:91:GLN:HB2 | 2.00 | 0.42 | |
| 3:L:81:PRO:HA | 3:L:84:PHE:CE2 | 2.54 | 0.42 | |
| 1:A:475:ALA:HB1 | 2:G:105:CYS:SG | 2.59 | 0.42 | |
| 3:F:63:PHE:HD1 | 3:F:76:ILE:HD12 | 1.85 | 0.42 | |
| 2:G:67:ARG:NH2 | 2:G:90:ASP:OD2 | 2.52 | 0.42 | |
| 2:G:85:SER:HB2 | 2:G:87:ARG:HH21 | 1.85 | 0.42 | |
| 2:H:66:GLU:CD | 2:H:66:GLU:H | 2.23 | 0.42 | |
| 2:H:71:THR:HG23 | 2:H:80:TYR:HB2 | 2.01 | 0.42 | |
| 2:E:39:GLN:HB2 | 2:E:45:LEU:HD23 | 2.01 | 0.42 | |



| | A de C | Interatomic | Clash |
|------------------|------------------|-------------------------|-------------|
| Atom-1 | Atom-2 | distance (\AA) | overlap (Å) |
| 1:A:505:TYR:HD1 | 1:A:505:TYR:O | 2.02 | 0.42 |
| 2:E:67:ARG:HE | 2:E:83:LEU:HD11 | 1.83 | 0.42 |
| 3:I:62:ARG:NE | 3:I:83:ASP:OD2 | 2.53 | 0.42 |
| 2:E:19:LYS:CB | 2:E:82:GLU:HG2 | 2.50 | 0.42 |
| 2:G:37:VAL:HG11 | 2:G:45:LEU:HD23 | 2.01 | 0.42 |
| 1:B:402:ILE:HD11 | 1:B:407:VAL:HG12 | 2.01 | 0.42 |
| 3:F:47:LEU:HD21 | 3:F:50:TYR:HB3 | 2.02 | 0.42 |
| 3:I:106:GLU:HG2 | 3:I:107:ILE:H | 1.84 | 0.42 |
| 3:L:84:PHE:CD2 | 3:L:107:ILE:HD11 | 2.54 | 0.42 |
| 1:C:357:ARG:NH1 | 1:C:358:ILE:O | 2.53 | 0.42 |
| 2:H:38:ARG:HB3 | 2:H:94:TYR:CD2 | 2.55 | 0.41 |
| 2:J:56:GLY:HA3 | 2:J:72:ARG:HH21 | 1.85 | 0.41 |
| 3:F:2:ILE:HD13 | 3:F:29:VAL:HG22 | 2.01 | 0.41 |
| 1:C:498:GLN:H | 1:C:501:ASN:ND2 | 2.18 | 0.41 |
| 2:J:27:PHE:HE2 | 2:J:32:SER:HG | 1.68 | 0.41 |
| 3:L:34:LEU:HD13 | 3:L:72:PHE:CE1 | 2.55 | 0.41 |
| 1:D:475:ALA:O | 1:D:487:ASN:HB3 | 2.20 | 0.41 |
| 3:K:40:LYS:HE2 | 3:K:82:GLU:O | 2.21 | 0.41 |
| 1:C:403:ARG:HB2 | 1:C:495:TYR:CE1 | 2.56 | 0.41 |
| 2:E:68:VAL:HA | 2:E:82:GLU:O | 2.21 | 0.41 |
| 1:D:437:ASN:HB3 | 1:D:508:TYR:CZ | 2.56 | 0.41 |
| 2:E:18:VAL:O | 2:E:82:GLU:HA | 2.21 | 0.41 |
| 1:B:456:PHE:HB3 | 1:B:473:TYR:CD2 | 2.56 | 0.41 |
| 1:C:335:LEU:HD22 | 1:C:361:CYS:HB2 | 2.01 | 0.41 |
| 1:D:498:GLN:HE21 | 1:D:501:ASN:ND2 | 2.16 | 0.41 |
| 2:J:81:MET:HE3 | 2:J:81:MET:HB3 | 1.99 | 0.41 |
| 1:B:361:CYS:SG | 1:B:362:VAL:N | 2.94 | 0.41 |
| 2:H:12:LYS:O | 2:H:120:VAL:HA | 2.21 | 0.41 |
| 2:H:67:ARG:HG2 | 2:H:87:ARG:HH22 | 1.86 | 0.41 |
| 2:J:6:GLN:HE21 | 2:J:6:GLN:HB3 | 1.68 | 0.41 |
| 3:K:50:TYR:CE2 | 3:K:56:ALA:HA | 2.55 | 0.41 |
| 1:B:398:ASP:N | 1:B:398:ASP:OD1 | 2.52 | 0.41 |
| 2:E:19:LYS:CA | 2:E:82:GLU:HG2 | 2.51 | 0.41 |
| 2:G:64:PHE:O | 2:G:68:VAL:HG22 | 2.21 | 0.41 |
| 1:D:412:PRO:HB3 | 1:D:427:ASP:HA | 2.02 | 0.40 |
| 2:G:23:LYS:NZ | 2:G:76:THR:O | 2.51 | 0.40 |
| 3:I:50:TYR:CE2 | 3:I:56:ALA:HA | 2.57 | 0.40 |
| 1:D:368:LEU:HA | 1:D:374:PHE:CE2 | 2.56 | 0.40 |
| 3:F:39:GLN:O | 3:F:85:ALA:HB1 | 2.21 | 0.40 |
| 3:F:57:THR:HG23 | 2:H:28:THR:HG23 | 2.02 | 0.40 |
| 3:F:62:ARG:NE | 3:F:83:ASP:OD2 | 2.54 | 0.40 |



| Atom-1 | Atom-2 | Interatomic distance (\hat{A}) | Clash |
|------------------|-----------------|----------------------------------|-------------|
| | | uistance (A) | overlap (A) |
| 2:J:74:MET:H | 2:J:74:MET:HG2 | 1.73 | 0.40 |
| 3:K:104:LYS:NZ | 3:K:105:VAL:O | 2.54 | 0.40 |
| 2:G:4:LEU:HD11 | 2:G:98:ALA:HB3 | 2.03 | 0.40 |
| 1:C:454:ARG:HH22 | 1:C:469:SER:N | 2.19 | 0.40 |
| 2:H:68:VAL:HA | 2:H:82:GLU:O | 2.21 | 0.40 |
| 2:J:70:ILE:HG13 | 2:J:81:MET:HG2 | 2.04 | 0.40 |
| 1:A:350:VAL:HG22 | 1:A:422:ASN:HB3 | 2.03 | 0.40 |
| 1:B:350:VAL:CG2 | 1:B:401:VAL:O | 2.69 | 0.40 |
| 1:D:346:ARG:HE | 1:D:346:ARG:HB3 | 1.76 | 0.40 |
| 3:F:81:PRO:O | 3:F:84:PHE:HD2 | 2.04 | 0.40 |
| 2:G:66:GLU:H | 2:G:66:GLU:CD | 2.24 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | ntiles |
|-----|-------|---------------|-----------|---------|----------|-------|--------|
| 1 | А | 157/215~(73%) | 147 (94%) | 10 (6%) | 0 | 100 | 100 |
| 1 | В | 164/215~(76%) | 154 (94%) | 10 (6%) | 0 | 100 | 100 |
| 1 | С | 151/215~(70%) | 141 (93%) | 10 (7%) | 0 | 100 | 100 |
| 1 | D | 153/215~(71%) | 143 (94%) | 10 (6%) | 0 | 100 | 100 |
| 2 | Е | 120/257~(47%) | 115 (96%) | 5 (4%) | 0 | 100 | 100 |
| 2 | G | 120/257~(47%) | 109 (91%) | 10 (8%) | 1 (1%) | 19 | 56 |
| 2 | Н | 120/257~(47%) | 114 (95%) | 6 (5%) | 0 | 100 | 100 |
| 2 | J | 120/257~(47%) | 113 (94%) | 7 (6%) | 0 | 100 | 100 |
| 3 | F | 105/235~(45%) | 99~(94%) | 6 (6%) | 0 | 100 | 100 |
| 3 | Ι | 105/235~(45%) | 99 (94%) | 6 (6%) | 0 | 100 | 100 |
| 3 | K | 105/235~(45%) | 98 (93%) | 7 (7%) | 0 | 100 | 100 |



Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | ntiles |
|-----|-------|-----------------|------------|---------|----------|-------|--------|
| 3 | L | 105/235~(45%) | 99~(94%) | 6 (6%) | 0 | 100 | 100 |
| All | All | 1525/2828 (54%) | 1431 (94%) | 93~(6%) | 1 (0%) | 51 | 83 |

All (1) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | G | 100 | TYR |

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Perce | entiles |
|-----|--------------|------------------------------|------------|----------|-------|---------|
| 1 | А | 144/188~(77%) | 139~(96%) | 5(4%) | 36 | 63 |
| 1 | В | 147/188~(78%) | 136~(92%) | 11 (8%) | 13 | 44 |
| 1 | С | 136/188~(72%) | 124 (91%) | 12 (9%) | 10 | 38 |
| 1 | D | 141/188~(75%) | 124 (88%) | 17 (12%) | 5 | 25 |
| 2 | Ε | 101/216~(47%) | 89~(88%) | 12 (12%) | 5 | 26 |
| 2 | G | 101/216~(47%) | 92~(91%) | 9~(9%) | 9 | 38 |
| 2 | Η | 101/216~(47%) | 87~(86%) | 14 (14%) | 3 | 21 |
| 2 | J | 101/216~(47%) | 87~(86%) | 14 (14%) | 3 | 21 |
| 3 | \mathbf{F} | 89/204~(44%) | 87~(98%) | 2(2%) | 52 | 73 |
| 3 | Ι | 89/204~(44%) | 86~(97%) | 3~(3%) | 37 | 64 |
| 3 | Κ | 89/204~(44%) | 78~(88%) | 11 (12%) | 4 | 24 |
| 3 | L | 89/204~(44%) | 84 (94%) | 5 (6%) | 21 | 53 |
| All | All | $132\overline{8/2432}$ (55%) | 1213 (91%) | 115 (9%) | 10 | 39 |

All (115) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|----------|-----|------|
| 1 | А | 346 | ARG |
| 1 | А | 361 | CYS |
| | <i>a</i> | 7 | |



| 1 A 405 ASP 1 A 468 ILE 1 A 505 TYR 1 B 355 ARG 1 B 361 CYS 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 405 ASP 1 B 405 ASP 1 B 405 ASP 1 B 428 ASP 1 B 428 ASP 1 B 458 LYS 1 B 458 LYS 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 455 LEU 1 C 458 LYS 1 C 458 VAL 1 | Mol | Chain | Res | Type |
|---|-----|-------|-----|------|
| 1 A 468 ILE 1 A 505 TYR 1 B 355 ARG 1 B 361 CYS 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 458 LYS 1 B 458 LYS 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 417 LYS 1 C 427 ASP 1 C 427 ASP 1 C 458 LYS 1 C 458 LYS 1 | 1 | А | 405 | ASP |
| 1 A 505 TYR 1 B 355 ARG 1 B 361 CYS 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 428 ASP 1 B 428 LYS 1 B 458 LYS 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 350 VAL 1 C 455 LEU 1 C 455 LEU 1 C 458 LYS 1 C 468 ILE 1 C 468 ILE 1 C 468 ILE 1 | 1 | А | 468 | ILE |
| 1 B 355 ARG 1 B 361 CYS 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 458 LYS 1 B 458 LYS 1 B 505 TYR 1 C 350 VAL 1 C 356 ILE 1 C 455 LEU 1 C 458 LYS 1 C 458 ILE 1 C 468 ILE 1 C 480 CYS 1 D 356 LYS <td>1</td> <td>А</td> <td>505</td> <td>TYR</td> | 1 | А | 505 | TYR |
| 1 B 361 CYS 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 458 LYS 1 C 350 VAL 1 C 356 ILE 1 C 417 LYS 1 C 427 ASP 1 C 427 ASP 1 C 455 LEU 1 C 458 ILE 1< | 1 | В | 355 | ARG |
| 1 B 377 PHE 1 B 398 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 428 ASP 1 B 458 LYS 1 B 458 LYS 1 B 505 TYR 1 C 350 VAL 1 C 356 ILE 1 C 361 CYS 1 C 417 LYS 1 C 417 LYS 1 C 427 ASP 1 C 458 LYS 1 C 458 LYS 1 C 480 CYS 1 C 483 VAL 1 D 336 CYS <td>1</td> <td>В</td> <td>361</td> <td>CYS</td> | 1 | В | 361 | CYS |
| 1 B 398 ASP 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 428 ASP 1 B 444 LYS 1 B 458 LYS 1 B 458 LYS 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 361 CYS 1 C 417 LYS 1 C 417 LYS 1 C 427 ASP 1 C 458 LYS 1 C 458 LYS 1 C 468 ILE 1 C 483 VAL 1 D 336 CYS 1 D 350 VAL <td>1</td> <td>В</td> <td>377</td> <td>PHE</td> | 1 | В | 377 | PHE |
| 1 B 405 ASP 1 B 417 LYS 1 B 428 ASP 1 B 444 LYS 1 B 458 LYS 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 361 CYS 1 C 455 LEU 1 C 455 LEU 1 C 458 LYS 1 C 458 LYS 1 C 458 LYS 1 C 468 ILE 1 C 480 CYS 1 C 483 VAL 1 D 336 CYS 1 D 350 VAL 1 D 357 ARG 1 | 1 | В | 398 | ASP |
| 1 B 417 LYS 1 B 428 ASP 1 B 444 LYS 1 B 458 LYS 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 417 LYS 1 C 455 LEU 1 C 455 LEU 1 C 458 LYS 1 C 458 LYS 1 C 458 LYS 1 C 468 ILE 1 C 480 CYS 1 C 483 VAL 1 C 483 VAL 1 D 336 CYS 1 D 350 VAL 1 D 357 ARG 1 | 1 | В | 405 | ASP |
| 1 B 428 ASP 1 B 444 LYS 1 B 458 LYS 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 361 CYS 1 C 417 LYS 1 C 427 ASP 1 C 427 ASP 1 C 455 LEU 1 C 458 LYS 1 C 458 ILE 1 C 468 ILE 1 C 480 CYS 1 C 483 VAL 1 C 493 GLN 1 D 336 CYS 1 D 357 ARG 1 D 357 ARG 1 | 1 | В | 417 | LYS |
| 1 B 444 LYS 1 B 458 LYS 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 417 LYS 1 C 427 ASP 1 C 455 LEU 1 C 458 LYS 1 C 458 LYS 1 C 458 IYS 1 C 468 ILE 1 C 468 ILE 1 C 480 CYS 1 C 483 VAL 1 C 493 GLN 1 D 336 CYS 1 D 350 VAL 1 D 357 ARG 1 D 367 VAL 1 | 1 | В | 428 | ASP |
| 1B458LYS1B468ILE1B505TYR1C350VAL1C358ILE1C361CYS1C417LYS1C427ASP1C455LEU1C458LYS1C468ILE1C468ILE1C480CYS1C483VAL1C493GLN1D336CYS1D350VAL1D357ARG1D367VAL1D378LYS1D380TYR1D395VAL | 1 | В | 444 | LYS |
| 1 B 468 ILE 1 B 505 TYR 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 417 LYS 1 C 427 ASP 1 C 455 LEU 1 C 458 LYS 1 C 458 ILE 1 C 468 ILE 1 C 468 ILE 1 C 480 CYS 1 C 483 VAL 1 C 483 VAL 1 D 336 CYS 1 D 350 VAL 1 D 357 ARG 1 D 357 ARG 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 | 1 | В | 458 | LYS |
| 1 B 505 TYR 1 C 350 VAL 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 417 LYS 1 C 427 ASP 1 C 427 ASP 1 C 455 LEU 1 C 458 LYS 1 C 468 ILE 1 C 471 GLU 1 C 480 CYS 1 C 483 VAL 1 C 493 GLN 1 D 336 CYS 1 D 350 VAL 1 D 356 LYS 1 D 357 ARG 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL <td>1</td> <td>В</td> <td>468</td> <td>ILE</td> | 1 | В | 468 | ILE |
| 1 C 350 VAL 1 C 358 ILE 1 C 361 CYS 1 C 417 LYS 1 C 427 ASP 1 C 427 ASP 1 C 455 LEU 1 C 458 LYS 1 C 468 ILE 1 C 468 ILE 1 C 471 GLU 1 C 480 CYS 1 C 483 VAL 1 C 493 GLN 1 D 336 CYS 1 D 350 VAL 1 D 356 LYS 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL 1 D 395 VAL <td>1</td> <td>В</td> <td>505</td> <td>TYR</td> | 1 | В | 505 | TYR |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 350 | VAL |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 358 | ILE |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 361 | CYS |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 417 | LYS |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 427 | ASP |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 455 | LEU |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 458 | LYS |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 468 | ILE |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 471 | GLU |
| 1 C 483 VAL 1 C 493 GLN 1 D 336 CYS 1 D 346 ARG 1 D 350 VAL 1 D 356 LYS 1 D 357 ARG 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | С | 480 | CYS |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 1 | С | 483 | VAL |
| 1 D 336 CYS 1 D 346 ARG 1 D 350 VAL 1 D 356 LYS 1 D 357 ARG 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | С | 493 | GLN |
| 1 D 346 ARG 1 D 350 VAL 1 D 356 LYS 1 D 357 ARG 1 D 367 VAL 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | D | 336 | CYS |
| 1 D 350 VAL 1 D 356 LYS 1 D 357 ARG 1 D 367 VAL 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | D | 346 | ARG |
| 1 D 356 LYS 1 D 357 ARG 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | D | 350 | VAL |
| 1 D 357 ARG 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL | 1 | D | 356 | LYS |
| 1 D 367 VAL 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL 1 D 402 U.F. | 1 | D | 357 | ARG |
| 1 D 378 LYS 1 D 380 TYR 1 D 395 VAL 1 D 402 U.F. | 1 | D | 367 | VAL |
| 1 D 380 TYR 1 D 395 VAL 1 D 402 U.F. | 1 | D | 378 | LYS |
| 1 D 395 VAL | 1 | D | 380 | TYR |
| 1 D 409 IIF | 1 | D | 395 | VAL |
| $1 \qquad D \qquad 402 \qquad \text{ILE} \qquad$ | 1 | D | 402 | ILE |
| 1 D 437 ASN | 1 | D | 437 | ASN |
| 1 D 439 ASN | 1 | D | 439 | ASN |
| 1 D 445 VAL | 1 | D | 445 | VAL |
| 1 D 468 ILE | 1 | D | 468 | ILE |
| 1 D 478 THR | 1 | D | 478 | THR |
| 1 D 480 CYS | 1 | D | 480 | CYS |



| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | D | 483 | VAL |
| 2 | Е | 3 | GLN |
| 2 | Е | 11 | VAL |
| 2 | Е | 13 | LYS |
| 2 | Е | 16 | THR |
| 2 | Е | 19 | LYS |
| 2 | Е | 41 | ARG |
| 2 | Е | 46 | GLU |
| 2 | Е | 63 | LYS |
| 2 | Е | 69 | THR |
| 2 | Е | 72 | ARG |
| 2 | Е | 88 | PHE |
| 2 | Е | 107 | ASP |
| 3 | F | 26 | SER |
| 3 | F | 54 | SER |
| 2 | G | 2 | MET |
| 2 | G | 5 | VAL |
| 2 | G | 20 | VAL |
| 2 | G | 31 | ILE |
| 2 | G | 38 | ARG |
| 2 | G | 41 | ARG |
| 2 | G | 44 | ARG |
| 2 | G | 72 | ARG |
| 2 | G | 107 | ASP |
| 2 | Н | 2 | MET |
| 2 | Н | 11 | VAL |
| 2 | Н | 12 | LYS |
| 2 | Н | 19 | LYS |
| 2 | Н | 43 | GLN |
| 2 | Н | 53 | VAL |
| 2 | Н | 69 | THR |
| 2 | Н | 72 | ARG |
| 2 | Н | 74 | MET |
| 2 | Н | 104 | ASP |
| 2 | Н | 105 | CYS |
| 2 | H | 106 | SER |
| 2 | Н | 118 | VAL |
| 2 | Н | 120 | VAL |
| 3 | Ι | 18 | ARG |
| 3 | Ι | 34 | LEU |
| 3 | Ι | 89 | CYS |
| 2 | J | 5 | VAL |



| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | J | 11 | VAL |
| 2 | J | 18 | VAL |
| 2 | J | 23 | LYS |
| 2 | J | 38 | ARG |
| 2 | J | 41 | ARG |
| 2 | J | 43 | GLN |
| 2 | J | 58 | THR |
| 2 | J | 69 | THR |
| 2 | J | 107 | ASP |
| 2 | J | 110 | ASP |
| 2 | J | 119 | THR |
| 2 | J | 120 | VAL |
| 2 | J | 121 | SER |
| 3 | K | 21 | LEU |
| 3 | K | 24 | ARG |
| 3 | K | 34 | LEU |
| 3 | K | 54 | SER |
| 3 | K | 73 | THR |
| 3 | K | 78 | ARG |
| 3 | K | 89 | CYS |
| 3 | K | 90 | GLN |
| 3 | K | 94 | ASN |
| 3 | K | 98 | THR |
| 3 | K | 107 | ILE |
| 3 | L | 31 | SER |
| 3 | L | 34 | LEU |
| 3 | L | 75 | THR |
| 3 | L | 80 | GLU |
| 3 | L | 89 | CYS |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | В | 501 | ASN |
| 1 | С | 493 | GLN |
| 1 | D | 498 | GLN |
| 2 | Е | 39 | GLN |

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | $\langle RSRZ \rangle$ | # RSRZ > | >2 | $OWAB(Å^2)$ | Q<0.9 |
|-----|-------|-----------------------------|------------------------|-----------------|----|-------------------|-------|
| 1 | А | 167/215~(77%) | 0.48 | 14 (8%) 11 | 10 | 85, 136, 214, 248 | 0 |
| 1 | В | 172/215~(80%) | 0.47 | 13 (7%) 13 | 11 | 83, 140, 207, 267 | 0 |
| 1 | С | 157/215~(73%) | 0.46 | 11 (7%) 16 | 13 | 81, 131, 200, 287 | 0 |
| 1 | D | 163/215~(75%) | 0.54 | 14 (8%) 10 | 9 | 64, 137, 202, 283 | 0 |
| 2 | Ε | 122/257~(47%) | 0.36 | 3 (2%) 57 | 51 | 72, 120, 172, 250 | 0 |
| 2 | G | 122/257~(47%) | 0.55 | 7 (5%) 23 | 20 | 76, 122, 182, 202 | 0 |
| 2 | Н | 122/257~(47%) | 0.46 | 7(5%) 23 | 20 | 62, 117, 172, 198 | 0 |
| 2 | J | 122/257~(47%) | 0.45 | 6 (4%) 29 | 26 | 75, 120, 179, 209 | 0 |
| 3 | F | 107/235~(45%) | 0.58 | 9 (8%) 11 | 10 | 80, 127, 178, 200 | 0 |
| 3 | Ι | 107/235~(45%) | 0.49 | 6 (5%) 24 | 21 | 88, 125, 171, 198 | 0 |
| 3 | Κ | 107/235~(45%) | 0.43 | 5 (4%) 31 | 28 | 77, 134, 176, 234 | 0 |
| 3 | L | $10\overline{7/235}~(45\%)$ | 0.60 | 7~(6%) 18 | 15 | 87, 128, 179, 203 | 0 |
| All | All | 1575/2828 (55%) | 0.49 | 102 (6%) 18 | 15 | 62, 130, 193, 287 | 0 |

All (102) RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 1 | С | 373 | SER | 5.5 |
| 2 | G | 48 | ILE | 4.4 |
| 1 | А | 341 | VAL | 4.4 |
| 1 | А | 342 | PHE | 4.3 |
| 1 | D | 432 | CYS | 4.0 |
| 1 | В | 513 | LEU | 4.0 |
| 1 | С | 347 | PHE | 4.0 |
| 1 | D | 346 | ARG | 4.0 |
| 1 | В | 432 | CYS | 3.9 |
| 1 | А | 457 | ARG | 3.9 |
| 1 | А | 358 | ILE | 3.9 |



| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 1 | А | 338 | PHE | 3.8 |
| 1 | В | 374 | PHE | 3.7 |
| 1 | D | 513 | LEU | 3.7 |
| 1 | А | 410 | ILE | 3.7 |
| 1 | D | 368 | LEU | 3.6 |
| 3 | Ι | 2 | ILE | 3.5 |
| 2 | G | 45 | LEU | 3.4 |
| 3 | K | 45 | PRO | 3.4 |
| 1 | А | 374 | PHE | 3.4 |
| 2 | J | 45 | LEU | 3.3 |
| 2 | G | 47 | TRP | 3.2 |
| 3 | L | 45 | PRO | 3.2 |
| 1 | В | 512 | VAL | 3.2 |
| 3 | K | 99 | PHE | 3.2 |
| 3 | F | 49 | ILE | 3.2 |
| 1 | В | 375 | SER | 3.2 |
| 1 | В | 379 | CYS | 3.1 |
| 1 | С | 374 | PHE | 3.1 |
| 3 | F | 47 | LEU | 3.1 |
| 1 | А | 515 | PHE | 3.1 |
| 2 | J | 112 | TRP | 3.1 |
| 3 | Ι | 45 | PRO | 3.1 |
| 3 | F | 27 | GLN | 3.0 |
| 2 | G | 112 | TRP | 3.0 |
| 1 | С | 338 | PHE | 3.0 |
| 1 | D | 347 | PHE | 3.0 |
| 1 | D | 425 | LEU | 2.9 |
| 1 | D | 342 | PHE | 2.9 |
| 1 | В | 410 | ILE | 2.9 |
| 1 | D | 512 | VAL | 2.9 |
| 1 | В | 433 | VAL | 2.8 |
| 1 | D | 515 | PHE | 2.8 |
| 2 | Н | 45 | LEU | 2.8 |
| 1 | В | 392 | PHE | 2.8 |
| 3 | Ι | 98 | THR | 2.8 |
| 3 | K | 24 | ARG | 2.7 |
| 2 | H | 94 | TYR | 2.7 |
| 2 | Е | 45 | LEU | 2.7 |
| 3 | F | 2 | ILE | 2.7 |
| 1 | A | 377 | PHE | 2.6 |
| 1 | C | 429 | PHE | 2.6 |
| 3 | L | 48 | LEU | 2.6 |



| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 1 | С | 342 | PHE | 2.5 |
| 1 | В | 511 | VAL | 2.5 |
| 1 | А | 513 | LEU | 2.5 |
| 1 | С | 380 | TYR | 2.5 |
| 2 | G | 34 | VAL | 2.5 |
| 3 | Ι | 48 | LEU | 2.5 |
| 3 | F | 94 | ASN | 2.5 |
| 3 | F | 99 | PHE | 2.5 |
| 2 | Н | 48 | ILE | 2.5 |
| 2 | Е | 112 | TRP | 2.5 |
| 3 | F | 48 | LEU | 2.4 |
| 1 | А | 380 | TYR | 2.4 |
| 3 | L | 2 | ILE | 2.4 |
| 1 | D | 380 | TYR | 2.4 |
| 1 | D | 434 | ILE | 2.4 |
| 1 | D | 511 | VAL | 2.4 |
| 2 | J | 4 | LEU | 2.4 |
| 2 | G | 94 | TYR | 2.3 |
| 2 | J | 5 | VAL | 2.3 |
| 3 | Ι | 43 | GLN | 2.3 |
| 1 | В | 434 | ILE | 2.3 |
| 1 | С | 512 | VAL | 2.3 |
| 3 | L | 38 | GLN | 2.3 |
| 1 | В | 338 | PHE | 2.3 |
| 1 | D | 374 | PHE | 2.3 |
| 3 | L | 1 | GLU | 2.3 |
| 1 | С | 425 | LEU | 2.3 |
| 1 | В | 400 | PHE | 2.3 |
| 1 | А | 434 | ILE | 2.3 |
| 2 | Е | 41 | ARG | 2.3 |
| 2 | G | 49 | GLY | 2.3 |
| 2 | J | 34 | VAL | 2.3 |
| 1 | С | 513 | LEU | 2.2 |
| 1 | D | 358 | ILE | 2.2 |
| 2 | Н | 4 | LEU | 2.2 |
| 1 | А | 456 | PHE | 2.2 |
| 1 | С | 433 | VAL | 2.2 |
| 2 | Н | 20 | VAL | 2.1 |
| 2 | J | 41 | ARG | 2.1 |
| 3 | L | 36 | TRP | 2.1 |
| 3 | F | 45 | PRO | 2.1 |
| 1 | А | 395 | VAL | 2.1 |



| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 2 | Н | 33 | ALA | 2.1 |
| 3 | Κ | 2 | ILE | 2.1 |
| 3 | F | 90 | GLN | 2.0 |
| 3 | Ι | 99 | PHE | 2.0 |
| 2 | Н | 112 | TRP | 2.0 |
| 3 | Κ | 43 | GLN | 2.0 |
| 3 | L | 85 | ALA | 2.0 |

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

