



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2018 – 09:59 am GMT

PDB ID : 2X9V  
Title : High resolution structure of TbPTR1 with trimetrexate  
Authors : Dawson, A.; Tulloch, L.B.; Barrack, K.L.; Hunter, W.N.  
Deposited on : 2010-03-24  
Resolution : 1.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk31020  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk31020


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 1.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1286 (1.32-1.28)
Clashscore	122126	1332 (1.32-1.28)
Ramachandran outliers	120053	1282 (1.32-1.28)
Sidechain outliers	120020	1282 (1.32-1.28)
RSRZ outliers	108989	1250 (1.32-1.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	
1	C	288	
1	D	288	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9148 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	1910	1205	337	357	11	0	11	0
1	B	251	1906	1200	333	361	12	0	13	0
1	C	249	1897	1194	330	361	12	0	11	0
1	D	250	1909	1202	331	364	12	0	13	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	expression tag	UNP O76290

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	expression tag	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	expression tag	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is TRIMETREXATE (three-letter code: TMQ) (formula:  $C_{19}H_{24}N_5O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			27	19	5	3		
3	B	1	Total	C	N	O	0	0
			27	19	5	3		
3	C	1	Total	C	N	O	0	0
			27	19	5	3		
3	D	1	Total	C	N	O	0	0
			27	19	5	3		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	313	Total O 313 313	0	0
5	B	326	Total O 326 326	0	0
5	C	283	Total O 283 283	0	0
5	D	280	Total O 280 280	0	0







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.56Å 90.71Å 82.46Å 90.00° 115.69° 90.00°	Depositor
Resolution (Å)	31.05 – 1.30 31.05 – 1.30	Depositor EDS
% Data completeness (in resolution range)	98.7 (31.05-1.30) 98.7 (31.05-1.30)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.81 (at 1.30Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.121 , 0.148 0.131 , 0.156	Depositor DCC
$R_{free}$ test set	12059 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	9.8	Xtrriage
Anisotropy	0.230	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 64.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.013 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	9148	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TMQ, NAP, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/1982	0.65	0/2687
1	B	0.47	0/1991	0.66	0/2699
1	C	0.45	0/1968	0.61	0/2668
1	D	0.46	0/1993	0.63	0/2704
All	All	0.46	0/7934	0.64	0/10758

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1910	0	1946	8	0
1	B	1906	0	1939	7	0
1	C	1897	0	1918	8	0
1	D	1909	0	1931	6	0
2	A	48	0	25	0	0
2	B	48	0	25	1	0
2	C	48	0	25	0	0
2	D	48	0	25	0	0
3	A	27	0	24	3	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	27	0	24	1	0
3	C	27	0	24	1	0
3	D	27	0	24	1	0
4	A	4	0	3	1	0
4	B	8	0	6	0	0
4	C	8	0	6	0	0
4	D	4	0	3	0	0
5	A	313	0	0	4	1
5	B	326	0	0	1	0
5	C	283	0	0	1	0
5	D	280	0	0	2	1
All	All	9148	0	7948	31	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78[B]:ASN:OD1	1:C:141:ARG:NH2	2.03	0.91
1:C:117[B]:GLU:OE1	5:C:2168:HOH:O	1.89	0.87
1:A:104:GLN:H	1:C:140:GLN:HE22	1.24	0.83
1:A:78:ASN:ND2	5:A:2152:HOH:O	2.21	0.69
1:D:78[A]:ASN:OD1	1:D:141:ARG:NH1	2.27	0.67
3:C:1270:TMQ:HN52	3:C:1270:TMQ:C17	2.18	0.56
3:D:1270:TMQ:HN52	3:D:1270:TMQ:C17	2.18	0.56
3:A:1270:TMQ:C17	3:A:1270:TMQ:HN52	2.20	0.54
3:B:1270:TMQ:C17	3:B:1270:TMQ:HN52	2.21	0.53
1:D:141:ARG:HG2	5:D:2132:HOH:O	2.09	0.52
1:C:22[A]:LYS:NZ	1:C:235:GLU:O	2.43	0.51
1:C:9:THR:HA	1:C:33:HIS:HB3	1.97	0.47
3:A:1270:TMQ:H171	3:A:1270:TMQ:N10	2.30	0.46
1:A:168:CYS:SG	3:A:1270:TMQ:H233	2.56	0.46
1:C:22[A]:LYS:HG2	1:C:242:ILE:HG13	1.99	0.45
1:A:22:LYS:HG2	1:A:242:ILE:HG12	1.97	0.45
1:B:9:THR:HA	1:B:33:HIS:HB3	1.99	0.45
1:A:9:THR:HA	1:A:33:HIS:HB3	2.00	0.43
1:D:9:THR:HA	1:D:33:HIS:HB3	2.00	0.43
1:D:68[A]:VAL:HG23	5:D:2118:HOH:O	2.18	0.42
1:A:223[A]:ARG:NH2	5:A:2255:HOH:O	2.50	0.42
4:A:1271:ACT:O	5:A:2313:HOH:O	2.21	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:VAL:HG22	5:A:2243:HOH:O	2.19	0.42
1:B:15:ILE:HB	2:B:1269:NAP:H51N	2.02	0.42
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.55	0.42
1:C:206:VAL:HB	1:C:209:LEU:HD21	2.03	0.41
1:B:67[B]:ASN:ND2	5:B:2145:HOH:O	2.45	0.41
1:B:136[B]:MET:HG3	1:D:102:LEU:O	2.22	0.40
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2152:HOH:O	5:D:2124:HOH:O[1_655]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/288 (88%)	245 (96%)	10 (4%)	0	100	100
1	B	257/288 (89%)	246 (96%)	11 (4%)	0	100	100
1	C	254/288 (88%)	245 (96%)	9 (4%)	0	100	100
1	D	258/288 (90%)	249 (96%)	9 (4%)	0	100	100
All	All	1024/1152 (89%)	985 (96%)	39 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/231 (90%)	209 (100%)	0	100	100
1	B	212/231 (92%)	205 (97%)	7 (3%)	41	5
1	C	209/231 (90%)	207 (99%)	2 (1%)	78	48
1	D	212/231 (92%)	212 (100%)	0	100	100
All	All	842/924 (91%)	833 (99%)	9 (1%)	83	45

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	2	GLU
1	B	64[A]	THR
1	B	64[B]	THR
1	B	67[A]	ASN
1	B	67[B]	ASN
1	B	211[A]	VAL
1	B	211[B]	VAL
1	C	104	GLN
1	C	215	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	GLN
1	A	175	ASN
1	B	175	ASN
1	C	140	GLN
1	C	175	ASN
1	D	175	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	A	1269	-	44,52,52	0.98	2 (4%)	53,80,80	1.42	5 (9%)
3	TMQ	A	1270	-	29,29,29	0.89	1 (3%)	39,41,41	1.34	4 (10%)
4	ACT	A	1271	-	1,3,3	0.93	0	0,3,3	0.00	-
2	NAP	B	1269	-	44,52,52	0.97	2 (4%)	53,80,80	1.41	4 (7%)
3	TMQ	B	1270	-	29,29,29	0.82	1 (3%)	39,41,41	1.25	4 (10%)
4	ACT	B	1271	-	1,3,3	1.28	0	0,3,3	0.00	-
4	ACT	B	1272	-	1,3,3	1.33	0	0,3,3	0.00	-
2	NAP	C	1269	-	44,52,52	1.04	3 (6%)	53,80,80	1.35	5 (9%)
3	TMQ	C	1270	-	29,29,29	0.94	1 (3%)	39,41,41	1.40	6 (15%)
4	ACT	C	1271	-	1,3,3	1.15	0	0,3,3	0.00	-
4	ACT	C	1272	-	1,3,3	2.79	1 (100%)	0,3,3	0.00	-
2	NAP	D	1269	-	44,52,52	0.97	2 (4%)	53,80,80	1.43	5 (9%)
3	TMQ	D	1270	-	29,29,29	0.91	1 (3%)	39,41,41	1.54	6 (15%)
4	ACT	D	1271	-	1,3,3	0.88	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1269	-	-	0/27/67/67	0/5/5/5
3	TMQ	A	1270	-	-	0/11/11/11	0/3/3/3
4	ACT	A	1271	-	-	0/0/0/0	0/0/0/0
2	NAP	B	1269	-	-	0/27/67/67	0/5/5/5
3	TMQ	B	1270	-	-	0/11/11/11	0/3/3/3
4	ACT	B	1271	-	-	0/0/0/0	0/0/0/0
4	ACT	B	1272	-	-	0/0/0/0	0/0/0/0
2	NAP	C	1269	-	-	0/27/67/67	0/5/5/5
3	TMQ	C	1270	-	-	0/11/11/11	0/3/3/3
4	ACT	C	1271	-	-	0/0/0/0	0/0/0/0
4	ACT	C	1272	-	-	0/0/0/0	0/0/0/0
2	NAP	D	1269	-	-	0/27/67/67	0/5/5/5
3	TMQ	D	1270	-	-	0/11/11/11	0/3/3/3
4	ACT	D	1271	-	-	0/0/0/0	0/0/0/0

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1269	NAP	O4B-C1B	-2.95	1.37	1.41
2	A	1269	NAP	O4B-C1B	-2.46	1.37	1.41
2	B	1269	NAP	O4B-C1B	-2.22	1.38	1.41
2	D	1269	NAP	O4B-C1B	-2.03	1.38	1.41
3	B	1270	TMQ	C13-C14	2.41	1.46	1.40
2	C	1269	NAP	P2B-O2B	2.41	1.63	1.59
4	C	1272	ACT	CH3-C	2.79	1.52	1.48
2	D	1269	NAP	O7N-C7N	3.07	1.30	1.24
2	B	1269	NAP	O7N-C7N	3.08	1.30	1.24
2	C	1269	NAP	O7N-C7N	3.10	1.30	1.24
3	C	1270	TMQ	C13-C14	3.26	1.47	1.40
3	D	1270	TMQ	C13-C14	3.28	1.47	1.40
3	A	1270	TMQ	C13-C14	3.30	1.47	1.40
2	A	1269	NAP	O7N-C7N	3.34	1.30	1.24

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1269	NAP	N3A-C2A-N1A	-6.32	123.45	128.86
2	D	1269	NAP	N3A-C2A-N1A	-6.04	123.69	128.86
2	B	1269	NAP	N3A-C2A-N1A	-5.68	124.00	128.86
2	C	1269	NAP	N3A-C2A-N1A	-5.39	124.25	128.86
3	D	1270	TMQ	N1-C2-N3	-5.25	119.71	127.41
3	C	1270	TMQ	N1-C2-N3	-4.36	121.02	127.41
3	B	1270	TMQ	N1-C2-N3	-4.30	121.11	127.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1269	NAP	C4B-O4B-C1B	-3.96	105.70	109.83
2	D	1269	NAP	C4B-O4B-C1B	-3.68	105.99	109.83
3	A	1270	TMQ	C17-C5-C6	-3.54	116.67	120.69
3	A	1270	TMQ	N1-C2-N3	-3.52	122.25	127.41
2	B	1269	NAP	C4B-O4B-C1B	-3.31	106.38	109.83
2	D	1269	NAP	C4A-C5A-N7A	-3.14	106.38	109.41
2	C	1269	NAP	C3N-C2N-N1N	-2.61	117.81	120.41
2	C	1269	NAP	C4B-O4B-C1B	-2.56	107.16	109.83
2	B	1269	NAP	C1B-N9A-C4A	-2.53	122.27	126.64
3	B	1270	TMQ	C17-C5-C6	-2.47	117.89	120.69
2	D	1269	NAP	O7N-C7N-C3N	-2.44	116.57	119.62
3	D	1270	TMQ	C17-C5-C6	-2.37	118.01	120.69
3	C	1270	TMQ	C17-C5-C6	-2.26	118.13	120.69
2	A	1269	NAP	C1B-N9A-C4A	-2.24	122.76	126.64
2	A	1269	NAP	O7N-C7N-C3N	-2.20	116.87	119.62
3	C	1270	TMQ	O18-C13-C12	-2.18	120.46	124.15
3	C	1270	TMQ	C9-C6-C7	-2.08	116.31	121.00
3	B	1270	TMQ	C9-C6-C7	-2.04	116.41	121.00
3	D	1270	TMQ	O18-C13-C14	2.00	118.75	115.20
3	A	1270	TMQ	C11-C16-C15	2.05	122.47	119.59
3	D	1270	TMQ	C21-O18-C13	2.24	120.86	117.53
2	D	1269	NAP	C3N-C7N-N7N	2.37	120.52	117.76
2	A	1269	NAP	C3N-C7N-N7N	2.37	120.52	117.76
2	C	1269	NAP	C2N-C3N-C4N	2.62	121.28	118.26
3	D	1270	TMQ	C4-C4A-C3A	2.92	116.55	114.75
2	C	1269	NAP	C3N-C7N-N7N	3.06	121.31	117.76
3	A	1270	TMQ	C23-O20-C15	3.19	122.27	117.53
3	B	1270	TMQ	C23-O20-C15	3.20	122.29	117.53
3	C	1270	TMQ	O18-C13-C14	3.31	121.07	115.20
3	D	1270	TMQ	C23-O20-C15	3.32	122.46	117.53
3	C	1270	TMQ	C23-O20-C15	3.38	122.55	117.53
2	B	1269	NAP	C3N-C7N-N7N	3.53	121.86	117.76

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1270	TMQ	3	0
4	A	1271	ACT	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1269	NAP	1	0
3	B	1270	TMQ	1	0
3	C	1270	TMQ	1	0
3	D	1270	TMQ	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/288 (86%)	0.13	10 (4%) 38 37	6, 10, 21, 30	2 (0%)
1	B	251/288 (87%)	0.03	5 (1%) 65 65	6, 10, 20, 34	3 (1%)
1	C	249/288 (86%)	0.22	11 (4%) 34 34	6, 10, 25, 44	2 (0%)
1	D	250/288 (86%)	0.19	17 (6%) 17 16	6, 11, 24, 32	5 (2%)
All	All	1000/1152 (86%)	0.14	43 (4%) 35 35	6, 10, 22, 44	12 (1%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	212	ALA	10.8
1	B	104	GLN	9.4
1	B	113	GLY	8.1
1	D	104	GLN	7.5
1	D	113	GLY	7.1
1	A	113	GLY	6.9
1	A	104	GLN	6.2
1	C	104	GLN	5.8
1	C	2	GLU	5.8
1	C	214	GLY	5.6
1	A	212	ALA	5.2
1	C	211	VAL	5.1
1	C	216	GLU	4.5
1	B	2	GLU	4.1
1	D	214	GLY	3.9
1	D	2	GLU	3.6
1	D	152	SER	3.5
1	C	217	GLU	3.2
1	A	216	GLU	3.1
1	C	152	SER	3.1
1	D	213	MET	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	2	GLU	3.0
1	D	217	GLU	3.0
1	D	195	TYR	2.9
1	A	223[A]	ARG	2.9
1	C	213	MET	2.7
1	C	223	ARG	2.7
1	D	212	ALA	2.6
1	B	143	LYS	2.5
1	D	223	ARG	2.4
1	B	152[A]	SER	2.4
1	A	152	SER	2.3
1	D	103	VAL	2.3
1	A	51[A]	GLU	2.3
1	D	211	VAL	2.3
1	D	46	ASP	2.2
1	D	216	GLU	2.2
1	D	215[A]	GLU	2.2
1	A	211	VAL	2.2
1	D	219	ASP	2.1
1	D	26	THR	2.1
1	C	220	LYS	2.1
1	A	103	VAL	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	ACT	A	1271	4/4	0.85	0.18	21,21,21,22	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	ACT	D	1271	4/4	0.88	0.17	21,21,21,22	0
4	ACT	C	1271	4/4	0.89	0.18	19,20,20,21	0
4	ACT	C	1272	4/4	0.91	0.14	19,21,21,22	0
4	ACT	B	1272	4/4	0.92	0.15	20,20,21,22	0
3	TMQ	D	1270	27/27	0.96	0.08	8,14,25,29	0
3	TMQ	A	1270	27/27	0.96	0.08	8,12,26,29	0
3	TMQ	C	1270	27/27	0.96	0.07	7,12,24,28	0
3	TMQ	B	1270	27/27	0.97	0.06	7,11,22,23	0
4	ACT	B	1271	4/4	0.98	0.06	10,11,11,11	0
2	NAP	C	1269	48/48	0.99	0.05	6,8,10,11	0
2	NAP	A	1269	48/48	0.99	0.06	6,8,10,12	0
2	NAP	B	1269	48/48	0.99	0.06	6,8,10,10	0
2	NAP	D	1269	48/48	0.99	0.06	7,9,11,15	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.